

1997 COUGAR XR7









Safety and Security



Lap/shoulder 3-point safety belts are the primary restraint for front and rear outboard occupants.

beams are mounted inside

each door

protection.




Cougar XR7's wipers include high, low and variable intermittent speeds allowing the driver to adjust for a mist or a






Frontal air bags for both driver and front passenger are standard equipment. Safety belts must be properly worn for air bags to be most effective.



Options






With speed control, you set the speed and it does the rest. It includes tap-up/tap-down feature and is conveniently located on the steering wheel.



A dealer-installed roof rack may be purchased for your Cougar XR7. It can accommodate up to four bike racks, each of which can carry one bike. Bikes can be secured or removed in minutes.



An AM/FM stereo radio with cassette player is standard. This system can be upgraded to a High-level audio system with 80 watts of power, AM stereo/FM stereo cassette radio and premium speakers. A CD player is also available.



This CFC-free semi-automatic temperature control features a precise digital display that automatically maintains your selected temperature.



Standard 15-inch bolt-on luxury wheel covers.



Optional 15-inch 21-spoke luxury cast aluminum wheels.



Optional 15-inch geometric spoke cast aluminum wheels.

30th Anniversary Cougar XR7

A SPECIAL 30TH ANNIVERSARY EDITION COUGAR XR7 IS AVAILABLE. IT INCLUDES
30TH ANNIVERSARY ORNAMENTATION, UNIQUE FRONT BUCKET SEATS WITH POWER
SIDE BOLSTERS AND POWER LUMBAR SUPPORT, ELECTROCHROMIC (AUTO-DIMMING)
INSIDE REARVIEW MIRROR AND UNIQUE LACY SPOKE ALUMINUM WHEELS. IT'S
AVAILABLE IN DARK TOREADOR RED CLEARCOAT METALLIC.





Mercury Cougar XR7 Specifications

Dimensions (in inches)	
Wheelbase	.113.0
Overall length	
Overall height	52.5
Overall width	72.7
Track front/rear	
Headroom, front/rear	TO SECURE OF THE PARTY OF THE P
Legroom, front/rear42	
Shoulder room, front/rear	SECTION AND PROPERTY.
Hiproom, front/rear	NAME AND ADDRESS OF THE PERSON
Engines Standard Option Type OHV V-6 SOHC	
Displacement	
Horsepower (SAE net) 145 @ 4000 rpm 205 @ 42	
Torque (SAE net)215 lbs-ft @ 2750 rpm 280 @ 30	
Fuel delivery Sequential multi-port el	
fuel injection	
Compression ratio	
Engine control Electronic engine control (EEC-V,	(OBD-II)
CAPACITIES	-
	8.0 gal.
Curb weight3,528 lbs.(w/V-6)/3,666 lbs.	(W/V-8)
TRANSMISSION	Tarata d
Four-speed electronic automatic overdrive with overdrive	lockout
Suspension	1200
Front—Short/long arm (SLA) design with double isola tension strut, stabilizer bar, variable rate coil sp	
to isini suut, staniico vai, variane rate con st	bers.
nitrogen gas-pressurized hydraulic shock absor	
nitrogen gas-pressurized hydraulic shock absor front subframe	
front subframe Rear—Independent with lower "H" arm, upper arm, s	
front subframe Rear—Independent with lower "H" arm, upper arm, s bar, variable rate coil springs, nitrogen gas-pres	surized
front subframe Rear—Independent with lower "H" arm, upper arm, s bar, variable rate coll springs, nitrogen gas-pres hydraulic shock absorbers, rubber isolated rea	surized
front subframe Rear—Independent with lower "H" arm, upper arm, s bar, variable rate coil springs, nitrogen gas-pres hydraulic shock absorbers, rubber isolated rea subframe	surized
front subframe Rear—Independent with lower "H" arm, upper arm, s bar, variable rate coil springs, nitrogen gas-pres hydraulic shock absorbers, rubber isolated real subframe Brakes	ssurized
front subframe Rear—Independent with lower "H" arm, upper arm, s bar, variable rate coll springs, nitrogen gas-pres hydraulic shock absorbers, rubber isolated real subframe BRAKES Front/Rear	ssurized
front subframe Rear—Independent with lower "H" arm, upper arm, s bar, variable rate coil springs, nitrogen gas-pres hydraulic shock absorbers, rubber isolated real subframe BRAKES Front/Rear	ssurized
front subframe Rear—Independent with lower "H" arm, upper arm, s bar, variable rate coil springs, nitrogen gas-pres hydraulic shock absorbers, rubber isolated real subframe BRAKES Front/Rear	ssurized r nch disc
front subframe Rear—Independent with lower "H" arm, upper arm, s bar, variable rate coil springs, nitrogen gas-pres hydraulic shock absorbers, rubber isolated real subframe BRAKES Front/Rear	ssurized nch disc
front subframe Rear—Independent with lower "H" arm, upper arm, s bar, variable rate coil springs, nitrogen gas-pres hydraulic shock absorbers, rubber isolated real subframe BRAKES Front/Rear	ssurized r nch disc
front subframe Rear—Independent with lower "H" arm, upper arm, s bar, variable rate coil springs, nitrogen gas-pres hydraulic shock absorbers, rubber isolated real subframe BRAKES Front/Rear	nch disc
front subframe Rear—Independent with lower "H" arm, upper arm, s bar, variable rate coil springs, nitrogen gas-pres hydraulic shock absorbers, rubber isolated real subframe BRAKES Front/Rear	ssurized nch disc
front subframe Rear—Independent with lower "H" arm, upper arm, s bar, variable rate coil springs, nitrogen gas-pres hydraulic shock absorbers, rubber isolated real subframe BRAKES Front/Rear	nch disc
front subframe Rear—Independent with lower "H" arm, upper arm, s bar, variable rate coil springs, nitrogen gas-pres hydraulic shock absorbers, rubber isolated real subframe BRAKES Front/Rear	xxr7 stD stD
front subframe Rear—Independent with lower "H" arm, upper arm, s bar, variable rate coll springs, nitrogen gas-pres hydraulic shock absorbers, rubber isolated real subframe BRAKES Front/Rear	surized neh disc
front subframe Rear—Independent with lower "H" arm, upper arm, s bar, variable rate coll springs, nitrogen gas-pres hydraulic shock absorbers, rubber isolated real subframe BRAKES Front/Rear	ssurized nich disc nich disc stD stD stD stD stD
front subframe Rear—Independent with lower "H" arm, upper arm, s bar, variable rate coll springs, nitrogen gas-pres hydraulic shock absorbers, rubber isolated real subframe BRAKES Front/Rear	ssurized nch disc XR7 STD STD STD STD STD STD STD
front subframe Rear—Independent with lower "H" arm, upper arm, s bar, variable rate coil springs, nitrogen gas-pres hydraulic shock absorbers, rubber isolated real subframe BRAKES Front/Rear	ssurized nch disc XR7 STD STD STD STD STD STD STD STD
front subframe Rear—Independent with lower "H" arm, upper arm, s bar, variable rate coil springs, nitrogen gas-pres hydraulic shock absorbers, rubber isolated real subframe BRAKES Front/Rear	ssurized nch disc XR7 STD STD STD STD STD STD STD ST
front subframe Rear—Independent with lower "H" arm, upper arm, s bar, variable rate coil springs, nitrogen gas-pres hydraulic shock absorbers, rubber isolated real subframe BRAKES Front/Rear	STD
front subframe Rear—Independent with lower "H" arm, upper arm, s bar, variable rate coil springs, nitrogen gas-pres hydraulic shock absorbers, rubber isolated real subframe BRAKES Front/Rear	ssurized nch disc XR7 STD STD STD STD STD STD STD ST
front subframe Rear—Independent with lower "H" arm, upper arm, s bar, variable rate coll springs, nitrogen gas-pres hydraulic shock absorbers, rubber isolated real subframe BRAKES Front/Rear	STD STD STD STD STD STD STD STD OPT
front subframe Rear—Independent with lower "H" arm, upper arm, s bar, variable rate coil springs, nitrogen gas-pres hydraulic shock absorbers, rubber isolated real subframe BRAKES Front/Rear	STD STD STD STD STD STD STD OPT OPT+
front subframe Rear—Independent with lower "H" arm, upper arm, s bar, variable rate coll springs, nitrogen gas-pres hydraulic shock absorbers, rubber isolated real subframe BRAKES Front/Rear	STD STD STD STD STD STD STD STD OPT
front subframe Rear—Independent with lower "H" arm, upper arm, s bar, variable rate coll springs, nitrogen gas-pres hydraulic shock absorbers, rubber isolated real subframe BRAKES Front/Rear	STD STD STD STD STD STD STD OPT OPT+
Rear—Independent with lower "H" arm, upper arm, s bar, variable rate coll springs, nitrogen gas-pres hydraulic shock absorbers, rubber isolated real subframe BRAKES Front/Rear	STD STD STD STD STD STD OPT OPT
front subframe Rear—Independent with lower "H" arm, upper arm, s bar, variable rate coll springs, nitrogen gas-pres hydraulic shock absorbers, rubber isolated real subframe BRAKES Front/Rear	STD STD STD STD STD STD OPT OPT OPT
Rear—Independent with lower "H" arm, upper arm, s bar, variable rate coll springs, nitrogen gas-pres hydraulic shock absorbers, rubber isolated real subframe BRAKES Front/Rear	STD STD STD STD STD STD OPT OPT OPT
front subframe Rear—Independent with lower "H" arm, upper arm, s bar, variable rate coil springs, nitrogen gas-pres hydraulic shock absorbers, rubber isolated real subframe BRAKES Front/Rear	STD STD STD STD STD STD OPT OPT OPT
Front subframe Rear—Independent with lower "H" arm, upper arm, s bar, variable rate coll springs, nitrogen gas-pres hydraulic shock absorbers, rubber isolated real subframe BRAKES Front/Rear	STD STD STD STD STD STD STD STD STD OPT OPT OPT OPT OPT STD
Rear—Independent with lower "H" arm, upper arm, s bar, variable rate coil springs, nitrogen gas-pres hydraulic shock absorbers, rubber isolated real subframe BRAKES Front/Rear	STD
Front subframe Rear—Independent with lower "H" arm, upper arm, s bar, variable rate coil springs, nitrogen gas-pres hydraulic shock absorbers, rubber isolated real subframe BRAKES Front/Rear	STD STD STD STD STD STD STD STD STD OPT OPT OPT OPT STD STD
Rear—Independent with lower "H" arm, upper arm, s bar, variable rate coil springs, nitrogen gas-pres hydraulic shock absorbers, rubber isolated real subframe BRAKES Front/Rear	STD
Front Subframe Rear—Independent with lower "H" arm, upper arm, s bar, variable rate coil springs, nitrogen gas-pres hydraulic shock absorbers, rubber isolated real subframe BRAKES Front/Rear	STD
Front subframe Rear—Independent with lower "H" arm, upper arm, s bar, variable rate coil springs, nitrogen gas-pres hydraulic shock absorbers, rubber isolated real subframe BRAKES Front/Rear	STD

Front end cover

Rear decklid spoiler

Instrumentation	XR
Backlit analog performance cluster with speedometer,	
tachometer, fuel gauge, coolant temperature gauge, also indicators for low fuel, low windshield washer fluid,	
door ajar, low coolant, speed control on, Traction Assist	
off (if equipped)	STD
Reminder chimes for headlamps-on,	
key-in-ignition, and safety belt	STD
SOUND SYSTEMS	_
Electronic AM/FM stereo radio with cassette and four speakers	STD
High-level audio system with premium AM stereo/FM	
stereo radio and cassette, four premium speakers in four	
ocations, 80 total watts RMS	OPT
High-level audio system with AM stereo/FM stereo radio, with CD player, 80 total watts RMS (does not include cassette)	OPT
Power antenna	OPT
INTERIOR COMFORT	-13
AND CONVENIENCE FEATURES	
CFC-free air conditioner	STD
Center full-length floor console with dual cup	
holders, ammest, storage bin, and coin holders	STD
Rear seat center fold-down armrest	STD
Front footwell courtesy lights	STD
Power windows with illuminated switches	STD
Intermittent wipers with fluidic washer system	STD
Carpeted luggage compartment with light	STD
Rear seat heat ducts	STD
Tilt steering wheel	STD
Reclining front bucket seats with 2-way adjustable head restraints	STD
Luxury cloth and leather seat trim	STD
Leather seating surfaces	OPT
6-way power driver's seat.	OPT
6-way power passenger seat (req. power driver's seat)	OPT
Leather-wrapped steering wheel and shift handle	OPT
CFC-free semi-automatic temperature control	OPT
Fingertip speed control with tap-up/tap-down feature	OPT
Carpeted front floor mats	OPT
Anti-theft alarm system (req. Remote Keyless Entry system)	OPT
Dual illuminated visor vanity mirrors	OPT
Autolamp on/off delay lighting system	OPT
WHEELS AND TIRES	
Mini spare T-125/90R15 BSW	STD
15-inch bolt-on luxury wheel covers with P205/70R15	72.00
BSW all-season steel-belted radial tires	STD
15 inch 21-spoke luxury cast aluminum wheels with P215/70R15 BSW all-season tires	OPT
15-inch geometric spoke cast aluminum wheels with	OI I

P215/70R15 BSW all-season tires (included only with

16-inch 7-spoke cast aluminum wheels with P225/60R16 Goodyear Eagle GT+4 touring tires

16-inch lacy spoke cast aluminum wheels with

P225/60R16 Goodyear Eagle GT+4 touring tires

included and only available with optional V-8.

STD = Standard; OPT = Optional Feature; DLR = Dealer-installed

Speed-sensitive, variable-assist, power rack-and-pinion steering,

 Under normal driving conditions with routine fluid/filter changes. Specific content is subject to change throughout model year.

For more information on available accessories, please visit your

Consult your dealer for the most up to-date information.

included only with 30th Anniversary Edition)

Based on official AAMA specifications.

uxury Appearance Group)

Contained in PEP.

local Mercury dealer.

DLR

OPT or DLR

included only with Sport Edition)

4,6-liter SOHC V-8 engine Option Availability: Options shown or described in this brochure are available at extra cost and may be offered only in combination with other options or subject to additional ordering requirements or

.

EPA Statement: 1997 EPA mileage estimates were unavailable when this brochure was printed. Ask your Mercury dealer for the latest information.

PRODUCT CHANGES

OPT

OPTIONAL PACKAGES

POWER LOCK GROUP

POWER MOONROOF

SPORT EDITION

power side boisters

30th Anniversary badging

Larger front disc brake rotors

Sport-tuned suspension

Fingertip speed control

Rear window defroster

w/P215/70R15 BSW tires

Carpeted front floor mats Illuminated entry

6-way power driver's seat

21-spoke luxury cast aluminum wheels

Leather-wrapped steering wheel and shift handle

Power lock group

Includes power door locks, remote decklid release

Allows doors and decklid to be unlocked/locked with one of two remote hand-held key fobs (includes illuminated entry)

Features pop-up air deflector, sliding sunshade, rear tilt-up one-touch

open and includes dual reading lamps (req. ill. visor vanity mirrors)

15-inch geometric spoke wheels and non-functional luggage rack

REMOTE KEYLESS ENTRY SYSTEM

LUXURY APPEARANCE GROUP

16-inch 7-spoke aluminum wheels

Larger front disc brake rotors Sport-tuned suspension

Body color decidid spoiler with integrated stop lamp

P225/60R16 Goodyear Eagle GT+4 touring tires

30th Anniversary Special Edition

Seat trim embroidered with 30th Anniversary logo

Unique exterior color-Dark Toreador Red Clearcoat Metallic

Unique front bucket seats with power lumbar support and

Front floor mats embroidered with 30th Anniversary logo

Electrochromic (auto-dimming) inside rearview mirror

PREFERRED EQUIPMENT PACKAGES

To make ordering easy we've grouped certain options together into

the Preferred Equipment Packages listed below. PEPs are priced to offer sticker price savings over ordering these items individually."

Unique 16-inch lacy spoke aluminum wheels

P225/60R16 Goodyear Eagle GT+4 touring tires

Following publication of this brochure, certain changes in standard equipment, options, prices and the like, or product delays, may have occurred which would not be included in these pages. Your Mercury dealer is your best source for up-to-date information. Lincoln-Mercury Division reserves the right to change product specifications at any time without incurring obligations.

The Mercury Commitment

Exterior colors

Vibrant White Clearcoat

Silver Frost Clearcoat Metallic

Light Prairie Tan Clearcoat Metallic

Pacific Green Clearcoat Metallic

White Opalescent Clearcoat Metallic (Extra-Cost Tricoat)

Alpine Green Clearcoat Metallic

Moonlight Blue Clearcoat Metallic

Laser Red Tinted Clearcoat Metallic

Light Denim Blue Clearcoat Metallic

Black Clearcoat

Dark Toreador Red Clearcoat Metallic (30th Anniversary Edition only)

Arctic Green Clearcoat Metallic (late availability)

Interior

Medium Graphite . Willow Green . Light Prairie Tan . Portofino Blue IMAGINE A FULL LINE OF CARS FEATURING SOPHISTICATED STYLING AND QUALITY CRAFTSMANSHIP IMAGINE AN AUTOMAKER WHO'S CONCERNED ABOUT EVERY ASPECT OF THE CARE YOU RECEIVE FROM YOUR DEALER. IMAGINE A COMPREHENSIVE PROGRAM DEDI-CATED TO YOUR TOTAL SATISFACTION, IT'S CALLED THE MERCURY COMMITMENT AND IT'S ONE OF THE EXTRA COMFORTS OF OWNING A MERCURY.

ROADSIDE ASSISTANCE.

THROUGHOUT THE THREE-YEAR/36,000-MILE WARRANTY PERIOD. YOU GET COMPLIMENTARY 24-HOUR, SEVEN-DAY-A-WEEK COVERAGE FOR TOWING, FUEL DELIVERY, JUMP-STARTS, TIRE CHANGING AND LOCK-OUT ASSISTANCE.

MERCURY VEHICLE WARRANTY.

AS PART OF THE MERCURY COMMITMENT, YOU RECEIVE THE MERCURY BUMPER TO BUMPER LIMITED WARRANTY, COVERING YOUR AUTOMOBILE FOR THREE YEARS OR 36,000 MILES WITH NO DEDUCTIBLE. YOU ALSO RECEIVE A CORROSION PROTECTION LIMIT-ED WARRANTY PROVIDING COVERAGE FOR FIVE YEARS WITH UNLIM-ITED MILEAGE AND NO DEDUCTIBLE. ASK YOUR MERCURY DEALER FOR COMPLETE DETAILS AND A COPY OF THE LIMITED WARRANTIES.

SPECIAL DELIVERY PROCESS.

PRIOR TO DELIVERY, YOUR DEALER'S SERVICE DEPARTMENT THOR-OUGHLY PREPARES YOUR VEHICLE, AT DELIVERY, THE DEALERSHIP SALES STAFF PROVIDES A CUSTOMER DELIVERY MEETING, SERVICE DEPARTMENT TOUR, CHECKLIST REVIEW AND OTHER SERVICES.

MERCURY CUSTOMER ASSISTANCE CENTER. IF YOU HAVE QUESTIONS ABOUT YOUR MERCURY VEHICLE OR THE MERCURY COMMITMENT, YOU'RE INVITED TO CONTACT YOUR SELL-ING DEALER. OR IF YOU WISH, FEEL FREE TO CALL OUR CUSTOMER

ASSISTANCE CENTER AT 1-800-392-3673,

OWNER IDENTIFICATION CARD.

YOU'LL RECEIVE A MERCURY COMMITMENT ID CARD FOR YOUR WALLET, YOU'LL WANT TO KEEP IT HANDY BECAUSE IT INCLUDES THE MERCURY COMMITMENT HOTLINE NUMBERS FOR CUSTOMER SERVICE AND ROADSIDE ASSISTANCE.












Mountaineer



FORD CREDIT OFFERS A WIDE VARIETY OF FINANCING AND LEASING PROGRAMS TO QUALIFIED BUYERS THAT CAN

BE ARRANGED RIGHT AT THE DEALERSHIP ASK YOUR DEALER FOR THE FACTS ON THESE PROGRAMS, OR CALL FORD CREDIT CUSTOMER SERVICE AT 1-800-727-7000.

> For more information via the Internet enter: http://www.Mercuryvehicles.com



Credit

50% LITHO IN USA (500,000) 7-96 P-7384 MCCUTY PRODUCTION Buckle up—together we can save lives.



