

Plymouth is out to win you over.



'67 Plymosth Valiant Models

Signet: V-B models: 2 door tedan • 4-door tedan • 4-door tedan • 4-door tedan • 2-door tedan

Variant 100: V-8 models: 2-door sedim • 6-door sedan, 8-cylinder models: 2-door sedim • 4-door sedim

## SIGNET

If you think an economy car can't win you over, brace yourself,

The '67 Valiant Signet is an economy car, sure. But not so you'd notice it.

To begin with, it looks all new. And is. Feels elbowroomier. And is.

The Signet also looks

longer. But isn't. Maybe it's the curved side glass. Or the trim, sculptured lines.

Whatever, it's only an optical illusion. The only thing longer about the '67 Signet is the wheelbase (which we lengthened to give you a smoother ride). Overall, Valiant isn't one

iota longer. You can still slip into parking places others have to pass up.



Open the door of a Signet, and suddenly — you forget economy. You're greeted with loop pile carpeting. Cologne-grain vinyl and pleated cloth upholstery in 5 luscious colors. And a custom dash that no red-blooded sportsman could resist. (Its easy-to-read

gauges are recessed. And it's all hooded over by vinylcovered foam padding.)

Now, about that door handle up there. It's our unique Safety-Action door handle. Works like a seat belt buckle. Helps prevent accidental opening. And, of course, there's one on each door.

Signet's other standard temptations also include nifty little touches like automatic lights in glove box and trunk. Restrained, elegant exterior trim. And turn signal indicators mounted on the tips of the front fenders.



Signet has other temptations to wear down your resistance. Like the choice of 2 standard engines, A 225 cu. in. engine for 6-cylinder models, and a 273 cubic incher for V-B Signets.

Still have a little twinge of resistance tucked away



somewhere? Then check these Signet options and accessories — and be prepared to be persuaded.

Start with the 14 in.
Mag-type wheel covers
above, They'll add a racy
touch to your Signet. Or how
about the all-vinyl bucket
seats? They come with a

custom paint stripe outside —just so people will know how sporty you are inside.

And the option that'll really set your heart throbbing is our 273 cu. in. V-8 — with 4-bbl, carb, of course. Couple it with a 1-2-3-4 floor-mounted stick shift and, presto, you're gone. If you doubt that you're being won over by an economy car — go price a Signet. Or don't you trust your emotions? Variant Signet standard features: 225 cm. 6-cylinder engine or 273 cm. in V-8 engine - Cetagoe-grain vind sems with please cloth - Loop are door to door carbeting - Feadle-mounted turn signal indicators - Map and coursey lights - Glevebox and mark lights - 2-apead electric windshold wipers - Whosheld wasness - Energy -thoorbing steming column - Front and real amnests - 3-apead manual to whose on - Heater defeators - Cigarette Lighter - Custom padded dash with deuse aluminum men and hom sing - Padded um vicers

Popular options include: Veryl rect covering in black or white • All while bucket or bench tests • 4-speed floor-mounted stick shift.

SIGNET



VALIANT 100 Who says a compact has to look like you saved a lot of money?
There's no doubt that the '67 Valiant 100 is just about the most economical American car you can buy. But this well-known fact is now almost undetectable with the naked eye.



Look. The upholstery is Cologne-grain vinyl. Beautiful. Yet, durable. The curved side glass and trim, sculptured lines make Valiant look I-o-n-g (remember?), and conceal the fact that you're driving a bargain.

But a lot of the Valiant

100's winning ways aren't so apparent. A 170 cu, in. engine is standard on all 6-cylinder models. It has been re-engineered to be even stingier with a drop of gas.

Valiant's spare tire is neatly concealed beneath the trunk floor. It allows extra space for that extra baggage you used to tote in the back seat.

Finally, Valiant door locks — already among the strongest in the industry — are now 50% stronger. And unbelievably quiet.

Sure, this is our lowest priced way to win you over.

But here's a promise: Your Valiant 100 won't constantly remind your friends of the money you saved. Unless you do.

Valiant 100 standard features: Choice between the 170 cu. in. 6-cylinder or the 273 cu. in. 2-barrel V-8 engine • Front and sear aimrests on all 4-door models • Front armests on 2-door models • 2-speed electric windsheld wipers • Windsheld wishers • Energy absorbing steering column • 3-speed manual transmission • Hester-definister Popular options include: TorqueFlot 3-speed automatic transmission • Power brakes • Power steering • Variable-speed electric windshield wipers• The 225 cu. in. 6-cylinder engine • Cigarette lighter • FM/AM radio.

VALIANT 100



When you're economical at heart, but can't resist a little pampering.



For the small extra cost of this option, your Valiant 100 will look almost extravagant. Make you feel almost extravagant.

And why not? It includes pleated cloth-and-vinyl seats. Special door trim panels (vertically pleated vinyl inserts — the same ones you'll find in the Valiant Signet). Deluxe rear armrests with ashtrays. Pebble-grain rubber floor covering that's color-keyed to your choice of interior decor. Full length body side moldings. Horn ring. Special Valiant 200 emblem. And a greater exterior

and interior color selection.

You'll have to agree the 200 Decor Option does make a Valiant 100 look richer. So c'mon, Give a little.

And live a little.

And, now, Valiant's optional persuaders.

Full dress wheel covers.
The ultimate sporting touches: (A) Signet bolt-on and (B) 14 in. Mag-type wheel covers. For classic simplicity: (C) Deluxe 13 in. wheel covers.

Bucket seats. All-vinyl, molded bucket seats — with outside custom pinstriping — are optional on the Signet. Headrests are also available. Sport wood-grain steering wheel. Its simulated wood finish is better than the real thing. Only a woodpecker could tell the difference.



FM/AM\* or AM
Transaudio radios.
Or, the real
connoisseur may choose
a Stereo 8 tape
cartridge player\* and
rear seat speaker.

Trailer-towing package.

This package makes towing a trailer or boat easier and more efficient, For complete details, ask your dealer for the special Trailer-Towing Brochure.

#### Air conditioning.


Nobody needs to tell you about its advantages. It's an option more and more Valiant owners are choosing every year.

# TorqueFlite 3-speed or 4-on-the-floor. A

durable automatic transmission. Or a 1-2-3-4 stick complete with reverse lock-out. And all forward gears are synchronized.

## 14 in. Red Streak Super Wide

Oval tires. This roadholding, corner-hugging tire comes with a heavyduty 5½ in. wide rim. A high-speed, highperformance tire.



Solex glass. Almost as good as wraparound sunglasses. This heat-reflecting, blue-tinted glass is also available on windshield only. Front and/or rear bumper guards with rubber inserts. The bumper protects your car. The guard protects your bumper. The rubber insert protects the guard. Not Shown: TorcueFlite 3-speed automatic transmission.

• Fower streaming • Power braces • Variable speed electric windshield wipers • Fast manual steering • Alf viryl bench seat for Signet • Cigarette lightet (standard on Signet) • Glove box lock • Foam seat cushion + Heavy-duty suspension package • Black or white textured viryl roof for Signet • Full horn ring • Front disc brakes • Sure- Cop differential • Full horn ring • Front disc brakes • Sure- Cop differential • Full horn ring • Front disc brakes • Sure- Cop differential • Full horn ring • Front disc brakes • Sure- Cop differential • Full horn ring • Front disc brakes • Sure- Cop differential • Full horn ring • Front disc brakes • Sure- Cop differential • Published shock absorbers • Special undercoaling, richiding • hood insulator pad • Whitewell tires • Oversige brea • Dealer installed.

### Valiant engineers have their winning ways, too.

eed manual (S) omatic (O)	3-speed manual (S) Automatic (O)	3-speed manual (S) 4-speed manual (O) Automatic (O)	4-speed manual (O) Automatic (O)
		The state of the s	
115@4400 rpm	145@4000 rpm	180@4200 rpm	235@5200 rpm
155@2400 rpm	215@2400 rpm	260@1600 rpm	280@4000 rpm
3,40 in.	3.40 in.	3.63 in.	3.63 in.
3.125 in.	4.125 in.	3.31 in.	3.31 in.
8.5 to 1	8.4 to 1	8.8 to 1	10.5 to 1
	3,40 in. 3,125 in. 8,5 to 1	155@2400 rpm 215@2400 rpm 3.40 in. 3.40 in. 4.125 in. 8.5 to 1 8.4 to 1	155@2400 rpm

Here's how Plymouth's 5-year / 50,000-mile engine and drive train warranty protects you: Chrysler Corporation warrants, for 5 years or 50,000 miles. receipt of such evidence and (2) the car's then current mileage.

Dimensions Signet and Vallant 100	
Wheelbase	
Overall length	
Overall width 71.1 in.	
Overall height*	
6-cylinder 53.6 in.	
V-8 54.0 in.	
Track, front wheels	
Track, rear wheels 55.6 in.	ġ,
Passenger Space	
Effective head room, front seat	
Effective head room, rear seat 37.3 in.	
Effective leg room, front seat	
Effective leg room, rear seat 35.4 in.	
Shoulder room, front seat 55.7 in.	
Shoulder room, rear seat 55.7 in.	
Seat height, front seat 8.9 in.	
Seat height, rear seat	
Knee room, rear seat	
*Height dimensions are based on an established full rated load of passengers and luggage.	

lires and wheels	6-cyl. engines	v-a engines	
6.50x13 (wheel 41/2)	Standard	Washington and the same of the	
7.00x13 (wheel 4½) 6.95x14 (wheel 4½)	Optional	Standard Optional	
7.00x13 (wheel 4½)	Optional	Optional	
(8-ply rating)	Optional	Opinorial	
Above available in both	h black and whitew	all	
Red Streak,	TOWN CONTROL OF	0.000	
D70x14 (wheel 51/2)	Optional	Optional	
Suspension			
CALL THE CAL	Torolog be	or and half talets	
Front			
Rear 2½ in. outboar	A COLUMN TO SERVICE STATE OF THE PROPERTY OF T	Control of the Contro	
Shock absorbers		Oriflow type	
Rear Axle			
Type	Hotobkins drive	bunold some avio	
Ratios available:		The state of the s	
natios available:		23, 3.55 and 3.91	
Washington .			
Capacities			
Fuel tank			
Engine crankcase requ	ires		


DISONALO IMITEMPATALE	Graniciana		
7.00x13 (wheel 4½)	Optional	Standard	
6.95x14 (wheel 41/2)	Optional	Optional	
7.00x13 (wheel 4½)	Optional	Optional	
(8-ply rating)	Optionial	C. Director	
Above available in both Red Streak,	black and whitew	vall	
D70x14 (wheel 51/2)	Optional	Optional	
Suspension			
Front	Torsion b	are and hall joints	
Rear 21/2 in. outboard	CONTRACTOR CONTRACTOR CONTRACTOR	A CONTRACTOR OF THE PROPERTY O	
Shock absorbers		Oriflow type	
Rear Axle			
Type	Hotobkiss drive	bunold spar ayle	
The second of th		the state of the s	
Ratios available: ,	2.76, 2.93, 3	.23, 3.55 and 3.91	
Capacities			

R-cyl engines

The policy of Chrysler Corporation is one of con-
tinual improvement in design and manufacture wher-
ever possible to assure a still finer and safer car.
Hence, specifications, equipment, and prices are
subject to change wishout notice. Automobiles pic-
tured, in some cases, show optional equipment, avail-
able at extra cost. Product information published in
this catalog is subject to change



We all share in Customer Care



Tires and Whools



whichever comes first, against defects in materials and workmanship and will replace or repair at an Authorized Plymouth (or Imperial, Chrysler or Dodge) Dealer's place of business, without charge for required parts and labor, the engine block, head and internal parts, intake manifold, water pump, transmission case and internal parts (excluding manual clutch), torque converter, drive shaft, universal joints, rear axle and differential, and rear wheel bearings of its 1967 automobiles, provided the owner has the engine oil changed every 3 months or 4,000 miles, whichever comes first, the oil filter replaced every second oil change and the carburetor air filter cleaned every 6 months and replaced every 2 years, and every 6 months furnishes to such a dealer evidence of performance of the required service, and requests the dealer to certify (1) V-8 engines Electrical System

Heavy-duty, 12 volt, 38 amp hr. battery with 170 cu. in. 6-cylinder engine, 225 cu. in. and all V-8's have 12-volt, 48 amp hr. battery. Chrysler Corporation alternator with high charging rate at low engine speeds.

Brakes

Drum type 6-cylinder engine models have 9 in, diameter brakes with total lining area of 153.5 sq. in. V-8 engine models have 10 in. diameter brakes with total lining area of 156.2 sq. in.

Disc brakes (front) 6-cylinder and V-B both have 102.3 sq. in, total lining area; rear brake is 10 in, diameter drum type.