

wear that 100,000 mile DATSUN smile!



DATSUN 4-DOOR SEDAN

## DATSUN 411 SEDAN



**FUN-SIZED AND SPIRITED AS A STALLION!**

This is the 4-door compact beauty you've been hearing about. The dependable one that Road Test Magazine described as: "beautifully executed and solid as the proverbial rock." Roomy. Comfortable. Easy as a breeze to drive and park—and so easy on your budget! Corral your smiling Datsun Dealer for a "prove-it-to-me" test drive.



PARTS & SERVICE AVAILABLE  
FROM COAST TO COAST

## *NEW POWER AND PERFORMANCE FEATURES*

- FULL SYNCHROMESH 4-SPEED FLOOR SHIFT
- BIG NEW ENGINE
- 85 MPH TOP SPEED. 36% GRADE ABILITY.
- INCREASED TORQUE, HORSEPOWER AND RPM
- NEW RECIRCULATING BALL TYPE GEAR STEERING
- RUGGED UNITIZED BODY AND FRAME
- BIG GAS ECONOMY
- BATTERY-SAVING ALTERNATOR

## *DELIVERS WITH ALL THESE 'NO COST' EXTRAS*

WHITETALL TIRES • HEATER AND DEFROSTER • BUCKET SEATS • SEAT BELTS  
PADDED DASH • CARPETING • VINYL INTERIOR • FULL SYNCHROMESH  
4-SPEED FLOOR SHIFT • DELUXE CHROME TRIM AND WHEEL DISCS •  
PANORAMIC VIEW SAFETY GLASS WINDOWS • 7-STEP PAINT PROCESS  
UNDERCOATING • TURN SIGNALS • SUNVISORS • ASH TRAYS • ENCLOSED  
GLOVE COMPARTMENT, PLUS MANY OTHER DELUXE EXTRAS



**SPECIFICATIONS\***  
**Model PL 411 Sedan**

**Engine**

Gasoline engine in line, water cooled O.H.V. four cylinder, Bore 2.874 ins., stroke 3.055 ins., cubic capacity 79.3 cu. ins. (1300cc); Max. B.H.P. 67 at 5200 r.p.m.; Compression ratio 8.2:1.

**Transmission**

4 speeds forward and 1 reverse; Synchronesh on 1st, 2nd, 3rd and top gears; Direct floor gear shift; Gear ratio 1st 3.945, 2nd 2.403, 3rd 1.490, top 1.000 and reverse 5.159.

**Differential**

Semi-floating axle; Hypoid bevel, final gear ratio 4.111.

**Suspension**

Front: Independent coil springs; Telescopic shock absorbers. Con-rod-stabilizer.

Rear: Longitudinal semi-elliptic springs, 4 leaves, Telescopic shock absorbers.

**Steering**

Recirculating ball type gear, ratio 15:1.

**Wheels and Tires**

Steel disc wheels: 5.60x13 4 ply White Sidewall Tires.

**Brakes**

Hydraulic, Front two-leading shoe; Rear leading and trailing shoe; Brake drum dia. 9 ins.; Parking brake mechanically operated on rear wheels only.

**Body and Frame**

Four-door sedan, five passenger, Contour Bucket Seats in front, bench seat in rear; all steel unitized body with a perimeter box frame.

Wheelbase: 93.7 ins.

Track: front 47.5 ins.; rear 47.2 ins.

Overall length: 157.3 ins.


Overall width: 58.7 ins.

Overall height: (loaded) 56.3 ins.

Vehicle weight: 1,951 lbs.

**Standard Equipment**

White Sidewall Tires, Heater and Defrosters, Bucket Seats, Seat Belts, Carpeting, Vinyl Interior, Ash Trays Front and Rear, Padded Dashboard, Turn Signal Lever with Dimmer Switch Unit, Dual 2-speed Windshield Wipers, Sunvisors, Front Arm Rests, Glove Compartment Box, Full Synchronesh 4-speed Floor Shift, A.C. Alternator, Air Cleaner, Gas Filter, Back Mirror, Lockable Fuel Cap, Coat Hangers, Deluxe Chrome Trim and Wheel Discs, Factory Undercoating.



3.  
"beautifully executed and solid as the proverbial rock"  
—Road Test Magazine

**TEST IT AT YOUR SMILING DATSUN DEALER**

**DATSUN**

**CHICAGO LAND IMPORT MOTORS, INC.**

14535 SOUTH HALSTED STREET

RIVERDALE, ILLINOIS — 60627

PHONE 849-5100

NISSAN MOTOR CORP. IN U.S.A.

PRINTED IN U.S.A. FORM NO. 202-T

**...just ask an owner!**

\*These specifications are subject to change without notice.

[WWW.RATDAT.COM](http://WWW.RATDAT.COM)