

2009 NISSAN TITAN

PURPOSE–BUILT. FOR ANY PURPOSE. Nissan's full-size truck is powered by a standard 5.6-liter V8 churning out 317 hp and 385 lb-ft of torque, giving you the brute strength to pull up to 9,500 lbs' of just about anything. But there's more to Titan than power. A lot more. Its available Utili-track Bed Channel System, which includes tie-down cleats you can position where you need them most. Its rugged, fully boxed all-steel frame that delivers greater load-bearing ability and improved ride quality. Not to mention its available 4-wheel Limited Slip (ABLS) and switch-on-demand electronic locking rear differential for more confident traction. Titan is available as a King Cab, with revolutionary Wide Open rear doors that open a full 168°, or Crew Cab, with the Longest Crew Cab Bed in its class. See for yourself why size matters. Ask for a test drive today.



MULTIPLE RUGGED NISSAN TITAN KING CAB AND CREW CAB MODELS TO CHOOSE FROM.



XE 4X2 AND 4X4



SE 4X2 AND 4X4



PRO-4X 4X4



LE 4X2 AND 4X4

XE	SE	PRO-4X	LE
			MU
MU	MU	MU	MU
	MU	MU	MU
MU	MU		MU
	2411	nau I	
IWO		IVIO	
	MU	MU	
Р			
		Т	Т
	PE		
			E
			E
	DC	DC	
	_		
	PE		
	DC	DC	
	DC	DC	
	DC	DC	
		Т	т
	DC		
-			
Р			
	DC	DC	
Р	-		
		MU M	MU M

				XE	SE	PRO-4X	LE
ont.)	Door coul	rtesy lights (footwell lights on	PRO-4X and LE)				
ಲಿ	Auto-dimr	ming rearview mirror and comp	oass		PE		
NTERIOR	12-volt D	C power outlets					
曹	Voltage, c	oil pressure and transmission t	emperature gauges				
2		ay sun visors with extenders a					
		justable pedals			PE		
		at grocery bag hooks (rear cal	o)				
		center console	,	Р			
S	40/20/40	-split front bench seat with co	olumn shifter				ΗΙ
높		tain's chairs with lockable cen			DC		
M		wer adjustable driver's seat	tor correcte and need crimter		PE		
Z	, ,	wer adjustable unvers seat wer adjustable passenger's se	aat			DC	
PO	Heated from		ai.			DC	
/AP		ront-passenger's seat (not ava	silable on banch sout)		DC	DC.	
S		lit flip-up rear bench seat	mable on bench seat/		DC		
SEATING/APPOINTMENTS			maintage and madels (true sottings)			DC	
S			mirrors, and pedals (two settings)			DC	
	Cloth sea			_			
		ppointed seats				DC	
		rapped steering wheel	1.0		PE		
		rapped floor-mounted transm	ission shifter		DC		
		one interior accents					
	Wood-tor	ne accents					
≟		dvanced Air Bag System with					
UR		· ·	nd occupant-classification sensor				
EC			d side-impact supplemental air bags	АВ	AB	AB	АВ
X/S		ınted curtain supplemental air					
Ë		head protection for front and	rear outboard occupants	АВ	AB	АВ	AB
SAFETY/SECURITY		ynamic Control (VDC)⁴			АВ	AB	АВ
	Tire Press	sure Monitoring System (TPMS	S)				
	Front-sea	t Active Head Restraints					
	3-point A	LR/ELR passenger seat belt s	system (ELR only for driver)				
	Front seaf	t belts with pretensioners and	load limiters				
	LATCH S	ystem (Lower Anchors and Te	thers for CHildren)				
	Zone Boo	ly construction with front and	rear crumple zones				
	Hood buc	kling creases and energy-abs	orbing steering column				
	Pipe-style steel side-door guard beams						
		ecurity System					
		ehicle Immobilizer System					
N/A No	ot available	Mu Part of Max Utility Package	□ Part of Technology Package □			VD Enterta	ainment
Sta	ndard	rd Part of Popular Package	PE Part of Popular	System Package			
☐ Opt	ional	DC Part of Driver's	Equipment Package	Part of S			
	**	Convenience Package		with VD	C Packa	ge	
		-					

The optional rear sonar system is a convenience, but is not a substitute for proper backing procedures. Always turn and check that it is safe to do so before backing up. The rear sonar system may not detect every object behind you. ²Driving is serious business and requires your full attention. Do not operate any devices connected to the auxiliary audio input jack while driving, ³Ms³ Satellite Radio requires subscription sold separately after first three trial months. All fees and programming subject to change. Subscriptions subject to Customer Agreement available at xmradio.com. XM service only available in the 48 contiguous United States and Canada. The XM name is a registered trademark of XM Satellite Radio. ⁴VDC cannot prevent accidents due to abrupt steering, carelessness, or dangerous driving techniques. Always drive safely. ⁸HomeLink is a registered trademark of Johnson Controls, Inc. ⁸The Bluetooth word mark and logos are owned by Bluetooth SIG, Inc., and any use of such marks by Nissan is under license.

SPECIFICATIONS

OFF-ROAD DIMENSIONS

PRO-4X

CREW CAB

4X2 with Standard Bed

4X4 with Standard Bed

4X2 with Long Bed

4X4 with Long Bed

		STANDARD	BED	LONG BED
Minumum ground clearance at rear axle	10.7"	10.7"		10.7"
Minumum ground clearance with skid plates	11.3"	11.4"		11.5"
Angle of approach with skid plates	28.0°	28.1°		28.3°
Angle of departure	27.7°	27.8°		27.5°
Break over angle	21.4°	21.8°		19.3°
MANUALINA TOWING CARABILITIES WITH MA		70)		
	XE XE	.BS) SE	PRO-4X	LE
KING CAB	'		PRO-4X N/A	LE 9,200
KING CAB 4X2 with Standard Bed	XE	SE		
MAXIMUM TOWING CAPABILITIES WITH MAKING CAB 4X2 with Standard Bed 4X4 with Standard Bed 4X2 with Long Bed	XE 9,500	SE 9,500	N/A	9,200

9.400

9.400

9.300

9.100

KING CAB

CREW CAB

9,400

9,300

9,300

9.100

N/A

N/A

9.300

9.000

EXTERIOR DIMENSIONS (INCHES)

	KING CAB	CREW CAB
	STANDARD/LONG BED	STANDARD/LONG BED
Wheelbase	139.8/159.5	139.8/159.5
Overall length	224.6/244.2	224.6/244.2
Overall width	79.5/79.5	79.5/79.5
Overall height	up to 76.1/76.1	up to 76.9/76.6
Cargo bed length	79.1/98.8	67.3/87.0
Cargo bed width	63.8	63.8
Cargo bed depth	19.9	19.9

INTERIOR DIMENSIONS (INCHES)

internet pinternette (internet)	KING CAB STANDARD/LONG BED	CREW CAB STANDARD/LONG BED
Head room (front/rear)	41.0/38.9	41.01/40.4
Leg room (front/rear)	41.8/33.0	41.8/40.4
Hip room (front/rear)	61.3/60.3	61.3/60.5
Shoulder room (front/rear)	65.1/64.9	65.1/64.6

CAPACITIES

	KING CAB	CREW CAB
	STANDARD/LONG BED	STANDARD/LONG BED
Interior passenger volume (cu. ft.)	112.8/112.8	125.6/125.6
Fuel tank (gals)	28.0/37.0	28.0/37.0
Maximum payload 4X2 (lbs)	2,013/1,725	2,063/1,762
Maximum payload 4X4 (lbs)	1,870/1,650	1,914/1,582

N/A Not available. 139.7" with moonroof. *BFGoodrich is a registered trademark of Goodrich Corporation. *Goodyear and Wrangler are registered trademarks of The Goodyear Tire & Rubber Company. ®Dana is a registered trademark of Dana Corporation. ®Rancho is a registered trademark of Tenneco Automotive Operating Company, Inc. ®Rugged Trail is a registered trademark of Uniroyal Goodrich Licensing Services, Inc.

ENGINE

CREW CAB

9,200

9.100

9.100

8.900

VK56DE - Endurance 5.6-liter DOHC 32-valve V8 engine 317 hp @ 5,200 rpm 385 lb-ft of torque @ 3,400 rpm Alternator (130 amps) Battery (650 CCA) Heavy-duty battery (710 CCA) - Part of Mu

DRIVETRAIN

5-speed automatic transmission with Tow/Haul Mode

Final gear ratio (2.94:1)

Optional: Lower final gear ratio (3.36:1) - Part of wu; standard on PRO-4X Optional: Switch-operated 2-speed transfer case - Standard on PRO-4X 2-wheel Active Brake Limited Slip (ABLS) - Part of Mu; standard on LE 4-wheel Active Brake Limited Slip (ABLS) - Standard on 4x4 models Electronic locking rear differential (PRO-4X)

WHEELS AND TIRES

18" x 8.0" Steel wheels (XE)

Optional 18" x 8.0" XE-type aluminum-alloy wheels (Part of P)

18" x 8.0" SE-type aluminum-alloy wheels (SE)

18" x 8.0" unique 6-spoke aluminum-alloy wheels (PRO-4X)

18" x 8.0" chrome-clad alloy wheels (Part of HM)

20" x 8.0" 6-spoke aluminum-alloy wheels (LE)

20" x 8.0" chrome alloy wheels (Part of HM)

265/70R18 tires (XE)

P275/70R18 Goodyear® Wrangler® tires with raised OWL (SE)

P275/70R18 BFGoodrich® Rugged Trail® tires with raised OWL (PRO-4X)

P275/60R20 Goodyear® Wrangler® tires (LE)

BRAKES

Front and rear vented disc brakes Anti-lock Braking System (ABS) Electronic Brake force Distribution (EBD)

Optional: Brake Assist (Part of AB)

SUSPENSION AND STEERING

Front: Independent double-wishbone with stabilizer bar (Dana® axles on 4x4 models)

Rear: Multi-leaf with solid Dana® axle

Rancho® off-road performance shocks (PRO-4X)

Engine-speed-sensitive power-assisted rack-and-pinion steering

NISSAN TITAN AT A GLANCE.

Package requirements and availability may vary. Please see your Nissan dealer for details.

XE POPULAR EQUIPMENT PACKAGE

18" x 8.0" aluminum-allov wheels

Chrome grille

Cruise control with steering wheel-mounted controls

Overhead center console

Sliding rear window (King Cab only)

Rear privacy glass (standard on Crew Cab)

Remote keyless entry (Crew Cab only)

POPULAR PACKAGE

8-way power driver's seat

Steering wheel-mounted audio controls

Auto-dimming rearview mirror and digital compass

Power adjustable pedals

Rear sonar system¹

Leather-wrapped steering wheel

MU MAX UTILITY PACKAGE

Utili-track Channel System with four tie-down cleats (standard on LE, not available on XE)

Factory-applied spray-on bedliner (standard on LE)

Lockable bedside storage (SE only)

Bed-mounted 12-volt DC power outlet (standard on LE, not available on XE)

Tailgate area illumination (standard on LE, not available on XE) Step rails (LE only)

Class IV receiver hitch and 7-pin wiring harness

Front tow hooks (XE, SE 4X2 and LE 4X2)

Trailer brake controller pre-wiring under instrument panel Heavy-duty battery

Lower final gear ratio (standard on PRO-4X)

Power heated extendable tow mirrors (not available on XE) Increased tow capacity

2-wheel Limited Slip - ABLS (XE 4X2 and SE 4X2)

DRIVER'S CONVENIENCE PACKAGE (SE AND PRO-4X)

Power sliding glass moonroof (SE Crew Cab only)

Heated outside mirrors (PRO-4X only)

Front captain's chairs with lockable center console and floor shifter (SE only)

4-way power adjustable passenger's seat (PRO-4X only)

Embroidered leather-appointed seats (PRO-4X only)

Heated front seats (PRO-4X only)

Driver's seat memory system - mirrors, seat, pedals (PRO-4X only)

Fold-flat front-passenger's seat (SE only)

HomeLink® Universal Transceiver

350-watt Rockford Fosgate-powered audio system with AM/FM/in-dash 6-CD changer

8 speakers, including woofer and center speaker (King Cab only)

10 speakers, including woofer and center speaker (Crew Cab only)

XM® Satellite Radio²

Bluetooth® Hands-free Phone System

Extended overhead center console with rear audio controls (Crew Cab only)

In-cabin microfilter (PRO-4X Crew Cab only)

☐ TECHNOLOGY PACKAGE (PRO-4X AND LE)

Power sliding glass moonroof (Crew Cab only) Nissan Navigation System with GPS and DVD atlas

■ NISSAN DVD ENTERTAINMENT SYSTEM (PRO-4X AND LE CREW CAB ONLY)

8" Flip-down monitor, DVD player with auxiliary inputs, remote control, and two wireless headsets

A SIDE AIR BAGS WITH VDC PACKAGE

Driver and front passenger seat-mounted side-impact supplemental air bags Roof-mounted curtain supplemental air bags for side-impact rollover head protection for front and rear outboard occupants

Vehicle Dynamic Control (VDC)3 - Not available on XE

Brake Assist - Not available on XE

HEAVY METAL CHROME EDITION (SE AND LE)

18" x 8.0" chrome-clad alloy wheels (SE)

20" x 8.0" chrome allov wheels (LE)

Chrome outside mirrors and door handles (SE only – standard on LE)

Chrome billet front grille

Chrome step rails

Available on SE King Cab, SE Crew Cab and LE Crew Cab Standard Bed models.



A standard 317-horsepower 5.6-liter V8 churns out 385 lb-ft of torque to pull up to 9,500 lbs of just about anything.

Configure even the most > complex, cumbersome loads. Titan's bed has more usable cargo space and loadcarrying versatility than the average half-ton, thanks to five C-channel rails running the length of the bed's floor and walls.



The 5-speed automatic transmission features gear ratios that can take full advantage of Titan's massive low-end torque and optimize fuel economy in higher gears.



For heavy-duty hauling and > towing, Titan's steel-reinforced ladder frame is made with full-length box-section rails enclosed on four sides.





1The optional rear sonar system is a convenience, but is not a substitute for proper backing procedures. Always turn and check that it is safe to do so before backing up. The rear sonar system may not detect every object behind you. 2XM® Satellite Radio requires subscription sold separately after first three trial months. All fees and programming subject to change. Subscriptions subject to Customer Agreement available at xmradio.com. XM service only available in the 48 contiguous United States and Canada. The XM name is a registered trademark of XM Satellite Radio Inc. 3VDC cannot prevent accidents due to abrupt steering, carelessness, or dangerous driving techniques. Always drive safely ® HomeLink is a registered trademark of Johnson Controls, Inc. The Bluetooth word mark and logos are owned by Bluetooth SIG, Inc., and any use of such marks by Nissan is under license.

All illustrations, photographs and specifications in this publication are based on the latest product information available at the time of printing. Some vehicles shown with optional equipment. See the actual vehicle for complete accuracy. Availability and delivery times for particular models or equipment may vary. Nissan North America, Inc. reserves the right to make changes at any time, without prior notice, in prices, colors, materials, equipment, specifications and models, and to discontinue models or equipment. Specifications, options, and accessories may differ in Hawaii, U.S. territories, and other countries. For additional information on availability, options, or accessories, see your Nissan dealer. The Nissan names, logos, product names, feature names, and slogans are trademarks owned by or licensed to Nissan Motor Co. Ltd. and/or its North American subsidiaries. Always wear your seat belt, and please don't drink and drive. © 2008 Nissan North America, Inc.

WARRANTY

Every Nissan is backed by a 36-month/36,000-mile limited vehicle coverage and a 5-year/60,000-mile limited powertrain coverage. (For complete information, see your Nissan dealer and read the actual limited warranty.) For extra protection, you can also add Security+Plus® the only extended service agreement approved by Nissan.