





















The Civic LX Sedan carries tunes with a 4-speaker AM/FM/CD audio system that's MP3- and Windows Media® Audio® (WMA)-capable and has an MP3/aux input jack. The EX and Si add more speakers, and are XM Ready.® Add an accessory XM Satellite Radio receiver for over 170 digital-quality channels, including 69 channels of commercial-free music.



Along with its formfitting front bucket seats, the Civic is quite accommodating in back, too. The flat rear floor makes it easy to move around, and the rear seat is comfortably wide. The fold-down seatback opens up more cargo capability,* and it's split 60/40 in the EX and Siwhich offer a center armrest with beverage holders as well.

With the 2-spoke steering wheel's tilt and telescopic adjustability, you can fine-tune its position to your idea of perfection. The cruise-control switches on most models are right at your fingertips. And the EX and Si also put audio-system controls close at hand.





Civic EX Sedan shown in Tango Red Pearl.


LOTS OF THRUST, This is Honda engineering at its best. The latest i-VTEC, a Drive-by-Wire throttle system, 16 valves and 1.8 liters let the Civic Sedan engine make 140 LITTLE THIRST peak horses while using amazingly little fuel. The power flows through a precise 5-speed manual transmission. Or you can opt to go with Civic's



The Civic's suspension and steering systems have been engineered from the ground up for quick, precise response and a highly refined ride quality. Confident stopping is provided on DX and LX models by front disc and rear drum brakes, while the EX and Si sport discs all around.

On top of the power-spreading benefits of variable valve timing and lift electronic control (i-VTEC), Civic adds a brilliant new twist. Under light engine loads, this nextgeneration i-VTEC system delays valve closing and essentially reduces the piston stroke for the economy of a smaller engine.

sophisticated 5-speed automatie.




What exactly is a hybrid powertrain?

HYBRID TECHNOLOGY FAOs

The Civic Hybrid employs Honda's Integrated Motor Assist IMA® System—a superefficient 1.3-liter gasoline engine paired with a lightweight, high-output electric motor. The motor adds extra power when needed, such as during acceleration. It works seamlessly and automatically, so it feels just like a normal, responsive Civic.

I never have to plug it in, right?

That's right—never. In fact, there isn't even a plug to plug in. The IMA System's recharging function is completely self-sufficient. The hybrid powertrain automatically recharges the onboard battery pack while you drive the car. So you can just enjoy driving the Civic Hybrid like you would a conventional gasoline-engine vehicle.



The Civic Hybrid's lightweight, low-friction 4-cylinder engine features torque-enhancing i-VTEC and a dual-point sequential ignition system that fires two spark plugs per cylinder. The engine is mated to a powerful DC electric motor that's less than 2.5" wide. Power for the motor is

stored in a battery pack behind the rear seat. The pack is only about 8" thick, leaving plenty of room in the trunk. And to provide you the assurance of long life, the Civic Hybrid's IMA battery pack comes with an 8-year/80,000-mile limited battery warranty.

The Civic Hybrid's engine usually uses the IMA System's motor to start. If the IMA battery-pack charge is low or if it's very cold outside, the system has a separate battery and starter motor to back it up.

At steady speeds below 35 mph on level roads and under light throttle, fuel injection can cease and the car can be propelled solely by the IMA System's electric motor. The Hybrid's unique 3-stage i-VTEC system stops opening both the intake and exhaust valves to help reduce engine drag.

Thanks to an advanced generation of regenerative-braking technology, the 2007 Hybrid's IMA System can tap into the kinetic energy of the car with excellent efficiency. The system's motor turns itself into a generator during braking, helping to slow the car while it builds up the energy stored in the batteries.



Any time the engine needs a burst of power-like while accelerating, passing or climbing hills—the IMA System's electric motor can add its torque automatically to the engine's to give instant, ample response.

At higher cruising speeds, such as on the highway, the Civic Hybrid's efficient gasoline engine provides the motive power. A marvel of low-friction engineering, it provides plenty of horsepower while still sipping fuel and having a near-zero effect on air quality.

Under most conditions, an idle-stop feature automatically shuts off the Hybrid's gasoline engine when you stop, so gas consumption ceases. A special electric air-conditioning compressor and electric water pump handle cabin cooling and heating. Lift your foot off the brake, and the engine restarts automatically.

The Civic Hybrid's easy-to-read instruments feature a trip computer that lets you keep track of your fuel savings while you're on the road.4

RESPONSIBILITY FEELS SO GOOD.



totally fulfilling with the Civic Hybrid - especially inside. This car's packed with satisfying features to complement its spacious and wellappointed interior. On top of an excellent audio system and automatic climate control, Civic Hybrid offers the ease of power windows, mirrors and door locks. Cruise control joins many audio-system functions as items you can operate from the steering wheel. And opportunities abound for keeping necessities close at hand, including a pair of beverage holders and a center console compartment.

The Civic Hybrid is equipped with an uncannily smooth continuously variable transmission (CVT), which blends the ease of an automatic with the efficiency of a manual. This latest version features increased torque capacity with lower friction.

IT'S STRONG ON SAFETY.

Civic embodies our **Safety for Everyone** philosophy. Through a comprehensive and evolving approach to safety, Honda seeks to provide a high level of occupant and pedestrian protection in our cars and trucks, regardless of size or price, as well as increased crash compatibility with other vehicles.

Standard on the Si, the Vehicle Stability
Assist™ (VSA®) system can brake individual
wheels and/or reduce engine power to
help you overcome understeer or
oversteer and restore your intended path.

In a sufficient rear impact, active front-seat head restraints The Lower Anchors and Tethers for Children move up and forward to help reduce whiplash injuries. (LATCH) system makes installing and using compatible child seats easy and convenient. Through ingenious engineering and liberal use of high-tensile steel, the Civic Sedan body structure forms a strong, rigid passenger safety cell. The safest decision you can make is to buckle up, so the Civic offers 3-point seat belts at every seating position. As an added measure of security for little ones, the rear doors feature child-proof door locks. All four doors feature side-impact beams designed to help prevent intrusion into the passenger space. In a sufficient frontal impact, front seat-belt pretensioners remove belt slack to help hold occupants firmly. Standard anti-lock braking (ABS) helps you maintain steering control during hard stops. Electronic Brake Distribution (EBD) balances braking forces at each wheel when the car is dynamically loaded. The Civic Sedan enhances your visibility to others by incorporating Daytime Running Lights (DRL) up front.






†Honda reminds you and your passengers to always buckle up. Children 12 and under are safest when properly restrained in the rear seat.

Honda's advanced safety research sites include the world's first indoor all-directional crashtest facility in Tochigi, Japan, and the world's most sophisticated high-resolution crash-test barrier at our Ohio proving center. They contribute to our ever-increasing body of knowledge regarding crash dynamics.



The Advanced Compatibility
Engineering™ (ACE™) body
enhances the Civic's ability to
deal with crash energy in impacts
with vehicles of differing size.
And helps it achieve a 5-star
frontal crash-test rating from the
National Highway Traffic Safety
Administration (NHTSA).*

^{*} Government star ratings are part of the National Highway Traffic Safety Administration's (NHTSA) New Car Assessment Program (NCAP), found at safercar.gov.



We began racing motorcycles in the '50s, and cars in the '60s. For the 2006 season, Honda is proud to be the single engine supplier for the IndyCar® Series, featuring the Indianapolis 500.®

Honda's legacy of innovation is unmatched in the vehicle industry.

We have long acted on our spirited commitment to environmentally responsible technology – with world-changing results. It's all part of Honda's Environmentology.™



Honda's assembled cars in the U.S. since 1982. Today, close to 4 out of 5 Hondas sold in the U.S. are assembled in North America with 530 U.S. suppliers' help. And many are designed here, too.

Civic EX Sedan shown in Alabaster Silver Metallic with dealer-installed accessory HFP Package, featuring an aero body kit, decklid spoiler, unique 17" alloy wheels, low-profile tires and sport-tuned suspension.

140-hp, 1.8-Liter, 16-Valve i-VTEC® Engine • Drive-by-Wire™ Throttle

System • ULEV-2 Emissions Rating • 5-Speed Manual Transmission
• Available Compact 5-Speed Automatic Transmission • Anti-Lock Braking

System (ABS) with EBD • 15-Inch Wheels • Tilt and Telescopic Steering

Column • Front, Front Side and Side Curtain Airbags • Driver's and Front

Passenger's Active Head Restraints • Driver's Seat with Manual Height

Adjustment • Power Windows • Daytime Running Lights (DRL) • Two-Tier

Instrument Panel • Blue Backlit Gauges • Lower Anchors and Tethers for

Children (LATCH) • Immobilizer Theft-Deterrent System

 $_X$ adds to or replaces DX features:

160-Watt AM/FM/CD Audio System with 4 Speakers • MP3/WMA³ Audio Playback Capability • MP3/Auxiliary Input Jack • CD Text Display Capability • Speed-Sensitive Volume Control (SVC) • Air Conditioning with Air-Filtration System • 16-Inch Wheels • Security System with Remote Entry • Cruise Control • Power Windows with Auto-Up/Down Driver's Window • Power Door Locks

Civic Hybrid shown in Alabaster Silver Metallic.

No matter which of the dependable Civic Sedan models you choose, you can rest assured you've made one very smart buy. Because once again for 2006, Honda earned *Automotive Lease Guide's* Brand Residual Value Award.



EX adds to or replaces LX features:

160-Watt AM/FM/XM Ready*2/CD Audio System with 6 Speakers • 4-Wheel Disc Brakes • 16-Inch Alloy Wheels • One-Touch Power Moonroof with Tilt Feature • Steering Wheel-Mounted Audio and Cruise Controls • Remote Trunk Release • Available Honda Satellite-Linked Navigation System¹¹ with Voice Recognition, Digital Audio-Card Reader and XM* Satellite Radio²

Hybrid adds to or replaces LX features:

110-hp, 1.3-Liter, i-VTEC 4-Cylinder Engine with Integrated Motor Assist IMA® • AT-PZEV® Emissions Rating • Continuously Variable Transmission (CVT) • 15-Inch Lightweight Alloy Wheels • Electric Power-Assisted Rackand-Pinion Steering (EPS) • Brake Assist • Remote Entry System with Trunk Release • 160-Watt AM/FM/XM Ready²/CD Audio System with 6 Speakers • Steering Wheel-Mounted Audio and Cruise Controls • Automatic Climate Control with Air-Filtration • IMA Charge and Assist Indicators • Available Honda Satellite-Linked Navigation System¹ with Voice Recognition, Digital Audio-Card Reader and XM Satellite Radio²

SI adds to or replaces EX features:

197-hp, 2.0-Liter, DOHC i-VTEC Engine • LEV-2 Emissions Rating • Close-Ratio 6-Speed Manual Transmission • Helical Limited-Slip Differential • 17-Inch Alloy Wheels • 350-Watt AM/FM/XM Ready²/CD Premium Audio System with 7 Speakers, Including Subwoofer • Low-Profile Wing Spoiler • Red Backlit Gauges • Tachometer with Rev-Limit Indicator • Perforated Leather-Wrapped Steering Wheel • Aluminum Shift Knob with Leather • Textured Aluminum Pedals • Available Michelin® Pilot® Exalto® PE2™ Summer Tires • Red Ambient Console Lighting

| NGINEERING | DX | LX | EX | HYBRID | Si |
|--|------------------------|----------------------|------------------------|-----------------------|-----------------------------|
| Engine Type | In-Line 4-Cylinder | In-Line 4-Cylinder | In-Line 4-Cylinder | In-Line 4-Cylinder | In-Line 4-Cylinder |
| Engine Block/Cylinder Head | Aluminum-Alloy | Aluminum-Alloy | Aluminum-Alloy | Aluminum-Alloy | Aluminum-Alloy |
| Displacement (cc) | 1799 | 1799 | 1799 | 1339 | 1998 |
| Horsepower @ rpm (SAE net, Rev 8/04)* | 140 @ 6300 | 140 @ 6300 | 140 @ 6300 | 110 @ 6000 | 197 @ 7800 |
| Forque (lbft. @ rpm)* | 128 @ 4300 | 128 @ 4300 | 128 @ 4300 | 123 @ 1000-2500 | 139 @ 6100 |
| Compression Ratio | 10.5:1 | 10.5:1 | 10.5:1 | 10.8:1 | 11.0:1 |
| /alve Train | 16-Valve SOHC i-VTEC® | 16-Valve SOHC i-VTEC | 16-Valve SOHC i-VTEC | 8-Valve SOHC i-VTEC | 16-Valve DOHC i-VTEC |
| Stainless Steel Exhaust Manifold | | | | | • |
| Drive-by-Wire™ Throttle System | • | • | • | • | • |
| CARB Emissions Rating | ULEV-2 | ULEV-2 | ULEV-2 | AT-PZEV | LEV-2 |
| Direct Ignition System with Immobilizer | • | • | • | • | • |
| 00,000-Miles-or-More Tune-Up Interval† | • | • | • | • | • |
| Permanent Magnet Electric Motor | | | | • | |
| Nickel-Metal Hydride (Ni-MH) Battery | | | | • | |
| Output (volts) | | | | 158 | |
| | | | | | |
| TRANSMISSIONS | | | | | |
| -Speed Manual Transmission | • | • | • | | |
| Close-Ratio 6-Speed Manual Transmission | | | | | • |
| Compact 5-Speed Automatic Transmission (available) | • | • | • | | |
| Continuously Variable Transmission (CVT) | | | | • | |
| Helical Limited-Slip Differential | | | | | • |
| BODY/SUSPENSION/CHASSIS | | | | | |
| Jnit-Body Construction | • | • | • | • | • |
| MacPherson Strut Front Suspension | • | • | • | • | • |
| Multi-Link Rear Suspension | • | • | • | • | • |
| Stabilizer Bar (mm, front/rear) | 24.2/10.0 | 24.2/10.0 | 24.2/10.0 | 24.2/12.0 | 27.0 (solid)/17.0 |
| Power-Assisted Rack-and-Pinion Steering | £4.2/10.0 | 24.2/10.0 | 24.2/10.0 | Electric | Electric |
| Steering Wheel Turns, Lock-to-Lock | 2.67 | 2.67 | 2.67 | 2.71 | 2.65 |
| Turning Diameter, Curb-to-Curb (ft.) | 34.8 | 35.4 | 35.4 | 34.8 | 35.4 |
| Power-Assisted Ventilated Front Disc/ | | | 33.4 | 34.0 | 33.4 |
| Rear Drum Brakes (in., front/rear) | 10.3/7.9 | 10.3/7.9 | | 10.3/8.7 | |
| Power-Assisted Ventilated Front Disc/ Solid Rear Disc Brakes <i>(in., front/rear)</i> | | | 10.3/10.2 | | 11.8/10.2 |
| Vheels | 15" with Full Covers | 16" with Full Covers | 16" Alloys | 15" Lightweight Alloy | 17" Alloys |
| All-Season Tires | P195/65 R15 89H | P205/55 R16 89H | P205/55 R16 89H | P195/65 R15 89S | P215/45 R17 87V |
| Michelin® Pilot® Exalto® PE2™ Summer Tires | | | | | 215/45 ZR17 91W (available) |
| NTERIOR MEASUREMENTS | | | | | |
| Headroom (in., front/rear) | 39.4/37.4 | 39.4/37.4 | 38.1/36.7 | 39.4/37.4 | 38.1/36.7 |
| | 39.4/37.4 42.2/34.6 | | 38.1/36.7 42.2/34.6 | | |
| egroom (in., front/rear) | | 42.2/34.6 | | 42.2/34.6 | 42.2/34.6 |
| Shoulder Room (in., front/rear) | 53.7/52.4 | 53.7/52.4 | 53.6/52.3 | 53.6/52.3 | 53.6/52.3 |
| Hiproom (in., front/rear) | 51.9/51.0 | 51.9/51.0 | 51.9/51.0 | 51.9/51.0 | 51.9/51.0 |
| Cargo Volume (cu. ft.) | 12.0 | 12.0 | 12.0 | 10.4 | 12.0 |
| Passenger Volume (cu. ft.) | 90.9 | 90.9 | 88.4 | 90.9 | 88.4 |
| EXTERIOR MEASUREMENTS | | | | | |
| Nheelbase (in.) | 106.3 | 106.3 | 106.3 | 106.3 | 106.3 |
| ength (in.) | 176.7 | 176.7 | 176.7 | 176.7 | 176.7 |
| Height (in.) | 56.5 | 56.5 | 56.5 | 56.3 | 56.5 |
| Vidth (in.) | 69.0 | 69.0 | 69.0 | 69.0 | 69.0 |
| Track (in., front/rear) | 59.0/60.2 | 59.0/60.2 | 59.0/60.2 | 59.1/60.2 | 59.0/60.2 |
| Curb Weight (Ibs., MT/AT) | 2628/2690 | 2685/2751 | 2738/2807 | NA/2875 | 2945/NA |
| EPA MILEAGE ESTIMATES 1/FUEL CAPACITY | | | , | , 2010 | _0.0/ |
| | 30/38 | 30/38 | 30/38 | | |
| | 3U/3 8 | 30/38 | 30/38 | | 23/32 |
| i-Speed Manual (City/Highway) | | | | | |
| i-Speed Manual (City/Highway) | 20/40 | 20/40 | 20/40 | | 23/32 |
| -Speed Manual <i>(City/Highway)</i> -Speed Automatic <i>(City/Highway)</i> | 30/40 | 30/40 | 30/40 | 40/E1 | 23/32 |
| i-Speed Manual (City/Highway) | 30/40 13.2 | 30/40 | 30/40 | 49/51 12.3 | 13.2 |

| SAFETY | DX | LX | EX | HYBRID | Si |
|--|--------------|----------------------------|-----------------------------------|-----------------------------------|--------------------------|
| I-Point Seat Belts at All Seating Positions | • | • | • | • | • |
| ront 3-Point Seat Belts with Automatic Tensioning System | • | • | • | • | • |
| Oriver's and Front Passenger's Seat Belt Reminder | • | • | • | • | • |
| Adjustable Front Seat Belt Anchors | • | • | • | • | • |
| Oual-Stage, Dual-Threshold Front Airbags (SRS) | • | • | • | • | • |
| ront Side Airbags with Passenger-Side Occupant Position Detection System (OPDS) | • | • | • | • | • |
| Side Curtain Airbags | • | • | • | • | • |
| Oriver's and Front Passenger's Active Head Restraints | • | • | • | • | • |
| Advanced Compatibility Engineering™ (ACE™) Body Structure | • | • | • | • | • |
| Anti-Lock Braking System (ABS) | • | • | • | • | • |
| lectronic Brake Distribution (EBD) | • | • | • | • | • |
| Brake Assist | | | | • | |
| /ehicle Stability Assist™ (VSA®) with Traction Control | | | | | • |
| Daytime Running Lights (DRL) | • | • | • | • | • |
| Outboard Lower Anchors and Tethers for Children (LATCH) | • | • | • | • | • |
| Child-Proof Rear Door Locks | • | • | • | • | • |
| mergency Trunk Opener | • | • | • | • | • |
| EXTERIOR FEATURES | | | | | |
| ne-Touch Power Moonroof with Tilt Feature | | | • | | • |
| ntegrated Rear-Window Antenna | • | • | • | Roof-Mounted | • |
| Security System with Remote Entry | | • | with Trunk Release | with Trunk Release | with Trunk Release |
| Body-Colored Power Side Mirrors | Black/Manual | • | • | with Integrated Turn Indicators | • |
| ntermittent Windshield Wipers | 2-Speed | 2-Speed | Variable | Variable | Variable |
| Body-Colored Rear Spoiler | | | | Decklid Spoiler | Low-Profile Wing Spoiler |
| Chrome Exhaust Finisher | | | | | • |
| Multi-Reflector Halogen Headlights | • | • | • | • | • |
| | | | | | |
| COMFORT & CONVENIENCE | | | | | |
| Air Conditioning with Air-Filtration System | | • | • | Automatic Climate Control | • |
| Honda Satellite-Linked Navigation System™1 | | | Available | Available | Available |
| with Voice Recognition | | | | | |
| Power Windows | • | | | | |
| Power Windows with Auto-Up/Down Driver's Window | | • | • | • | • |
| Power Door Locks with Auto-Lock Feature | | • | • | • | • |
| Cruise Control | | • | • | • | • |
| Perforated Leather-Wrapped 3-Spoke Steering Wheel | | | | | • |
| Aluminum Shift Knob with Leather | | | | | • |
| Textured Aluminum Pedals | | | | | • |
| Steering Wheel-Mounted Controls | | Cruise Navi (available) | Cruise/Audio/ Navi (available) | Cruise/Audio/ Navi (available) | Cruise/Audio/ |
| ilt and Telescopic Steering Column | • | • | • | • | • |
| Beverage Holders | Front | Front | Front and Rear | Front | Front and Rear |
| Center Console with Sliding Armrest and Storage Compartment | | • | • | • | • |
| Passenger-Side Seatback Pocket | | • | • | Driver- and Passenger-Side | • |
| Driver's and Front Passenger's Vanity Mirrors | • | • | • | • | • |
| Ambient Console Lighting | | | | | Red |
| Map Lights | | • | • | • | neu • |
| 2-Volt Power Outlet | Front | Front | Front and Center Console | Front and Center Console | Front and Center Console |
| Z-VOIL I OVVGI OULIGE | Home | Hone | Tront and Center Consule | From and Center Consule | Tront and Center Console |
| SEATING | | | | | |
| Oriver's Seat with Manual Height Adjustment | • | • | • | • | • |
| Adjustable Head Restraints | • | • | • | • | • |
| Fold-Down Rear Seatback | • | • | 60/40 Split | <u>*</u> | 60/40 Split |

^{*}Horsepower and torque calculations reflect SAE J1349 procedures revised August, 2004.
†Does not apply to fluid and filter changes. Exact mileage is determined by actual driving conditions. Please see owner's manual for more details.

| AUDIO SYSTEMS | DX | LX | EX | HYBRID | Si |
|---|----|----|-------------------|-------------------|-------------------|
| 160-Watt AM/FM/CD Audio System with 4 Speakers | | • | | | |
| 160-Watt AM/FM/XM Ready®2/CD Audio System with 6 Speakers | | | • | • | |
| 350-Watt AM/FM/XM Ready ² /CD Premium Audio System | | | | | |
| with 7 Speakers, Including Subwoofer | | | | | • |
| MP3/Windows Media® Audio (WMA)³ Playback Capability | | • | • | • | • |
| MP3/Auxiliary Input Jack | | • | • | • | • |
| XM® Satellite Radio ² | | | Navigation Models | Navigation Models | Navigation Models |
| CD Text Display Capability | | • | • | • | • |
| Digital Audio-Card Reader | | | Navigation Models | Navigation Models | Navigation Models |
| Speed-Sensitive Volume Control (SVC) | | • | • | • | • |
| INSTRUMENTATION | | | | | |
| Blue Backlit Gauges | • | • | • | • | Red |
| Idle-Stop Indicator | | | | • | |
| Maintenance Minder™ System | • | • | • | • | • |
| Exterior Temperature Indicator | | | • | • | • |
| IMA Charge and Assist Indicators | | | | • | |



Your dealer's team of trained technicians is at the ready to help keep your Honda in superb shape. All 2007 Honda vehicles – and any Genuine Honda Accessories installed at the time of purchase – are covered by the 3-year/36,000-mile New-Vehicle Limited Warranty. Plus, Honda cars and trucks are covered by a 5-year/60,000-mile Limited Powertrain Warranty, too. For more information or assistance, see your Honda dealer or please give us a call at 1-800-33-Honda.

HONDA

Financial Services

Whether you buy or lease a Honda vehicle, Honda Financial Services can assist you with the process. Please ask your dealer which lease or purchase plan best suits your needs.



Honda Care® is an affordable, comprehensive vehicle and travel protection plan backed by Honda reliability, service and parts. Please see your Honda dealer for details.





Your Honda dealer has a full line of Genuine Honda Accessories to make your new Civic uniquely yours. Have them installed at the time of vehicle purchase, and they'll be covered by the Honda New-Vehicle Limited Warranty?

The Honda Satellite-Linked Navigation System is available only in the 48 contiguous United States on EX, Hybrid and Si models. ²XM® Satellite Radio requires XM subscription, available at xmradio.com. Trial subscription provided free for first three months. All fees and programming subject to change. XM Ready® audio system requires additional hardware, installation and XM subscription, all available at extra costs. See your dealer for details. XM service only available in the 48 contiguous United States. The XM name and XM Ready are registered trademarks of XM Satellite Radio inc. ³Windows Media* is a trademark of Microsoft Corporation in the United States and/or other countries. ⁴Based on 2007 FPA mileage estimates. Use for comparison purposes only, Actual mileage may vary. ⁵AT-PZEV rated by the California Air Resources Board (CARB). ⁵Limited battery-pack warranty may vary. Control may may vary. Control may be seed to be correct, a ready of the California Air Resources Board (CARB). ⁵Limited battery-pack warranty may vary. Control may be seed to be correct, and appropriate child seats. Children 12 and under are safes when properly restrained in the rear seat. Specifications, features, illustrations and equipment shown in this brochure are based upon the latest available information at the time of printing. Although descriptions are believed to be correct, accuracy cannot be quaranteed. American Honda Motor Co., Inc., esserves the right to make men to available in all areas. See your Honda dealer for detains. Some vehicles may be shown with optional equipment. Available = Optional. All images contained herein are either owned by American Honda Financial Services is a BAA of American Honda Financial Corporation. Honda, the H-mark symbol, Honda Care, Honda Satellite-Linked Navigation System, Advanced Compatibility Engineering, ACE, Drive-by-Wire, Environmentology, Integrated Motor Co., Inc., and the subscription of the sate of the subscription and the subscription and the subscription and the subscript