1972 CHEVROLET TRUCKS Blazer Proof Chevy trucks last longer. Over 55% of Chevrolet's 1956 model trucks are still in use. No other make has even half, based on latest R. L. Polk figures. CHEVROLET Totally tougher to last longer.

Chevy Blazer: best all-around sports vehicle on the road ... or off.

Chevy Blazer is the best way to get where you're going.

Not just over an old logging road and through two streams to get back where the big fish are. But to the office, grocery shopping,

the dentist and anywhere else you need to go.

Because that's Blazer. All the comfort and driving ease of the kind of family car your wife likes. And all the toughness and utility of the kind of pickup truck you could use.

And all of the fun that you can only get with a machine that can take you just about anywhere you'd like to go.

A vehicle that makes you just as comfortable on asphalt streets and concrete turnpikes as it does on sandy deserts and mountain trails. And makes it feel just as easy to the driver.





Makes trailer towing look easy.

You'll really appreciate Blazer's big-truck parentage when you start hauling a heavy load at interstate speeds.

Blazer's power and its truck components give it the sort of toughened steel strength you can't find in a passenger car.

And exactly the sort of strength you need when you decide to get off the highway and find your own road.

a lot of cars can't get through without a trailer.

Which is especially nice if you'd like to camp out in the woods.

More room, more power, more everything.

You'll notice the room as soon as you get inside a Blazer.

It's as wide as a regular Chevy pickup so you get full width inside. Full width for people. Full width for cargo. And full width for a wide, stable track underneath you.

The power shows up when you turn the key and put Blazer in gear.

No vehicle like it offers a bigger six than Blazer's standard engine.

And Blazer makes available two rugged V8 powerplants: the 307 and the 350-V8.

Features? You could spend a weekend counting them all. Like available two-wheel or four-wheel drive.



They both come with standard front disc brakes. And finned rear drums. And power assist. Built-in fender liners that help fight rust and wear. More double-wall body construction where it counts. Standard side door glass.

Plus a lot more.



Front disc brakes. Standard.

Power is standard. With disc brakes up front. For long brake life, even in the toughest kind of driving. On road or off.

More fade resistance because disc brakes run cooler under the repeated-use conditions of rugged terrain. Improved recovery from the effects of water, salt and slush because of the spin-away action of the rotating brake discs.

And improved vehicle handling because a special 3-way valve balances the entire system, proportions front and rear braking pressures, and warns of pressure loss in either half of the dual brake system.

Both front and rear brakes are self-adjusting. And the rear brake drums are finned for better cooling.

Blazer 4-wheel drive: wide-stance stability.

One feature that gives the 4-wheeldrive Blazer its ability to make better time up and around the hills is its wide-stance suspension.

Blazer's 4-wheel-drive chassis uses tapered-leaf front and rear springs. For a smooth ride and lower unsprung weight.

Rear spring assemblies are 2-stage.
With four conventional leaves and one tapered leaf.
Shot-peened under stress for extra durability.

And, to go with it, standard double-acting shocks.

Combined to give a comfortable, easy-handling ride. Balanced for both on- and





Blazer 2-wheel drive.

All four wheels are cushioned by full coil spring suspension for exceptional smoothness.

Front wheels operate independently.

Road shock is stopped at the source.

The rear suspension uses dual-stage springs that give a softer ride when empty, a firmer ride when loaded. Axle movement is precisely controlled by a system employing two trailing arms.


With double-acting shock absorbers included as standard equipment, front and rear.

Chevy's proved power train components.

Both front and rear axles on the 4-wheel-drive Blazer have hypoid gearing for extra quietness, strength.

Front axle has a 40-degree turn angle
—a turning circle of just 36.66 ft. from curb to curb.
Rear axle shafts are semi-floating type. Drive shafts
are dynamically balanced heavy-wall steel. Shaft
splines are fine-grain alloy steel, phosphate coated
to lessen friction. And the universal joints are
permanently sealed, eliminating periodic lubrication.

The standard 2-speed transfer case offers high or low range in 4-wheel drive. Engine power can be used to run a wide variety of special equipment through the power takeoff on the transfer case.



No wider selection of engines and transmissions available.

The standard six-cylinder engine is the 250-cu.-in. six. With twelve-counterweight crankshaft. Contoured camshaft. Full-length water jackets.

Standard V8 is the 307-cu.-in. engine. You can order the 350 V8. Both have special coatings on the heads and valve faces to retard deposits.

And all Blazer engines are designed to operate efficiently, with lower exhaust pollutants, on no-lead, low-lead or regular fuel.


The standard transmission is the synchromesh 3-speed manual with steering column-mounted shift lever. You can also order the 4-speed manual with floor-mounted shift lever or, best of all, the fully automatic 3-speed Turbo Hydra-matic.

Options? Take a look!

When it comes to options, nobody has more to show you than your Chevy dealer. There

CST Package

Includes luxury trimmed bucket seats up front. Chromed bumpers. Console. Special insulation and undercoating. Bright moldings. And deep-twist carpeting when ordered with auxiliary top. Available with or without rear seat.




Power Steering.

Especially handy in rough country, Blazer's available power steering dampens road shock at the wheel for handling comfort.

And the integral-type unit reduces driver effort significantly. Makes soft sand or mud easier to steer through.

Seating.

Order only the seats you need. There's a passenger seat available with sunshade. Or deluxe driver and passenger buckets. Plus a 3-passenger bench-type rear seat with armrests. All thick full-depth foam padded.




Air Conditioning.

For year-round comfort. Includes heavy-duty radiator and 42-amp. generator. are extra-cost Blazer options available for every sort of use; just pick them out:

Standard Interior

Full-foam cushion, vinyl trim bucket seat. Embossed rubber front floor mat. Left-hand padded sunshade. Left- and right-hand armrests. Water-proofed instrument cluster and ignition switch. Dual fixed-arm exterior rearview mirrors.



Instruments.

Needle-type gauges for oil pressure, temperature and ammeter. Or all of those plus tachometer.



Heavy-duty assists.

For the extra demands of off-road driving or camping: HD 12-volt, 80-amp-hr. battery. HD shock absorbers. HD air cleaner. HD clutch, 11-in. diameter (included when 4-speed trans. ordered). HD generators, 42-amp or 61-amp Delcotron. HD cooling (included when air conditioning is ordered).

Still more.

Soft-Ray tinted glass. Chrome bumpers. Front towing hooks. Manual throttle control. Free-wheeling front hubs. AM or AM/FM radio. Speed and cruise control. Front stabilizer bar (for 2-wheel-drive models). Bright wheel covers. Custom molding. And a wide selection of on-off road, wide-base and flotation tires. And still others your dealer can show you.



Accessory soft top.

Available in black or white. Rugged steel framing covered with durable canvas. Goes up or down in less than two minutes. Dealer-installed accessory.

Hardtop available.


May be ordered in either black or white. Tough, reinforced plastic, finished with textured paint on the exterior. Includes side rear windows, liftgate and front and rear dome lamps. Top bolts on. Lifts off quickly. Completely weathertight. Built-in shoulder belt anchors.



1972 Blazer specifications

Midnight Black

Crimson Red



Wheel- base	Warrant.	101.441	Height		
	Length	Width	2 W.D. 4 W.I		
104"	180*	79*	67.0* *70.1"	69.3"	

*With Optional Hardtop

Tangier O	rang	e	
	W		
Willow Co	RHH	MAIL	WEN,

ENGINE SPECIFICATIONS	250 Six	307 V8	350 V8
Displacement (cu. in.)	250	307	350
Bore & Stroke (in.)	31/4 x 31/2	3% x 3%	4 x 3½
Compression Ratio	8.5 to 1	8.5 to 1	8.5 to 1
SAE Net Horsepower @ rpm	110 @ 3800	135 @ 4000	175 @ 4000
SAE Net Torque (lbsft.) @ rpm	185 @ 1600	230 @ 2400	290 @ 2400

All gasoline en	gines are modified	to operate	efficiently,	and	with	lower	exhaust
pollutants, on r	no-lead, low-lead,	or regular t	fuels.				

Y	w.D.	W.D.		
Max. GVW (lbs.)	5300	5600	Box Length-Floor	75.2"
Front Overhang	331/4"		Box Length-Upper	70"
Rear Overhang	42¾"		Box Width-Floor	72"
Front Tread	C-62.7"	K-65.8"	Box Width-Tailgate Opening	65"
Rear Tread	621/2*		Between Wheelhouses	50"
Ground Clearance	7.3*		Box Depth	19%"

		2-WHEE	L-DRIVE	4-WHEE	L-DRIVE
		Standard	Available	Standard	Available
Front Suspension	Туре	Independent		Tubular Driving— Ratio 3.73 or 3.07†	
	-Cap. (lbs.)	3100		3300	1
	Springs—Type	Coil		Tapere	ed Leaf
	-Cap. (lbs.)	1450	1550	1500	1750
	Shock Absorbers	Standard	H.D.	Standard	H.D.
Rear Suspension	Axle-Type		N. I. y		
	→Cap. (lbs.)	3500#	15 15	3500/	5 1 1
	-Ratios	3.73	3.07, 373, 4.11	3.73	3.07†, 3.73
	Springs—Type	C	The state of the s		apered Leaf
	-Cap. (lbs.)	1450	2000	20	000
	Shock Absorbers	Standard	H.D.	Standard	H.O.
Engines		250 Six* 307 V8**	350 V8***	250 Six* 307 V8**	350 V8***
Clutch	Dia. (in.)	10*	18/10	10*	Carle Io
	Area (sq. in.)	100*	The Dark	100*	C WITH S
	Dia. (in.)	11	12†	11**	12†
	Area (sq. in.)	124**	150)	124**	150
I PARK T	Jale 11	3-Speed	4-Speed	3-Speed	4-Speed
Transmissions		Fully Synchronized	Turbo Hydra-matic	Fully Synchronized	Turbo Hydra-mat
Transfer Case	Туре	Not Required		Dana #20-2-Spd.	N.P. 205-2-Spd.
IS ST DE R. L. PAGE	Ratios			2.03-1.00	1.96-1.00
	PTO Provision			Standard	Standard
Brakes	178	Power		Power	7.7.5
	Front	Disc	1,4	Disc	100
- 10 11 11	Rear	Drum		Drum	NAME OF THE PARTY
Frame	Section Modulus	2.5	98	2.70	
Steering	2	Manual	Power	Manual	ing Angle Power
Fuel Tank	Nominal Cap.(gal.)	4 (1)	2	1	
Wheels	Disc	5-Stud		6-Stud	The state of
1 To 1	-Rim Width (in.)	6.0	5.0, 5.5	6.0	5.0, 8.25
Tires	Tubeless-Sizes	E78-15B	G78-15B	E78-15B	G78-158
			H78-15B		H78-15B
	State of the Control		L78-15B		L78-15B
A STATE OF THE STA	3000	11 11 11 11		Name of the last o	10.00-16.5C
	Tube-Type—Sizes		G78-15B	1100	G78-15B
			6.50-16C	100	6.50-16C
	and the second second	- 7- 7- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1-	7.00-15C		7.00-15C

t—Inc. with 350 V8. 1—Inc. with Turbo Hydra-matic or 4-spd. Positraction differential. *—Standard on 6-cylinder models. Tire Load Range—B (4PR), C (6PR).


Equipment shown in blue available at extra cost. #-Also available with **-Standard on V8 models. ***3-Speed not avail., 4-speed required.

1631

Tang	ier Oran	20	
拟规			W.
			關
Willo	w Green		E S
100	TO NO.		200

Meadow Green


Frost White



Wheatland Yellow



Hawaiian Blue







Grapefruit Yellow



Classic Bronze (M.)



Spanish Gold

All illustrations and specifications contained in this literature are based on the latest product information available at the time of publication. The right is reserved to make changes at any time in prices, colors, materials, equipment, specifications and models, and also to discontinue models. CHEVROLET MOTOR DIVISION OF GENERAL MOTORS CORPORATION, DETROIT, MICHIGAN 48202. LITHO IN U.S.A.