



CHEVROLET Impala: leader in luxury-size wagons . . .

Two Impala Station Wagons set the pace for out-and-out wagon luxury and versatility in 1964. Both 6- and 9-passenger models promise enthusiastic approval with tastefully trim lines and distinctive bright metal ornamentation. All-vinyl interiors are as much at home with Sunday-best attire as they are with bricks for a new barbeque pit. When hauling duty calls, these husky Impala Wagons are Johnny on the spot. Seats fold flat quickly and easily to accommodate up to 97.5 cu. ft. of any load worth a tote. All that in an overall length of 210.8 inches. The cargo area is readily accessible, too, through four wide-opening doors plus a yawning counterbalanced tailgate. '64 Impala Station Wagons-willing workers that enjoy going spruced up or roughing it with equal abandon.

Convenient roll-down tailgate window

A boon for ladies with small packages. And every 1964 Chevrolet Station Wagon has one. Power-operated window is standard on the 9-passenger models, optional on 6-passenger versions. For safety's sake, this powered version can only be raised with the control switch on instrument panel or in the outside tailgate lock. *Optional at extra cost,



at a modest price



Interiors feature fine new style and luxury

Impala Wagons prove luxury can be the perfect running mate for rear of the passenger compartment, and not even your most active crew or cargo can do anything that can't usually be undone with a damp sponge and whiskbroom. Impala touches include electric clock, extra-long armrests with built-in fineertis door releases, back-up lights and parking brake warning light. And

Copyright 1963. Chevrolet Motor Division. General Motors Corporation



CHEVROLET Bel Air: family favorite for fun and luxury-size value

Bel Air's tradition of value comes through in handsome style in 6- and 9-Passenger Station Wagons for 1964. Classic sculptured design highlighted by slender bright metal moldings will be winning new friends (and keeping old ones) for a good many tomorrows. Inside, pattern cloth, durable vinyl and deep-twist carpeting assure longlasting beauty that's also practical. Added attractions to inspire family fun and admiration include: foamcushioned seats, smart instrument panel, electric windshield wipers, automatic dome light and glove box light.

CHEVROLET Biscavne: easy on the budget, new luxury to boot

Clean-cut simplicity marks the Biscayne Station Wagon look for 1964. The pleasing silhouette proves you needn't skimp on style to please your wagon-owning budget. Interior sensibility is equally apparent. All-vinyl upholstery. And on the floor, new deep-twist carpeting up front with vinyl-coated textured metal in the cargo area. Interiors in fawn, red and aqua are keyed to your Magic-Mirror exterior selection. New motoring luxuries? Biscayne now has front and rear foam-cushioned seats, front and rear armerests and handsome steering wheel with horn ring.

Business end of the '64 Chevrolet Wagon

Lower the salighte and you're face to face with the wide-pen pance of a '66 Chavrbest Station Wagon. Total load length to the back of the front seat is nearly 10 Seet. Height, length and width combine to give up to 97.5 cu. ft. of overall storage room. Taligate opening, too, boasts of gaping dimensions 103.5" high x 56.4" wide at the floor). And to take hosts out of floading, the deek is less than two feet from the ground, right rear sidewall, are hidden away in the







You can store articles of value in a special compartment under the rear cargo floor in every luxury-size '64 Chevrolet Wagon. Compartment is reached through hinged cover (lock optional!) when tailgate is lowered. In 6-passenger models, compartment




◀ Self-adjusting Safety-Master brakes

Big Safety-Master brakes for '64 adjust themselves automatically as necessary when the brake pedal is applied with car moving in reverse. Thick bonded linings provide long lining life. And wheel slot vents promote cooling for resistance to fade. Here's stopping



Long-life exhaust system A

Aluminized and stainless steel muffler components and heavygauge tailpipes stretch miles between replacement of exhaust system parts. Keeps every Chevrolet Wagon for '64 running quietly and efficiently at its full-power best.



Flush-and-dry rocker panels ▲

Water entering the cowl infet ventilation system is directed to recker panels where it flushes dirt and road dust out through special openings. Incoming air follows the same channels and dries rocker panels from the inside, Rust and corrosion are



340-hp 409* V8

A favorise among modern wagon owners. The 340-th "Turbo-Fire 469" V8 provides the power and versatility required to handle any wagon cheese on highways or back roads. Major features include: hydraulic valve lifters, a 4-barrel carburetor, dual exhausts, temperature-controlled fin, full-flow oil filter and full-

pick your go from 7 engines & 4 transmissions

Engines	3-Speed Synchro- Mesh	Overdrive*	4-Speed Synchro- Mesh*	Power- glide*
Standard Engines		Rear Axle		
6-Cylinder 140-hp Turbe-Thrift 230	3.55:1	3.70:1	N.A.	3.55:1
8-Cylinder 195-bp Turbo-Fire 283	3.36:1**	3.70:1	N.A.	3.36:1**
Optional V8's* 250-hp Turbo-Fire 327	3.36:1	N.A.	3.36:1	3.08:1
300-hp Turbo-Fire 327	3.36:1	N.A.	3.36:1	3.36:1
340-hp Turbo-Fire 409	N.A.	N.A.	3.36:1	3.36:1
400-hp Turbo-Fire 409	N.A.	N.A.	3.36:1	N.A.
425-hp Turbo-Fire 409	N.A.	N.A.	3.36:11	N.A.
"Optional at extra cost. N.A	Not Available.	13.08:1 with 11Also avails	2.56:3 low transmible in Positraction	issiee.



CHEVELLE!

Malibu: the wagon world's newcomer with winning ways

Meet the two toting treats of the all-new Chevelle Malibu Series for 1964: the versatile 6-Passenger and the spacious 3-Seat Station Wagons. Both have the distinguished lines you'll be proud to take nice places. And both convert easily into work horses that make a game out of taking you and your cargo anywhere. Chevelle power is befitting a spirited mover, too. Standard Six or V8, an optional Six*, and four optional* V8's† from 220 hp up to 365 hp. Full Coil suspension, ten extra-thick rubber body mounts and scads of heavy insulation make sure you'll be giving a good share of your praises to the ride. For extra value, Chevelle claims a complete host of Chevrolet-engineered easy-care features as its own, plus black front seat belts as standard equipment. All Chevelle Wagons are a functional 198.8 inches long.



New fabrics & trim for new wagon luxury

Sit in one of Malibu's all-vinyl foam-cushioned seats. That's just the beginning of comfort. Underfoot you'll find a deep-twist carpet nicely color-keyed to the overall decor. Every Malibu Wagon includes electric close lighted eleye box and back-up lights as standard equipment. Other endearing extras include foot-operated



standard equipment on the Malibu 3-Seat Wagon;

available* on the 2-seat version. Power tailgate window raises only when switch on instrument panel

Convenient rear-facing 3rd seat Standard V8 power Here's one for the kids—a third seat facing aft. Two muck steps and it's folded flat for open load space.

Chevelle Station Wagons get extra action from a

Easily accessible through the counterbalanced tailgate. Handy power-operated tailgate window is

195-hp Turbo-Fire 283 V8. Wedge-shaped combuscompression ratio contribute to saucy, efficient performance. Two-barrel carburetor. 283-cu.-in. disor in outside tailgate lock is in operating position. Plenty of consideration for your gas budget, too.

*Optional at extra cost.



CHEVELLE! 300: new generation with loads to like likes loads, too

Chevelle 300 Station Wagness belong to a brand-sear breed—a saving edit that allow makes a lay thing of luxury, Both the 2-Boor Wagne (scalasive in the Chavelle breed). The control of the control of the control touches, for example, include; founce-standough front touches, for example, include; founce-standough front Electric windshield wayers, dual saw visors and colortic windshield wayers, dual saw visors and colormodels have up to 800 cm. th. of usable load space to call herr own. And when you fill it up don't werey conted rubber mats, and the upholitary is durnish graphers of the control of the control of the control parter ofther with visit from Tall's visits you can expect



Cheveille Station Wagon power teams

Cheveille getu-pand-go for 1946 comes from a wide choice of 20 power teams. Seven solid engines include four performance-wise optional VFs: the 204b p Turbo-Fire 321" V8, the 300-bp Turbo-Fire 321" V8 and the 365-bp Turbo-Fire 321" V8. Match your spirit and budget with one of four transmissions: 3-Speed Synchro-Mesh, automatic Powerplide*, thrifty Overdrive* and versatile 4-Speed Synchro-Mesh* (latter).



Inner front A

Chevelle's sleek from fenders are guarded against rust. Who wants it? Inner front fenders act as barriers to protect exterior lines from the corrosive effects of water, mud and slush.

Full Coil

Suspension
Chevelle Station Wagons get their cushiony ride from a brawny coil spring and double acting shock absorber at each wheel. A front stabilizer bar and levelizing action front and reast behavior and the stabilizer bar and levelizing action front and reast behavior as the behavior as the behavior as the behavior as the stabilization of the stabilization of the stabilization and the stabilization of the stabilization of

	Rear Axle Ratio				
Engines	3-Speed Synchro- Mesh	Power- glide*	4-Speed Synchro- Mesh*	Over-	
129-bp Hi-Tanitt 194 6-cylinder	3.36:3	3.36:1	N.A.	3,70:1	
155-bp Turbo-Thrift 230* 6-cylinder	3.96.3	3.36:1	N.A.	3.70:1	
135-hp Turbo-Fire 283 VS	3.08:1 std. 3.35:1 oot.	3.06:1	3.08:1	3,79:1	
220-bp Turbo-Fire 283* VB	3.08:3 std. 3.36:3 opt.	3.00:1	3.08:1	3,70:1	
250-hp Turbo-Fire 327* V8**	3.36:1	3.08:1	3.863	N.A.	
300-bp Turbo-Fire 327" VE**	N.A.	3.35:1	3.36:1	N.A.	
365-hp Turbo-Fire 327* VI**	N/A	20.0	3.36-1	N.A.	

Shelicand at make and Affire annihila in September N.A. Not Available



CHEVY II Nova: pretty and practical way to pamper your budget

Nova really earns its top billing as luxury leader in the Chevy II. Wagon lineup for 1964. Crisp new bright metal moldings and ornamentation complement. Nova's trim profile, a design purposely maneuverable for each handling on the highway or at the curb. Biggest Chevy II news for '64 is V8 power. A potent 195-thp or 200-hpt Turbo-Fire 28 V8* is now offered for Chevy II Wagons.

in addition to a spirited 155-hp Turbo-Thrift 230° six and the standard 120-hp H-Thrift 194 six. Load space is always in demand. And Nova has a cavernous 76.2 cu. ft. Over 9 feet of load length from the back of the front seat with the tailgate down. Overall length: 187.6 inches. Many particular wagon owners will be driving the Nova 6-7-sseager Wagon this year.



You'll be proud of Nova's handsome interiors

TOUTI DE product or Novà s fantascome interrors. Climb aboard through one of Nova's forer valid done openings. From exablicate to be presented to the present of the prese



Easy to load . . . any load

Lift a unitease 21.6 inches from the ground and you're able to load a 56 Chevy II Wagon. That's the height of the leading deck. Side a big trank through the wide tailgate opening (29.0° high x 47.3° wide at the floor). Spare true is positioned out of the way, so three's a full 76.2 ca. ft. of stowage space vaiting for "Spired ed stowage to the commence."



Chevy II 100 4-Door 6-Passenger Station Wagon in Almond Fawn.

CHEVY II 100: low-priced beauty with clean, functional styling

Where frugality is the concern, the Chevy II 100 4-Door 6-Passenger Station Wagon is as sensible as they come. Lowest priced wagon in Chevrolet's '64 array. Yet able to hold its own with the best for good looks and cargo capabilities. Standard luxuries include: foam-cushioned front seat, dome light, twin sun visors, dual armrests,

electric windshield wipers and single-key locking system. Thick rubber floor mats and vinyl interior provide cleaning ease anyone would appreciate. To be sure, Chevy II's new V8s* are also offered for the 100 Wagon. Plus there's a choice of Powerglide*, 3-Speed or a new 4-Speed* Sentro-Mesh transmission available.



Exclusive Chevy II

suspension

Mono-Plate rear springs help give
Chevy II its smooth, steady control on the road. Never require
spended and the road of the road
spended and on the road
spended in all on the road
springs and double-acting shock
absorbers muffle road shocks and
vibrations before they read
driver or passengers. Heavy-duty
springs and raio available

Unitized body-frame construction

Both Chevy II Station Wagons for '64 have the built-in quality of Body by Fisher. Two unitized box-like sections form the basic body assembly. The front end unit, forward from the cowl, is bolled securely to the rear unit to keep weight down to a minimum, strength and rigidity at a maximum, Bolt-on front fenders.

Chevy II power teams for a bonus in thrift 8-cylinder engines*

Eatra power and performance for extra-duty hauling, 193-bp or 203-bpH Turbe-Fire 283 * W8 will be moving many a Choy II Station Wagen this year. The 195-bp version has 2-bastral carboneticies, 220-bpt design, the 4-barrel kind. Both V8s have hydraulic valve lifters, a 9,25:1 compression ratio, followers with the proposition of the companion of

6-cylinder engines

6-cylinder engines Standard 120-hp Hi-Thrift 194 six includes short-stroke design 194-cu.-in. displacement, 8.5:1 compression ratio, single-barre carabreretor with automatic choke, hydraudic valve lifters an 7-bearing cranishaft. New 155-hp Turbo-Thrift six* has special features, along with 230-cu.-in. displacement.

		Rear Axle Ratio		
Engine	Transmission	Gen. Purpose or Standard	Spec. Purpose or Mountain	
120-bp Hi-Thrift 194 6-cylinder	3-Speed Powerglide*	1361	N.A.	
155-bp Turbo- Taxin 230* 6-cylinder	3-Speed Powerglide*	3.36:1 3.36:1	N.A.	
195-bp Turbo- Fire 283* V8	3-Speed 4-Speed* Powerglide*	3,08:1 3,08:1 3,08:1	3.36:1 3.55:1 N.A.	
220-bp Turbo- Fire 283* VBH	3-Speed 4-Speed* Prescride*	3.08:1 3.08:1 3.08:1	136:1 3.55:1 N.A.	



CORVAIR GREENBRIER sports wagon

Corvair Greenbrier Sports Wagon just has to be one of the heffiest toters in the business. Yet its overall length of 179.7 inches is no longer than any other Corvair. Greenbrier horsepower climbs nearly 19% for '64 with a new 95-hp Turbo-Air 164 air-cooled six. An optional 110-hp Turbo-Air* engine for added hauling power includes special camshaft and recalibrated carburetors.

And with all the advantages of Corvair rear-engine traction and economy to boot. Regular Greenbrier sports striped woven fabric on seats, painted sidewalls, vinyl-coated jute headlining, rubber floor mats, front dome light and driver sunshade. A rich fawn interior is standard. De Luxe model offers a choice of all-vinyl fawn, green, red or aquai interior color-keyed to exterior finish.





Greenbrier's foam-cushioned seats provide traveling relaxation for six husky grown-ups. Second seat faces fore or aft to meet load or passenger requirements. Remove it, and there's approximately 50 sq. ft. of floor area, up to 175.5 cu. ft. of stowage space. Seating for nine with an optional third seat's.



Big double doors at both rear and curbside

Bushels of loading maneuverability through Greenberr's double rear doors, double ourbisde doors and 2 front-seat doors. Accessibility suits your specific eargo with doors that may be positioned half-way or fully open. For added loading convenience, left side doors* are



Camp out

With little encouragement, Greenbrier for '64 converts into a camper Unit' provides almost everything necessary for a go at the great outdoors. For individual camping accessories, check your local Chevrolet dealer's wide listing of

CHEVROLET WAGON DIMENSIONS & OPTIONS FOR '64

CHEVROLET STATION WAGONS

DIMENSIONS-Wheelbase, 119"-Front and rear tread, 61.3" and 60,3"-Overall: length, 210.8"; width, 78.1"; height, 56.7". For further specifications, see the 1964 Chevrolet Catalog and

OPTIONAL EQUIPMENT*-Power brakes . Power steering . · Soft-Ray tinted glass · Stowage compartment lock · Split · AM/FM or AM push-button or manual AM radio, rear seat . Special front springs** . Heavy-duty chassis equipment** special tires** - Heavy-duty Delcotron generators - Heavy-duty

CHEVELLE STATION WAGONS

DIMENSIONS-Wheelbase, 115"-Front and rear tread, 58" -Overall: length, 198.8"; width, 74.6"; height, 54.9". For further specifications, see the 1964 Chevelle Catalog and your local

OPTIONAL EQUIPMENT*-Power brakes . Power steering . · Split second seat** · Special all-vinyl interior** · Seat belts tires - Push-button and manual AM radios, rear seat speaker, tioning** - 3.36:1 rear axle ratio** - Positraction rear axle -Special sintered-metallic brake linings · Special suspension Convenience equipment . Two-tone finish . Heavy-duty Delcotron generators - Heavy-duty battery - Superlift shock

CHEVY II STATION WAGONS DIMENSIONS-Wheelbase, 110"-Front and rear tread, 56.3"

and 55.8"-Overall: length, 187.6": width, 70.8": height, 55.1", For further specifications, see the 1964 Chevy II Catalog and

OPTIONAL EQUIPMENT*-Power steering . Power brakes .

AM radio, rear seat speaker, and antenna . De Luxe air condirear axie ratio** . Heavy-duty clutch . Heavy-duty radiator erators - Soft-Ray tinted glass - Padded instrument panel

"Availability determined by either model or equipment





SEAT CONVERSION IS QUICK AND EASY IN ALL '64 CHEVROLET WAGONS

SINGLE-STEP CONVERSION...All Chevrolet. Chevelle and Chevy II 6-Passenger Wagons convert from passenger seating to flat floor in a single motion. Just release the Hinged floor filler automatically gives level cargo floor. OR 3 FASY STEPS-Seat conversion in Chevrolet and Chevelle 3-Seat Wagons is sample and easy. First, fold over the seat cushion of the rear-facing third seat. Next.

tion available at the time of publication approval. The right is reserved to make changes at any