AMERICAN MOTORS 1969





REBEL. The car for people.



RAMBLER. One American car against the world.



AMBASSADOR. It will remind you of the days when money really bought something.

AMX. The performer.















Notice the Ambassadorial splendor of the SST dash. There are four air-conditioning outlets altogether, including one in front of the driver's seat.



The SST doors are deeply padded and trimmed with wood-grained vinyl (to match the dash). Door locks are in the armrests easy to reach.






In addition to the custom velour for the SST, there are handsome fabrics standard for each Ambassador. Plus ventilated vinyl for the station wagons.




Though we can't seem to fit in an Oriental rug, every Ambassador—sedan, hardtop or wagon—has cut-pile nylon carpet door-to-door.



The console has a convenient tray for small change or smokes. And a glove box you can lock.









More like a car with window walls than one with car windows.


Like that expanse of expensive glass in back that extends from side to side

and top to trunk.

And notice the door windows. All one piece, with no little vent windows to keep adjusting. Better than that, the Javelin has a flow-through ventilation system that keeps air circulating even when all windows are shut.

The point of the Javelin is: it's made as if the money in it doesn't count.





Take the Javelin's massive contour bumper. And the Javelin's mag-style wheel discs (standard on the SST).

And those handsome door locks and handles, set flush.

More like a cabinetmaker's fittings than car hardware.

Another nice touch: an ashtray that slides in and out on ball bearings.



People driving other cars see more of the Javelin's back than its front.

It makes a sharp turn despite its 109" wheelbase—with a 36.9' turning circle, less than a foot larger than that of the little Volkswagen.
It's strong on the straightaway.
With its standard 232 cu. in. six or

optional V-8's up to 390 cu. in.

It's great on the getaway. With any V-8, you can order 4-on-the-floor with the same box the Javelins use in the Trans Am races.

Altogether, a car with dash.











Every Rebel wagon has the dual-swing tailgate standard. You saw it open as a door; here you see it open down.




The top piston ring of every cylinder is a "moly-top"— molybdenum-filled to help stop scuffing cylinder walls.



You'll find station attendants checking your battery faster because they can see the water level through the sides. They'll fill it faster, too, because they can open three cells at a time.

Each front shock absorber is sheathed to help keep out grime and gravel.

The suspended accelerator pedal. More responsive. Better, cleaner design.










The AMX is long in front and short in back. A 2-seater, no-back-seater. It doesn't drive you; you drive it. 4-on-the-floor is standard. A 2-seater i











To save trunk space in back, we give you the Airless Spare. When you need it, "whhoosshh!" it inflates. Why fill up your trunk with air?











As you sit deep in your slim-shelled reclining bucket (leather covered, if you like), you feel the push of the AMX right down to your toes. You look through the wheel at a big speedometer and tach. Rev up and upshift. With the 390, you leap from 0 to 60 in less than 7 seconds.





One American car against the world:

RAMBLER.



If you want a new car and don't want to pay a lot, there are only two ways to go:

An import. Or the Rambler 2-door. Try them on for size. The imports are small cars. The Rambler is a full-scale 15 ft.

Rambler has 12 cu. ft. of luggage

space.

American compact.
Check the seating. Four?
The Rambler seats six. Comfortably. Look into the trunk. The

Count the cylinders. Two? Three? Four? The standard Rambler engine is a 199 cu. in. six. Horsepower? It's 128 for the Rambler.

Which gives you more room, more vroom for your money?



Suppose you're looking for an inexpensive 4-door. You can pick an import.
Or one of two Ramblers—the basic 4-door and the 440 (shown).



Make the same comparisons you did with the 2-doors and you'll get just about the same answers. The only question left is: which Rambler?

With the 440, you get more chrome and more comforts more armrests, more ashtrays and more decorator fabrics to choose, including wall-to-wall cut-pile nylon carpet.

Plus the fact that you can decide on an optional 290 cu. in. V-8 with 2-barrel carburetion.



Say you want a wagon and don't want to spend a wagonload. Will it be an import? Or the Rambler 440?

Will it be an import?
Or the Rambler 440?
Better ask about carrying capacity.

The Rambler's is 1075 lbs. over half a ton. Open the tailgate. Does it drop down or must you lift it overhead? The Rambler's lies flat. Gives you a longer load bed for a short haul. Or a great buffet for a picoic

a great buffet for a picnic.
Try to open the tailgate
window. Or doesn't it open? The

Rambler's rolls down. Gives you an opening to drop in small parcels while shopping.

Count the doors. Some imports have only two. Some others—and the Rambler—have four. Plus tailgate.

Is there any question?





Rambler Rogue hardtop in Alamosa Aqua.



One more Rambler to look into: the hardtop called the Rogue.
With all the features of the 440.

Plus a larger standard engine: a 232 cu. in. six.
With the Rogue, too, you can choose

With the Rogue, too, you can choose 4-on-the-floor.

an extra engine-transmission option: a 290 cu. in. V-8 with 4-barrel carb and



We take you underneath our sleek acrylic paint to show you

our Advanced Unit Construction: the entire body is welded into

a single structure, with no bolts to work loose, rattle or creak.

PECIFICATIONS	RA	REI	BEL	AMB	ASSA	DOR	JAV	AMX			
MODELS	BASIC	440	ROGUE	BASIC	SST	BASIC	DPL	SST	BASIC	SST	
2-Door Sedan	S										
4-Door Sedan	S	S		S	S	S	S	S			
Station Wagon		S		S	S		S	S			
Hardtop			S	S	S		S	S	S	S	S
DIMENSIONS											
Wheelbase (in inches)		106.0		114	.0		122.0		109.	0	97.0
Sedan & Hardtop Length (in inches)		181.0		197	.0		206.5		189.	2	177.2
Wagon Length (in inches)		181.0		198	1.0		207.0				
Width (in inches)		70.8		77	.2		77.2		71.	9	71.6
Front Tread (in inches) for sixes (and V-8's)		56.0 (56	6.4)	60	0.0 (60.0)		60.0 (60.	.0)		9 (58.4)	58.4
Rear Tread (in inches) for sixes (and V-8's)		55.0 (5	5.3)	60	0.0 (60.0)		60.0 (60.	.6)		0 (57.0)	57.0
Trunk Space (in cubic feet)		12.0		18			18.2		10.	2	9.6
Cargo (in cubic feet) for 2-seat Wagons (and 3-seat Wagons) including underfloor storage		66.0		94	1.6 (91.6)		99.7 (91.	.6)			
EXTERIOR & INTERIOR				14							
All welded single unit construction (Advanced Unit Construction)	S	S	S	S	S	S	S	S	S	S	S
Deep Dip rust proofing	S	S	S	S	S	S	S	S	S	S	S
Front-seat foam seat cushions	S	S	S	S	S	S	S	S	S	S	S
Coil-spring seat construction	S	S	S	S	S	S	S	S			
Molded ceiling	S	S	S	S	S	S	S	S	S	S	S
Front arm rests	S	S	S	S	S	S	S	S	S	S	S
Interior lights	S	S	S	S	S	S	S	S	S	S	S
Glove box lock		S	S		S	S	S	S	S	S	S
Suspended accelerator pedal	S	S	S	S	S	S	S	S	S	S	S
MECHANICAL											$\overline{}$
Coil springs at all four wheels				S	S	S	S	S			
Direct action independent front suspension	S	S	S	S	S	S	S	S	S	S	S
Rear suspension semi-elliptical leaf springs	S	S	S								S
Rear suspension of 4-link, trailing arm design			1	S	S	S	S	S	S	S	
All-Season engine coolant	S	S	S	S	S	S	S	S	S	\$	S
Clear Power 24 Battery	S	S	S	S	S	S	S	S	S	S	S
Aluminized exhaust system	S	S	S	S	S	S	S	S	S	S	S
Brake diameter, sixes (in square inches)		9	_		9		10		9		
Brake diameter, V-8's & Rebel six Wagons (in square inches)		10			0	+	10		10		10
Brake lining area, sixes (in square inches)		153.8			3.8	+	167.5		153		10
Brake lining area, V-8's (in square inches)		167.5			7.5	1	167.5		167	167.5	
Fuel tank capacity (in gallons)		16			1.5		21.5		19		19
Fuel tank capacity (in gallons) for 2-seat Wagons (and 3-seat Wagons)		16			1.5(19)	+	19 (19)			_	100
HEATING & AIR CONDITIONING		10	_	-	1.5(15)	_	13(13)		_		+-
All-Season air conditioning	0	0	0	0	0	S	S	S	0	0	0
Weather-Eye heater	S	S	S	S	S	S	S	S	S	S	S
SAFE-COMMAND HIGHLIGHTS	5	3	3	3	3	3	3	3	3	3	- 3
Back up lights & 4-way hazard warning signals	S	S	S	S	S	S	S	S	S	S	s
Guard-Glo headlamps	S	S	S	S	S	S	S	S	S	S	S
Rear-view mirror left side, exterior	S	S	S	S	S	S	S	S	S	S	S
Windshield washers					11.7						
· · · · · · · · · · · · · · · · · · ·	S	S	S	S	S	S	S	S	S	S	S
Non-glare windshield wipers	S	S	S	S	S	S	S	S	S	S	S
Side-of-car safety markers	S	S	S	S	S	S	S	S	S	S	' S
Double safety self-adjusting brake system	S	S	S	S	S	S	S	S	S	S	S
Seat belts for all seating positions	S	S	S	S	S	S	S	S	S	S	S
Two front shoulder belts	S	S	S	S	S	S	S	S	S	S	S
Front seat restraints	S	S	S	S	S	S	S	S	S	S	S
High strength door locks & safety shaped interior door handles	S	S	S	S	S	S	S	S	S	S	S
Padded instrument panel and visors	S	S	S	S	S	S	S	S	S	S	S
Energy-absorbing steering column	S	S	S	S	S	S	S	S	S	S	S

S-Standard. O-Optional.

NGINES		H.P.	TORQUE	COM-	BORE	R	AMBL	ER	RE	BEL	AM	BASSA	DOR	JAV	ELIN	AMX	TRANSMISSIONS &	RAMBLER	REBEL	AMBASSADOR	JAVELIN	AMX
	CARBS	R.P.M.	R.P.M.	PRESS RATIO	STROKE	BASIC	440	ROGUE	BASIC	SST	BASIC	DPL	SST	BASIC	SST	-	AXLE RATIOS					
																	3-speed manual on column (standard on Rambler)	3.08:1				
199 cu. in. six	1-barrel	128 @ 4400	182 @ 1600	8.5:1/Reg.	3.75" X 3.00"	S	S		1		1			1		1	3-speed manual and overdrive on column	3.31:1				
			A CONTRACTOR OF THE CONTRACTOR	7,070,000,000	and a second											3,0	Shift-Command automatic on column	*2.73:1 (3.08:1)				
																	3-speed manual on column (standard on Rebel)	3.08:1)(3.31:1)	3.15:1			
***	200		212/2/2000	0.000							1		1				3-speed manual and overdrive on column		3.54:1			
232 cu. in. six	1-barrel	145 @ 4300	215 @ 1600	8.5:1/Reg.	3.75" X 3.50"	0	0	S	S	S	1			,	5		Shift-Command automatic on column	**3.08:1 (3.31:1)			3.08:1 (3.31:1)	
					1	1		-		1	1						3-speed manual on floor (standard on Javelin)				3.08:1 (3.31:1)	
										-							3-speed manual on column (standard on basic Ambassador and DPL)			3.15:1		
232 cu. in. six	2-barrel	155 @ 4400	222 @ 1600	8.5:1/Reg.	3.75" X 3.50"				0	0	8	5					Shift-Command automatic on column		3.15:1	3.15:1		
																1	3-speed manual on floor				3.15:1	
290 cu. in. V-8	2-barrel	200 @ 4600	285 @ 2800	9.0:1/Reg.	3.75" X 3.28"		0	0	0	0	0	0	S	0	0	l lu	Shift-Command automatic on column (standard on Ambassador SST)	2.87:1 (3.15:1)	2.87:1 (3.15:1)	2.87:1 (3.15:1)	2.87:1 (3.15:1)	
10,000,000,000,000	grand and															1	Shift-Command automatic on console		2.87:1 (3.15:1)	2.87:1 (3.15:1)	2.87:1 (3.15:1)	
290 cu. in. V-8	4-barrel	225 @ 4700	300 @ 3200	10.0:1/Pre.	3.75" X 3.28"									0	0		Shift-Command automatic on console					***2.87:1 (3.15:
290 cu. in. V-8	4-barrel	225 @ 4700	300 @ 3200	10.0:1/Pre.	3.75" X 3.28"			0							0	3	4-speed manual on floor (standard on AMX)	3.54:1			3.54:1	3.54:1
343 cu. in. V-8	2-barrel	235 @ 4400	345 @ 2600	9.0:1/Reg.	4.08" X 3.28"				0	0	0	0	0				Shift-Command automatic on column		2.87:1 (3.15:1)	2.87:1 (3.15:1)		
																	Shift-Command automatic on column		2.87:1 (3.15:1)	2.87:1 (3.15:1)	***2.87:1 (3.15:1)	
343 cu. in. V-8	4-barrel	280 @ 4800	365 @ 3000	10.2:1/Pre.	4.08" X 3.28"				0	0	0	0	0	0	0	0	Shift-Command automatic on console		2.87:1 (3.15:1)	2.87:1 (3.15:1)	***2.87:1 (3.15:1)	2.87:1 (3.15
INDESCRIPTION AND	000000000	THE CONTRACTOR OF THE PARTY OF	350000000000	10000000000000000000000000000000000000	20000 7000000												4-speed manual on floor				3.54:1 (3.15:1)	3.54:1 (3.15
																	Shift-Command automatic on column			2.87:1 (3.15:1)	***2.87:1 (3.15:1)	
390 cu. in. V-8	4-barrel	315 @ 4600	425 @ 3200	10.2:1/Pre.	4.17" X 3.57"								0		0	0	Shift-Command automatic on console			2.87:1 (3.15:1)		2.87:1 (3.15:
-3-3-1,	1.00.000					1					1			1			4-speed manual on floor				3.54:1 (3.15:1)	3.54:1 (3.15:

OPTIONS	R	REI	BEL	AME	BASSA	DOR	JAV	ELIN	AMX		
PAINT & UPHOLSTERY	BASIC	440	ROGUE	BASIC	SST	BASIC	DPL	SST	BASIC	SST	
☐ Two tone paint	0	0	0	0	0	0	0	0			
☐ Special application of American Motors colors	0	0	0	0	0	0	0	0	0	0	0
Simulated wood grain side panels (Wagons only, not available with two tone)					0			S			
All vinyl seat upholstery (standard on Wagons)	0	0	0	0	0	0	0	0	S	S	S
☐ Exterior pin stripe (not with two-tone or simulated woodgrain Wagons)				0		0	0	0	S	S	
Rally stripe (five colors)									0	0	0
☐ Leather seats											0
PERFORMANCE ITEMS											
☐ Twin-Grip differential	0	0	0	0	0	0	0	0	0	0	0
Quick ratio manual steering									0	0	0
Dual Exhaust 290-4bbl.			0						0	0	S
Dual Exhaust 343-4bbl.				0	0	0	0	0	0	0	S
Dual Exhaust 390-4bbl.								S		\$	S
Tachometer & 140 MPH speedometer (V-8's only)									0	0	S
☐ Javelin 343 Go Package¹									0	0	
☐ Javelin 390 Go Package ²									9	0	
☐ AMX 343 Go Package ³											0
☐ AMX 390 Go Package ⁴											0
POWER ASSISTS											
Power steering (recommended with air conditioning)	0	0	0	0	0	0	0	0	0	0	0
Power front disc brakes (V-8's only)			_	0	0	0	0	0	0	0	0
☐ Power brakes	0	0	0	0	0	0	0	0	0	0	0
Power lift side windows							0	0			
Power lift side & tailgate windows							0	0			
Power lift tailgate window only (standard on 3 seat wagons)				0	0)	0	0			
☐ Cruise-Command automatic speed control system (V-8 automatic only)		-		0	0	0	0	0			
SEATING ITEMS											
☐ Bench seats non-reclining	S	S	S	S	S	S	S				

PTIONS CONT.	R	AMBL	ER	RE	BEL	AME	AMBASSADOR			JAVELIN	
SEATING ITEMS CONT.	BASIC	440	ROGUE	BASIC	SST	BASIC	DPL	SST	BASIC	SST	
☐ Individually adjustable reclining seats	0	0	0	0	0	0	0	S			
Reclining bucket seats with center armrest & center cushion (Hardtop only)					0			0			
Reclining bucket seats with console & floor automatic transmission (Hardtop only)					0			0			
☐ Third seat for Wagon (includes power rear window & seat belts)					0		0	0			
Reclining bucket seats										S	S
Armrest and center cushion (not available with console)									0	0	0
Console with column mounted automatic transmission									0	0	
☐ Console with floor automatic transmission									0	0	0
RADIOS & TAPE EQUIPMENT										7	
AM push button radio	0	0	0	0	0	0	0	0	0	0	0
☐ AM-FM push button radio				0	0	0	0	0	0	0	0
8 track stereo tape player & 2 rear speakers (Sedans & Hardtops only)				0	0	0	0	0			
8 track stereo tape player with manual AM radio & 2 rear speakers									0	0	0
☐ Duo-Coustic rear speaker (not with stereo or Wagons)				0	0	0	0	0			
APPEARANCE ITEMS											
☐ Solex glass, windshield only (recommended with air conditioning)	0	0	0	0	0	0	0	0	0	0	0
☐ Solex glass, all windows	0	0	0	0	0	0	0	0	0	0	0
Roof top travel rack (Wagon pnly)		0		S	S		S	S			
☐ Sports steering wheel		0	0		0	0	0	0		S	S
Custom steering wheel	0	S	S	0	S	S	S	S	S		
Appearance group—chrome trim & wheel discs	0	0	0								
☐ Turbo cast wheel covers (14" wheels)				0	0	0	0	0	0	0	0
☐ Wire wheel covers (14" wheels)				0	0	0	0	0	0	0	0
☐ Wheel discs	0	0	0	0	0	0	S	S	0	S	S
Styled steel wheels (set of four)									0	0	0
☐ Bumper guards—front & rear (not with Wagons)	0	0	0	0	0	0	0	0			
☐ Bumper guards—front only (Wagons)		0		0	0		0	0			
☐ Bumper guards — rear only									0	0	0

Only for Sedans and Hardrops willhout air conditioning. Sedans and Hardrops with air conditioning and all Wapons get 3.08.1 (2.73.1).** Rogue with automatic transmission gets 2.37.1 (3.08.1).**1,15.1 is standard with Go Packages. Also 3.73.1,3.311.4,10.1,4.4.41 and 5.00.1 are available with many Vet transmission combinations as extra cot dealer-included options. All satisfies of promise above are variables at no extra cott. S-Standard. O-Optional.

PTIONS CONT.	R	AMBL	ER	REI	BEL	AME	BASSA	DOR	JAVI	AMX	
HEATING & AIR CONDITIONING		440	ROGUE	BASIC	SST	BASIC	DPL	SST	BASIC	SST	
Weather-Eye heater system deletion (Hawaii only)	0	0	0	0	0				0	0	0
All-Season air-conditioning with heavy duty cooling and electrical system	0	0	0	0	0	S	S	S	0	0	0
Command Air ventilation system (instead of air conditioning)				0	0	0	0	0	0	0	0
CONVENIENCE GROUPS & ITEMS	100										
☐ Visibility group ⁶	0	0	0					0			
☐ Visibility group ⁶				0	0	0	0		0	0	0
Electric windshield wipers only	0	0	0								
Light group for Rambler?	0	0	0								
Light group for Javelin, AMX®									0	0	0
Light group for Rebel, Ambassador9				0	0	0	0	S			
Adjust-O-Tilt steering wheel (not with manual shift)				0	0	0	0	0	0	0	0
HEAVY DUTY EQUIPMENT											
Automatic transmission oil cooler (standard on V-8's, but not with 2.37:1 axle)	0	0	0	0	0	0	0	S	0	0	S
Heavy duty radiator, Power-Flex fan & shroud (standard with air conditioning)	0	0	0	0	0	S	S	S	0	0	0
Heavy duty 70 amp. battery	0	0	0	0	0	0	0	0	0	0	0
☐ Heavy duty 70 amp. battery & 55 amp. alternator (standard with air conditioning)	0	0	0	0	0	S	S	S	0	0	0
Handling package – 6 cyl., front sway bar, heavy duty springs & shocks	0	0	0						0	0	
☐ Handling package — V-8, heavy duty sway bar, springs & shocks		0	0						0	0	
Handling package - 6 cyl. Sedans & Hardtops: sway bar (std. on Ambassador), heavy duty springs & shocks				0	0	0	0				
Handling package – 6 cyl. Wagons & all V-8's: heavy duty springs & shocks				0	0	0	0	0			
☐ Engine block heaters	0	0	0	0	0	0	0	0	0	0	0
Heavy duty clutch with 3-speed transmission (not for all engines)	0	0				0	0		0	0	
MISCELLANEOUS				0	0						
Undercoating								0			0
☐Insulation group includes undercoating & hood insulation	0	0	0	0	0	0	0		0	0	
Airless Spare									0	0	S

3.43 c. in. 4-barrel V-8, dual exhausts, power front disc brakes, red line Polygias tires, 6 in. rim wheels, handling package & hood scops. 3 Same except for 300 cs. in. V-8. 3-34.3 cs. in. 4-barrel V-9, power front disc brakes, red line Polygias tires, 6 in. rim wheels, handling package, hive figure differential, heavy duty consign, over-the-hoor recing strips. «Same except for 300 cs. in. V-8. Pad.3 cs. in. 4-barrel V-9, power front disc brakes, 1-barrel wheels, 1-barrel v-9, power for 1-barrel v-9, pow

Equipment and power features, Illustrated or described in this catalog, are optional at extra cost unless otherwise specified. Certain equipment items may not be available for all models. American Motors, whose policy is one of continuous improvement, reserves the right to dispostnique or change specifications, models, equipment or prices at range obligation.

AM 69-8019