



We ve carve church chur





competition to build bigger, stronger, harder-working trucks makes for a lot of "here today, e tomorrow" shooting stars. Ram is different. Amidst all the muscle-flexing and torque-

crunching, Dodge Ram Pickups stay at the head of the pack. Ram is continuing to make its mark in the racing world. In 1999, Ram Pickups competing in the NASCAR® Craftsman Truck Series captured pole positions in nine

races, and achieved four race victories. Two Ram drivers ranked among the top five in series points. The Ram lineup of fierce Magnum® engines includes an available

8.0-liter V10 that kicks out 310 horsepower (305 hp in California). There's also a high-torque Cummins Intercooled Turbo Diesel. Underneath, there's a 36,000-psi steel frame fitted with a rugged independent front

suspension, and heavy-duty components. Ram Pickups are job-rated to fit your needs, and sized to fit you and your crew. Check out the regular cab, chassis cab or Quad Cab, with 4x2 or 4x4 wheel drive. Choose the $6\frac{1}{2}$ -foot short box, or eight-

foot long box. Either size can be divided to carry multiple loads. Then there's the look. The strong-jawed, heavy-barred grille that's become the national symbol of truck dominance. Add a roomy interior, authoritative handling, and the dependability, versatility,

and strength to be among the longest-lasting, full-size pickups.*
In truck territory, the benchmark is awfully hard to reach.
Unless you're different.

*Based on the percentage of 7/90 through 7/99 new pickup registrations as of 7/1/99 (Data Source: The Polk Company)











Ranbu


ge Ram independent
t suspension systems
lesigned and job-rated
undle specific work loads.
to handle them well.
Off-Road Ram Pickup's
ension has upgraded
y-duty front coil and rear
tyrings that increase ride
ht by two inches.


Road Ram have a higher
I ratio to compensate for
I ratio to compensate for
I res while helping maintain
the response. The front
rential housing is reinforced
extra webbing to handle
unishment a rough road
tout. The limited-slip rear
rential divides engine power
by to both rear wheels. Both
and rear axles are reinforced.












All work and no play just wouldn't be Ram Pickup's style.
In 1999 Ram Pickups proved tough competitors in the NASCAR®
Craftsman Truck Series. Ram trucks took pole positions
in nine out of 25 races, with four race wins. Two Ram
Pickup drivers were among the top ten in series points.
Competition is fun. Ram will be seeing more of it.

Fierce four. Whatever you do, whatever you need, Dodge has a Magnum® engine for it. Choose from two available V8s (3.9-liter and 5.2-liter engines not available on chassis cab models), a masterful V6, and a 310-horsepower (305-horsepower in California) 8.0-liter V10. Magnum engines have advanced electronic control modules that monitor engine performance and adjust the fuel/air mixture for consistently smooth performance.



standing ta trom the ground up.

Get organized. Vertical dividers chop the full-size Ram bed into constructive spaces for different types of stuff. Pockets in the double-wall cargo box let you use 2x8 bulkheads to build three separate sections.*





Horizontal pockets in the cargo alls let you use two-by-fours to the cargo below. Need to go higher? Spaced the cargo bed rail are slots that will artical stakes for holding in taller loads.*



When you come right down to it, a pickup is a power pack in front, and a big stretch of space out back. Dodge Ram fills the bill. Carrying extra special cargo? Use the firmly mounted tie-downs fore and aft to secure that bike or that antique. The two up front hold from side-to-side. The rear tie-downs are high-strength U-brackets bolted in the left and right bed corners.*

^{*}Properly secure all cargo.







Start Som

An armrest with high ambitions. Talk about multitasking, the available fold-down center armrest on Ram Pickup's 40/20/40 bench seat opens up to hold everything from tech tools like a laptop and cellular phone to stone-age gear like wrenches, flashlights, and paper and pens. It's big.





thing big.

The Travel Convenience Group's console has finger-touch reading lamps, mpass and outside temperature displays, a trip computer that monitors estimated to-empty, fuel economy and time elapsed.

Comfort is the key. Working or traveling, you need your own fuel, whether it's coffee, cola, or bottled water. In quantities up to a quart, Ram Pickup can hold it in sizeadjustable cup holders.










Welcome to the boan

rping it together. Behind the front seat is some of most important space in Ram Pickup regular cab dels. There's plenty of convenient storage. And we's and passenger seats fold forward far enough et you fill it up with everything you need.



-packed Ram. Ram Pickup's driver's seat has the comforts valuable power adjustment and lumbar support. Both the driver front outboard passenger seats recline. The 40/20/40 front seat guration comfortably holds three adults across, and both seatbacks forward to let you stow plenty of gear in a well-organized space.




Sitting pretty. Ram Pickup seats are positioned high to give you all-around visibility. Height-adjustable front seat belts keep out of the way of backseat riders entering or exiting.

Extra storage? You're sitting on it. Beneath the folding rear bench seat in Quad Cab™ models you'll find extra storage space for extra tools or toys. The folding bench locks open while you arrange your gear.










Talking torque. The Cummins High-Output diesel engine is mated with a six-speed manual transmission with close-ratio gearing, which


is perfect for towing heavy loads or light cargo — and special equipment like lift and boom platforms — while maintaining great fuel efficiency.



Dodge Ram offers two Cummins Intercooled Turbo Diesel engines. Besides the High-Output Turbo Diesel, Ram offers a Cummins 24-valve Turbo Diesel. The Cummins High-Output diesel produces 245 horsepower at 2,700 rpm and a gutsy 505 pound-feet of torque at 1,600 rpm. The 5.9-liter 24-valve in-line produces 235 horsepower at 2,700 rpm and 460 pound-feet of torque at only 1,400 rpm with a choice of either four- or five-speed transmission.







It just flat






ut works.

Ram to work for you, and save. You can save money when you choose Ram ps for your business by taking advantage of ON THE JOB bonuses. There cam Chassis Cab models available with beds from eight feet to 12 feet which arry up to 11,000 pounds gross vehicle weight. All chassis cab, Ram 2500 and 3500 regular cab and Quad Cab™ models have standard four-wheel disc week brakes. These are heavy-duty machines, and ON THE JOB can make re affordable for you to put them to work. For detailed information about THE JOB, see your friendly Dodge dealer or call 1-877-ON-THE-JOB.





	D	D: 1	D .	-
1	Kam	Picklir	ı Ilim	ensions
,	FIGHT	1 IONU	, viiii	GIIOIUIIO

		Regula	ar Cab	7 1900 (1900)	Quad Cab								
	15	i00	2500 HD	3500 DRW	15	00		00 ID	3500 DRW				
lbase (4x2/4x4)	118.8/118.7	134.8/134.5	135.0/134.7	135.0/134.7	138.9/138.6	154.9/154.6	139.0/138.7	155.0/154.7	155.0/154.7				
ength (ft)	6.5	8.0	8.0	8.0	6.5	8.0	6.5	8.0	8.0				
ill Length th rear bumper	204.1	224.1	224.1	224.1	224.1	244.1	244.1	244.1	244.1				
ill Height (Empty) (4x2/4x4)	71.8/74.6	71.6/74.5	72.9/77.2	73.7/77.9	71.6/74.8	71.5/74.7	73.1/77.2	72.9/77.1	73.7/77.8				
ech Angle (Degrees) (4x2/4x4)	19.4/25.2	19.5/25.2	20.9/29.5	21.7/30.3	19.6/25.9	19.7/26.0	21.0/29.5	21.1/29.6	21.9/30.4				
over Angle (Degrees) (4x2/4x4)	16.6/21.2	15.2/19.1	17.4/23.8	18.8/25.0	14.8/19.2	14.0/17.8	17.1/23.3	16.1/21.7	17.3/22.8				
nune Angle (Degrees) (4x2/4x4)	24.2/27.2	22.2/24.7	24.5/28.2	26.1/29.5	23.8/27.1	21.8/24.9	26.5/30.6	24.3/28.1	25.9/29.3				
firent (4x2/4x4)	67.6/68.6	67.6/68.6	68.6	70.3	67.6/68.6	67.6/68.6	68.6	68.6	70.3				
-rear	66.9	66.9	68.0	74.7	66.9	66.9	68.0	68.0	74.7				
ill Wildth	79.3	79.3	79.3	93.5	79.3	79.3	79.3	79.3	93.5				

						_				-
-	-		-	-	_	haa		000	otherwise	natad
	ш:	-	300	-	u	ಬಿಜಾ	uss	USS	Offici Mize	HOLEU.

		4x2			4x4	
Ram Chassis Cab	2500 HD	3500 DRW	3500 DRW	2500 HD	3500 DRW	3500 DRW
Wheelbase	134.6	138.6	162.6	134.7	138.6	162.6
Rear of cab to axle	55.6	59.7	83.7	55.7	59.7	83.7
Overall length	216.5	220.0	244.0	216.5	220.0	244.0
Overall height	72.6	77.1	76.9	77.0	77.1	76.9
Overall width of cab	79.3	79.3	79.3	79.3	79.3	79.3
Track — front — rear	68.6 68.0	69.8 73.0	69.8 73.0	69.8 68.0	69.8 73.0	69.8 73.0
Rear track inside	58.4	53.8	53.8	58.4	53.8	53.8
Rear track outside	77.7	92.2	92.2	77.7	92.2	92.2
Overhang — front	37.9	38.0	38.0	38.0	38.0	38.0
Axle to end of frame	44.0	43.4	43.4	43.4	43.4	43.4
Center of front wheel back cab	79.0	79.0	79.0	79.0	79.0	79.0
Z bracket top of cab	43.2	44.9	44.9	43.2	44.9	44.9
Top of Z bracket to ground	31.8	34.1	34.0	35.7	34.1	34.0
Inside width of frame rails	31.7	29.4	29.4	31.7	29.4	29.4
Outside width of frames rails	37.4	37.7	37.7	37.4	37.7	37.7
Front bumper to back of cab	116.9	116.9	116.9	116.9	116.9	116.9
Ground clearance — front — rear	10.4 8.3	8.0 8.2	7.9 8.2	7.9 8.3	8.1 8.2	8.1 8.2

Note: All dimensions in inches unless otherwise noted. DRW = Dual rear-wheel.



hitch has permanent ball platform. For Class I through Class III towing (2,000 to 5,000 pounds). Removable
drawbar hitch.
Popular among
recreational users
for Class I through
Class III towing.

Pintle hook for trailers with a lunette, or ring, on the tongue. Popular in the construction trades for Class I through Class III towing.

Maximum



Maximum

What are you

	Engine	Rear Axle Ratio	GVWR ¹⁰ (Pounds)	Trailer Weight Rating ²³ (Pounds)	GCWR ⁽³⁾ (Pounds)
Models					
1500 4x2 Regular Cab	3.9-liter Magnum® V6	3.21/3.55	6,400	3,500	7.800
	5.2-liter Magnum V8	3.21/3.55/3.92	6,400	7,950	12,500
	5.9-liter Magnum V8	3.55/3.92	6,400	7,900	12,500
1500 4x2 Quad Cab™	5.2-liter Magnum V8	3.21/3.55/3.92	6,400	7,500	12,500
	5.9-liter Magnum V8	3.21/3.55	6,400	7,500	12,500
1500 4x4 Regular Cab	5.2-liter Magnum V8	3.55/3.92	6,400	7,600	12,500
	5.9-liter Magnum V8	3.55/3.92	6,400	7,550	12,500
1500 4x4 Quad Cab	5.2-liter Magnum V8	3.55/3.92	6,600	7,150	12,500
	5.9-liter Magnum V8	3.55/3.92	6,600	7,150	12,500
HD Models				and a second control of the second control o	
2500 HD 4x2	5.9-liter Magnum V8	3.55/4.10	8,800	8,850	14,000
ıllar Cab	8.0-liter Magnum V10	3.55/4.10	8,800	13,450(4)	19,000
	5.9-liter 24-valve Diesel I-6	3.55/4.10	8,800	14,100(4)	20,000(5)
*	5.9-liter High-Output Diesel I-6	3.55/4.10	8,800	13,950(1)	20,000(5)
2500 HD 4x2	5.9-liter Magnum V8	3.55/4.10	8,800	8,550	14,000
d Cab	8.0-liter Magnum V10	3.55/4.10	8,800	13,150(4)	19,000
	5.9-liter 24-valve Diesel I-6	3.55/4.10	8,800	13,800(4)	20,000(5)
	5.9-liter High-Output Diesel I-6	3.55/4.10	8,800	13,650 ^m	20,000(5)
2500 HD 4x4	5.9-liter Magnum V8	3.55/4.10	8,800	8,400	14,000
ılar Cab	8.0-liter Magnum V10	3.55/4.10	8,800	12,950(4)	19,000
	5.9-liter 24-valve Diesel I-6	3.55/4.10	8,800	13,650(4)	20,000(5)
	5.9-liter High-Output Diesel I-6	3.55/4.10	8,800	13,450 ⁽¹⁾	20,000(5)
2500 HD 4x4	5.9-liter Magnum V8	3.55/4.10	8,800	8,150	14,000
d Cab	8.0-liter Magnum V10	3.55/4.10	8,800	12,700 ⁽¹⁾	19,000
	5.9-liter 24-valve Diesel I-6	3.55/4.10	8,800	13,400(4)	20,000(5)
	5.9-liter High-Output Diesel I-6	3.55/4.10	8,800	13,200 ⁽¹⁾	20,000 ⁽⁵⁾



for Class III loads (up to ids) spreads ht between tow trailer wheels.

Fifth-wheel hitch includes a coupling platform mounted over Ram

Pickup's rear axle. For trailers over 10,000 pounds.



For slide-in campers, the Camper

and stability with heavy-duty rear springs and rear stabilizer bar.

Flip mirrors are a Ram towing option. Flip to Special Group offers added support vertical for a trailer view while a smaller mirror provides a wide angle. Go horizontal for normal viewing.

g to pu

	Engine	Rear Axle Ratio	GVWR ⁿ⁾ (Pounds)	Maximum Trailer Weight Rating® (Pounds)	Maximum GCWR ⁽³⁾ (Pounds)
idels					
00 4x2	5.9-liter Magnum® V8	3.55/4.10	10,500	9,450	15,000
Cab	8.0-liter Magnum V10	3.55/4.10	10,500	13,100(4)	19,000
	5.9-liter 24-valve Diesel I-6	3.55/4.10	10,500	13,800(4)	20,000(5)
	5.9-liter High-Output Diesel I-6	4.10	10,500	15,150 ⁽¹⁾	21,500(5)
0 4x2	5.9-liter Magnum V8	3.55/4.10	10,500	9,000	15,000
ib ⁿ	8.0-liter Magnum V10	3.55/4.10	10,500	12,700(4)	19,000
	5.9-liter 24-valve Diesel I-6	3.55/4.10	10,500	13,400(4)	20,000(5)
	5.9-liter High-Output Diesel I-6	4.10	10,500	14,700(1)	21,500(5)
0 4x4	5.9-liter Magnum V8	3.55/4.10	10,500	9,000	15,000
Cab	8.0-liter Magnum V10	3.55/4.10	10,500	12,650(4)	19,000
	5.9-liter 24-valve Diesel I-6	3.55/4.10	10,500	13,350 ⁽¹⁾	20,000(5)
	5.9-liter High-Output Diesel I-6	4.10	10,500	14,700(1)	21,500(5)
00 4x4	5.9-liter Magnum V8	3.55/4.10	11,000	8,600	15,000
aib	8.0-liter Magnum V10	3.55/4.10	11,000	12,250	19,000
	5.9-liter 24-valve Diesel I-6	3.55/4.10	11,000	12,950(4)	20,000(5)
	5.9-liter High-Output Diesel I-6	4.10	11,000	14,300"	21,500(5)

ticle weight rating: Maximum allowable GVW. GVW = Total weight of a truck with cargo (including camper body, driver and passengers, fuel, water, equipment, etc. "These trailer tow ratings are designed to provide acceptable Tabler weight ratings include cargo and fluids in the trailer, 150 pounds for the driver and must be decreased by the weight of: optional equipment, trailer hitch, cargo in the truck and passengers other than the driver. Maximum engine by the required to achieve maximum trailer weight rating and GCWR. GCWR — Gross combination weight rating: Maximum allowable GCW. GCW = Total weight of a truck and trailer with cargo (including camper body, driver and sequipment, etc. "DaimlerChrysler Corporation requires that trailer with trailer weight ratings of 10,000 pounds or greater be equipped with a fifth-wheel hitch." "The Camper Group is recommended to achieve this rating. m trailer tow ratings shown represent the greatest possible maximum trailer weight allowable for that power train and model combination.

tions in the weight body equipment installed on chassis cab models, maximum trailer weight shown are for pickups only. To determine allowable trailer weight, subtract actual truck weight, passenger and cargo weight from the Gross int Rating. Consult your dealer for further details.

ne the trailer tongue weight, multiply the gross trailer weight by 15% for each combination. For king pin weight multiply by 25%








The key fob of the available remote keyless entry is your key to controlling yower door locks, illuminated entry tem, panic alarm, and available rity system. The ignition key may be used in the passenger air bag switch to disable the front ager air bag.*




BOOLY To the steel





Ram's sliding caliper front disc brakes are extra durable and provide reliable stopping power. Rear-wheel drum antilock brakes are standard on all 1500 models. Ram 2500 HD and 3500 models have standard four-wheel disc antilock brakes. Ram 2500 HD and 3500 Pickups have larger braking spaces for improved stopping power while hauling loads. The Electronic Variable Brake Proportioning System on Ram 2500 HD and 3500 models helps balance braking for surer, smoother straight-line stopping.





re proud to be able to fulfill the riging needs of ALL drivers — is of families, first-time owners, spirited adventurers, and hard-king men and women whose own andability demands cars, trucks wans as tough as the jobs they do.

ings you can count on.

wou choose Dodge, you can count movations created especially to re you of a family-safe, quality-to performance-confident driving rience. Ask your dealer about any savers, 100,000-mile scheduled and air filtration that helps are fresh, just as temperature

Shopping resources.

We've even reinvented the way we get our vehicles to you. We post the very latest national incentive information on our Web site, www.4adodge.com, and we send it to you in the mail. We're also ready to talk to you any time at 1-888-4-A-Dodge, or ask your dealer about money-saving offers or special financing that may be available on certain models for eligible customers.

Special Programs.

Dodge recognizes the unique needs of small businesses. **BusinessLink**TM is a full-service program for small-business owners. Select Dodge **BusinessLink**

to commercial customers. These dealers are committed to selling and servicing your business-related vehicles to save you time, money and hassles. Call (877) 2-THE-LINK to learn more.

ON THE JOB is a special incentive program for qualified commercial buyers. Small businesses are eligible for cash discounts or allowances on upfit equipment for trucks and vans. To learn more about incentives for which your business may be eligible call (877) ON THE JOB.

Commercial Finance Options (CFO)

sler Financial provides special cing terms including TRAC leases, mal payment plans and preferred to eligible businesses. Call 9-CFO-NOW for more information.

Automobility program is another e innovation that provides cash bursement to qualified retail buyers daptive equipment on new Dodge Les. For information on incentives actory approved upfitters of

blades, clutch disc, brake

us (these items are t defects for 12 months s, whichever comes

s (covered by their own s warranty). Some truck

are warranted by their

DamlerChrysler Corporation.

repairs. Every new Dodge vehicle is covered by a 3-year or 36,000-mile Bumper-To-Bumper Warranty* that includes Roadside Assistance + — 24 hours a day, seven days a week. And please ask your dealer about **Dodge** Service Contracts, and our Customer Call Center, where you can get practical service advice 24/7.

the beginning of a new era in racing excitement. Watch for the Neon Charity Challenge, Barber Dodge Pro Series, NASCAR Craftsman Truck Series,® the Viper Le Mans Series, and more. Dodge is asserting a bold and powerful presence in the motorsports world, and millions of fans are loving it.

Benefits of ownership.

Being a Dodge owner also means you'll receive timely information on the newest Dodge products, dealership service pricing, and Dodge-

sponsored events.

You can take part

in exclusive Dodge-

for additional details and a copy of Covers the complete vehicle materials and workmanship. are provided by Cross Country Motor California, Cross Country Motor

only activities, like vacation events you'll remember all your life. You'll also receive **Dodge**

Magazine three times a year — a wealth of owner stories, industry news, and valuable parts and service offers.

We want you to be a part of Dodge. We want you to share our history of industry firsts and industry and consumer group awards. And we think you'll be proud to own a vehicle honored for excellence. Choose Dodge. For nearly

a century, we've dedicated ourselves completely to being worthy of your trust.

Millions of Dodge owners like to accessorize their vehicles. And eventually,

most vehicles need parts. At Dodge, Mopar is your resource for parts and accessories made specifically to deliver perfect fit and finish for your Dodge vehicle.

rranty and service.

tive driving devices including

elchair lifts, call Automobility

liquarters at (800) 255-9877.

art of the Dodge family, you've powerful advocate in vehicle

Sponsorship.

Intrepid R/T's entry in the 2001 Daytona 500 marks the Dodge return to




Dodge Accessories from Mopar are specially designed by Dodge to fit your Ram exactly. For information on Mopar comfort, convenience and appearance accessories, ask your dealer for a copy of the Dodge Truck Mopar brochure.

Ching protection. This unique Mopar one-piece
Brush Guard design is constructed of highPO plastic, allowing for a brush guard
there and more impact resistant than
mal guards. The Mopar Molded
hard is designed to meet Federal
hicle Safety Standards
and protection and
thing. Available

wp. Mopar's Tubu

up. Mopar's Tubular feature extra-wide, tepping surfaces. The tepping surfaces the body tack with E-coated steel brackets. Available in black or silver brushed to the black steel.





made y for Ram.



Keep your bed covered. The Mopar Fiberglass Tonneau Cover is factory engineered and is constructed with a resin-reinforced honeycomb design for durability and a corrosion-resistant aluminum frame for added strength. It features a smooth-finished edge, noise-reducing antivibration bumpers, and a moisture-resistant lock cover. One-hand operation with new gas-assisted struts and a piano-style hinge makes access easier. A sturdy lock controls both tonneau cover and tailgate access. Available for 6.5-foot bed in select factory-matched body colors.

Carry just about every tool you'll need in the Mopar super durable, bright-tread Diamond Plate Toolbox. This aluminum toolbox

features three-piece weld

construction with continuous body welds, protective seal coat, full-width riveted stainless steel hinges and a stainless steel locking handle with keys. It holds up to 300 pounds of cargo, and mounts in the front of the bed with exclusive Mopar support brackets. Available in single or

Jacobs Exhaust brake. For Cummins-powered Rams with a manual transmission, it increases driver control in both downhill situations and level surfaces,

nara teal



Ram Pickup 1500



Ram Pickup 2500



Ram Pickup 3500

Ram Pickup models include:

Bags* — Next Generation driver and front-passenger with front-passenger

Dam — Black (not available with Sport or WS)

pers — Bright, front with step pad, rear-step type (not available on WS) Seat Top Tether Anchors — User-ready and located at each passenger sating position to minimize compatible aftermarket child seat movement sole — Floor, includes cup holders on 4x2 models, one cup holder and

brage tray on 4x4 (included with manual transmission, not available with utomatic transmission)

- Center business console, includes a coin holder and storage area for a one book computer, cellular phone, cassettes or compact discs and other iscal aneous items (include with 40/20/40 seat) (not available on WS)

resion Protection — Extensive use of galvannealed steel sheet metal,

III-body antichip coating, and electro-coated frame

Folders, Front — Lower instrument panel-mounted (2) (with automatic

Foor console-mounted (2) (with 4x2 and manual transmission)
 Foor console-mounted (1) (with 4x4 and manual transmission)

I Tank — 26-gallon on 1500 short bed, 34-gallon on 2500 Quad Cab™ short ed, and 35-gallon on all long-bed models

ss — Tinted, all windows

"4x4" on right side of tailgate (4x4 models only)

- Bright (Body color with Sport Group)

rument Cluster — Gauges: speedometer, trip odometer, oil pressure, engine emperature, and voltmeter, maintenance required, antilock brake, seat belt eminder, air bag, low oil, and check engine. Indicators: overdrive switch eutomatic transmission only), lamps for 4x4 operation

Exterior, cargo lamp with integrated center high-mounted stop lamp

- Interior, dome

🚌 Box — Double-wall construction with high-strength steel floor, stake ockets, cargo tie-down loops, two-tier loading and bulkhead provision wer Outlet - 12-volt, located in instrument panel

t Belts — Height-adjustable shoulder driver and front outboard passenger

rtegrated with seat on Quad Cab models)

Power-assisted, rack-and-pinion, (variable-assist on 1500 models)

ering Wheel — Sport, four-spoke

Wisors — Driver and passenger, vinyl

pension — Heavy duty front and rear shock absorbers and front stabilizer bar — Front, independent coil spring (4x2 models)

— Front, solid live axle with coil springs and four trailing arms (4x4 models)
— Rear, longitudinal leaf springs

Removable with quick release latches

ismission — Five-speed manual

ermator — 117-ampere

per System — Windshield, two-speed with speed-sensitive intermittent mode

lditional Standard Equipment for individual am Pickup models:

1500 (cont.)

Battery - 600-ampere

Brakes — Power-assisted front disc/rear drum with rear wheel antilock

Mirrors — Exterior, dual manual remote control, 6x9-inch black

Spare Tire — Full-size

Tires — P225/75R16 BSW all-season (4)

Transfer Case — NV231 Standard duty with Ram-Trac axle disconnect system (4x4 only) Wheels — 16-inch Argent steel with bright trim rings and center caps (4) (excluding WS)

Alternator — 136-ampere

Axle — rear, full-floating

Battery — 600-ampere

Brakes — Power-assisted four-wheel disc with rear wheel antilock

Mirrors — Exterior, dual manual remote control, 6x9-inch black

Spare Tire — Full-size

Tires — LT 245/75R16 BSW all-season (4)

Transfer Case — NV241 Standard duty with Ram-Trac axle disconnect system (4x4 only)

Wheels — 16-inch steel wheel with bright trim ring and center caps (4)

Alternator — 136-ampere

Axle — rear, full-floating

Battery — 750-ampere

Brakes — Power-assisted four-wheel disc with four-wheel antilock

Mirrors — Exterior, dual power heated, 6x9-inch black

Tires — LT 235/75R16 BSW all-season (6)

Transfer Case — NV241 Heavy-duty with Ram-Trac axle disconnect system (4x4 only)

Transmission Cooling — Auxiliary, automatic transmission only

Wheels — 16-inch Argent steel with bright hub center and wheel skins (4)

* Certified the Federal Regulations that allow less forceful front air bags. Always use seat belts. Children 12 and under can be in the front seat only with the passenger air bag turned off in Ram Pickups correctly using an infant or child restraint system, or a seat belt that is right for their age and size.

					F	Ram P	ickup)			
			15	00			2500	1)		3500	
POWER TRAIN AVAILABILITY	1	WS	ST	SLT	SLT+	ST	SLT	SLT+	ST	SLT	SLT
Engine	Transmission	W	A	G	Н	A	G	H	Α	G	Н
3.9L Magnum® V6(2)	5-speed manual	21W	21A								
3.9L Magnum V6(2)	4-speed automatic	22W	22A								
5.2L Magnum V8	5-speed manual		23A	23G							
5.2L Magnum V8	4-speed automatic		24A	24A							
5.9L Magnum V8	5-speed manual					25A	25G	25H	2EA	2EG	2EH
5.9L Magnum V8	4-speed automatic		26A	26G	26H	26A	26G	26H	2FA	2FG	2FH
5.9L Magnum V8 HD	5-speed manual								25A	25G	25H
5.9L Magnum V8 HD	4-speed automatic								26A	26G	261
8.0L Magnum V10	5-speed manual					27A	27G	27H	27A	27G	271
8.0L Magnum V10	4-speed automatic					28A	28G	28H	28A	28G	281
5.9L 24-valve High-Output											
Cummins Turbo Diesel	6-speed manual					2HA	2HG	2HH	2HA	2HG	2H0
5.9L 24-valve Cummins											
Turbo Diesel	5-speed manual					2GA	2GG	2GH	2GA	2GG	2G(
5.9L 24-valve Cummins											
Turbo Diesel	4-speed automatic					2CA	2CG	2CH	2CA	2CG	2C0
FEATURES		es euror									
Air Conditioning — Manu	al temperature controls	Ö	0		•	0	•		0		
Alternator — 136-ampere		1 1 1				acconducts			1374		295
Service Group)	<i>5</i>	Р	Р	Р	P	Р	Р	Р			
Axles — Antispin rear differ	ential (specific ratios only)	0	0	0	0	0	0	0	0	0	0
Battery — 750-ampere (in		1				1 "	-				,
	00 and 3500 Chassis Cab)	Р	Р	Р	P	Р	Р	Р			
Brakes				la ion	1						
 Power assisted front di 	isc/rear drum with four-										
wheel antilock		0	0	0	•						
Power assisted four-w	heel disc with antilock						•	•	•		
Bumpers	ATTENDED TO A TO	1				1			291		-
 Painted, Argent front w 	rith step pad. (rear step										
type is optional)		•									
Bright front and rear					•		•	•		•	
- Body color, front with s	ten pad, rear body-color										
step type (included in S				P	Р		Р	Р		Р	P
Camper Special Group —					1						100
man district and the second of	orings (Standard on 3500										
Chassis Cab)	3-1					0	0	0	0	0	0
Console		100									1
- Center business fold-d	own, (with 40/20/40		1								

and options.

				ı	Ram	Pickı	JD QI			
		1	500			250			3500)
	WS	ST	SLT	SLT+	ST	SLT	SLT+	ST	SLT	SLT
**	W	A	G	Н	A	G	Н	A	G	Н
tale (cont.) herhead, includes storage bin and reading/										
ourteey lamps (included in Light Group)		Р			Р			Р		
werhead, includes reading/courtesy lamps,					ľ	Ĭ			ľ	
umpass and display for outside temperature										
ncluded in Travel Convenience Group) Holiders — Rear, mounted to rear of front seat			P	•		P	•		P	•
enter section (2) (Quad Cab ^{to} only, not										
willable with vinyl seat trim)			•	•		•	•		•	
we Convenience Group — Electronic speed										
untral and tilt steering column Lacks — Power	0	0	•	•	0	•	•	0	•	•
ne Challing — Heavy-duty (Standard on 2500			•	•		•	•			•
huseis Cat)		0	0	0	0	0	0	•		
ne Block Heater	0	0	0	0	0	0	0	0	0	
Covering										
Beny-duty vinyl mat	•	•	0		•	0		•	0	
Mat — Front, carpeted		0	•		0		•	0	•	•
hies - "Laramie SLT" located on B-Pillars							•		P	Ĭ
 Body color (included in Sport Group) 			Р	Р		P	Р		P	Р
ser Interior Group — Includes the Travel										
must live description of the seat live descri										
ad Cab models), and power driver's seat			0			0			0	
Group — Full deluxe headliner, mini overhead			+ 0	·		U			. 0	
made, glove box lamp, reading lamps		0	•	•	0	•	•	0	•	•
argo lamp with integrated center high-mounted										
is large	0				•			•		_
to clearance lamps (standard on 3500 models)					0	0	0	•	•	•
g Lamps			0	•		0	•		0	•
		_			215					
ading lamps (included with Light Group)		Р		•	P	•	•	Р	•	•
or .										
ual power, heated, 6"x9" black		0	•	•	0		•	•		•
all manual, 7x10 Trailer-Tow, black (Standard										
(2500 Chassis Cab) or		0	0	0	0	0	0	0	0	0
metic dimming rearview day/night (included										
Travel Convenience Group)			Р	•		Р			Р	
maenger side covered visor vanity			•	•		•	•			•
all covered visor venity (included in Travel										
memence Group) ings — Lower bodyside, black (Not available			Р	•		P	•	es per side	Р	•
th Sport										
and Group - Includes the Heavy-Duty Service				7			4		•	•
nug. limited-slip rear differential, unique										
idension special skid plates, tow hooks,										
Davide ratio, fog lamps, special graphics, mad tires, and 17" cast aluminum wheels				0						
— Two-time treetment, lower break;			0	0						
ludes secondary color on lower bodyside										
mavailable on 3500 or Chassis Cab models)		0	0	0	0	0	0			
te Keyless Entry — Controls for power door										
ks, illuminated entry system, panic alarm, alluble security system, includes 2 transmitters			0			0	_			
— (See seat chart)			U	•		0			0	•
attaid, driver's and front-passenger				•			•		-	•
wer, driver's and front-passenger				•			•			•
representation of the second s										
normal with SLT and in Leather Interior Group may promer driver's seat with lumber support			0/P			0/P			0/P	
and Cath models)			0/P			0/P			0/P	
ete reer seet (Qued Cab models only)		0	J/I		0	OJF		0	U/F	-
e Group — Heavy-Duty, includes 136-amp										
imatur, 750-amp battery, auxiliary automatic										
numicusion oil cooler (not available with 3.9L or manual transmission), transfer case skid										
TO SEE SEE SEE SEE SEE SEE SEE SEE SEE SE										

or manual transmission), transfer case skid

te (4x4 models only) and heavy-duty engine

iling (Standard on 2500 and 3500 Chassis

				-		Picku	Р		,	
		15	500			2500	(n)		3500)
	WS [©]	-	SLT	Name of Street	ST	SLT	SLT+	ST	SLT	SL
SLT Decor Group — Premium cloth trim, carpeting,	W	A	G	Н	A	G	H	A	G	Н
floor mats (front), leather-wrapped steering										
wheel, passenger-side visor vanity mirror, dual										
power heated exterior mirrors, bodyside molding										
(deleted if Sport), front bumper sight shields									•	
Snow Plow Prep Group — Height-adjustment										
springs, automatic transmission overheat warning lamp and heavy-duty transfer case										
(4x4 models only)	Economic Section 1	0	0		0	0		0	0	
Sound Insulation										
Hood, inner panel (packaged with diesel engine)			•	•	Р	•	•	Р	•	
Heavy Duty, packaged with diesel engine					P	P	P	Р	P	P
Sound System										
 AM/FM stereo radio with full-logic cassette 										
player and 4 speakers	0	•	•		•	•		•	•	
— AM/FM stereo radio with CD player, graphic										
equalizer, Infinity® Sound System and 6 speakers			0			0			0	
— AM stereo®/FM stereo radio with combination						J			U	
cassette/CD player, graphic equalizer, Infinity										
Sound System and 6 speakers			0			_	102			
	24.5		0	•		0	•		0	
— Delete standard radio	•									
Sport Group — Body-color front bumper and sight										
shields, body color rear bumper body color grille,							10			
Sport badge, quad-headlamps and fog lamps,										
outlined white letter tires (1500 and 2500 only),										
and cast aluminum wheel (1500) or forged										
aluminum wheels (2500)			0	0		0	0		0	0
Steering Wheel				0			U		U	U
— Leather-wrapped				_		_				_
- With integrated radio controls			•	•		•	•		•	•
(with combined cassette and radio only)										
(requires Travel Convenience Group)			0	•		0	•		0	•
Storage										
Cab back panel storage system (Regular Cab only)	0	•	•		•	•		•	•	
— Rear underseat compartment (Quad Cab							37			
models only)			0	•		0			0	
Sun Visors — Driver and passenger										
 Cloth, with covered vanity mirror 				•						
Fires — (See dealer for details)									-	_
Frailer Towing Prep Group — Class IV hitch receiver,	-					200				
heavy-duty flasher, and 7-lead wiring connector										
(not available on Chassis Cab)		_	_	_		20	200	20	- 1	
ranger Cons. Down Transport Cons.		0	0	0	0	0	0	0	0	0
ransfer Case — Ram-Trac part-time 4x4, with										
shift-on-the-fly										
- NV241 HD (available on 2500 HD 4x4 models,							16			
standard on 3500 4x4 models)					0	0	0		•	
ransmission Cooling — Auxiliary, automatic					-			-		100
transmission only (included in Heavy-Duty										
Service Group) (standard on 2500 Chassis Cab)		Р	Р	Р	Р	Р	Р	_		
ravel Convenience Group — Overhead console		1	1	-	-	-	P	•	•	•
with compass, display for outside temperature,										
reading lamps, dual visor vanity mirrors, and										
automatic discourse visus variety mirrors, and										
automatic dimming rear view mirrors (must have										
Light Group)			0	•		0	•		0	•
ehicle Security System — Monitors doors,										
ignition and trunk key cylinders (requires										
remote keyless entry and Travel Group)			0	•		0	•		0	•
Vheel Plus Group — Includes P245/75R16 tires,										
16" Chrome wheels, rear sliding window					10					
(requires 3.9L V6 or 5.2L V8 engine)		0								
Vheels — (See wheel chart)	-	9	-							
Vindows										
- Power					5.0		•		•	•
- Power - Rear, sliding, deep-tint	0	0	0	0	0	0	0	0	0	0

Ram Pickup

Available on 1500 Regular Cab 4x2 models only.

Some AM stereo broadcasting may not be compatible with this radio.
Infinity is a registered trademark of Infinity Systems, Inc.

Colors shown will vary slightly from actual hues. See your dealer for accurate color chips. Clear Coat finish is standard on every Ram Pickup.

COOS, Wheels 17" Aluminum (5-bolt) packaged with the Off-Road Group COOS, Wheels All trim Al

16" Steel (5-bolt) with black center caps — standard on 1500 WS

16" Steel (5-bolt) with bright center caps and trim rings — standard on 1500 ST

16" Cast aluminum (5-bolt) — packaged with SLT and SLT+ on 1500 models

16" Cast aluminum (5-bolt) — packaged with Sport Appearance Group on 1500 models

16" Chrome Styled steel wheel (5-bolt) optional with 1500 ST (in AYB Package) and SLT

16" Steel (8-bolt) with bright center caps and trim rings — standard on 2500 ST

16" Forged aluminum (8-bolt) — packaged with SLT, SLT+ and Sport on 2500 models (not available on chassis cab)

16" Steel (8-bolt) with bright center caps and wheel skins — standard **CAMPER SPECIAL GROUP** — Rear stabilizer bar and heavy-duty auxiliary springs (Standard on 3500 Chassis Cab). Optional on 2500 and 3500 ST, SLT, and SLT+ models.

LEATHER INTERIOR GROUP — Includes the Travel Convenience Group, leather-trimmed 40/20/40 bench seat (vinyl-trimmed rear bench on Quad Cab™ models), and power driver's seat. Optional on SLT models.

OFF-ROAD GROUP — Includes the Heavy-Duty Service Group, limited-slip rear differential, unique suspension, special skid plates, tow hooks, 4.10 axle ratio, fog lamps, special graphics, off-road tires, and 17" cast aluminum wheels. Optional on 1500 SLT and SLT+ models.

SERVICE GROUP — Heavy-Duty, includes 136-amp alternator, 750-amp battery, auxiliary automatic transmission oil cooler (not available with 3.9L V6 or manual transmission), transfer case skid plate (4x4 models only) and heavy-duty engine cooling (Standard on 2500 and 3500 Chassis Cab models). Included on 3500 models; optional on 1500 and 2500 models.

SLT DECOR GROUP — Premium cloth trim, carpeting, floor mats (front), leather-wrapped steering wheel, passenger-side visor vanity mirror, dual power heated exterior mirrors, bodyside molding (deleted if Sport), front bumper sight shields. Included on SLT models.

SNOW PLOW PREP GROUP — Height-adjustment springs, automatic transmission overheat warning lamp and heavy-duty transfer case (4x4 models only). Optional on ST and SLT models.

SPORT GROUP — Body-color front bumper and sight shields, body color rear bumper body color grille, Sport badge, quadheadlamps and fog lamps, outlined white letter tires (1500 and 2500 only), and cast aluminum wheel (1500) or forged aluminum wheels (2500). Optional on SLT and SLT+ models.

TRAILER TOWING PREP GROUP — Class IV hitch receiver, heavy-duty flasher, and 7-lead wiring connector (not available on Chassis Cab). Optional on ST, SLT, and SLT+ models.

TRAVEL CONVENIENCE GROUP — Overhead console with compass, display for outside temperature, reading lamps, dual visor vanity mirrors, and automatic dimming rear view mirrors (must have Light Group). Included on SLT+ models; optional on SLT models.

WHEEL PLUS GROUP — Includes P245/75R16 tires, 16" Chrome wheels, rear sliding window (requires 3.9L V6 or 5.2L V8 engine). Optional on 1500 ST models.



40/20/40 Premium clothtrimmed front split bench. Standard with SLT. Shown in Mist-Gray, also available in Agate and Camel.



Vinyl-trimmed bench, solid-back with WS and 40/20/40 split with ST. Standard on WS and ST. Shown in Agate, also available in Mist Gray.



Leather-trimmed 40/20/40 front split bench (rear bench in vinyl).
Standard with SLT Plus. Shown in Agate, also available in Camel/Tan.



Leather-trimmed 40/20/40 front split bench (rear bench in vinyl).
Optional with SLT.
Shown in Camel/Tan, also available in Agate.

Seat not shown: 40/20/40 Deluxe cloth-trimmed split bench. Optional


























		1500		15	500	2500) HD	2500	HD	35	00	35	00	25	00	35	00
		Regular Cab		Quad	d Cab	Regul	ar Cab	Quad	Cab	Regul	ar Cab	Quad		Chassi		Chass	7.7
	4:	x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4
e (in)	118.8	134.8	118.7/ 134.5	138.9/ 154.9	138.6/ 154.6	135.0	134.7	139.0/ 155.0	138.7/ 154.7	135.0	134.7	155.0	154.7	134.6	134.7	138.6/ 162.7	138.6/ 162.6
x Length (ft)	6.5	8	6.5/8	6.5/8	6.5/8	8	8	6.5/8	6.5/8	8	8	8	8	NA	NA	NA	NA
	6,400	6,400	6,400	6,400	6,600	8,800	8,800	8,800	8,800	10,500	10,500	10,500	11,000	8,800	8,800	11,000	11,000
	2,250	2,080	1,680/ 1,520	1,570 1,420	1,450 1,300	3,790	3,370	3,500/ 3,370	3,060/ 2,970	5,090	4,650	4,670	4,750	(3)	(1)	(1)	(1)
rc (lb)	3,650	3,650	3,850	3,650	3,850	4,500	4,850	4,500	4,850	4,500	4,850	4,500	4,850	4,500	4,850	4,500	4,850
r (b)	3,900	3,900	3,900	3,900	3,900	6,200(2)	6,200[2]	6,200(3)	6,200₽	7,500	7,500	7,500	7,500	6,200(2)	6,200(2)	7,500	7,500
s, Front (lb)	3,650	3,650	3,850	3,650	3,850	4,500	4,850	4,500	4,850	4,500	4,850	4,500	4,850	4,500	4,850	4,850	4,850
n, Rear (lb)	3,900	3,900	3,900	3,900	3,900	6,200	6,500	6,200 ^{to}	6,200°	7,500	7,500	7,500	7,500	7,500	7,500	8,000	8,000
t and Rear		P225/75R16		P225/75R16	P245/75R16	LT245/	75R16	LT245/			85R16	LT235/		LT245/		100000000000000000000000000000000000000	/85R16
um" V6										4.200,		21200/	001110	L1240/	701110	L1 200)	031110
um V8	0	0		•													
um V8	0	0	0	0	0				•	•	•						
nins vels						0	0	0	0	0	0	0	0	0	0	0	\
um 1/10				+		0	0	0	0	0	U	U	U	U	U	0	0



You won't find the obvious at Dodge. In fact, our designers and engineers pride themselves in exploring previously uncharted territory. It's a path that began over 10 years ago with the creation of the Viper RT/10 concept car. That concept became a reality. And so did a different approach to the creation of automobiles. Today, all Dodge cars and trucks are created that way. By closely knit teams of talented people from every automotive-related discipline. Their assignment: Find different ways to be better. And drive better. That means producing vehicles that work better, thanks to innovations like minivans that are easier to get into and out of. Pickups that can haul and tow well, in many ways. Sedans that are sleek, yet spacious and exciting to drive. A sport utility that stakes out its own domain. And a sports car that's unrivaled on the road. And on the track. Each one embodies a totally different approach to the tried and true. And, like Dodge, each has become a quickly moving target the competition seeks to emulate. You can reach us at 888-4-A-DODGE, or on our Web site, www.4adodge.com.