









NEW VORTEC 5.3L V8

300 320 lb-ft 6000 lb. 33.1:

4-SPEED HYDRA-MATIC 4L60-E AUTOMATIC TRANSMISSION



More horsepower. More torque. More towing capacity. More. The 2008 H3 Alpha.

H3 to the power of Alpha.

The HUMMER H3 — the midsize SUV that strikes a perfect balance between off-road capability, on-road comfort and efficiency, becomes more powerful. Introducing the ultimate H3 — the H3 Alpha. Part of the higher echelon of HUMMER vehicles, the Alpha is versatile both on- and off-road and features a rippling 5.3L V8 engine with 300 well-domesticated horses to get you "out there" even faster. The V8 is coupled with an electronically controlled four-speed automatic transmission and enables you to tow up to 6,000 pounds. On the inside are newer refinements like a standard leather-appointed interior, optional rear vision camera system for parking assistance, and an in-dash 6-disc CD changer with a premium 7-speaker sound system. And on the outside, a prominent "Alpha" tailgate badge heralds your departure from the ordinary and your arrival into a whole new class.

The 2008 H3 Alpha. The perfect combination of performance, power, capability and luxury in a midsize SUV. And a vehicle that is truly Like Nothing Else.



Every HUMMER is designed to do something remarkable. Choose the one that is right for you and then make it your own through a variety of trim packages, color and interior options.







H3

H3 ALPHA

H3^X

Models, trims, colors and more.

H3 The midsize HUMMER that is fully off-road capable. Its smaller size makes it more nimble, more fuel efficient* and easier to drive than any HUMMER before it.

H3 ALPHA The H3. Only more powerful. Featuring more horsepower, more torque, more towing capacity. The H3 Alpha excels both on- and off-road. Also available in combination with the $H3^{X}$.

H3^X It's the H3 remixed. A HUMMER that takes its inspiration from the city. With chrome accents, chrome wheels, bright roof rack crossbars and a host of other accessories.

2008 H3 TRIM LEVELS

H3 ADVENTURE

Includes fully locking electronic rear differential, 4.03:1 2-speed transfer case, 33-in. LT285/75R16C on-road/off-road tires, in-dash 6-disc CD changer with 7-speaker Monsoon® sound system.

H3 LUXURY

Leather-appointed interior, heated front seats with 8-way power adjustment (including lumbar support), leather-wrapped steering wheel, in-dash 6-disc CD changer and premium 7-speaker Monsoon® sound system, fabric cargo cover, front and rear oversized carpeted floor mats.

H3 LUXURY WITH OFF-ROAD SUSPENSION OPTION

Combined for the ultimate on- and off-roading experience.

H3 ALPHA


Vortec 5.3L V8 engine, Hydra-matic 4L60-E 4-speed automatic transmission, leather-appointed interior, heated front seats with 8-way power adjustment (including lumbar support), leather-wrapped steering wheel, in-dash 6-disc CD changer and premium 7-speaker Monsoon® sound system, 16-in. chrome wheels, chrome door handles and mirror caps, universal remote with lighted vanity mirror, fabric cargo cover, rear Alpha tailgate badge, Alpha embroidered headrests, Alpha horn badge, front and rear oversized carpeted floor mats.

H3^X

Unique square cornered chrome wrap-around brush guard, body color grille, 18-in. chrome wheels, P265/65R18 on-road/off-road tires, body color hard spare tire cover with chrome accent, H3 logo embroidered in front seat headrests. Two unique paint colors: Carbon Flash Metallic and Sonoma Red Metallic.

Also includes leather-appointed interior, heated front seats with 8-way power adjustment (including lumbar support), leather-wrapped steering wheel, in-dash 6-disc CD changer and premium 7-speaker Monsoon® sound system, chrome door handles and mirror caps, chrome tubular assist steps, chrome fuel filler door. Bright roof rack crossbars. Fabric cargo cover. Front and rear oversized carpeted floor mats.

2008 H3 EXTERIOR AND INTERIOR OPTIONS



- 01. Black
- 02. Birch White
- 03. Victory Red
- 04. Boulder Gray Metallic
- 05. Midnight Blue Metallic
- 06. Graphite Metallic
- **07**. Solar Flare Metallic (Additional cost)
- **08**. Carbon Flash Metallic (H3^x exclusive color, Additional cost)
- **09**. Sonoma Red Metallic (H3^x exclusive color)
- 10. Ebony w/ Pewter Seat Inserts
- 11. Ebony w/ Light Cashmere Seat Inserts
- 12. Ebony w/ Red Seat Inserts
- 13. Ebony w/ Pewter Piping
- 14. Ebony w/ Morocco-Toned Seat Inserts and Piping
- **15**. Light Cashmere w/ Ebony Piping

STANDARD CLOTH SEATING APPOINTMENTS







OPTIONAL LEATHER APPOINTED SEATING







.

2008 H3 AND H3 ALPHA TECHNICAL SPECIFICATIONS

	Н3	H3 ALPHA
NGINE		
TYPE	Vortec 3700 3.7L cast-aluminum block and cylinder head	Vortec 5.3L V8 cast-aluminum block and cylinder heads
HORSEPOWER	242 hp @ 5600 rpm (SAE)	300 hp @ 5200 rpm (SAE)
TORQUE	242 lb-ft @ 4600 rpm	320 lb-ft @ 4000 rpm
FUEL INJECTION TYPE	Multi-point sequential fuel injection	Multi-point sequential fuel injection
DISPLACEMENT	223 cu. in.	325 cu.in.
BORE AND STROKE	3.76 x 4.00	3.78 x 3.62
COMPRESSION RATIO	10.0:1	9.9:1
CRAWL RATIO	BASE VEHICLE: 45.0:1 WITH OPTIONAL OFF-ROAD SUSPENSION PACKAGE: 69.0:1	BASE VEHICLE: 33.1:1 WITH OPTIONAL OFF-ROAD SUSPENSION PACKAGE: 50.6:1
FUEL CONSUMPTION (EPA estimate)	MANUAL TRANSMISSION: 13 mpg city/18 mpg highway AUTOMATIC TRANSMISSION: 14 mpg city/18 mpg highway	AUTOMATIC TRANSMISSION: 13 mpg city/16 mpg highway
RECOMMENDED FUEL	Regular unleaded	Regular unleaded
RANSMISSION	Standard 5-speed manual or optional Hydra-Matic 4L60-E 4-speed automatic	Hydra-Matic 4L60-E 4-speed automatic
RIVETRAIN	2-speed, electronically controlled, full-time 4WD	2-speed, electronically controlled, full-time 4WD
RACTION CONTROL SYSTEM (TCS)	Brake-controlled, single-wheel control capability with rear axle electronic locking differential	Brake-controlled, single-wheel control capability with rear axle electronic locking differential
TEERING	Power-assisted, rack-and-pinion	Power-assisted, rack-and-pinion
BRAKES	Electro-hydraulic power 4-wheel disc, 4-wheel anti-lock, 4-piston opposed fixed front caliper/single-piston sliding rear caliper with Dynamic Rear Proportioning	Electro-hydraulic power 4-wheel disc, 4-wheel anti-lock, 4-piston opposed fixed front caliper/single-piston sliding rear caliper with Dynamic Rear Proportioning
RONT SUSPENSION	Independent SLA torsion bars, 46 mm monotube gas-charged shocks and 36 mm tubular stabilizer bar	Independent SLA torsion bars, 46 mm monotube gas-charged shock and 36 mm tubular stabilizer bar
REAR SUSPENSION	Multi-leaf, semi-elliptic dual-stage leaf spring, 46 mm monotube gas-charged shocks and 25 mm rear stabilizer bar	Multi-leaf, semi-elliptic dual-stage leaf spring, 46 mm monotube gas-charged shocks and 25 mm rear stabilizer bar
RAME	Fully welded steel	Fully welded steel
VHEELS & TIRES	16 x 7.5-in. aluminum wheels, 32-in. P265/75R16 all-terrain steel-belted tires with full-size spare tire	16x7.5-in. thin spoke chrome wheels, 32-in. P265/75R16 all-terrain steel-belted tires with full-size spare tire
VEIGHTS & CAPACITIES		
VWR (lb.) NOTE 1	6,001	6,001
URB WEIGHT (lb.)	4,700	4,851
AYLOAD, MAXIMUM (lb.) NOTE 2	1,150	1,150
RAILERING, MAXIMUM (lb.) NOTE 3	4,500	6,000
FUEL TANK CAPACITY (gal.)	23	23

H3 AND H3 ALPHA

EXTERIOR DIMENSIONS (in.)	
OVERALL HEIGHT	73.0
OVERALL WIDTH (INCLUDES SIDEVIEW MIRRORS)	85.6
OVERALL LENGTH (WITH REAR TIRE CARRIER) NO	DTE 4 188.1
WHEELBASE	111.9
OVERHANG	
FRONT REAR	31.6 35.2
TRACK WIDTH	
FRONT REAR	65.0 65.5
INTERIOR DIMENSIONS (FIRST-ROW MEASU	JREMENTS, in.)
HEADROOM (WITHOUT SUNROOF)	40.7
SHOULDER ROOM	54.4
HIP ROOM	53.8
LEGROOM	41.9
CARGO DIMENSIONS NOTE 5	
LENGTH (BEHIND REAR SEAT, in.)	32.0
WIDTH (AT FLOOR, in.)	50.1
VOLUME (WITH REAR SEAT DOWN, cu. ft.)	56.4
OFF-ROAD CLEARANCES	
GROUND CLEARANCE (in.)	
STANDARD 32" TIRES OPTIONAL 33" TIRES	8.5 9.1
APPROACH ANGLE	9.1
STANDARD 32" TIRES	37.0°
OPTIONAL 33" TIRES	39.0°
DEPARTURE ANGLE NOTE 6	25.50
STANDARD 32" TIRES OPTIONAL 33" TIRES	35.5° 36.5°
BREAKOVER ANGLE	30.3
STANDARD 32" TIRES	23.5°
OPTIONAL 33" TIRES	25.0°
PERFORMANCE	
0-60 МРН: NOTE 7	H3 9.7 sec. H3 ALPHA 8.2 sec.
TURNING CIRCLE:	37 ft.
GRADE CAPABILITY:	60%
SIDE SLOPE CAPABILITY:	40%
WATER FORDING DEPTH:	24 in.@5 mph; 16 in.@20 mph
VERTICAL SCALING HEIGHT:	16 in.

STANDARD AND OPTIONAL FEATURES

STANDARD INTERIOR EQUIPMENT

Power windows, including "express down" driver window

Power door locks

Seating for five

Cloth seats

Fold-down 60/40 split rear seat

Electric rear window defogger

Manually controlled front air conditioning system

with electronic controls

AM/FM stereo with CD player

Driver Information Center with up to 22 alerts

Two 12-volt auxiliary covered power outlets in front; one covered outlet in the rear cargo area

Tuflor™ rubberized flooring in cargo area

Five assist handles

Cruise control

Electrochromic rearview mirror with 8-point compass, outside

temperature display and OnStar controls Retained accessory power

2.64:1 2-speed transfer case

XM Radio with 3 trial months of service NOTE 8

STANDARD EXTERIOR EQUIPMENT

One-piece swing gate with assist strut

Swing gate mounted full-size spare tire

Fog lamps

Dual composite halogen headlamps

Full underbody protection

Front and rear recovery hooks

4-wheel disc brakes with ABS

STANDARD SAFETY AND SECURITY FEATURES

OnStar® with a 1-year Safe & Sound service plan NOTE 9

Dual front air bags with Passenger Sensing System NOTE 10

Head curtain side air bags NOTE 10

Remote keyless entry with panic button

TheftLock™ for radio

StabiliTrak Stability Enhancement System

Traction Control System (TCS)

Content alarm theft deterrent system

PASSLock® theft deterrent vehicle security system

Battery rundown protection

Rear door child security locks

LATCH child seat anchors

Daytime running lamps

Tire pressure monitoring system (TPM) NOTE 11

HUMMER 100,000-Mile/5-Year Transferable Powertrain Warranty NOTE 12

OPTIONAL EQUIPMENT

Sliding glass sunroof with "express open" and "express close"

Hydra-Matic 4L60-E 4-speed automatic transmission

(STANDARD ON H3 ALPHA)

Chrome Appearance Package (includes door handles and mirror caps)

Trailer hitch and wiring harness

16 x 7.5-in. chrome wheels

In-dash 6-disc CD changer with premium 7-speaker Monsoon® sound system

Off-Road Suspension Package (fully locking electronic rear differential, 4.03:1 2-speed transfer case, 33-in. LT285/75R16C on-road/off-road tires)

Universal Remote with lighted vanity mirrors

Navigation Radio NOTE 13

Rear vision camera system

Power-adjustable driver cloth seat

Learn more at www.HUMMER.com

NOTE 1: GWMR (Gross Vehicle Weight Rating) includes vehicle, passengers, equipment and cargo. GWMR availability may vary depending on equipment selected. NOTE 2: Payload includes passengers, equipment and cargo. NOTE 3: 4,500 lb. trailering capability for H3 with automatic transmission: manual transmission has a 3,000 lb. maximum trailering capability for H3 Alpha. Trailer tongue weight should be 10%-15% of total loaded trailer weight, up to 500 lb. Maximum trailer weight relight as a calculated assuming a base vehicle, except for any option(s) necessary to achieve the rating, plus driver. The weight of other optional equipment, passengers and cargo will reduce the maximum trailer weight your vehicle can tow. See your HUMMER dealer for additional details. NOTE 4: This data applies to models without optional accessories. Consult your HUMMER dealer for dimensions with other optional accessories. NoTE 6: This data applies to models without hitch and optional accessories. Consult your HUMMER dealer for dimensions with other optional accessories. NOTE 7: This data applies to models without hitch and optional accessories. NoTE 8: Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after three trial months. For more information, visit gm.xmradio.com. NOTE 9: Call 1.888.46.7827) or visit www.onstar.com for system limitations and details. NOTE 10: Always use safety belts and the correct child restraints for your child's age and size. Even in vehicles equipped with Passenger Sensing System, children are safer when properly secured in a rear seat in the appropriate infant, child, or booster seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See the vehicle Owner's Manual and child safety seat instructions for more safety information. NOTE 11: Whichever comes first. See dealer for limited warranty details. NOTE 13: Navigation map only covers the 48 contiguous United States and portions of Canada, but does



IMPORTANT WORDS ABOUT THIS CATALOG We have tried to make this catalog comprehensive and factual. We reserve the right, however, to make changes at any time, without notice, in prices, colors, materials, equipment, specifications, models and availability. Specifications, dimensions, measurements, ratings and other numbers in this catalog and other printed materials provided at the dealership or affixed to vehicles are approximates based upon design and engineering drawings, prototypes and laboratory tests. Your vehicle may differ due to variations in manufacture and equipment. Since some information may have been updated since the time of printing, please check with your HUMMER dealer for complete details. HUMMER reserves the right to lengthen or shorten the model year for any product for any reason or to start and end model years at different times.

ASSEMBLY HUMMER vehicles and their components are assembled or produced by different operating units of General Motors, its subsidiaries or suppliers to GM worldwide. We sometimes find it necessary to produce HUMMER vehicles with different or differently sourced components than originally scheduled. Since some options may be unavailable when your vehicle is assembled, we suggest that you verify that your vehicle includes the equipment you ordered or, if there are changes, that they are acceptable to you.

ENGINES HUMMER products are equipped with engines produced by GM Powertrain or other suppliers to GM worldwide. The engines in HUMMER products may also be used in other GM makes and models.

A NOTE ABOUT CHILD SAFETY Always use safety belts and the correct child restraints for your child's age and size. Children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See the vehicle Owner's Manual and child safety seat instructions for more safety information.

ONSTAR OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. Subscription Service Agreement is required. Call 1.888.4.0NSTAR (1.888.466.7827) or visit onstar.com for OnStar's Terms and Conditions, Privacy Policy, and system limitations and details. For coverage maps, visit onstar.com and click on "OnStar service and coverage map."

REVISIONS TO ESTIMATED FUEL ECONOMY Commencing with 2008 model year vehicles, EPA revised its methods for estimating vehicle fuel economy. The new test methods will likely lower MPG estimates as compared to 2007 and previous model year vehicles. These new methods are intended to better represent current driving styles, varying road and weather conditions and certain other external factors.

ADDITIONAL NOTES Monsoon is a registered trademark of Delphi Corporation. OnStar is a registered trademark of OnStar Corporation. Safe and Sound is a service mark of OnStar. Tuflor is a registered trademark of Collins & Aikman Corporation. PASSLock is a registered trademark of General Motors Corporation. The XM name and related logo are registered trademarks of XM Satellite Radio, Inc. Pictured vehicles may vary from actual production models and may feature optional accessories or equipment. Details and specifications may vary according to local regulations and conditions. The photography in this brochure features the HUMMER in environmentally approved areas for off-road use. H3, H3^x, H3 Alpha, Like Nothing Else and Vortec are trademarks of General Motors Corporation. HUMMER and the vehicle's grille design are registered trademarks of General Motors Corporation. © 2007 General Motors Corporation.

