CARGO VAN
CREW VAN
PASSENGER VAN
CAB CHASSIS/CUTAWAY
4X4


FREIGHTLINER VANS



The new Sprinter

- 4 The Freightliner Vans Story
- The new Sprinter
- 8 Built in the USA
- 10 Safety
- 12 Performance
- 14 Cost Efficiency
- 16 Connectivity
- 18 Infotainment
- 20 Sprinter Overview
- 22 Sprinter Cargo
- 24 Sprinter Crew
- 26 Sprinter Passenger
- 28 Sprinter Cab Chassis/Cutaway
- 30 Sprinter 4x4
- 32 MasterUpfitter
- 33 MasterSolutions™
- 34 Finance Solutions
- 35 Service & Maintenance
- 36 Sprinter Specifications





AND GEARS.

The Freightliner Vans story.

What do you do if you're a long-distance hauling company, but all the heavy trucks available at the time don't have the power to climb steep hills? Answer: you build your own. The Freightliner brand was born out of that "lead or get out of the way" spirit, and that spirit is as strong as ever today in The new Sprinter Vans. While these vans continue to push the envelope for innovation and technology, they still hold true to our core values: to create vans that deliver an extraordinary level of safety, performance, and cost efficiency to every owner.



BUMPER-TO-BUMPER PRODUCTIVITY.

At Freightliner, we don't do anything halfway. When we tell you that The new Sprinter is built for you, we mean it. The building starts with you choosing a tough, durable body in the configuration you need, with all the features and benefits that have made Sprinter Vans leaders for two decades. Now, for the first time, a turbocharged gasoline engine with a Best-in-Class 9G-TRONIC 9-speed automatic transmission is standard equipment.* From there, pick from a wide range of options and features to customize The new Sprinter to your specifications. The result is a van that's all work and no slack. Built for you. The new Sprinter. Built in the USA.

ADVANCED CONNECTIVITY







INNOVATIVE CONCEPT



OUR ROOTS ARE DEEP. OUR FUTURE IS LIMITLESS.








The Freightliner brand began in the 1930s, with heavy trucks produced at the Consolidated Freightways plant in Salt Lake City, UT. From there, manufacturing moved to Portland, OR, and then to Cleveland, OH. Now, The new Sprinter will be built at our new state-of-the-art facility in North Charleston, SC. This factory has the capacity to meet the need for The new Sprinter now, and the technology to take The new Sprinter into the future.





WE'RE SERIOUS ABOUT SAFETY.

Other manufacturers build vans with safety features they think are good enough. We're not other van manufacturers. When it comes to your safety, we're never satisfied. For example, The new Sprinter now has features you'd expect to find only in the latest passenger vehicles. We've also enhanced some of the Sprinter's current features to make them even more effective. That's in addition to the list of standard and optional safety innovations that made Sprinter Vans a leader in safety in the first place.





ACTIVE BRAKE ASSIST¹

This advanced system senses the likelihood of a collision with a vehicle ahead and sends both a visual and audible warning followed by initiating autonomous braking.



ACTIVE DISTANCE ASSIST DISTRONIC®2

This intelligent cruise control system senses traffic conditions and actively controls your speed to keep you at a safe distance.



360° CAMERA³

When the Reverse gear is selected, this visual parking aid uses four digital cameras to generate various views of the vehicle's surroundings and show them in real time on the multimedia display.



ATTENTION ASSIST®4

Helps prevent drowsy driving by monitoring your driving patterns and providing an early warning in case fatigue is detected.



TRAFFIC SIGN ASSIST

Uses a camera to give drivers additional help with identifying speed restriction signs, No Passing Zones, and No Entry signs.

ENHANCED EXISTING



BLIND SPOT ASSIST⁵

FEATURES

Blind Spot Assist⁵ now has Rear Cross-Traffic Alert (RCTA),⁶ which employs automatic braking to avoid a collision with traffic crossing the vehicle's path (e.g., vehicles or pedestrians) when reversing.



ACTIVE LANE KEEPING ASSIST⁷

Can provide you with visual and audible warnings if your van leaves its lane unintentionally. A camera in the windshield monitors the road ahead and helps detect when you may have veered away from lane markings.

EXISTING FEATURES



CROSSWIND ASSIST⁸

Helps stabilize your van and boosts safety in strong, gusting crosswinds. This standard feature helps ensure that your vehicle remains in its lane at highway speeds.



LOAD-ADAPTIVE ELECTRONIC STABILITY PROGRAM (ESP®)9

This dynamic handling system actively intervenes to help keep the van firmly under control and safe by automatically braking individual wheels, and reducing engine power to help stabilize the vehicle if wheelspin, understeer, or oversteer is detected.



HIGHBEAM ASSISTSM

Adjusts the high- and low-beam headlamps automatically, allowing for continuous adaptation to the prevailing traffic situation. The system helps ensure better and earlier recognition of the course of the road.



RESCUE ASSISTSM

With Rescue AssistSM first responders to an accident can scan a QR code in a van to quickly see where batteries, airbags, and other structural elements are located in order to safely perform the rescue.



HILL START ASSIST

Briefly stops the vehicle from rolling backward or forward, giving you an extra level of safety and confidence when making a hill start. Hill Start Assist maintains brake pressure for approximately two seconds, so you can remove your foot from the brake pedal without rolling.



DRIVER AND PASSENGER AIRBAGS¹⁰

The driver and passenger front, thorax, and window airbags¹⁰ help protect you and your passengers in the event of a collision.

Sprinter airbags shown are from model year 2014.



WE'RE TALKING TORQUE.

Horsepower numbers are fine, but torque is what your van needs to get up to speed. What's also important is the rpm at which the peak torque numbers come in. Notice how The new Sprinter's peak torque comes in at 1,400 rpm — just above an idle. This means that you'll be at peak torque quickly — and moving from a standing stop efficiently.

CHOOSE BETWEEN DIESEL OR GAS, WITH THE SAME FREIGHTLINER DURABILITY.



3.0L 6-CYLINDER TURBO DIESEL¹¹

• Configuration: DOHC

• Induction System: Common-Rail-Direct-Injection (CDI)

Bore/Stroke: 83.0mm/92.0mm

• Horsepower @ rpm: 188 hp @ 3,800 rpm

• Torque: lb-ft @ rpm: 325 lb-ft @ 1,400-2,400 rpm

• Transmission: Automatic Transmission, 7G-TRONIC Plus

2.0L 4-CYLINDER TURBO GASOLINE

Configuration: DOHC

• Induction System: Bosch injection (200 bar)

Bore/Stroke: 83.0mm/92.0mm

• Horsepower @ rpm: 188 hp @ 5,000 rpm

• Torque: lb-ft @ rpm: 258 lb-ft @ 2,500-3,500 rpm

• Transmission: Automatic Transmission, 9G-TRONIC



When you're knee-deep in a big job, you shouldn't be wondering if your van can handle the load you're packing in it. The new Sprinter's drivetrains can take what you dish out — and save you money along the way.

For the first time, a 4-cylinder turbocharged gasoline engine mated to a Best-in-Class 9G-TRONIC 9-speed automatic transmission is the standard drivetrain.* A 3.0L 6-cylinder turbo diesel engine¹¹ with a 7G-TRONIC Plus 7-speed automatic transmission is also available. Plus, the optional 4x4 drivetrain with on-demand 4-wheel drive will keep you going when weather or road conditions get tough.

12 *Gasoline engine not available on all models. 13

THE REAL COST OF OWNERSHIP.

If your van is down for maintenance or repairs, you're not making any money. Worse yet, you could be losing jobs to your competition. With their lengthy service intervals and, for the first time, a turbocharged 4-cylinder gasoline engine with Direct Injection and 258 lb-ft of torque as standard equipment,* The new Sprinter Vans keep your total cost of ownership low and your productivity high. So you stay on the road — and ahead of your competition.

In addition to lowering your total cost of ownership, The new Sprinter helps keep drivers efficient and productive with amenities such as:

- Ergonomic seats with lowered sides and lumbar supports
- Comfortable pedal position
- Elimination of display reflections in windshield
- Optimized noise reduction
- Increased steering wheel adjustability for tall/short drivers
- Multiple rear-step variations



Efficient Diesel Engine¹¹ With turbocharged power, 325 lb-ft of torque, and diesel fuel economy, The new Sprinter's impressive 6-cylinder engine delivers power and durability in one compact package.



7G-TRONIC Plus 7-Speed Automatic Transmission


The low first gear and overdrive high gear in The new Sprinter's 7-speed automatic transmission help you accelerate from a stop, and conserve fuel on the highway.





9G-TRONIC 9-Speed Automatic Transmission

This transmission is a first for the segment and features rapid response, a smooth transition between gears, and efficient highway driving.



Up to a 20,000-Mile Service Interval¹² The new Sprinter's Best-in-Class service intervals of up to 20,000 miles¹² for diesel and up to 15,000 miles¹² for gas keep you on the road, raising productivity and lowering the total cost of ownership.





and 258 lb-ft of torque as standard equipment.*

Sustainable Cost Efficiency Fuel consumption optimization, reduced internal engine friction, and a new, more efficient belt drive system will help keep your costs down and productivity up.

1 4 *Gasoline engine not available on all models.

TECHNOLOGY THAT MAKES YOUR JOB EASIER.

Mercedes PRO¹³ connect is the first of several Mercedes PRO solutions. It works harder to make your job easier — intelligently connecting fleet managers, drivers, and vehicles to increase the efficiency and productivity of your company in the long run. Mercedes PRO connect is standard on every new Sprinter.





MERCEDES PRO CONNECT IS MADE UP OF **THESE 3 ELEMENTS**



Mercedes PRO connect App the direct line to the driver.16 The driver can now easily access valuable



vehicle and job-related information.



Efficient Fleet Management

SERVICES INCLUDED:

- Remote Control²⁶
- Vehicle Supervision²⁷
- Eco Monitor
- Vehicle Operations²⁸
- Fleet Communication incl. Send2Car²⁹
- Digital Driver's Log³⁰
- Digital Trip Management
- Theft Warning31



Data Interface Vans

SERVICES INCLUDED:

- Vehicle Data Interface extended
- Vehicle Data Interface light



BENEFITS AT A GLANCE

Optimized Assistance

Accident and Breakdown Management

• Maintenance and Repair Management²²

SERVICES INCLUDED:

• Emergency Call System¹⁷

• Live Traffic Information¹⁸

Software Updates²⁰

• Internet in the Car²¹

• Online Map Update²³

 Navigation Functions²⁴ • Multimedia Functions²⁵

• Car-to-X Communication¹⁹

FOR THE BUSINESS OWNER

- Increase overall business efficiency
- · Easy location of a stolen vehicle through the Vehicle Management Tool, which shows the vehicle's current position
- Potential for a reduction in fuel consumption and, therefore, lower fuel costs



FOR THE FLEET MANAGER

- Integration into multi-brand vehicle management systems
- Clear overview of the fleet as each vehicle's information is clearly shown in the Vehicle Management Tool
- Trips can be planned more efficiently and at shorter notice as the fleet manager has all the current data available at a glance



- Effective assistance in case of an emergency
- Makes work easier as vehicle remote control also works when the vehicle key is not available
- More efficient working procedures as addresses can be directly adopted into the vehicle's navigation system for faster arrival



Vehicle Management Tool — the control center. 14

The fleet manager's customized hub of connectivity that provides a comprehensive overview of fleet resources simplifying logistics and increasing productivity.

Communication Module¹⁵ standard in every new Sprinter.

This is the central point of contact that ensures the broadest range of connectivity, quickly transmitting data with the permanently installed 4G LTE SIM card.



ACCELERATE YOUR EFFICIENCY.

Wasted time is wasted money. The new Sprinter's advanced infotainment system will help keep you connected and productive while you're on the road. All the features of the infotainment system are incorporated into the overall design of the cabin and easy to reach, thereby minimizing wasted motion and increasing functionality. It's just our way of helping you make every minute count.





Charging options are strategically located on the dashboard and include USB-C ports, wireless, and 12V chargers.



Smartphone integration for Apple CarPlay^{®32} and Android[™] Auto as well as Bluetooth[®] capability are now available in The new Sprinter.



The wireless Internet access²¹ is a highly stable connection that allows for the use of mobile devices in the vehicle.





7" and 10.25" TouchscreensFor the first time, display screens that are activated via touch, voice control, or touch buttons on the steering wheel are available on The new Sprinter.



The innovative MBUX (Mercedes-Benz User Experience) delivers content from navigation to entertainment and includes optional LINGUATRONIC "Hey Mercedes" voice control and what3words, our geocoded map system.



Live Traffic Information¹⁸ provides traffic data in real time for more efficient traveling to and from work.

Mercedes-Benz Emergency Call System¹⁷ sends out an automatic emergency call for faster arrival of rescue services.

TIME TO STEP UP.

When you're done with compromising, you're ready for The new Sprinter. It's built for you, with thousands of features, options, and upfit solutions designed to raise productivity and lower costs. From straight-up hauling cargo to carrying crew or passengers, creating your own box truck, or even handling rough terrain with a 4x4 option, we have the configuration you need. That's because we're dedicated, focused, and committed to building the most capable vans on the road.

Take a look at the full lineup of The new Sprinter Vans, and let us show you what we're made of.



YOU'VE GOT THIS.



New pallet bracing and tie-downs³³ help when hauling cargo with unusual sizes and shapes.

The new Sprinter 4500 model sets a new benchmark for payload capacity of up to 6,735 lbs.







Available on the Single tire models, this wheel arch covering's square shape and flat top provide extra storage opportunities, as well as protection for the wheel arch.



The rear doors feature new hinges with self-locking mechanisms.



LED strip lighting improves cargoloading vision.

1500. 4500. Two new numbers in The new Sprinter line that can change the way you work. The 1500 is a lighterduty model that delivers big-time productivity. For serious hauling capability, the 4500 model will handle your heaviest jobs. There's also a 2500, a 3500, and a 3500XD model. Whichever you choose, the service intervals of up to 20,000 miles¹² for diesel and up to 15,000 miles¹² for gasoline will keep your productivity high and your cost of ownership low.

SPRINTER CARGO

AVAILABLE IN 1500, 2500, 3500, 3500XD, & 4500 SERIES

TWO ROOF HEIGHTS

STANDARD ROOF



Max: 95.5"

Max: 97.9"



Max: 95.5"

Max: 109.1"

HIGH ROOF

THREE LENGTHS

144" WHEELBASE



233.5"

170" WHEELBASE

274.3"

170" EXT. WHEELBASE



290"

All measurements in inches. All width measurements include mirrors. See page 40 for a complete listing of models and specifications.

QUICK FACTS



MAXIMUM PAYLOAD: 6,735 lbs.



MAXIMUM TOWING CAPACITY³⁴: 7,500 lbs.



ENGINES: 2.0L 4-cylinder turbo gasoline,* 3.0L 6-cylinder turbo diesel11



TRANSMISSIONS: 9G-TRONIC 9-speed Automatic Transmission, 7G-TRONIC Plus 7-speed Automatic Transmission



MAXIMUM CARGO VOLUME: 532.6 cu. ft.



MAXIMUM CARGO FLOOR LENGTH: TBD




| ★ MAXIMUM CARGO FLOOR WIDTH: 70.4"



MAXIMUM INTERIOR STANDING HEIGHT: 79.1"

MORE WAYS TO GET MORE DONE.

The removable 3-seat bench is covered in durable upholstery and gives your crew a roomy, safe, and comfortable ride.



In addition to seating for up to five people, The new Sprinter Crew Van features ample cargo space.



Is every job the same? No. That's why you need a van that can roll with the changes. If the job calls for manpower, The new Sprinter is the only factory crew configuration in its class and can easily carry up to five people while still leaving you plenty of cargo room. And for the first time, you can have turbocharged power and the convenience of gasoline in one package with a 4-cylinder turbocharged gasoline engine with a Best-in-Class 9G-TRONIC 9-speed automatic transmission as standard equipment.* A V6 turbo diesel engine¹¹ with a 7G-TRONIC Plus 7-speed automatic transmission is also available.

SPRINTER CREW

AVAILABLE IN 2500, 3500, 3500XD. & 4500 SERIES

ONE ROOF HEIGHT

HIGH ROOF



Max: 109.1"

TWO LENGTHS

144" WHEELBASE

170" WHEELBASE



233.5




274.3"

All measurements in inches. All width measurements include mirrors. See page 41 for a complete listing of models and specifications.

QUICK FACTS



















*Gasoline engine not available on all models.




The new Sprinter Passenger Van now offers seating for up to 15 adults.

Roof air conditioning comes in two output levels, including a highperformance air conditioner.





The ergonomic rear seats have individual headrests and an available reclining option.



An impressive interior standing height of up to 6'3" provides greater passenger comfort with plenty of room to move.



The maximum 69.8" floor width and generous legroom mean there's plenty of room to sit and stretch out.

YOUR PASSENGERS DESERVE THIS.

Looking to carry more passengers? The new Sprinter accomplishes that in a big way with totally new seating for up to 15 people, and provides an experience every one of them will enjoy. That means room to sit, stretch out, and stand. The new Sprinter Passenger Van delivers on all three, along with a level of protection only the technologically advanced Freightliner safety features can deliver.

SPRINTER PASSENGER

AVAILABLE IN 1500 & 2500 SERIES

ONE ROOF HEIGHT

HIGH ROOF

TWO LENGTHS

144" WHEELBASE

170" WHEELBASE



Max: 114.2"

233.5"




274.3"

TWO INTERIOR CONFIGURATIONS

12-PASSENGER (144" WHEELBASE)



15-PASSENGER (170" WHEELBASE)



All measurements in inches. All width measurements include mirrors. See page 45 for a complete listing of models and specifications.

QUICK FACTS



MAXIMUM PAYLOAD: 3.441 lbs.



MAXIMUM TOWING CAPACITY34: 5,000 lbs. ENGINES: 2.0L 4-cylinder turbo gasoline,*



3.0L 6-cylinder turbo diesel11



TRANSMISSIONS: 9G-TRONIC 9-speed Automatic Transmission, 7G-TRONIC Plus 7-speed Automatic Transmission



MAXIMUM CARGO VOLUME: 111.2 cu. ft.



MAXIMUM INTERIOR STANDING HEIGHT: 75.5"

27



STANDARD FRONT + REAR A/C



SEATING CAPACITY: Up to 15

*Gasoline engine not available on all models.

Don't let your business plans stall because you can't find the right vehicle. The new Sprinter Cab Chassis/ Cutaway is the place to make it happen. With a flat, unobstructed frame and two available wheelbases, it's the foundation you're looking for. To get your plans up and moving, a powerful and efficient V6 turbo diesel engine¹¹ with a 7G-TRONIC Plus 7-speed automatic transmission is standard equipment.





Choose between the standard 3500XD model (GVWR of 11,030 lbs.) or the new 4500 model (GVWR of 12,125 lbs.) and build The new Sprinter Cab Chassis/Cutaway that works best for you.



The new Sprinter's flat, unobstructed frame rails are the perfect place to bring your vision of the ideal business vehicle to life.

SPRINTER CAB CHASSIS/CUTAWAY

AVAILABLE IN 3500XD & 4500 SERIES

ONE ROOF HEIGHT

TWO LENGTHS

144" WHEELBASE

170" WHEELBASE





245.9"



273.5"

All measurements in inches. All width measurements include mirrors. See page 46 for a complete listing of models and specifications.

QUICK FACTS



MAXIMUM PAYLOAD: 7,430 lbs.



MAXIMUM TOWING CAPACITY³⁴: 7,500 lbs.





TRANSMISSION: 7G-TRONIC Plus 7-speed Automatic Transmission



ENGINE: 3.0L 6-cylinder turbo diesel11

DIG IN, AND GET GOING.



Whether you want to get to the job or get away for the weekend, we're the only manufacturer that will help you do it with an on-demand 4-wheel drive commercial van. Its higher wading depth, low-range gear, and torque-producing V6 turbo diesel engine¹¹ are all standard — and just what you need when bad weather and tough roads are against you.

SPRINTER CARGO 4X4

AVAILABLE IN 2500 & 3500XD SERIES

TWO ROOF HEIGHTS

Max: 100.1"

HIGH ROOF

STANDARD ROOF



Max: 111.3"

THREE LENGTHS

144" WHEELBASE





274.3"

170" EXT. WHEELBASE



290"

SPRINTER CREW 4X4

AVAILABLE IN 2500 & 3500XD SERIES

ONE ROOF HEIGHT

HIGH ROOF



Max: 111.3"

Max: 95.5"

TWO LENGTHS

144" WHEELBASE

170" WHEELBASE



233.5"



SPRINTER PASSENGER 4X4

ONE ROOF HEIGHT

HIGH ROOF



AVAILABLE IN 2500 SERIES

31

ONE LENGTH

144" WHEELBASE



233.5"

Max: 117.6"





GETYOUR CONCEPT UP AND RUNNING.

You have a concept in mind — let a Freightliner Vans MasterUpfitter build it for you. Our job is to manufacture a van that is ready to fit your ultimate conversion needs. With the Best-in-Class cargo volume of The new Sprinter and the impressive 7,430 lbs. of payload of The new Sprinter 4500 Cab Chassis/Cutaway, each Freightliner Van is a blank canvas on which you can create a design to meet your specific needs. Whether you are in need of a simple work van interior, a mobile veterinarian clinic, or the ultimate RV, Freightliner Vans is making you mobile and taking your business to new places.

Qualified Upfitters adhere to the Upfitting Guidelines to become part of the Freightliner Vans MasterUpfitter network. These masters of their trade are committed to the highest engineering standards and levels of customer satisfaction. Working with a MasterUpfitter gives you the flexibility to be creative and the assurance that Freightliner Vans is here to support your needs.

Find your MasterUpfitter today: www.upfitterportal.com/en-us/upfitters/locator

OTHERS DREAMIT. WE DO IT.

You're the expert in your trade, and your van is the tool with which to get the job done. MasterSolutions^{™35} allows you to quickly configure your van and order directly via your Freightliner Vans dealer to get you exactly the van you want right when you need it. It's time to start producing. Build your van now or get inspired by visiting: www.freightlinersprinterusa.com/freightliner/master-solutions/customize

MasterSolutions^{TM35} providers Auto Truck, Knapheide, and TransitWorks bring you a portfolio of turnkey solutions for your specific line of business — HVAC, Plumbing, Electrical, Telecommunication, Contracting, Delivery, Refrigeration, Food Services, and People Moving — all at a preferred price. These preconfigured solutions from industry-leading manufacturers are customized to fit your Freightliner Sprinter. The ordering process is streamlined, and installation is simple: all MasterSolutions^{TM35} can be fitted directly as Ship-Thru, right next to our factory in South Carolina, which saves you time and ensures seamless integration, quick delivery, and consistent quality.





















FINANCE SOLUTIONS.

Through Daimler Truck Financial, we offer a variety of financing products and solutions with flexible benefits tailored specifically to meet the needs of your business.36

For more information, visit www.freightlinersprinterusa.com/freightliner/shopping-tools/finance-solutions

WEHAVE YOUR BACK.

VanCARE is a promise to our customers to deliver genuine parts, superior service, and unparalleled commitment to getting you back on the road as quickly as possible. We know that for you, it isn't a van — it's a tool you need to make a living.

RETAIL LOAN

34

These simple-interest, fixed-payment packages lock in interest rates and can include van and upfit equipment, as well as aftermarket products, in one contract.

FMV LEASE

A closed-end lease agreement is also known as a "walkaway lease," since the lessee can simply turn in the vehicle and walk away at lease maturity after meeting all contractual obligations, subject to certain return conditions and mileage restrictions.

TRAC LEASE³⁷

A Terminal Rental Adjustment Clause (TRAC) lease doesn't require any acquisition fee, up-front payment, or excess mileage charges, and lease payments may be expensed against income. Owners are responsible for the residual value of the vehicle.

ROADSIDE ASSISTANCE³⁸

All Freightliner Sprinters come standard with our 24-hour Roadside Assistance Program³⁸ and expert advice 24/7 through the Daimler Customer Assistance Center, providing you with peace of mind and help when you need it most.

ServiceCARE — Service solutions built for you

Whether it's a maintenance service, unexpected warranty work, or now a wear and tear repair, our ServiceCARE products are customized solutions for you. You can now focus on your business with your vehicles always in top shape, minimizing your downtime and maximizing your financial cost control.



Complete

The all-inclusive service package

Service Repair Wear & Tear

If you require comprehensive additional protection for your van, look no further than our Complete product. This package covers all workshop work, including wear and tear repairs. The vehicle is ready for action when you need it, and you keep costs safely under control.

More warranty. More certainty.

Extended Limited Warranty (ELW) Service Repair Wear & Tear

The Extended Limited Warranty product offers you greater coverage for mechanical, electrical, and electronic components. It protects you against unforeseen repair costs, and without any deductibles, you get the benefit of predictable and attractive conditions.



Maintenance (PPM) Keeping your van in top shape

costs and keeps downtime minimal.

Service Repair Wear & Tear

Regular and accurate checking of the most important vehicle parts and functions ensures that your van continues to deliver outstanding performance and reliability. Maintenance prevents unnecessary repair

Term

3 years / 60K / 3 services

4 years / 80K / 4 services

5 years / 100K / 5 services

Term

5 years / 100,000 miles

6 years / 120,000 miles

7 years / 140,000 miles

Term

2 services / 3 years

4 services / 5 years

6 services / 7 years

SPRINTER CREW Applies to all Sprinter models

	ENGIN	NE
	2.0L 4-Cylinder Turbo Gasoline	3.0L V6 Turbo Diesel
Configuration	DOHC	DOHC
Fuel injection	Direct	Direct
Induction system	Bosch Injection	Common-Rail-Direct-Injection
Cylinders	4	6
Cylinder heads	TBD	Aluminum
Block material	TBD	Aluminum
Bore/stroke	83.0mm/92.0mm	83.0mm/92.0mm
Compression ratio	9.8:1	18.0:1
Transmission	9G-TRONIC 9-Speed Automatic Transmission	7G-TRONIC Plus 7-Speed Automatic Transmission
Horsepower @ rpm	188 hp @ 5,000 rpm	188 hp @ 3,800 rpm
Torque lb-ft @ rpm	258 lb-ft @ 2,500–3,500 rpm	325 lb-ft @ 1,400-2,400 rpm
Recommended fuel	Regular 87 Octane	B5 Diesel
Fuel tank capacity	22 gal	24.5 gal

	MECHA	ANICAL	
Gasoline engine only	Diesel engine only	Gasoline and Diesel engines	
Engine: 2.0L 4-Cylinder Turbo Gasoline	• Engine: 3.0L V6 Turbo Diesel	Body Builder Connector	Pre-installation PSM
9G-TRONIC 9-Speed Automatic Transmission	7G-TRONIC Plus 7-Speed Automatic Transmission	Exhaust Straight to Rear	Pre-wiring for Trailer Hitch
AGM battery 12V/70Ah	Alternator 14V/220A	Jump-Start Terminal	Remote Key (315mhz) with Central Locking
Generator 14V/250A	3rd Generation SCR Emission Control System	Pre-installation for Switch Panel (not available on 4x4)	Starter Battery Disconnect
SULEV Emissions	ULEV/SULEV Emissions*		
Service Interval: Up to 15,000 miles ¹²	Fuel Filter with Water Separator		
	• Service Interval: Up to 20,000 miles ¹²		

SEATING	EXTERIOR	INTEF	RIOR
Adjustable Driver Seat	Dual-Circuit 4-Wheel Disc Brakes	Adjustable Steering Wheel (Angle)	Lockable Storage Compartment Above Windshield
Adjustable Front Passenger Seat	Front and Rear Mudflaps	Air Conditioning, Front	Outside Temperature Gauge
Armrest for Driver's Seat	• Rear Doors Opening to Side-Wall (Optional on 144" & 170" models)	Communication Module (LTE) for Dig. Services	Shelf Above Windshield
Armrest for Front Passenger Seat	Red Diesel Filler Cap (Diesel only)	Cupholder, Front	Speedometer, mph
Fabric, Maturin Black	Windshield with Filter Band	Heater, Auxiliary Electric Hot Air	Standard Radio
		Jack, Hydraulic	Storage Compartment Underneath Cockpit
		Keyless Start	• USB-C Socket, 5V
TIDES & WHEELS		SAFETY & SECUDITY	

TIRES & WHEELS		SAFETY & SECURITY	
All-Season Tires	4-Wheel Anti-Lock Braking System (ABS)	Emergency Call System	Load-Adaptive Electronic Stability Program (ESP®)9
Unspecified Tire Brand	Airbag, Driver/Passenger Front	Headlight Assistant	 Seat Belt Reminder, Driver/ Passenger
	Breakdown Management	Hill Start Assist	 Thorax-Pelvis Side Airbags, Driver/Passenger
*ULEV Emissions below10,000 lbs.	• Crosswind Assist ⁸	HOLD Function	 Window Side Airbags, Driver/ Passenger

			SPRINTER MOI	DEL OVERVIEW			
Body	Length	Roof Heights	1500 Model	2500 Model	3500 Model	3500XD Model	4500 Model
	STANDARD	STANDARD ROOF	G	6 0 4×4		0 4×4	0
CAROO VAN	(144")	HIGH ROOF	0	G 0 4×4	0	0 4×4	0
CARGO VAN	LONG (170")	HIGH ROOF		6 0 4×4	0	0 4×4	0
	EXTRA LONG (170" EXT)	HIGH ROOF		0 4×4	0	0 4×4	0
	STANDARD (144")	HIGH ROOF		6 0 4×4	0	0 4×4	0
CREW VAN	LONG (170")	HIGH ROOF		6 0 4×4	0	0 4×4	0
PASSENGER	STANDARD (144") 12-PASSENGER	HIGH ROOF		6 0 4×4			
VAN	LONG (170") 15-PASSENGER	HIGH ROOF		© D			
	STANDARD (144")	STANDARD ROOF				0	0
CAB CHASSIS/ CUTAWAY	LONG (170")	STANDARD ROOF				0	0

G Gas engine available

Diesel engine available

4x4 available only with diesel engine.



FEATURES (CARGO) MECHANICAL	200	2500	3500	3500XD	4500		1500	2500	3500	3500XD	4500		1500	2500	3500	
		-	_		_	Orbita durata al la li				-	-	- Otal: Washing I	1.0			į
Aux. fuel sending unit with fuel tap** Axle ratio 3.923**		X X	Х	Χ	X	Cable duct – side-wall Front axle reinforced	X	Х	Х	Χ	X	Stabilization Level I Stabilization Level II	X	X		,
a Avia vatia 4 100 (atandard an 0500 and			,	.,			_	_	_				+,	1,	1	
models only)	_	Х	Х	Х	Х	Omission bulkhead	Х	Х	Х	Х	Х	Tire pressure monitoring lamp	X	X	L	
Cable duct – rear portal	X	Χ	Χ	Χ	X	Speed limitation, 65 mph					X					
INTERIOR	ν. T	V I	v I	\ <u>'</u>	- V	W 16 11 ii	Lv	- V	V	V	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	1				
	X	ΧĮ	ΧĮ	Χ	X	Wood floor deletion	X	Χ	X	Χ	X					
EXTERIOR	νT	v I	хΙ	V	V	TIRES & WHEELS			V	Х	V	TIRES & WHEELS (CONTINUED)	_	_	Τv	
3rd brake light High roof	+	X	쉶	X	Х	5.5 J x 16 steel wheels 6.5 J x 16 steel wheels	Х	Х	\vdash	^	_	Tires LT 215/85 R16 Tires LT 245/75 R16	+	1 _x	X	
• Rear doors, 180° opening	χt	хl		Χ	Х	Dual rear wheel tires			Х	Χ	Х	SAFETY & SECURITY	1//	17	_	
Rear mudflaps	Χ	ΧĪ	X	Χ		Spare wheel	Х	Χ	Х	Χ		Longitudinal member reinforcement	X	X	X	<
Sliding door, passenger side	X	X	Χ	Χ	X	Spare wheel bracket below frame	X	Х	X	Χ	Χ	Rearview camera (rearview mirror display)	X	X	ĮΧ	<
				٥						9				П	Г	
OPTIONAL FEATURES (CARGO)	ام	္ပါ	8	3500XD	8		١è	8	မြ	3500XD	0		۱e	8	5	
MECHANICAL CARGO	120	2500	3500	350	4500		1500	2500	3500	35	4500		1500	2500	3500	Š
	\neg		- 1		i –	AGM battery 12V 95Ah 850A			Х	Χ	Х	Front axle reinforced (standard on 4500	X	_	_	7
	_	X		X	X	Axle ratio 3.923**	, ·	ļ.,	ш		-	model) • Fuel gauge, optimized for aux. fuel tap**	+	X		
A 1 89	П					Axle ratio 4.182 (optional on 2500 diesel		v	^	^	^		V	_	_	
Additional bar for driveshaft & exhaust extension	Χļ	хļ	Х	Χ	X	models only)		X		27		Misfueling prevention for diesel	X			
	-					Backup alarm Cruise control	X		X	X	X	Omission of D-Rings Parametric Special Module (PSM)	X			4
Additional battery for retrofit consumers, driver seat base	χĺ	хl	x	Х	x		1		ш			Speed limitation, 65 mph (standard on	1	1	-	ī
driver seat base						Cutoff relay for additional battery	X	X	Х	Χ	Х	4500 models)	X			4
Additional battery for retrofit consumers, engine compartment	χĺ	хl	x	Х	X	Deactivation lamp monitoring failure Electric parking brake	X	X	Х	Χ	Χ	Stabilization Level II Suspension for comfort and load protection	X	X		
	хÌ	x	\mathbf{x}	Χ	X	Engine oil level display at cold start**	1^	ΙŶ	Х	Х	Х	Top speed limitation, 75 mph	₽Ŷ			×
SEATING		,				. ,							,			
1.	X X	X	X	Χ	Χ	Heated driver seat	X	Х	Х	Χ	Χ	Heated front passenger seat	ΙX	X		×
• Fabric, Caluma Black	ΧĮ	X	ΧI	Χ	X											
INTERIOR	1	1	1				1						1	L	Ţ,	
	Χļ	X X	XI	X X	X	Door sill – protective edge Electrically heated windshield	X	X	Ϋ́	X	X	Optional 3-button keys Overhead storage slot, front center	X X	X	X X	4
 2nd row, fixed window, passenger side Acoustic Package 	<u>}</u>	쉾	쉾	^	X	Fixed sunroof (rear roof section)	X	X	X	Ŷ	X	Pallet support in sliding door step	₩ X			
Assist handle, B-pillar	ΧĪ	X	X	X	X	Floor covering, plastic	X	X	X	X		Rear cabin heater & vents	X	X		
Assist handle, left rear door	X	X	X	X	X	• Fuel-fired heater booster (17,000 BTU)**		X	X	X	X	Rear doors, opening to side-wall	X	X		
Assist handle, right rear door Cab rear wall liner		X X	X	X	X	 Fuel-fired pre-heater/booster (17,000 BTU)** Half height load compartment trim 	X	X	X	X		Rear heater prep Rear window defroster	X	X		
Cargo lashing rails, head height		쉾	쉾	\hat{x}	X	Heat insulation, front compartment	x	X	X	X		Rear window derroster Roof fan, electric	^	X		
Cargo partition	X	X	X	Χ	Х	Heat insulation, rear compartment	Х	Χ	X	Χ		Satellite radio	X	X	>	×
Cargo partition with one window	Χļ	X	X	X	X	Hinged lid for storage compartment	X	X	X	X	X	Shelving prep	X	X	X	<
 Cargo straps, D-rings³³ Cargo straps, lashing rails³³ 				X	X	Illuminated front exits Instrument cluster with color display	X	X				Side-wall paneling full hardboard Side-wall paneling waist height PVC	X	X	X	
		χÌ				Keys, two additional masters	X					Storage compartment above cabin	†^	†^	ť	
Cigarette lighter & ash cup, front	Χĺ	ΧI	X	Χ	Х	 Lashing rails, floor-level (plus four anchors) 	X	Х	Χ	Χ	Χ	THERMOTRONIC automatic climate control		X	X	<
	ΧÌ	X	X	X	X	Lashing rails, waist-level	X		X			Tray for smartphones incl. wireless charging	ΙX	X	ΗX	4
- Description of the control of the			X			Light/motion sensor in rear compartment		X				Wood floor with six D-rings ³³	ΙX	X	ΙX	
passenger	X	X	X	Х	X	Multifunction steering wheel	X	Х	X	Х	Х					
EXTERIOR	_	_	_		_				_			TIRES & WHEELS	_	_	_	
Black tinting (90%) for rear windows	Χļ	Χļ	X	Χ	X	 Heated rear window(s) with washers/wipers 	X	X	X	Х	Х	285/65 R 16 C SUPER-SINGLE-TIRES (Super Single)			X	K
				Χ	Х	High roof (standard on 3500)		Χ			Χ	Light-alloy wheels 6.5 J x 16	X			ĺ
			Х	Χ	Х	Mounting rails for roof rack	Х	Χ	Х	Χ	Χ	Loadable wheel arch	X	X	L	ĺ
Bumper step, rear, spring-loaded**†	xΙ	хl	x			 Opening limiter, electrically operated sliding door 	X	Х	x	Х	Х	M+S winter tires	x	X	ļχ	K
Deletion of "model" badge, right rear door	x	x	Х	Χ	Х	Painted metallic front & rear bumper	Х	Χ	Х	Χ	Χ	Rims painted Arctic White	ĺχ		X	
				X	Х	Primed side moldings				Χ	Х	Rims painted Jet Black	X	X	X	K
Elec. closing assist left sliding door			х	Х		Sliding door, driver side	Х	Х	х	Х	Х	Spare tire carrier deletion	ĺχ	1	1	
(SOIT Close)	\dashv	\dashv	\dashv		\vdash		Н	Н	\vdash	-		·	+	+	╁	
(soft close)	X	X	Х	Χ	X	Sliding door, right-side deletion	Х	Х	Х	Х	Х	Spare wheel deletion	X	X	X	4
Electric sliding door right	x	х	Х	Х	X	Sliding door, two-stage opening	X	Х	Х	Х	Х	• Steel wheels: 8.5 J x 16 Rr; 6.5 J x 16 Fr			ĺχ	×
	_				X	Step, wide, at rear end		Х			Х	(Super Single) Tire Brand Continental	†x	X	_	
			χ	, \	ı^	Trailer crossmember 7,500-lb. capacity	ı,	^	x	X	X	Tire Brand Kumho	Tx	X	ΙX	X
Fixed window center left	ΧĮ	X	X		X	Trailer hitch, 5,000 lbs. (Available only for	Х	Х		Х	Х	Tire Brand Michelin*	ΙX	X	Īχ	X
				X		170" EXT on 3500, 3500XD & 4500 models)			\Box			Wheel chocks Wheelbourg govering		X		
	X	ΧJ	X	Χ	X	Windows in rear doors	X	Λ	X	Χ	X	Wheelhouse covering ORTIONAL PACKAGES (CONTINUED)		X	ΤX	-
• Active Distance Assist DISTRONIC®2	ΧĪ	Χl	Х	Χ	X	OPTIONAL PACKAGES Bench Seat Package	X	Х	Х	Χ	Х	 OPTIONAL PACKAGES (CONTINUED) Heavy-Duty-Cargo Protection Package 		Y	15	×
Blind Spot Assist ⁵	ΧI	X	Х	Χ	X	Cargo Convenience Package	X	X	X	Χ	Χ	Premium Package	1x	X	Ď	×
Emergency flashlight	Χ	X				Cargo Protection Package	X	X	Х	X	Χ	Premium Plus Package	X	. X	IJΧ	×
			X	XX	X	Comfort Package Comfort Plus Package			X			Swivel Seat Package	ΙX	X	ΙX	4
		X X		X	X	Comfort Plus Package Driver Convenience Package	X	X	X	X	X					
			X		· `	Exterior Lighting Package	ÍV	V.	V	X	v					

ER CREW	
	*

FEATURES (CREW)	2500	3500	3500XD	4500		2500	3500	3500XD	4500		2500	3500	
Aux. fuel sending unit with fuel tap	X	X	X	X	Omission bulkhead	X		X	_	Stabilization Level II		Χ	
Axle ratio 3.923**	X				Speed limitation, 65 mph			П	X	Tire pressure monitoring lamp	X		1
Axle ratio 4.182 (standard on 2500 gas models only)	Х	X	Х	Х	Stabilization Level I	Х							
Front axle reinforced				X						_			
SEATING													
Aisle-side armrest	X	X	Х	X	Three-seater bench in passenger compartment	t, X	lχ	lχ	T _v	Wall-side armrest	X	Χ	1
INTERIOR					first row (narrow); includes ISOFIX	^	^	<u> </u> ^					
Assist handle, B-pillar	X	X	X	X	Half height load compartment trim	X	X	X	X	Storage compartment with net in rear doors	X	X	ĺ
Black tinting (90%) for rear windows	X	X	X	X	Interior lights, cargo compartment	X	X	X	X	Warm/cool air duct to rear compartment			
Cupholders, front	X	X	Х	Х	Rear window defroster	Īχ	X	X	X	Wheelhouse covering	X	Χ	
Floor covering, plastic	X	X	Х	Х	Roof trim	X	X	X	X	Windows in rear doors	X	Χ	
EXTERIOR					TIRES & WHEELS					TIRES & WHEELS (CONTINUED)			ĺ
2nd row, fixed window, driver side	ΙX	ΙX	X	X	5.5 J x 16 steel wheels		X	ΙX	ΙX	Tires LT 215/85 R16		Χ	Ì
2nd row, fixed window, passenger side	X	X	X	X	6.5 J x 16 steel wheels	X				Tires LT 245/75 R16	X		1
3rd brake light	X	X	X	X	Dual rear wheel tires		X	X	X				
High roof	X	ΙX	X	X	Spare wheel	X	X	X	X				
Laminated glass rear	X	X	X	X	Spare wheel bracket below frame	X	X	X	X				
Rear doors, 180° opening	X	X	X	X									
Rear mudflaps	X	X	X	X									
Sliding door, passenger side	X	X	X	X									
SAFETY & SECURITY													
Longitudinal member reinforcement	Ιx	ĺν	V	Ιv	Rearview camera (rearview mirror display)	Τv	lγ	Ιv	lχ	1			

OPTIONAL FEATURES (CREW)	8	500	3500XD	500		200	500	00XD	500		500	3500	3500XD	500
MECHANICAL	25	35	35	45		25	35	35	45		25	35	35	4 5
Additional bar for driveshaft & exhaust extension	X	X	X	X	Axle ratio 3.923**	İ	X	X	X	Front axle reinforced (standard on 4500 model)**	X			
Additional battery for retrofit consumers,	X	X	Ţ	X	Axle ratio 4.182 (standard on 2500 gas models)	X				Parametric Special Module (PSM)	X	X	X	\Box
co-driver seat base	<u> ^</u>	<u> ^</u>	<u> ^</u>	<u> ^</u>	Cruise control	X	X	X	Х	Rear spring vibration absorbers	X			Ι
Additional battery for retrofit consumers, engine compartment	$ _{x}$	$ _{x}$	$ _{x}$	X	Cutoff relay for additional battery	Х	Х	Х	Х	Speed limitation, 65 mph (standard on 4500 model)	X	Х	X	
engine compartment					Deactivation lamp monitoring failure	X	X	X	X	Stabilization Level II	X			Ι
Additional DIN-slots	X	X	X	X	Electric parking brake	X				Suspension for comfort & load protection	X		Г	T
AGM battery 12V 95Ah 850A	X	ĺχ	ĺχ	ĺχ	Engine oil level display at cold start**	ĺχ	ĺχ	X	X	Top speed limitation, 75 mph	ĺχ	X	ĺχ	T
Artico Man-made Leather Black Fabric, Caluma Black		X			Heated driver seat	1^	1^	1^	1^	Heated front passenger seat	X	1^	1^	T
INTERIOR														
12V power outlet, rear compartment	X	X	X	X	Half-sided step, rear (for trailer hitch)	X	X	X	X	Optional 3-button keys	_X	X	X	1
115V socket	X	X	X	X	Heat insulation, front compartment	X	X	X	X	Overhead storage slot, front center	X	X	X	1
Acoustic Package	X	X	X	X	Heat insulation, rear compartment	X	X	X	X	Painted metallic front & rear bumper	X	X	X	1
Assist handle, left rear door	X	X	ΙX	X	Hinged lid for storage compartment	X	X	X	Х	Rear cabin heater & vents	X	X	X	1
Assist handle, right rear door	X	X	X	X	Illuminated front exits	X	Х	Х	Х	Rear heater prep	X	X	X	Ι
 Cargo straps, D-rings³³ 	X	X	X	X	Instrument cluster with color display	X	X	X	X	Roof fan, electric	X	X	X	I
Charging Package, dashboard	X	X	X	X	Keys, two additional masters	X	X	Х	Х	Satellite radio	X	X	X	Ι
Cigarette lighter & ash cup, front	X	X	X	X	Leather steering wheel	X	X	Х	Х	Side-wall paneling waist height PVC	X	X	X	I
Door-mounted assist handle, driver & passenger	X	X	X	X	Loadable wheel arch	X				THERMOTRONIC automatic climate control	X	X	X	
	lχ	IX	IX	IX	Multifunction steering wheel	IX	ΙX	X	X	Tray for smartphones incl. wireless charging	X	X	X	
 Fuel-fired heater booster (17,000 BTU)** 	$I \wedge$			/ \										

EXTERIOR				_	Havigation	_	_			TIRES & WHEELS			117		
Bumper step, rear, Grey	x	Х	Х	Х	Heated & electrically adjustable exterior mirrors	Х	Х	Х	Х	285/65 R 16 C SUPER-SINGLE-TIRES (Super Single)	Γ	X	X	⟨Ţ	Ī
Bumper step, rear, spring-loaded**†	X	X			Heated rear window(s) with washers/wipers	X	Х	X	X	Light-alloy wheels 6.5 J x 16	X				Ī
Bumpers front/rear primed	X	X	X	X	Mounting rails for roof rack	X	X	X	X	M+S winter tires	X	X	$\langle \rangle$	Œ	X
DEF fluid filler cap – lockable	X	X	X	X	Opening limiter, electrically operated sliding door	X	X	X	X	Rims painted Arctic White	X	X	$\langle \rangle$	Œ	X
Deletion of "model" badge, right rear door	X	X	X	X	Painted metallic front & rear bumper	X	X	X	X	Rims painted Jet Black	X	X	$\langle \rangle$	Œ	X
Deletion of Sprinter badge, left rear door	X	X	X	X	Primed side moldings	X	X	X	X	Spare tire carrier deletion	X	X	$\langle \rangle$	Œ	×
Elec. closing assist right sliding door (soft close)	X	X	X	X	Rear doors, opening to side-wall	X	X	X	X	Spare wheel deletion	X	X	$\langle \rangle$	Œ	X
Electric sliding door right	x	X	X	Х	Sliding door two-stage opening	x	Х	Х	Х	Steel wheels: 8.5 J x 16 Rr; 6.5 J x 16 Fr (Super Single)		X	(x	\[Ī
Electric sliding step	X	X	X	X	Step, wide, at rear end	X	Х	X	Х	Tire Brand Continental	X	X		Œ	×
Electrically folding exterior mirrors	X	X			Trailer crossmember 7,500-lb. capacity		X	X	X	Tire Brand Michelin*	X	X	$\langle \rangle$	Œ	×
Electrically heated windshield	X	X	X	X	Trailer hitch, 5,000 lbs.	X				Tire Brand Kumho	X	X	$\langle \rangle$		×
SAFETY & SECURITY					OPTIONAL PACKAGES					Wheel chocks	X	X	. [)		X

SAFETY & SECURITY					OPTIONAL PACKAGES				
Active Distance Assist DISTRONIC®2	ĪΧ	X	X	X	Comfort Package	X	ĪΧ	X	X
Backup alarm	X	X	X	X	Comfort Plus Package	X	X	X	X
Blind Spot Assist ⁵	X	X	X	X	Crew Van Comfort Package	X	X	X	ΙX
Emergency flashlight	X	X	X	X	Driver Convenience Package	X	X	X	X
First-aid kit	X	X	X	X	Exterior Lighting Package	X	ĪΧ	X	X
Fog lamp with cornering light function	X	X	X	X	Premium Package	X	X	X	X
Misfueling prevention for diesel	X	X	X	X	Premium Plus Package	X	X	X	X
Parking Package	X	X	X	X	Swivel Seat Package	X	X	X	X
Parking Package with 360° camera	X	X							
Security alarm with interior motion sensor	X	X	X	X					



TECHNICAL SPECIFICATIONS: 1500 CARGO, 2500 & 3500

Tires		igle					igle				D.	ıal Rear Wh	3500 eel	Super	Single
Wheelbase		igie 14"		14	4"	SII	igie 17	0"	170"	EXT	144"	170"	170" EXT	170"	170" EXT
Engine	Gas	Gas	Gas/Diesel	Diesel	Gas/Diesel	Diesel	Gas/Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel
Drivetrain	4x2 Standard	4x2	4x2 Standard	4x4 Standard	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x2	4x2	4x2	4x2
Roof height Passenger capacity	Roof 2-3	High Roof 2-3	Roof 2-3	Roof 2-3	High Roof 2-3	High Roof 2-3	High Roof	2-3	High Roof 2-3						
Rows of seats	One	One	One	One	One	One	One	One	One	One	One	One	One	One	One
EXTERIOR						1									
Length	233.5"	233.5"	233.5"	233.5"	233.5"	233.5"	274.3"	274.3"	290.0"	290.0"	233.5"	274.3"	290.0"	274.3"	290.0"
Height	96.3"	107.5"	96.3"	100.1"	107.5"	111.3"	107.3"	110.9"	107.0"	110.5"	109.1"	108.7"	108.4"	109.1"	108.7"
Width – excluding mirrors	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"
Width – including mirrors	92.3"	92.3"	92.3"	92.3"	92.3"	92.3"	92.3"	92.3"	92.3"	92.3"	92.3"	92.3"	92.3"	92.3"	92.3"
Tire track front	67.2"	67.2"	67.2"	67.8"	67.2"	67.8"	67.2"	67.8"	67.2"	67.8"	66.5"	66.5"	66.5"	67.2"	67.2"
Tire track rear	68.2"	68.2"	68.2"	68.2"	68.2"	68.2"	68.2"	68.2"	68.2"	68.2"	60.7"	60.7"	60.7"	65.2"	65.2"
Front overhang BA	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"
Rear overhang (rear axle to end of frame)	49.1"	49.1"	49.1"	49.1"	49.1"	49.1"	63.8"	63.8"	79.6"	79.6"	49.1"	63.8"	79.6"	63.8"	79.6"
Load height, unloaded	27.5"	27.4"	27.7"	31.5"	27.6"	31.4"	27.5" G	31.1"	27.2"	30.6"	28.5"	28.1"	27.7"	29.2"	28.9"
(ground to cargo floor)							27.4" 🖸								
Load height, loaded (ground to cargo floor)	23.3"	23.4"	23.4"	26.8"	23.4"	26.8"	23.4"	26.8"	23.5"	26.8"	23.2"	23.2"	23.3"	25.2"	25.4"
Side-door opening height	59.8"	71.6"	59.8"	59.8"	71.6"	71.6"	71.6"	71.6"	71.6"	71.6"	71.6"	71.6"	71.6"	71.6"	71.6"
Side-door opening width – sliding	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"
Rear cargo door opening height	61.0"	72.7"	61.0"	61.0"	72.7"	72.7"	72.7"	72.7"	72.7"	72.7"	72.7"	72.7"	72.7"	72.7"	72.7"
Rear cargo door opening width	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"
Turning radius (curb-to-curb)	40.7'	40.7'	40.7'	43.3'	40.7'	43.3'	47.2'	50.2'	47.2'	50.2'	45.3'	52.5'	52.5'	52.5'	52.5'
Ground to first step-side	20.9"	20.8"	20.9"	24.8"	20.8"	24.7"	20.4"	24.2"	20.4"	24.1"	21.6"	20.9"	20.8"	20.7"	20.6"
INTERIOR											<u> </u>				
Headroom (1st row)	47.3"	56.4"	47.3"	47.3"	56.4"	56.4"	56.4"	56.4"	56.4"	56.4"	56.4"	56.4"	56.4"	56.4"	56.4"
Shoulder room (1st row)	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"
Hip room (1st row)	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"
Legroom (1st row)	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"
Cargo length,	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
front (at floor) Cargo length,	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
front (at belt) Cargo width between															
wheelhouses	53.2"	53.2"	53.2"	53.2"	53.2"	53.2"	53.2"	53.2"	53.2"	53.2"	38.5"	38.5"	38.5"	48.4"	48.4"
Cargo height, maximum (with trim)	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Cargo height, maximum (without trim)	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Maximum floor width	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"
Interior standing height	67.7"	79.1"	67.7"	67.7"	79.1"	79.1"	79.1"	79.1"	79.1"	79.1"	79.1"	79.1"	79.1"	79.1"	79.1"
CARGO CAPACITY															
Cargo volume (behind last row of seats)	319.0 cu. ft.	372.8 cu. ft.	319.0 cu. ft.	319.0 cu. ft.	372.8 cu. ft.	372.8 cu. ft.	488.1 cu. ft.	488.1 cu. ft.	532.6 cu. ft.	532.6 cu. ft.	328.5 cu. ft.	430.1 cu. ft.	469.4 cu. ft.	469.2 cu. ft.	512.1 cu. ft
Maximum roof load	660 lbs.	330 lbs.	660 lbs.	660 lbs.	330 lbs.	330 lbs.	330 lbs.	330 lbs.	330 lbs.	330 lbs.	330 lbs.	330 lbs.	330 lbs.	330 lbs.	330 lbs.
Maximum available GCWR	13,550 lbs.	13,550 lbs.	13,930 lbs.	13,930 lbs.	13,930 lbs.	13,930 lbs.	13,930 lbs.	13,930 lbs.	13,930 lbs.	13,930 lbs.	15,250 lbs				
MAXIMUM CAPABILIT	IES														
	0.054	0.700 #-	4,354 lbs. G	0.014.15	4,266 lbs. G	0.700 #	3,935 lbs. G	0.005 #-	2.605 "	0.000 !!	4 500 "	4.100 !!	4.000 #	4.070 #-	4 404 115
Maximum payload	3,854 lbs.	3,766 lbs.	4,123 lbs. D	3,814 lbs.	4,034 lbs.	3,726 lbs.	3,704 lbs.	3,395 lbs.	3,605 lbs.	3,296 lbs.	4,522 lbs.	4,169 lbs.	4,092 lbs.	4,279 lbs.	4,191 lbs.
Maximum towing ³⁴	5,000 lbs.	5,000 lbs.	5,000 lbs.	5,000 lbs.	5,000 lbs.	5,000 lbs.	5,000 lbs.	5,000 lbs.	5,000 lbs.	5,000 lbs.	7,500 lbs.				
GVWR	8,550 lbs.	8,550 lbs.	9,050 lbs.	9,050 lbs.	9,050 lbs.	9,050 lbs.	9,050 lbs.	9,050 lbs.	9,050 lbs.	9,050 lbs.	9,990 lbs.				
TWR (maximum loaded trailer weight ratings)	500 lbs.	500 lbs.	500 lbs.	500 lbs.	500 lbs.	500 lbs.	500 lbs.	500 lbs.	500 lbs.	500 lbs.	750 lbs.	750 lbs.	500 lbs.	750 lbs.	500 lbs.

SPRINTER CARGO



Tires Wheelbase Engine Drivetrain Roof height Passenger capacity Rows of seats EXTERIOR Length Height	Diesel 4x2 Standard Roof	Diesel 4x4	I4"	Dual Re	ar Wheel	2011			1	Single	4.4	Dual Re	ar Wheel 170"	
Engine Drivetrain Roof height Passenger capacity Rows of seats EXTERIOR Length Height	4x2 Standard Roof	Diesel												
Roof height Passenger capacity Rows of seats EXTERIOR Length Height	Standard Roof	1 1 1	Diesel	Diesel	Diesel	Diesel	Diesel	EXT Diesel	170" Diesel	170" EXT Diesel	Diesel	Diesel	Diesel	170" EXT
Passenger capacity Rows of seats EXTERIOR Length Height	Roof	Standard	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x2	4x2 Standard	4x2	4x2	4x2
Rows of seats EXTERIOR Length Height		Roof 2-3	High Roof 2-3	High Roof 2-3	High Roof 2-3	High Roof 2-3	High Roof 2-3	High Roof 2-3	High Roof 2-3	High Roof 2-3	Roof 2-3	High Roof 2-3	High Roof 2-3	High Roo 2-3
Length Height	2-3 One	One	One	One	One	One	One	One	One	One	One	One	One	One
Height	1	I	I	I	I			I	I	I				
	233.5"	233.5"	233.5"	233.5"	274.3"	274.3"	290.0"	290.0"	274.3"	290.0"	233.5"	233.5"	274.3"	290.0"
	97.9"	100.1"	109.1"	111.2"	108.7"	110.9"	108.4"	110.6"	109.1"	108.7"	97.8"	108.9"	108.5"	108.2"
Width – excluding mirrors	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"
Width - including mirrors	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"
Tire track front	66.5"	66.8"	66.5"	66.8"	66.5"	66.8"	66.5"	66.8"	67.2"	67.2"	66.0"	66.0"	66.0"	66.0"
Tire track rear	60.7"	60.7"	60.7"	60.7"	60.7"	60.7"	60.7"	60.7"	65.2"	65.2"	60.7"	60.7"	60.7"	60.7"
Front overhang BA	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"
Rear overhang (rear axle to end of frame)	49.1"	49.1"	49.1"	49.1"	63.8"	63.8"	79.6"	79.6"	63.8"	79.6"	49.1"	49.1"	63.8"	79.6"
Load height, unloaded (ground to cargo floor)	29.3"	30.7"	29.2"	30.6"	28.9"	30.3"	28.5"	29.8"	29.2"	28.9"	29.1"	29.0"	28.7"	28.3"
Load height, loaded (ground to cargo floor)	24.5"	24.9"	24.5"	24.9"	24.6"	24.8"	24.7"	24.7"	24.6"	24.8"	24.5"	24.5"	24.6"	24.7"
Side-door opening height	59.8"	59.8"	71.6"	71.6"	71.6"	71.6"	71.6"	71.6"	71.6"	71.6"	59.8"	71.6"	71.6"	71.6"
Side-door opening width – sliding	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"
Rear cargo door opening height	61.0"	61.0"	72.7"	72.7"	72.7"	72.7"	72.7"	72.7"	72.7"	72.7"	61.0"	72.7"	72.7"	72.7"
Rear cargo door opening width	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2" 61.2"		61.2"	61.2"	61.2"	61.2"
Turning radius (curb-to-curb)	45.3'	43.3'	45.3'	43.3'	52.5'	50.2'	52.5' 50.2' 52.5'		52.5'	45.3'	45.3'	52.5'	52.5'	
Ground to first step-side	21.7"	24.8"	21.6"	24.8"	20.9"	24.3"	20.8"	24.3"	20.8"	20.7"	21.8"	21.8"	21.2"	21.1"
INTERIOR														
Headroom (1st row)	47.3"	47.3"	56.4"	56.4"	56.4"	56.4"	56.4"	56.4"	56.4"	56.4"	47.3"	56.4"	56.4"	56.4"
Shoulder room (1st row)	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"
Hip room (1st row)	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"
Legroom (1st row)	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"
Cargo length, front (at floor)	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Cargo length, front (at belt)	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Cargo width between	38.5"	38.5"	38.5"	38.5"	38.5"	38.5"	38.5"	38.5"	48.4"	48.4"	38.5"	38.5"	38.5"	38.5"
wheelhouses Cargo height, maximum														
(with trim)	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Cargo height, maximum (without trim)	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Maximum floor width	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"
Interior standing height	67.7"	67.7"	79.1"	79.1"	79.1"	79.1"	79.1"	79.1"	79.1"	79.1"	67.7"	79.1"	79.1"	79.1"
CARGO CAPACITY		ı	J.	1	J.		ı	1	J.	1				
Cargo volume (behind last row of seats)	281.1 cu. ft.	281.1 cu. ft.	328.5 cu. ft.	328.5 cu. ft.	430.1 cu. ft.	430.1 cu. ft.	469.4 cu. ft.	469.4 cu. ft.	469.2 cu. ft.	512.1 cu. ft.	281.1 cu. ft.	328.5 cu. ft.	430.1 cu. ft.	469.4 cu. f
Maximum roof load	660 lbs.	660 lbs.	330 lbs.	330 lbs.	330 lbs.	330 lbs.	330 lbs.	330 lbs.	330 lbs.	330 lbs.	660 lbs.	330 lbs.	330 lbs.	330 lbs.
Maximum available	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs
GCWR	10,200 103.	10,200 103.	10,200 103.	10,200 103.	10,200 103.	10,200 103.	75,250 155.	10,200 103.	10,200 103.	10,200 103.	10,200 103.	10,200 103.	10,200 103.	10,200 10
MAXIMUM CAPABILIT	IES													
Maximum payload	5,684 lbs.	5,408 lbs.	5,595 lbs.	5,320 lbs.	5,243 lbs.	4,956 lbs.	5,154 lbs.	4,879 lbs.	5,331 lbs.	5,243 lbs.	6,735 lbs.	6,647 lbs.	6,294 lbs.	6,206 lbs
Maximum towing ³⁴	7,500 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.	5,000 lbs.	5,000 lbs.	7,500 lbs.	5,000 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.	5,000 lbs
GVWR	11,030 lbs.	11,030 lbs.	11,030 lbs.	11,030 lbs.	11,030 lbs.	11,030 lbs.	11,030 lbs.	11,030 lbs.	11,030 lbs.	11,030 lbs.	12,125 lbs.	12,125 lbs.	12,125 lbs.	12,125 lbs



TECHNICAL SPECIFICATIONS: 2500 & 3500

Tires			ngle		500 ear Wheel	Super Single	
Wheelbase	14	4"	17	70"	144"	170"	170"
Engine	Gas/Diesel	Diesel	Gas/Diesel	Diesel	Diesel	Diesel	Diesel
Drivetrain Death sinh	4x2	4x4	4x2	4x4	4x2	4x2	4x2
Roof height Passenger capacity	High Roof 5	High Roof 5	High Roof	High Roof	High Roof 5	High Roof	High Roof
Rows of seats	Two	Two	Two	Two	Two	Two	Two
EXTERIOR				1	1	1	
Length	233.5"	233.5"	274.3"	274.3"	233.5"	274.3"	274.3"
Height	107.5"	111.3"	107.3"	111.3"	109.1"	108.7"	109.1"
-							
Width - excluding mirrors	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"
Width - including mirrors	92.3"	92.3"	92.3"	92.3"	92.3"	92.3"	92.3"
Tire track front	67.2"	67.8"	67.2"	67.8"	66.5"	66.5"	67.2"
Tire track rear	68.2"	68.2"	68.2"	68.2"	60.7"	60.7"	65.2"
Front overhang BA	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"
Rear overhang (rear axle to end of frame)	49.1"	49.1"	63.8"	63.8"	49.1"	63.8"	63.8"
Load height, unloaded (ground to cargo floor)	27.4" G 27.6" D	31.4"	27.3" G	31.1"	28.5"	28.1"	28.1"
Load height, loaded		06.01		06.01	00.0"	00.0"	00.01
(ground to cargo floor)	23.3"	26.8"	23.4"	26.8"	23.2"	23.2"	23.2"
Side-door opening height	71.6"	71.6"	71.6"	71.6"	71.6"	71.6"	71.6"
Side-door opening width – sliding	51"	51"	51"	51"	51"	51"	51"
Rear cargo door opening height	72.7"	72.7"	72.7"	72.7"	72.7"	72.7"	72.7"
Rear cargo door opening width	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"
Turning radius (curb-to-curb)	40.7'	43.3'	47.2'	50.2'	45.3'	52.5'	52.5'
Ground to first step-side	20.8"	24.7"	20.4"	24.2"	21.6"	20.9"	20.9"
INTERIOR		I	'	'		1	
Headroom (1st row)	56.4"	56.4"	56.4"	56.4"	56.4"	56.4"	56.4"
Shoulder room (1st row)	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"
	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"
Hip room (1st row)							
Legroom (1st row)	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"
Cargo length, front (at floor)	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Cargo length, front (at belt)	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Cargo width between wheelhouses	53.1"	53.1"	53.1"	53.1"	38.5"	38.5"	48.4"
Cargo height, maximum (with trim)	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Maximum floor width	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"
Interior standing height	76.7"	76.7"	76.7"	76.7"	76.7"	76.7"	76.7"
CARGO CAPACITY							
Cargo volume	261.3 cu. ft.	261.3 cu. ft.	370.8 cu. ft.	370.8 cu. ft.	261.3 cu. ft.	370.8 cu. ft.	370.8 cu. ft
(behind last row of seats) Maximum roof load	330 lbs.	330 lbs.	330 lbs.	330 lbs.	330 lbs.	330 lbs.	330 lbs.
Maximum available GCWR	TBD	TBD	TBD	TBD	TBD.	TBD	TBD
MAXIMUM CAPABILITIES							
Maximum payload	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Maximum towing ³⁴	TBD	TBD	TBD	TBD	TBD	TBD	TBD
GVWR	9,050 lbs.	9,050 lbs.	9,050 lbs.	9,050 lbs.	9,990 lbs.	9,990 lbs.	9,990 lbs.
TWR (maximum loaded trailer	-,5	1,110 1001	-,	-,0	2,230 1001	-,-30 1001	3,000.30.

SPRINTER CREW



43

		3500XD			45	00
	Dual Re	ar Wheel		Super Single	Dual Re	ar Wheel
1	44"	1	70"	170"	144"	170"
Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel
4x2	4x4	4x2	4x4	4x2	4x2	4x2
High Roof	High Roof	High Roof	High Roof	High Roof	High Roof	High Roof
5	5	5	5	5	5	5
Two	Two	Two	Two	Two	Two	Two
233.5"	233.5"	274.3"	274.3"	274.3"	233.5"	274.3"
109.1"	111.2"	108.7"	110.9"	109.1"	108.9"	108.5"
79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"
95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"
66.5"	66.8"	66.5"	66.8"	67.2"	66.0"	66.0"
60.7"	60.7"	60.7"	60.7"	65.2"	60.7"	60.7"
40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"
49.1"	49.1"	63.8"	63.8"	63.8"	49.1"	63.8"
29.2"	30.6"	28.9"	30.3"	28.9"	29.0"	28.7"
24.5"	24.9"	24.6"	24.8"	24.6"	24.5"	24.6"
71.6"	71.6"	71.6"	71.6"	71.6"	71.6"	71.6"
51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"
72.7"	72.7"	72.7"	72.7"	72.7"	72.7"	72.7"
61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"
45.3'	43.3'	52.5'	50.2'	52.5'	45.3'	52.5'
21.6"	20.9"	21.6"	20.8"	20.8"	20.8"	20.8"
56.4"	56.4"	56.4"	56.4"	56.4"	56.4"	56.4"
						67.4"
						63.7"
						38.9"
						TBD
IRD	IRD	IBD	IRD	IRD	IRD	TBD
38.5"	38.5"	38.5"	38.5"	48.4"	38.5"	38.5"
TBD	TBD	TBD	TBD	TBD	TBD	TBD
70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"
76.7"	76.7"	76.7"	76.7"	76.7"	76.7"	76.7"
261.3 cu. ft.	261.3 cu. ft.	370.8 cu. ft.	370.8 cu. ft.	370.8 cu. ft.	261.3 cu. ft.	370.8 cu. ff
330 lbs.	330 lbs.	330 lbs.	330 lbs.	330 lbs.	330 lbs.	330 lbs.
TBD	TBD	TBD	TBD	TBD	TBD	TBD
TRD	TRD	TRD	TRD	TRD	TRD	TBD
						TBD
						12,125 lbs
11,000 105.	11,030 105.	11,030 108.	11,030 108.	11,000 108.	12,120 105.	12,125 108
	Diesel 4x2 High Roof 5 Two 233.5" 109.1" 79.5" 95.5" 66.5" 66.5" 60.7" 40.2" 49.1" 29.2" 24.5" 71.6" 51.0" 72.7" 61.2" 45.3' 21.6" 56.4" 67.4" 63.7" 38.9" TBD TBD TBD TBD TBD TBD TBD TBD TBD TG.7" 76.7"	Diesel Diesel 4x2 4x4 High Roof High Roof 5 5 Two Two 233.5" 233.5" 109.1" 111.2" 79.5" 79.5" 95.5" 95.5" 66.5" 66.8" 60.7" 60.7" 40.2" 40.2" 49.1" 49.1" 29.2" 30.6" 24.5" 24.9" 71.6" 71.6" 51.0" 51.0" 72.7" 72.7" 61.2" 61.2" 45.3' 43.3' 21.6" 20.9" 56.4" 67.4" 63.7" 63.7" 38.9" 38.9" TBD TBD TBD TBD TBD TBD TBD TBD	Dual Rear Wheel Diesel Diesel Diesel Ax2 4x4 4x2 High Roof High Roof 5 5 5 5 5 5 5 5 5	Dual Rear Wheel	Dual Rear Wheel Diesel D	Duel Rev Wheel Diesel Di





(PASSENGER)	1500	2500		1500	2500		1500	
MECHANICAL	15	25		15	2,		15	: [;
Additional bar for driveshaft & exhaust extension	X	x	 Front axle reinforced (standard on models only) 	1 2500 170" WB	þ	Suspension for comfort & load protection	x	
Axle ratio 3.923*		X	Rear spring vibration absorbers	X	1>	Tire pressure monitoring lamp	X	d)
Axle ratio 4.182 (standard on 2500 gas models only)	X		Stabilization Level I					
SEATING								
Aisle-side armrest	X	X	Storage net, driver seat backrest	X		Three-seater bench in passenger compartment,		
• Four-seater bench in passenger compartment, third row**	Х	X	Storage net, passenger seat back	rest X)		^^	上
 Four-seater bench in passenger compartment, fourth row*** 	X	lχ	 Three-seater bench in passenger first row (narrow); includes ISOFIX 	compartment, X	>	Wall-side armrest	X	
	1	\vdash	Three-seater bench in passenger		╁	/ NACional accountillate Audion	_	+
Luxury interior trim with USB-sockets	X	X	second row (narrow)	compartment, X	>	Window pillar trim	X	
INTERIOR								
12V power outlet, rear compartment	Х		Front-to-rear outlet in instrument				X	
Air conditioning rear, roof-mounted	X		• Fuel-fired heater booster (17,000		\downarrow		X	
Assist handle, B-pillar Audia pushare angelore 5 front 9 rees.	Ϋ́		Heat insulation, front compartmen				X	
Audio systems speakers, 5 front, 8 rear Coat hooks in passagers as property and the set of	 		Heat insulation, rear compartmentHinged lid for storage compartme			Warm/cool air duct to rear compartment Weight-optimized plastic floor	X	
Coat hooks in passenger compartment Cupholders, front	Ιâ		Illuminated front exits	X			⊢l?	d:
FMVSS 217 emergency exit	Ιχ		Rear cabin heater & vents		Ŕ		17	
EXTERIOR	17.	1/		17.		TIRES & WHEELS		
2nd row, fixed window, passenger side	ΙX	ΙX	High roof	l X	\Box		X	(1
3rd brake light	Ιâ		Laminated glass rear	X			x	d
Black tinting (90%) for rear windows	X		Rear doors 180° opening	X	Ď		X	à
Fixed window, center left***	X		Rear mudflaps	X			X	Ì
Fixed window, center right***	X		Roof trim	X			X	
Fixed window, rear left	X		Tow hook rear	X)	(
Fixed window, rear right	X	X	Windows in rear doors	X)			
SAFETY & SECURITY								
Longitudinal member reinforcement	Īχ	Tχ	Rearview camera (rearview mirror	display) X	\downarrow			
OPTIONAL FEATURES (PASSENGER)	8	100		00	100			3
OPTIONAL FEATURES (PASSENGER) MECHANICAL • Additional battery for retrofit consumers, co-driver	< 1500		Cruise control	X 1500	-		1500	1
MECHANICAL • Additional battery for retrofit consumers, co-driver seat base**	X 1500		Cutoff relay for additional battery	X))	Misfueling prevention for diesel Parametric Special Module (PSM)	X	(
MECHANICAL Additional battery for retrofit consumers, co-driver seat base** Additional battery for retrofit consumers, engine	i –	Х	Cutoff relay for additional batteryDeactivation lamp monitoring failu	X X ure X))	Misfueling prevention for diesel Parametric Special Module (PSM) Speed limitation, 65 mph	X	(
Additional battery for retrofit consumers, co-driver seat base** Additional battery for retrofit consumers, engine compartment**	X	x x	Cutoff relay for additional batteryDeactivation lamp monitoring failuElectric parking brake	X X ure X X	> > >	Misfueling prevention for diesel Parametric Special Module (PSM) Speed limitation, 65 mph Top speed limitation, 75 mph	X	(
MECHANICAL Additional battery for retrofit consumers, co-driver seat base** Additional battery for retrofit consumers, engine	Х	x x	Cutoff relay for additional batteryDeactivation lamp monitoring failu	X X X X X X X X X X X X X X X X X X X))	Misfueling prevention for diesel Parametric Special Module (PSM) Speed limitation, 65 mph Top speed limitation, 75 mph	X	(
Additional battery for retrofit consumers, co-driver seat base** Additional battery for retrofit consumers, engine compartment** Additional DIN-slots Axle ratio 4.182 (standard on 1500 & 2500 Gas Models)	X	X X X	Cutoff relay for additional battery Deactivation lamp monitoring failt Electric parking brake Engine oil level display at cold sta	X X X X X X X X X X X X X X X X X X X	> > > >	Misfueling prevention for diesel Parametric Special Module (PSM) Speed limitation, 65 mph Top speed limitation, 75 mph	X	(
Additional battery for retrofit consumers, co-driver seat base** Additional battery for retrofit consumers, engine compartment** Additional DIN-slots	X X	X X X	Cutoff relay for additional battery Deactivation lamp monitoring failu Electric parking brake Engine oil level display at cold sta Fuel gauge, optimized for aux. fue	X X X X X X X X X X X X X X X X X X X))))	Misfueling prevention for diesel Parametric Special Module (PSM) Speed limitation, 65 mph Top speed limitation, 75 mph	X	(
MECHANICAL Additional battery for retrofit consumers, co-driver seat base** Additional battery for retrofit consumers, engine compartment** Additional DIN-slots Axle ratio 4.182 (standard on 1500 & 2500 Gas Models) SEATING Artico Man-made Leather Black	X X	X X X	Cutoff relay for additional battery Deactivation lamp monitoring failt Electric parking brake Engine oil level display at cold sta	X X X X X X X X X X X X X X X X X X X))))	Misfueling prevention for diesel Parametric Special Module (PSM) Speed limitation, 65 mph Top speed limitation, 75 mph	X	(
Additional battery for retrofit consumers, co-driver seat base** Additional battery for retrofit consumers, engine compartment** Additional DIN-slots Axle ratio 4.182 (standard on 1500 & 2500 Gas Models) SEATING Artico Man-made Leather Black Fabric, Caluma Black	X X	X X X	Cutoff relay for additional battery Deactivation lamp monitoring failu Electric parking brake Engine oil level display at cold sta Fuel gauge, optimized for aux. fue Heated driver seat	X X X X X X X X X X X X X X X X X X X))))	Misfueling prevention for diesel Parametric Special Module (PSM) Speed limitation, 65 mph Top speed limitation, 75 mph	X	(
MECHANICAL Additional battery for retrofit consumers, co-driver seat base** Additional battery for retrofit consumers, engine compartment** Additional DIN-slots Axle ratio 4.182 (standard on 1500 & 2500 Gas Models) SEATING Artico Man-made Leather Black Fabric, Caluma Black	X X X	X X X X	Cutoff relay for additional battery Deactivation lamp monitoring failu Electric parking brake Engine oil level display at cold sta Fuel gauge, optimized for aux. fue Heated driver seat Heated front passenger seat	X X X X X X X X X X X X X X))))))	Misfueling prevention for diesel Parametric Special Module (PSM) Speed limitation, 65 mph Top speed limitation, 75 mph	X	
MECHANICAL Additional battery for retrofit consumers, co-driver seat base** Additional battery for retrofit consumers, engine compartment** Additional DIN-slots Additional DIN-slots Axle ratio 4.182 (standard on 1500 & 2500 Gas Models) SEATING Artico Man-made Leather Black Fabric, Caluma Black	X X	X X X X	Cutoff relay for additional battery Deactivation lamp monitoring failu Electric parking brake Engine oil level display at cold sta Fuel gauge, optimized for aux. fue Heated driver seat	X X X X X X X X X X X X X X	X X X X X X X X X X	Misfueling prevention for diesel Parametric Special Module (PSM) Speed limitation, 65 mph Top speed limitation, 75 mph	X X X	
MECHANICAL Additional battery for retrofit consumers, co-driver seat base** Additional battery for retrofit consumers, engine compartment** Additional DIN-slots Additional DIN-slots Axle ratio 4.182 (standard on 1500 & 2500 Gas Models) SEATING Artico Man-made Leather Black Fabric, Caluma Black INTERIOR 115V socket Acoustic Package Assist handle, left rear door	X X X X	X X X X X	Cutoff relay for additional battery Deactivation lamp monitoring failu Electric parking brake Engine oil level display at cold sta Fuel gauge, optimized for aux. fue Heated driver seat Heated front passenger seat Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17,	X X X X X X X X X X	X	Misfueling prevention for diesel Parametric Special Module (PSM) Speed limitation, 65 mph Top speed limitation, 75 mph Optional 3-button keys Overhead storage slot, front center Rear doors, opening to side-wall	X X X	
MECHANICAL Additional battery for retrofit consumers, co-driver seat base** Additional battery for retrofit consumers, engine compartment** Additional DIN-slots Axle ratio 4.182 (standard on 1500 & 2500 Gas Models) SEATING Artico Man-made Leather Black Fabric, Caluma Black INTERIOR 115V socket Acoustic Package Assist handle, left rear door Assist handle, right rear door	X X X X X X	X X X X X X	Cutoff relay for additional battery Deactivation lamp monitoring failu Electric parking brake Engine oil level display at cold sta Fuel gauge, optimized for aux. fue Heated driver seat Heated front passenger seat Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17, Instrument cluster with color disp	X X X X X X X X X X)))))))))	Misfueling prevention for diesel Parametric Special Module (PSM) Speed limitation, 65 mph Top speed limitation, 75 mph Optional 3-button keys Overhead storage slot, front center Rear doors, opening to side-wall Rear heater prep	X X X	
MECHANICAL Additional battery for retrofit consumers, co-driver seat base** Additional battery for retrofit consumers, engine compartment** Additional DIN-slots Additional DIN-slots Axile ratio 4.182 (standard on 1500 & 2500 Gas Models) SEATING Artico Man-made Leather Black Fabric, Caluma Black INTERIOR 115V socket Acoustic Package Assist handle, left rear door Assist handle, right rear door Charging Package, dashboard	X X X X X X X X	X X X X X X X X X	Cutoff relay for additional battery Deactivation lamp monitoring failu Electric parking brake Engine oil level display at cold sta Fuel gauge, optimized for aux. fue Heated driver seat Heated front passenger seat Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17, Instrument cluster with color disp Keys, two additional masters	X X X X X X X X X X	X	Misfueling prevention for diesel Parametric Special Module (PSM) Speed limitation, 65 mph Top speed limitation, 75 mph Optional 3-button keys Overhead storage slot, front center Rear doors, opening to side-wall Rear heater prep Satellite radio	X X X	
MECHANICAL Additional battery for retrofit consumers, co-driver seat base** Additional battery for retrofit consumers, engine compartment** Additional DIN-slots Axle ratio 4.182 (standard on 1500 & 2500 Gas Models) SEATING Artico Man-made Leather Black Fabric, Caluma Black INTERIOR 115V socket Acoustic Package Assist handle, left rear door Charging Package, dashboard Cigarette lighter & ash cup, front	X X X X X X X X X	X X X X X X X X X	Cutoff relay for additional battery Deactivation lamp monitoring failu Electric parking brake Engine oil level display at cold sta Fuel gauge, optimized for aux. fue Heated driver seat Heated front passenger seat Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17, Instrument cluster with color disp Keys, two additional masters Leather steering wheel	X X X X X X X X X X	X	Misfueling prevention for diesel Parametric Special Module (PSM) Speed limitation, 65 mph Top speed limitation, 75 mph Optional 3-button keys Overhead storage slot, front center Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control	X X X X X X X X X	(((((((((((((((((((
MECHANICAL Additional battery for retrofit consumers, co-driver seat base** Additional battery for retrofit consumers, engine compartment** Additional DIN-slots Axle ratio 4.182 (standard on 1500 & 2500 Gas Models) SEATING Artico Man-made Leather Black Fabric, Caluma Black INTERIOR 115V socket Acoustic Package Assist handle, left rear door Charging Package, dashboard Cigarette lighter & ash cup, front	X X X X X X X X	X X X X X X X X X	Cutoff relay for additional battery Deactivation lamp monitoring failu Electric parking brake Engine oil level display at cold sta Fuel gauge, optimized for aux. fue Heated driver seat Heated front passenger seat Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17, Instrument cluster with color disp Keys, two additional masters	X X X X X X X X X X	X	Misfueling prevention for diesel Parametric Special Module (PSM) Speed limitation, 65 mph Top speed limitation, 75 mph Optional 3-button keys Overhead storage slot, front center Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control Tray for smartphones incl. wireless charging	X X X X X X X X X	(((((((((((((((((((
MECHANICAL Additional battery for retrofit consumers, co-driver seat base** Additional battery for retrofit consumers, engine compartment** Additional DIN-slots Axle ratio 4.182 (standard on 1500 & 2500 Gas Models) SEATING Artico Man-made Leather Black Fabric, Caluma Black INTERIOR 115V socket Acoustic Package Assist handle, left rear door Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger (standard on 4x4)	X X X X X X X X X	X X X X X X X X X	Cutoff relay for additional battery Deactivation lamp monitoring failu Electric parking brake Engine oil level display at cold sta Fuel gauge, optimized for aux. fue Heated driver seat Heated front passenger seat Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17, Instrument cluster with color disp Keys, two additional masters Leather steering wheel Multifunction steering wheel	X X X X X X X X X X	X	Misfueling prevention for diesel Parametric Special Module (PSM) Speed limitation, 65 mph Top speed limitation, 75 mph Optional 3-button keys Overhead storage slot, front center Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control Tray for smartphones incl. wireless charging	X X X X X X X X X	
MECHANICAL Additional battery for retrofit consumers, co-driver seat base** Additional battery for retrofit consumers, engine compartment** Additional DIN-slots Additional DIN-slots Atle ratio 4.182 (standard on 1500 & 2500 Gas Models) SEATING Artico Man-made Leather Black Fabric, Caluma Black INTERIOR 115V socket Acoustic Package Assist handle, left rear door Assist handle, right rear door Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger (standard on 4x4) EXTERIOR	X X X X X X X X X X	X X X X X X X X X X X	Cutoff relay for additional battery Deactivation lamp monitoring failu Electric parking brake Engine oil level display at cold sta Fuel gauge, optimized for aux. fue Heated driver seat Heated front passenger seat Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17, Instrument cluster with color disp Keys, two additional masters Leather steering wheel Multifunction steering wheel Navigation	X X X X X X X X X X	X	Misfueling prevention for diesel Parametric Special Module (PSM) Speed limitation, 65 mph Top speed limitation, 75 mph Optional 3-button keys Overhead storage slot, front center Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control Tray for smartphones incl. wireless charging	X X X X X X X X X	
MECHANICAL Additional battery for retrofit consumers, co-driver seat base** Additional battery for retrofit consumers, engine compartment** Additional DIN-slots Axle ratio 4.182 (standard on 1500 & 2500 Gas Models) SEATING Artico Man-made Leather Black Fabric, Caluma Black INTERIOR 115V socket Acoustic Package Assist handle, left rear door Assist handle, right rear door Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger (standard on 4x4) EXTERIOR Bumpers front/rear primed	X X X X X X X X X	X X X X X X X X X X X	Cutoff relay for additional battery Deactivation lamp monitoring failu Electric parking brake Engine oil level display at cold sta Fuel gauge, optimized for aux. fue Heated driver seat Heated front passenger seat Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17, lastrument cluster with color disp Keys, two additional masters Leather steering wheel Multifunction steering wheel Navigation Heated & electrically adjustable ex	X	X	Misfueling prevention for diesel Parametric Special Module (PSM) Speed limitation, 65 mph Top speed limitation, 75 mph Optional 3-button keys Overhead storage slot, front center Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control Tray for smartphones incl. wireless charging TIRES & WHEELS Light-alloy wheels 6.5 J x 16	X X X X X X X X X	
MECHANICAL Additional battery for retrofit consumers, co-driver seat base** Additional battery for retrofit consumers, engine compartment** Additional DIN-slots Axle ratio 4.182 (standard on 1500 & 2500 Gas Models) SEATING Artico Man-made Leather Black Fabric, Caluma Black NTERIOR 115V socket Acoustic Package Assist handle, left rear door Assist handle, right rear door Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger (standard on 4x4) EXTERIOR Bumpers front/rear primed Bumper step, rear, Grey	X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X	Cutoff relay for additional battery Deactivation lamp monitoring failu Electric parking brake Engine oil level display at cold sta Fuel gauge, optimized for aux. fue Heated driver seat Heated front passenger seat Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17, Instrument cluster with color disp Keys, two additional masters Leather steering wheel Multifunction steering wheel Navigation Heated & electrically adjustable ex Heated rear window(s) with washer	X	X	Misfueling prevention for diesel Parametric Special Module (PSM) Speed limitation, 65 mph Top speed limitation, 75 mph Optional 3-button keys Overhead storage slot, front center Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control Tray for smartphones incl. wireless charging TIRES & WHEELS Light-alloy wheels 6.5 J x 16 M+S winter tires	X X X X X X X X X	
MECHANICAL Additional battery for retrofit consumers, co-driver seat base** Additional battery for retrofit consumers, engine compartment** Additional DIN-slots Additional DIN-slots Adle ratio 4.182 (standard on 1500 & 2500 Gas Models) SEATING Artico Man-made Leather Black Fabric, Caluma Black NTERIOR 115V socket Acoustic Package Assist handle, left rear door Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger (standard on 4x4) EXTERIOR Bumpers front/rear primed Bumper step, rear, Grey DEF fluid filler cap - lockable	X X X X X X X X X	X X X X X X X X X X X X X X X X X X	Cutoff relay for additional battery Deactivation lamp monitoring failu Electric parking brake Engine oil level display at cold sta Fuel gauge, optimized for aux. fue Heated driver seat Heated front passenger seat Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17, lastrument cluster with color disp Keys, two additional masters Leather steering wheel Multifunction steering wheel Navigation Heated & electrically adjustable ex	X	X	Misfueling prevention for diesel Parametric Special Module (PSM) Speed limitation, 65 mph Top speed limitation, 75 mph Optional 3-button keys Overhead storage slot, front center Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control Tray for smartphones incl. wireless charging TIRES & WHEELS Light-alloy wheels 6.5 J x 16 M+S winter tires Rims painted Arctic White	X X X X X X X X X	(
MECHANICAL Additional battery for retrofit consumers, co-driver seat base** Additional battery for retrofit consumers, engine compartment** Additional DIN-slots Additional DIN-slots Axle ratio 4.182 (standard on 1500 & 2500 Gas Models) SEATING Artico Man-made Leather Black Fabric, Caluma Black NTERIOR 115V socket Acoustic Package Assist handle, left rear door Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger (standard on 4x4) EXTERIOR Bumpers front/rear primed Bumper step, rear, Grey DEF fluid filler cap - lockable Deletion of "model" badge, right rear door	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	Cutoff relay for additional battery Deactivation lamp monitoring failu Electric parking brake Engine oil level display at cold sta Fuel gauge, optimized for aux. fue Heated driver seat Heated front passenger seat Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17, Instrument cluster with color disp Keys, two additional masters Leather steering wheel Multifunction steering wheel Navigation Heated & electrically adjustable ex Heated rear window(s) with washer Mounting rails for roof rack Opening limiter, electrically operat Painted metallic front & rear burng	X	X	Misfueling prevention for diesel Parametric Special Module (PSM) Speed limitation, 65 mph Top speed limitation, 75 mph Optional 3-button keys Overhead storage slot, front center Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control Tray for smartphones incl. wireless charging TIRES & WHEELS Light-alloy wheels 6.5 J x 16 M+S winter tries Rims painted Jet Black Spare tire carrier deletion	X X X X X X X X X	(
MECHANICAL Additional battery for retrofit consumers, co-driver seat base** Additional battery for retrofit consumers, engine compartment** Additional DIN-slots Additional DIN-slots Atler atio 4.182 (standard on 1500 & 2500 Gas Models) SEATING Artico Man-made Leather Black Fabric, Caluma Black NTERIOR 115V socket Acoustic Package Assist handle, left rear door Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger (standard on 4x4) EXTERIOR Bumper step, rear, Grey DEF fluid filler cap - lockable Deletion of "model" badge, right rear door Deletion of Sprinter badge, left rear door Deletion of Sprinter badge, left rear door	X	X X X X X X X X X X X X X X X X X X X	Cutoff relay for additional battery Deactivation lamp monitoring failu Electric parking brake Engine oil level display at cold sta Fuel gauge, optimized for aux. fue Heated driver seat Heated front passenger seat Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17, lastrument cluster with color disp Keys, two additional masters Leather steering wheel Multifunction steering wheel Navigation Heated & electrically adjustable ex Heated rear window(s) with washer Mounting rails for roof rack Opening limiter, electrically operat Painted metallic front & rear bump Primed side moldings	X X X X X art* el tap* X X X X X X X X X X X X X X X X X X	X	Misfueling prevention for diesel Parametric Special Module (PSM) Speed limitation, 65 mph Top speed limitation, 75 mph Optional 3-button keys Overhead storage slot, front center Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control Tray for smartphones incl. wireless charging TIRES & WHEELS Light-alloy wheels 6.5 J x 16 M+S winter tires Rims painted Arctic White Rims painted Jet Black Spare wheel deletion Spare wheel deletion	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	
MECHANICAL Additional battery for retrofit consumers, co-driver seat base** Additional battery for retrofit consumers, engine compartment** Additional DIN-slots Axle ratio 4.182 (standard on 1500 & 2500 Gas Models) SEATING Attico Man-made Leather Black Fabric, Caluma Black INTERIOR 115V socket Acoustic Package Assist handle, left rear door Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger (standard on 4x4) EXTERIOR Bumper step, rear, Grey DEF fluid filler cap - lockable Deletion of "model" badge, right rear door Deletion of Sprinter badge, left rear door Deletion of Sprinter badge, left rear door	X	X X X X X X X X X X X X X X X X X X X	Cutoff relay for additional battery Deactivation lamp monitoring failu Electric parking brake Engine oil level display at cold sta Fuel gauge, optimized for aux. fue Heated driver seat Heated front passenger seat Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17, Instrument cluster with color disp Keys, two additional masters Leather steering wheel Multifunction steering wheel Navigation Heated & electrically adjustable ex Heated rear window(s) with washer Mounting rails for roof rack Opening limiter, electrically operat Painted metalic front & rear bump Primed side moldings Sliding door two-stage opening	X	X	Misfueling prevention for diesel Parametric Special Module (PSM) Speed limitation, 65 mph Top speed limitation, 75 mph Optional 3-button keys Overhead storage slot, front center Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control Tray for smartphones incl. wireless charging TIRES & WHEELS Light-alloy wheels 6.5 J x 16 M+S winter tires Rims painted Arctic White Rims painted Arctic White Rims painted Jet Black Spare tire carrier deletion Spare wheel deletion Tire Brand Continental	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	
MECHANICAL Additional battery for retrofit consumers, co-driver seat base** Additional battery for retrofit consumers, engine compartment** Additional DIN-slots Atle ratio 4.182 (standard on 1500 & 2500 Gas Models) SEATING Atlico Man-made Leather Black Fabric, Caluma Black INTERIOR 115V socket Acoustic Package Assist handle, left rear door Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger (standard on 4x4) EXTERIOR Bumpers front/rear primed Bumper step, rear, Grey DEF fluid filler cap - lockable Deletion of "model" badge, right rear door Deletion of Sprinter badge, left rear door Elec. closing assist right sliding door (soft close)	X	X X X X X X X X X X X X X X X X X X X	Cutoff relay for additional battery Deactivation lamp monitoring failu Electric parking brake Engine oil level display at cold sta Fuel gauge, optimized for aux. fue Heated driver seat Heated front passenger seat Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17, lastrument cluster with color disp Keys, two additional masters Leather steering wheel Multifunction steering wheel Navigation Heated & electrically adjustable ex Heated rear window(s) with washer Mounting rails for roof rack Opening limiter, electrically operat Painted metallic front & rear bump Primed side moldings	X	X	Misfueling prevention for diesel Parametric Special Module (PSM) Speed limitation, 65 mph Top speed limitation, 75 mph Optional 3-button keys Overhead storage slot, front center Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control Tray for smartphones incl. wireless charging TIRES & WHEELS Light-alloy wheels 6.5 J x 16 M+S winter tires Rims painted Arctic White Rims painted Jet Black Spare tire carrier deletion Spare wheel deletion Tire Brand Continental Tire Brand Continental Tire Brand Kumho	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	
MECHANICAL Additional battery for retrofit consumers, co-driver seat base** Additional battery for retrofit consumers, engine compartment** Additional DIN-slots Additional DIN-slots Atle ratio 4.182 (standard on 1500 & 2500 Gas Models) SEATING Artico Man-made Leather Black Fabric, Caluma Black INTERIOR 115V socket Acoustic Package Assist handle, left rear door Assist handle, right rear door Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger	X	X X X X X X X X X X X X X X X X X X X	Cutoff relay for additional battery Deactivation lamp monitoring failu Electric parking brake Engine oil level display at cold sta Fuel gauge, optimized for aux. fue Heated driver seat Heated front passenger seat Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17, Instrument cluster with color disp Keys, two additional masters Leather steering wheel Multifunction steering wheel Navigation Heated & electrically adjustable ex Heated rear window(s) with washer Mounting rails for roof rack Opening limiter, electrically operat Painted metalic front & rear bump Primed side moldings Sliding door two-stage opening	X	X	Misfueling prevention for diesel Parametric Special Module (PSM) Speed limitation, 65 mph Top speed limitation, 75 mph Optional 3-button keys Overhead storage slot, front center Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control Tray for smartphones incl. wireless charging TIRES & WHEELS Light-alloy wheels 6.5 J x 16 M+S winter tires Rims painted Arctic White Rims painted Arctic White Rims painted Jet Black Spare tire carrier deletion Spare wheel deletion Tire Brand Continental	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	
MECHANICAL Additional battery for retrofit consumers, co-driver seat base** Additional battery for retrofit consumers, engine compartment** Additional DIN-slots Atle and Atla2 (standard on 1500 & 2500 Gas Models) SEATING Artico Man-made Leather Black Fabric, Caluma Black NTERIOR 115V socket Acoustic Package Assist handle, left rear door Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger (standard on 4x4) EXTERIOR Bumper step, rear, Grey DEF fluid filler cap - lockable Deletion of "model" badge, right rear door Deletion of Sprinter badge, left rear door Elec. closing assist right sliding door (soft close) Half-sided step rear (for trailer hitch)	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	Cutoff relay for additional battery Deactivation lamp monitoring failu Electric parking brake Engine oil level display at cold sta Fuel gauge, optimized for aux. fue Heated driver seat Heated front passenger seat Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17, Instrument cluster with color disp Keys, two additional masters Leather steering wheel Multifunction steering wheel Navigation Heated & electrically adjustable ex Heated rear window(s) with washer Mounting rails for roof rack Opening limiter, electrically operat Painted metallic front & rear bump Primed side moldings Sliding door two-stage opening Trailer hitch, 5,000 lbs. Emergency flashlight	X		Misfueling prevention for diesel Parametric Special Module (PSM) Speed limitation, 65 mph Top speed limitation, 75 mph Optional 3-button keys Overhead storage slot, front center Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control Tray for smartphones incl. wireless charging TIRES & WHEELS Light-alloy wheels 6.5 J x 16 M+S winter tires Rims painted Arctic White Rims painted Jet Black Spare tire carrier deletion Spare wheel deletion Tire Brand Continental Tire Brand Continental Tire Brand Kumho	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	
MECHANICAL Additional battery for retrofit consumers, co-driver seat base** Additional battery for retrofit consumers, engine compartment** Additional DIN-slots Additional Bin-slots Artico Man-made Leather Black Fabric, Caluma Black NTERIOR 115V socket Acoustic Package Assist handle, left rear door Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger (standard on 4x4) EXTERIOR Bumper step, rear, Grey DEF fluid filler cap - lockable Deletion of "model" badge, right rear door Deletion of Sprinter badge, left rear door Deletion of Sprinter badge, left rear door Elec. closing assist right sliding door (soft close) Half-sided step rear (for trailer hitch) SAFETY & SECURITY Active Distance Assist DISTRONIC®2	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	Cutoff relay for additional battery Deactivation lamp monitoring failu Electric parking brake Engine oil level display at cold sta Fuel gauge, optimized for aux. fue Heated driver seat Heated driver seat Heated front passenger seat Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17, Instrument cluster with color disp Keys, two additional masters Leather steering wheel Multifunction steering wheel Navigation Heated & electrically adjustable ex Heated rear window(s) with washer Mounting rails for roof rack Opening limiter, electrically operat Painted metallic front & rear bump Primed side moldings Sliding door two-stage opening Trailer hitch, 5,000 lbs. Emergency flashlight First-aid kit	X X X X X X xrt* Sel tap* X X X X X X X X X X X X X X X X X X	X	Misfueling prevention for diesel Parametric Special Module (PSM) Speed limitation, 65 mph Top speed limitation, 75 mph Optional 3-button keys Overhead storage slot, front center Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control Tray for smartphones incl. wireless charging TIRES & WHEELS Light-alloy wheels 6.5 J x 16 M+S winter tires Rims painted Arctic White Rims painted Jet Black Spare tire carrier deletion Spare wheel deletion Tire Brand Continental Tire Brand Kumho Tire Brand Michelin Parking Package Parking Package Parking Package with 360° camera	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	
MECHANICAL Additional battery for retrofit consumers, co-driver seat base** Additional battery for retrofit consumers, engine compartment** Additional DIN-slots Additional Bin-slots Artico Man-made Leather Black Fabric, Caluma Black NTERIOR 115V socket Acoustic Package Assist handle, left rear door Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger (standard on 4x4) EXTERIOR Bumper step, rear, Grey DEF fluid filler cap - lockable Deletion of "model" badge, right rear door Deletion of Sprinter badge, left rear door Deletion of Sprinter badge, left rear door Elec. closing assist right sliding door (soft close) Half-sided step rear (for trailer hitch) SAFETY & SECURITY Active Distance Assist DISTRONIC®2	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	Cutoff relay for additional battery Deactivation lamp monitoring failu Electric parking brake Engine oil level display at cold sta Fuel gauge, optimized for aux. fue Heated driver seat Heated front passenger seat Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17, Instrument cluster with color disp Keys, two additional masters Leather steering wheel Multifunction steering wheel Navigation Heated & electrically adjustable ex Heated rear window(s) with washer Mounting rails for roof rack Opening limiter, electrically operat Painted metallic front & rear bump Primed side moldings Sliding door two-stage opening Trailer hitch, 5,000 lbs. Emergency flashlight	X X X X X X xrt* Sel tap* X X X X X X X X X X X X X X X X X X	X	Misfueling prevention for diesel Parametric Special Module (PSM) Speed limitation, 65 mph Top speed limitation, 75 mph Ourhead storage slot, front center Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control Tray for smartphones incl. wireless charging TIRES & WHEELS Light-alloy wheels 6.5 J x 16 M+S winter tires Rims painted Arctic White Rims painted Arctic White Rims painted Jet Black Spare tire carrier deletion Spare wheel deletion Tire Brand Continental Tire Brand Continental Tire Brand Michelin Parking Package	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	
MECHANICAL Additional battery for retrofit consumers, co-driver seat base** Additional battery for retrofit consumers, engine compartment** Additional DIN-slots Additional DIN-slots Axle ratio 4.182 (standard on 1500 & 2500 Gas Models) SEATING Artico Man-made Leather Black Fabric, Caluma Black INTERIOR 115V socket Acoustic Package Assist handle, left rear door Assist handle, right rear door Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger (standard on 4x4) EXTERIOR Bumpers front/rear primed Bumper step, rear, Grey DEF fluid filler cap - lockable Deletion of "model" badge, right rear door Deletion of Sprinter badge, left rear door Elec. closing assist right sliding door (soft close) Half-sided step rear (for trailer hitch)	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	Cutoff relay for additional battery Deactivation lamp monitoring failu Electric parking brake Engine oil level display at cold sta Fuel gauge, optimized for aux. fue Heated driver seat Heated driver seat Heated front passenger seat Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17, Instrument cluster with color disp Keys, two additional masters Leather steering wheel Multifunction steering wheel Navigation Heated & electrically adjustable ex Heated rear window(s) with washer Mounting rails for roof rack Opening limiter, electrically operat Painted metallic front & rear bump Primed side moldings Sliding door two-stage opening Trailer hitch, 5,000 lbs. Emergency flashlight First-aid kit	X X X X X X xrt* Sel tap* X X X X X X X X X X X X X X X X X X	X	Misfueling prevention for diesel Parametric Special Module (PSM) Speed limitation, 65 mph Top speed limitation, 75 mph Optional 3-button keys Overhead storage slot, front center Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control Tray for smartphones incl. wireless charging TIRES & WHEELS Light-alloy wheels 6.5 J x 16 M+S winter tires Rims painted Arctic White Rims painted Jet Black Spare tire carrier deletion Spare wheel deletion Tire Brand Continental Tire Brand Kumho Tire Brand Michelin Parking Package Parking Package Parking Package with 360° camera	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	
MECHANICAL Additional battery for retrofit consumers, co-driver seat base** Additional battery for retrofit consumers, engine compartment** Additional DIN-slots Axle ratio 4.182 (standard on 1500 & 2500 Gas Models) SEATING Artico Man-made Leather Black Fabric, Caluma Black NTERIOR 115V socket Acoustic Package Assist handle, left rear door Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger (standard on 4x4) EXTERIOR Bumpers front/rear primed Bumper step, rear, Grey DEF fluid filler cap - lockable Deletion of Sprinter badge, left rear door Deletion of Sprinter badge, left rear door Elec. closing assist right sliding door (soft close) Half-sided step rear (for trailer hitch) SAFETY & SECURITY Active Distance Assist DISTRONIC®2 Backup alarm Blind Spot Assist ⁵	X	X X X X X X X X X X X X X X X X X X X	Cutoff relay for additional battery Deactivation lamp monitoring failu Electric parking brake Engine oil level display at cold sta Fuel gauge, optimized for aux. fue Heated driver seat Heated driver seat Heated front passenger seat Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17, Instrument cluster with color disp Keys, two additional masters Leather steering wheel Multifunction steering wheel Navigation Heated & electrically adjustable ex Heated rear window(s) with washer Mounting rails for roof rack Opening limiter, electrically operat Painted metallic front & rear bump Primed side moldings Sliding door two-stage opening Trailer hitch, 5,000 lbs. Emergency flashlight First-aid kit	X X X X X xrt* el tap* X X X X X X X X X X X X X X X X X X	X	Misfueling prevention for diesel Parametric Special Module (PSM) Speed limitation, 65 mph Top speed limitation, 75 mph Optional 3-button keys Overhead storage slot, front center Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control Tray for smartphones incl. wireless charging TIRES & WHEELS Light-alloy wheels 6.5 J x 16 M+S winter tires Rims painted Arctic White Rims painted Jet Black Spare tire carrier deletion Spare wheel deletion Tire Brand Continental Tire Brand Continental Tire Brand Michelin Parking Package Parking Package Parking Package with 360° camera Security alarm with interior motion sensor	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	
MECHANICAL Additional battery for retrofit consumers, co-driver seat base** Additional battery for retrofit consumers, engine compartment** Additional DIN-slots Axle ratio 4.182 (standard on 1500 & 2500 Gas Models) SEATING Artico Man-made Leather Black Fabric, Caluma Black NTERIOR 115V socket Acoustic Package Assist handle, left rear door Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger (standard on 4x4) EXTERIOR Bumpers front/rear primed Bumper step, rear, Grey DEF fluid filler cap - lockable Deletion of "model" badge, right rear door Deletion of Sprinter badge, left rear door Elec. closing assist right sliding door (soft close) Half-sided step rear (for trailer hitch) SAFETY & SECURITY Active Distance Assist DISTRONIC®2 Backup alarm Blind Spot Assist ⁵ DPTIONAL PACKAGES Comfort Plus Package	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	Cutoff relay for additional battery Deactivation lamp monitoring failu Electric parking brake Engine oil level display at cold sta Fuel gauge, optimized for aux. fue Heated driver seat Heated front passenger seat Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17, lastrument cluster with color disp Keys, two additional masters Leather steering wheel Multifunction steering wheel Multifunction steering wheel Navigation Heated & electrically adjustable ex Heated rear window(s) with washer Mounting rails for roof rack Opening limiter, electrically operat Painted metallic front & rear bump Primed side moldings Sliding door two-stage opening Trailer hitch, 5,000 lbs. Emergency flashlight First-aid kit Passenger Accessibility Package Premium Package	X X X X X xrt* el tap* X X X X X X X X X X X X X X X X X X	X	Misfueling prevention for diesel Parametric Special Module (PSM) Speed limitation, 65 mph Top speed limitation, 75 mph Optional 3-button keys Overhead storage slot, front center Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control Tray for smartphones incl. wireless charging TIRES & WHEELS Light-alloy wheels 6.5 J x 16 M+S winter tires Rims painted Arctic White Rims painted Jet Black Spare tire carrier deletion Spare wheel deletion Tire Brand Continental Tire Brand Continental Tire Brand Michelin Parking Package Parking Package Parking Package with 360° camera Security alarm with interior motion sensor	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	
MECHANICAL Additional battery for retrofit consumers, co-driver seat base** Additional battery for retrofit consumers, engine compartment** Additional DIN-slots Axle ratio 4.182 (standard on 1500 & 2500 Gas Models) SEATING Artico Man-made Leather Black Fabric, Caluma Black NTERIOR 115V socket Acoustic Package Assist handle, left rear door Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger (standard on 4x4) EXTERIOR Bumper step, rear, Grey DEF fluid filler cap - lockable Deletion of "model" badge, right rear door Deletion of Sprinter badge, left rear door Elec. closing assist right sliding door (soft close) Half-sided step rear (for trailer hitch) SAFETY & SECURITY Active Distance Assist DISTRONIC®2 Backup alarm Blind Spot Assist DPTIONAL PACKAGES Comfort Package	X	X X X X X X X X X X X X X X X X X X X	Cutoff relay for additional battery Deactivation lamp monitoring failu Electric parking brake Engine oil level display at cold sta Fuel gauge, optimized for aux. fue Heated driver seat Heated front passenger seat Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17, Instrument cluster with color disp Keys, two additional masters Leather steering wheel Multifunction steering wheel Navigation Heated & electrically adjustable ex Heated rear window(s) with washer Mounting rails for roof rack Opening limiter, electrically operat Painted metallic front & rear bump Primed side moldings Sliding door two-stage opening Trailer hitch, 5,000 lbs. Emergency flashlight First-aid kit Passenger Accessibility Package	X X X X X art* al tap* X X X X X X X X X X X X X X X X X X	X	Misfueling prevention for diesel Parametric Special Module (PSM) Speed limitation, 65 mph Top speed limitation, 75 mph Overhead storage slot, front center Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control Tray for smartphones incl. wireless charging TIRES & WHEELS Light-alloy wheels 6.5 J x 16 M+S winter tires Rims painted Arctic White Rims painted Arctic White Rims painted Jet Black Spare tire carrier deletion Spare wheel deletion Tire Brand Continental Tire Brand Michelin Parking Package Parking Package Parking Package with 360° camera Security alarm with interior motion sensor	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	

*Not	available	with	agenlina	angina
1401	avanabic	*****	gasonne	criginic.

12-seater model only. *15-seater model only.

TECHNICAL SPECIFICATIONS: 1500 & 2500

	1500				
Tires	Single				
Wheelbase	144"	14	170"		
Engine	Gas	Gas/Diesel	Diesel	Gas/Diesel	
Drivetrain	4x2	4x2	4x4	4x2	
Roof height	High Roof	High Roof	High Roof	High Roof	
Passenger capacity	12	12	12	15	
Rows of seats	Four	Four	Four	Five	

EXTERIOR

EXILITION					
Length	233.5"	233.5"	233.5"	274.3"	
Height	114.2"	114.2"	117.6"	113.5"	
Width - excluding mirrors	79.5"	79.5"	79.5"	79.5"	
Vidth - including mirrors	92.3"	92.3"	92.3"	92.3"	
ire track front	67.2"	67.2"	67.8"	67.2"	
Fire track rear	68.2"	68.2"	68.2"	68.2"	
ront overhang BA	40.2"	40.2"	40.2"	40.2"	
Rear overhang rear axle to end of frame)	49.1"	49.1"	49.1"	63.8"	
oad height, unloaded	27.2"	27.2" G	30.8"	26.3"	
ground to cargo floor)	21.2	27.4" 🖸	30.0	20.3	
oad height, loaded ground to cargo floor)	23.8"	23.8"	27.2"	23.9"	
ide-door opening height	71.6"	71.6"	71.6"	71.6"	
Bide-door opening width – Bilding	51.0"	51.0"	51.0"	51.0"	
lear cargo door opening leight	72.7"	72.7"	72.7"	72.7"	
Rear cargo door opening width	61.2"	61.2"	61.2"	61.2"	
furning radius (curb-to-curb)	40.7'	40.7'	43.3'	47.2'	
Ground to first step-side	20.5"	20.5"	24.2"	19.9"	
NTERIOR					

INTERIOR				
Headroom (1st row)	56.4"	56.4"	56.4"	56.4"
Shoulder room (1st row)	67.4"	67.4"	67.4"	67.4"
Hip room (1st row)	63.7"	63.7"	63.7"	63.7"
Legroom (1st row)	38.9"	38.9"	38.9"	38.9"
Cargo length, front (at floor)	TBD	TBD	TBD	TBD
Cargo length, front (at belt)	TBD	TBD	TBD	TBD
Cargo width between wheelhouses	53.0"	53.0"	53.0"	53.0"
Cargo height, maximum (with trim)	TBD	TBD	TBD	TBD
Maximum floor width	69.8"	69.8"	69.8"	69.8"
Interior standing height	75.5"	75.5"	75.5"	75.5"

CARGO CAPACITY

Cargo volume (behind last row of seats)	78.6 cu. ft.	78.6 cu. ft.	78.6 cu. ft.	111.2 cu. ft.
Maximum roof load	TBD	TBD	TBD	TBD
Maximum available GCWR	13,550 lbs.	13,931 lbs.	13,931 lbs.	9,480 lbs.

MAXIMUM CAPABILITIES

Maximum payload	2,941 lbs.	3,441 lbs. G	2,879 lbs.	3,307 lbs. G		
maximum payioau	2,941 lb5.	3,265 lbs. D	2,079 lbs.	3,067 lbs. D		
Maximum towing ³⁴	5,000 lbs.	5,000 lbs.	5,000 lbs.	0 lbs.		
GVWR	8,550 lbs.	9,050 lbs.	9,050 lbs.	9,480 lbs.		
TWR (maximum loaded trailer weight ratings)	500 lbs.	500 lbs.	500 lbs.	0 lbs.		





ADDITIONAL STANDARD FEATURES (CAB CHASSIS/CUTAWAY)	d x o o	4500		OOXD	8	5 I		3500XD	00
MECHANICAL	35	15		35	1	¥		1 35 2	4
Aux. fuel sending unit with fuel tap	X	X	Deletion of end crossmember	Χ	1>	त	Stabilization Level II	X	ΧÌ
Axle ratio 4.182	X	X	Front axle reinforced		1	7			_
Deactivation lamp monitoring failure	X	X	Speed limitation, 65 mph		1	↿			
EXTERIOR			TIRES & WHEELS				SAFETY & SECURITY		
Clearance lights pre-wiring	X	X	5.5 J x 16 steel wheels	X	$ \rangle$	त	Longitudinal member reinforcement	X)	
		1			1	7 1			_

EXTERIOR				IINES & WHEELS		
Clearance lights pre-wiring	X	X	ŀ	5.5 J x 16 steel wheels	X	X
Exterior mirror extended (96")	X	X	1	Dual rear wheel tires	X	X
Identification lamps	X	X	ŀ	Provisional spare wheel bracket frame mounted	X	X
			ŀ	Spare wheel	Х	X

			- Opare wheel	$ \wedge $	-	
			Tires LT 215/85 R16	X	X	
MECHANICAL						
 Additional battery for retrofit consumers, co-driver seat base 	Х	x	Cruise control	Х	Х	Parametric Special Module (PSM)
Additional battery for retrofit consumers, engine	V	V	Cutoff relay for additional battery	X	X	 Speed limitation, 65 mph (standard on 4500 mg
compartment	^	^	End crossmember bolted	Х	Χ	Top speed limitation, 75 mph
Additional DIN-slots	Χ	X	Engine oil level display at cold start	X	Х	Trailer crossmember 7,500 lbs. capacity
AGM battery 12V 95Ah 850A	X	ΙX	Front axle reinforced (standard on 4500 model)	X		

Compartment			End crossmernber boiled	_ I A	1 ^
Additional DIN-slots	X	X	Engine oil level display at cold start	X	X
AGM battery 12V 95Ah 850A	X	X	Front axle reinforced (standard on 4500 model)	X	
Axle ratio 3.923	X	X	Fuel gauge, optimized for aux. fuel tap	X	X
SEATING					
 Artico Man-made Leather Black 	X	X	Heated driver seat	X	X
Fabric, Caluma Black	X	X	Heated front passenger seat	X	Īχ

	X X · · · · · · · · · · · · · · ·	
INTERIOR		
115V socket	X X • Fuel-fired pre-heater/booster (17,000 BTU) X X • Overhead storage slot, front center	XX
Acoustic Package	X X • Heat insulation, front compartment X X X • Rear heater prep	XX
Cab rear wall liner	X X • Hinged lid for storage compartment	XX
Charging Package, dashboard	X X • Illuminated front exits X X • Satellite radio	XX
Cigarette lighter & ash cup, front	X X • Instrument cluster with color display X X • THERMOTRONIC automatic climate control	XX
Door-mounted assist handle, driver & passenger	X X • Keys, two additional masters X X • Tray for smartphones incl. wireless charging	XX
Electrical pre-installation for load compartment lighting	X X • Leather steering wheel X X X • Window in cab rear wall	XX
Electrically heated windshield*	X X • Multifunction steering wheel X X	
	V V V	

Fuel-fired heater booster (17,000 BTU)	ΙX	I X	• Navigation	ΙX	ΙX	<u>J</u>	
EXTERIOR						TIRES & WHEELS (CONTINUED)	
Bumpers/detachable body parts painted body color	ĪΧ	X	Third brake light pre-wiring	X	X	Rims painted Jet Black	XX
Bumpers front/rear primed	X	X	Wire harness tail lamp with extended wiring	X	X	Spare tire carrier deletion	XX
DEF fluid filler cap – lockable	X	X	Wiring for additional turn signals	X	X	Spare wheel deletion	XX
Deletion of "model" badge, right rear door	X	X	TIRES & WHEELS			Steel wheels: 8.5 J x 16 Rr; 6.5 J x 16 Fr (Super Single)	X
Heated & electrically adjustable exterior mirrors	X	X	285/65 R 16 C SUPER-SINGLE-TIRES (Super Single)	X		Tire Brand Continental	XX
Primed side moldings	X	X	M+S winter tires	X	X	Tire Brand Michelin*	XX
Tail lamp deletion	X	X	Rims painted Arctic White	X	X	Wheel chocks	XX

SAFETY & SECURITY Active Distance Assist DISTRONIC®2	IXI	Х	First-aid kit	Ιx	Ιχ	Pre-wiring rearview camera (head unit display)	X	Τx	
Backup alarm			Fog lamp with cornering light function			Pre-wiring rearview camera (rearview mirror display)	X	X	
Emergency flashlight	X	Х	Misfueling prevention for diesel	X	ĺχ	Security alarm with interior motion sensor	X	X	

OPTIONAL PACKAGES					
Bench Seat Package	X X • Driver Conv	venience Package X	X	Premium Plus Package	XX
Comfort Package	X X • Exterior Lig	hting Package X	X	Super Single Tire Package	XX
Comfort Plus Package	X X • Premium P	ackage X	X	Swivel Seat Package	X X

TECHNICAL SPECIFICATIONS: 3500XD & 4500

		3500XD		45	00
Tires	Dual Rea	ar Wheel	Super Single	Dual Rea	ar Wheel
Wheelbase	144"	170"	170"	144"	170"
Engine	Diesel	Diesel	Diesel	Diesel	Diesel
Drivetrain	4x2	4x2	4x2	4x2	4x2
Passenger capacity	2-3	2-3	2-3	2–3	2-3
Rows of seats	One	One	One	One	One

EXTERIOR					
Length	245.9"	273.5"	273.5"	245.9"	273.5"
Height	94.1"	93.7"	93.5"	94.4"	94.0"
Width - excluding mirrors	79.5"	79.5"	79.5"	79.5"	79.5"
Width – including mirrors	95.5"	95.5"	95.5"	95.5"	95.5"
Front track	66.3"	66.3"	67.2"	66.3"	66.3"
Rear track	60.7"	60.7"	65.2"	60.7"	60.7"
Front overhang	15.8"	15.8"	15.8"	15.8"	15.8"
Rear overhang (rear axle to end of frame)	61.4"	63.0"	63.0"	61.4"	63.0"
Turning diameter (curb-to-curb)	45.3'	52.5'	52.5'	45.3'	52.5'
Cab length	99.4"	99.4"	99.4"	99.4"	99.4"

64.4"

27.0"

64.4"

27.0"

26.9"

64.4"

26.9"

TECHNICAL SPECIFICATIONS: 3500XD & 4500

		3500XD	4500			
Tires	Dual Re	ar Wheel	Super Single	Dual Rear Wheel		
Wheelbase	144"	170"	170"	144"	170"	
Engines	Diesel	Diesel	Diesel	Diesel	Diesel	
Drivetrain	4x2	4x2	4x2	4x2	4x2	
Passenger capacity	2-3	2-3	2-3	2-3	2-3	
Rows of seats	One	One	One	One	One	

Rows of seats	One	Une	Une	l One	Une				
INTERIOR									
Headroom	47.3"	47.3"	47.3"	47.3"	47.3"				
Shoulder room	67.4"	67.4"	67.4"	67.4"	67.4"				
Hip room	63.7"	63.7"	63.7"	63.7"	63.7"				
Legroom	38.9"	38.9"	38.9"	38.9"	38.9"				
CARGO CAPACITY									
Max. available GCWR	15,250 lbs.								

MAXIMUM CAPABILITIES									
6,356 lbs.	6,246 lbs.	6,301 lbs.	7,430 lbs.	7,319 lbs.					
7,500 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.					
11,030 lbs.	11,030 lbs.	11,030 lbs.	12,125 lbs.	12,125 lbs.					
750 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs.					
	6,356 lbs. 7,500 lbs. 11,030 lbs.	6,356 lbs. 6,246 lbs. 7,500 lbs. 7,500 lbs. 11,030 lbs. 11,030 lbs.	6,356 lbs. 6,246 lbs. 6,301 lbs. 7,500 lbs. 7,500 lbs. 7,500 lbs. 11,030 lbs. 11,030 lbs.	6,356 lbs. 6,246 lbs. 6,301 lbs. 7,430 lbs. 7,500 lbs. 7,500 lbs. 7,500 lbs. 11,030 lbs. 11,030 lbs. 12,125 lbs.					

EXTERIOR & INTERIOR

EXTERIOR: NON-METALLIC




EXTERIOR: METALLIC





7992 – Selenite Grey Metallic 9775 - Iridium



7755 - Tenorite Grey Metallic







PREMIUM

INTERIOR





VF4 – Caluma Black Upholstery



VF6 - Black Leatherette



VF7 - Maturin Black Upholstery

ACCESSORIES HIGHLIGHTS

- All-season floor mats
- Loading roller (for basic carrier bars)
- Roof rack basic carrier
- Trailer hitch
- Wind deflectors for front windows, set
- Roof box
- Folding table (requires base module)

Contact dealer for full list of accessories.

For paint availability please contact your dealer.

46 *Delayed availability.

Top of frame to top of cab

Frame height, loaded

ENDNOTES

TBD values to be updated at a later date.

Gas engine models available in early 2019. 4x4 models available in early 2019. 170" extended models available in early 2019.

- 1. Active Brake Assist may not be sufficient to avoid an accident. It does not react to certain stationary objects, nor recognize or predict the curvature and/or lane layout of the road or every movement of vehicles ahead. It is the driver's responsibility at all times to be attentive to traffic and road conditions, and to provide the steering, braking and other driving inputs necessary to retain control of the vehicle. Drivers are cautioned not to wait for the system's alerts before braking, as that may not afford sufficient time and distance to brake safely. See Operator's Manual for system's operating speeds and additional information and warnings.
- 2. Active Distance Assist DISTRONIC® is no substitute for active driving involvement. It does not adapt cruising speed in response to stationary objects, nor does it predict the curvature and lane layout of the road ahead or the movement of vehicles ahead. It is the driver's responsibility at all times to be attentive to traffic and road conditions, and to provide the steering, braking and other driving inputs necessary to retain control of the vehicle. Drivers are cautioned not to wait for the system's alerts before braking, as that may not afford sufficient time and distance to brake safely. Braking effectiveness also depends on proper brake maintenance, and tire and road conditions. See Operator's Manual for system's operating speeds and additional information and warnings.
- 3. Rearview camera does not audibly notify driver of nearby objects and is not a substitute for actively checking around the vehicle for any obstacles or people. Images displayed may be limited by camera field of view, weather, lighting conditions, and the presence of dirt, ice, or snow on the camera.
- 4. Driving while drowsy or distracted is dangerous and must be avoided. ATTENTION ASSIST® may be insufficient to alert a fatigued or distracted driver and cannot be relied on to avoid an accident or serious injury.
- 5. Blind Spot Assist is a warning system only, and may not be sufficient to avoid all accidents involving vehicles in your blind spot and does not estimate the speed of approaching vehicles. It should not be used as a substitute for driver awareness and checking of surrounding traffic conditions. See Operator's Manual for system's operating speeds and additional information and warnings.
- 6. Rear Cross-Traffic Alert is not a substitute for actively checking around the vehicle for any obstacles or people. It may not detect certain objects based on their size, path, proximity or speed and angle of approach, or due to sensor obstruction, and does not control steering angle. See Operator's Manual for additional information, tips and warnings.
- 7. Active Lane Keeping Assist may be insufficient to alert a fatigued or distracted driver of lane drift and cannot be relied on to avoid an accident or serious injury.
- 8. Crosswind Assist can engage automatically when sensing dangerous wind gusts at highway speeds exceeding 50 mph. Performance is limited by wind severity and available traction, which snow, ice, and other conditions can affect. Always drive carefully, consistent with conditions.
- 9. No system, regardless of how advanced, can overcome the laws of physics or correct careless driving. Please always wear your seat belt. Performance is limited by available traction, which snow, ice, and other conditions can affect. Always drive carefully, consistent with conditions. Best performance in snow is obtained with winter tires.
- 10. Warning: the forces of a deploying airbag can cause serious or fatal injuries to a child under age 13. The safest seating position for your child is in a rear seat, belted into an appropriate, properly installed child seat, or correctly wearing a seat belt if too large for a child seat. See Operator's Manual for additional warnings and information on airbags, seat belts, and child seats.
- 11. Requires the use of ultra-low-sulfur diesel fuel. Freightliner Sprinters are approved to use B5 biodiesel (approved diesel fuel with a maximum 5% biodiesel content). The only approved biodiesel content is one that both meets ASTM D6751 specifications and has the oxidation stability necessary to prevent deposit-/corrosion-related damages to the system (min. 6h, proven by EN14112 method). Please see your service station for further information. If the B5 biodiesel blend does not clearly indicate that it meets the above standards, please do not use it. The Freightliner Sprinter New Vehicle Limited Warranty does not cover damage caused by fuel standards not approved by Freightliner.
- 12. Driver is responsible for monitoring fluid levels and tire pressure between service visits. See Maintenance Booklet for details.
- 13. Mercedes PRO is available for the contiguous U.S., Hawaii, and Alaska with The new Sprinter (as of MY19). Contact an authorized Mercedes-Benz Vans dealership for more information.
- 14. After the Mercedes PRO connect go-live in The new Sprinter, there will be a Vehicle Management Tool for the factory equipped solution and Communication Module.
- 15. The availability of services in addition to the integrated Communication Module depends on the network coverage of the mobile network provider. The Communication Module (LTE) is not available in the U.S. Virgin Islands or Puerto Rico.
- 16. In order to prevent distracted driving, the use of the Mercedes PRO connect App is not permitted while operating a motor vehicle in order to prevent distracted driving. If used while operating a motor vehicle, there is an increased risk of endangering oneself and others. Please follow your local laws and restrictions.
- 17. When the Emergency Call System is triggered, the following data are automatically transmitted: vehicle identification number, GPS position, direction of travel, time of the emergency call, language setting, and number of occupants in the cab. The Emergency Call System is activated from the moment the vehicle is delivered to the customer following a sale. No separate terms of use have to be accepted. The Communication Module for Digital Services and the emergency call button are necessary for use of the Emergency Call System service.
- 18. The information from this service is shown on the touchscreen of the multimedia system. Live Traffic Information can only be used in conjunction with the MBUX multimedia system with 7-inch touchscreen and navigation or the MBUX multimedia system with 10.25-inch touchscreen.
- 19. A valid subscription to Live Traffic Information is necessary to use Car-to-X Communication. Car-to-X Communication can only be used in conjunction with the MBUX multimedia system with 7-inch touchscreen and navigation or the MBUX multimedia system with 10.25-inch touchscreen. Only the data of vehicles directly affected by the event and equipped with Car-to-X Communication are processed, therefore you may not always receive a timely warning of hazards through this system.
- 20. Update times, content, and installation times can vary. These are activated when the vehicle is delivered. Updates to the Communication Module (LTE) are automatic, as otherwise certain applications might no longer work. You can access the current status of the software versions in your vehicle via the Mercedes PRO Portal.

- 21. The wireless Internet in the Car is provided by AT&T and created via an integrated SIM card. A contract must be made with AT&T in order to access data services, and this contract can be made via the Mercedes PRO Portal or infotainment system. In addition to a data contract with AT&T, either an MBUX multimedia system with 7-inch touchscreen and navigation or satellite radio or the MBUX multimedia system with 10.25-inch touchscreen is required for the Internet in the Car service. Additional costs may apply depending on the amount of data used.
- 22. In order for us to offer you this service, data is transferred from the vehicle to Mercedes-Benz/ Freightliner Sprinter. This data includes the vehicle identification number, mileage, service code (A or B), as well as remaining time and mileage until the next service is due and information on the brake system and coolant.
- 23. The Online Map Update service is only available in conjunction with the MBUX multimedia system with 7-inch touchscreen and navigation or the MBUX multimedia system with 10.25-inch touchscreen. The service must first be activated and the region for the map update selected in the Mercedes PRO Portal.
- 24. You can only use the Navigation Functions service in conjunction with the MBUX multimedia system with 7-inch touchscreen and navigation or the MBUX multimedia system with 10.25-inch touchscreen. Before use, some of the applications must first be activated via the Mercedes PRO Portal
- 25. You can only use the Multimedia Functions service in conjunction with the MBUX multimedia system with 7-inch touchscreen and navigation or the satellite radio or with the MBUX multimedia system with 10.25-inch touchscreen. Before use, some of the applications must first be activated via the Mercedes PRO Portal. For various functions (Internet Radio and Browser), additional data volume is necessary which can be purchased via the Internet in the Car service.
- 26. The Remote Control function via the Mercedes PRO connect App makes it possible for you to view the status of the doors and windows. The driver is also able to unlock the vehicle using a code via the Mercedes PRO connect App and also check the status of and operate the auxiliary heater. This function is only available in conjunction with an optional auxiliary heater (hot-water heater).
- 27. The available data can vary according to the vehicle model. The tire pressure can only be shown on certain model configurations. Display of the AdBlue® level is only available in conjunction with the optional SCR Generation 3 emissions control and only available with diesel models.
- 28. To safeguard the driver's privacy, he/she can switch off the vehicle tracking function via the Mercedes PRO connect App when making private journeys or traveling to and from work.
- 29. Messages from all drivers are visible to the fleet manager. Using the Vehicle Management Tool, he/she can, in turn, contact any driver individually with a message. If the Send2Car function is included in the subscription, a POI can be sent directly to the vehicle's navigation system. The Vehicle Operations service is additionally required to send POIs directly from the Vehicle Management Tool.
- 30. If you wish to use the Digital Driver's Log for your tax documentation, be sure to verify in advance whether the form and the information provided meet the fiscal requirements of your local tax authority. It provides three categories in which to categorize journeys: business journey, private journey, or commute.
- 31. The Theft Warning is shown in the chosen communication channel if the vehicle crosses preset geofences in a certain time period or if the optional Security alarm with interior motion sensor system sounds the alarm. Only in conjunction with the optional Security alarm with interior motion sensor.
- 32. Apple CarPlay® is a product of Apple Inc. Android™ Auto is a product of Google Inc. Device and app providers' terms and privacy statements apply. Requires connected compatible device and data plan. Apps, content and features are selected solely by their providers. Connection to apps and streaming services may be limited by the device's network connection. Data usage is routed through device and subject to fees, charges and restrictions in user's wireless plan. The vehicle's factory audio/information interface, including COMAND® navigation, may not be used simultaneously with Apple CarPlay or Android Auto. When Apple CarPlay or Android Auto is in use, the steering-wheel voice control button accesses Siri® or Google voice recognition software for voice commands.
- 33. Unsecured cargo can become hazardous in a collision. Always secure cargo
- 34. Maximum permissible gross weight of the trailer, if the trailer is equipped with a separate functional braking system. Please make sure to comply with local trailer load regulations.
- 35. MasterSolutions™ program vehicles are custom, special-order only vehicles modified by the MasterSolutions™ Provider chosen by you. Although the Daimler Vans warranty does not apply to the modifications, separate warranties, offered by the MasterSolutions™ Provider, may apply. Details are available from your local dealer.
- 36. Actual rates, terms, down payment, and program eligibility will be determined by the Daimler Truck Financial Credit Team based upon creditworthiness of customer.
- 37. TRAC leases are limited to motor vehicles leased to businesses and used at least 50% of the time for business purposes. Consult your tax or financial advisor for tax and accounting treatments.
- 38. The Mercedes-Benz Vans Roadside Assistance Program is available for vehicles covered under warranty and includes such services as towing, jump-start in the event of a dead battery, and assistance with the installation of a spare tire. Service charges apply for out-of-warranty vehicles.

©2019 Daimler Vans USA LLC, One Mercedes-Benz Drive, Sandy Springs, GA, 30328 1-877-762-8267 All illustrations and specifications contained in this brochure are based on the latest product information available at the time of publication. All measurements are according to SAE J1100. Daimler Vans USA reserves the right to make changes at any time, without notice, to colors, materials, equipment, specifications, and models. Any variations in colors shown are due to reproduction variations of the printing process. Illustrations may include test situations. Some vehicles may be shown with non-U.S. equipment. Some vehicles are shown with optional equipment available at extra cost. Some optional equipment may not be available individually and/or on all models. For current information regarding the range of models, standard features, optional equipment, and/or colors available in the U.S. and their pricing, please contact your nearest authorized Freightliner Sprinter dealer. All rights reserved. Bluetooth® is a registered trademark of Bluetooth SIG, Inc.

www.freightlinersprinterusa.com

SFL-19-1031 Printed in the U.S.A.