

When you get behind the wheel of a machine as powerful, responsive and refined as the '04 Accord Coupe, there's just no stopping you. It offers you the **best of all** WORLDS, testing the limits of what you expect from a luxury sport coupe. You can experience the relentless charge of an available 240-hp, 3.0-liter V 6 engine and enjoy the precise control of an available 6-speed manual transmission. So get in. All systems are go.



For 17 of the past 21 years, Car and Driver magazine has included the Accord in its prestigious "10Best Cars" list. No other ca r

maker can beat that track record.

Specifications

Engineering	LX	EX	LX V-6	EX V-6	EX V-6 6-Speed
ingine Type: Aluminum Alloy	In-Line 4-Cylinder	In-Line 4-Cylinder	V-6	V-6	V-6
Displacement (cc)	2354	2354	2997	2997	2997
lorsepower @ rpm (SAE net)	160 @ 5500	160 @ 5500	240 @ 6250	240@6250	240@6250
orque (Ibft. @ rpm)	161 @ 4500	161 @ 4500	212 @ 5000	212 @ 5000	212 @ 5000
Compression Ratio	9.7:1	9.7:1	10.0:1	10.0:1	10.0:1
/alve Train	16-Valve DOHC i-VTEC	16-Valve DOHC i-VTEC	24-Valve SOHC VTEC	24-Valve SOHC VTEC	24-Valve SOHC VTEC
ligh-Performance Intake Manifold			•	•	•
Aulti-Point Fuel Injection	•	•	•	•	•
ront-Wheel Drive	•	•	•	•	•
missions Rating (CARB/EPA)	LEV-2 LEV/Tier 2, Bin 5	LEV-2 LEV/Tier 2, Bin 5		5 LEV-2 ULEV ⁸ /Tier 2, Bin 5	LEV-2 ULEV ⁸ /Tier 2, Bin 5
Direct Ignition System with Immobilizer	•	•	•	•	•
une-Up Interval*	110,000-Mile	110,000-Mile	105,000-Mile	105.000-Mile	105,000-Mile
Transmission	110,000 Mile	110,000 Mile	100,000 Mile	103,000 10110	103,000 Mile
-Speed Manual Transmission	•	•			
-Speed Automatic Transmission	Available	Available	•	•	
lose-Ratio 6-Speed Manual Transmission	Available	Available	-	-	•
inal Drive Ratio (MT/AT)	4.39/4.44	4.39/4.44	NA/4.43	NA/4.43	3.29/NA
Body/Suspension/Chassis	4.53/4.44	4.33/4.44	NA/4.43	NA/4.45	5.25/NA
	•	•	•	•	•
Init-Body Construction Jouble Wishbone Front Suspension	•	•	•	•	•
•	•	•	•	•	•
ive-Link Double Wishbone Rear Suspension					• 25.4/14.0
Stabilizer Bar (mm, front/rear)	25.4/14.0	25.4/14.0	25.4/14.0	25.4/14.0	
ront Shock Tower Bar	•	•	•	•	•
/ariable-Assist Power Rack-and-Pinion Steering					
Steering Wheel Turns, Lock-to-Lock	2.98	2.98	2.93	2.93	2.75
urning Diameter, Curb-to-Curb (ft.)	35.4	35.4	35.4	35.4	38.1
Power-Assisted Ventilated Front Disc/Rear Drum Brakes	•				
Power-Assisted Ventilated Front Disc/Solid Rear Disc Brakes		•	•	•	•
Anti-Lock Braking System (ABS)	•	•	•	•	•
Electronic Brake Distribution System (EBD)		•	•	•	•
raction Control System (TCS)			•	•	•
Vheels	15" with Full Covers	16" Alloy	16" with Full Covers	16" Alloy	17" Alloy
All-Season Tires	P205/65 R15	P205/60 R16	P205/60 R16	P205/60 R16	P215/50 R17
Interior Measurements					
leadroom (in., front/rear)	39.8/36.1	37.5/36.1	39.8/36.1	37.5/36.1	37.5/36.1
egroom (in., front/rear)	43.1/31.9	43.1/31.9	43.1/31.9	43.1/31.9	43.1/31.9
				56.1/55.4	56.1/55.4
houlder Room (in., front/rear)	56.1/55.4	56.1/55.4	56.1/55.4		
Shoulder Room (in., front/rear) Iiproom (in., front/rear)	54.2/46.1	54.2/46.1	54.2/46.1	54.2/46.1	54.2/46.1
khoulder Room <i>(in., front/rear)</i> liproom <i>(in., front/rear)</i> argo Volume <i>(cu. ft.)</i>	54.2/46.1 12.8	54.2/46.1 12.8	54.2/46.1 12.8	54.2/46.1 12.8	12.8
khoulder Room (in., front/rear) liproom (in., front/rear) Gargo Volume (cu. ft.) Yassenger Volume (cu. ft.)	54.2/46.1	54.2/46.1	54.2/46.1	54.2/46.1	
Roulder Room (in., front/rear) liproom (in., front/rear) Cargo Volume (cu. ft.) Passenger Volume (cu. ft.) Exterior Measurements	54.2/46.1 12.8 91.1	54.2/46.1 12.8 88.0	54.2/46.1 12.8 91.1	54.2/46.1 12.8 88.0	12.8 88.0
Roulder Room (in., front/rear) liproom (in., front/rear) Cargo Volume (cu. ft.) Passenger Volume (cu. ft.) Exterior Measurements Vheelbase (in.)	54.2/46.1 12.8 91.1 105.1	54.2/46.1 12.8 88.0 105.1	54.2/46.1 12.8 91.1 105.1	54.2/46.1 12.8 88.0 105.1	12.8 88.0 105.1
Roulder Room (in., front/rear) liproom (in., front/rear) Cargo Volume (cu. ft.) Passenger Volume (cu. ft.) Exterior Measurements Vheelbase (in.)	54.2/46.1 12.8 91.1 105.1 187.6	54.2/46.1 12.8 88.0 105.1 187.6	54.2/46.1 12.8 91.1 105.1 187.6	54.2/46.1 12.8 88.0 105.1 187.6	12.8 88.0 105.1 187.6
houlder Room (in., front/rear) liproom (in., front/rear) argo Volume (cu. ft.) Passenger Volume (cu. ft.) Exterior Measurements Vheelbase (in.) ength (in.) leight (in.)	54.2/46.1 12.8 91.1 105.1 187.6 55.7	54.2/46.1 12.8 88.0 105.1 187.6 55.7	54.2/46.1 12.8 91.1 105.1 187.6 55.7	54.2/46.1 12.8 88.0 105.1 187.6 55.7	12.8 88.0 105.1 187.6 55.7
Shoulder Room (in., front/rear) Hiproom (in., front/rear) Cargo Volume (cu. ft.) Passenger Volume (cu. ft.) Exterior Measurements Wheelbase (in.) Aught (in.) Height (in.) Vidth (in.)	54.2/46.1 12.8 91.1 105.1 187.6 55.7 71.3	54.2/46.1 12.8 88.0 105.1 187.6 55.7 71.3	54.2/46.1 12.8 91.1 105.1 105.1 187.6 55.7 71.3	54.2/46.1 12.8 88.0 105.1 187.6 55.7 71.3	12.8 88.0 105.1 187.6 55.7 71.3
Shoulder Room (in., front/rear) liproom (in., front/rear) Jargo Volume (cu. ft.) Passenger Volume (cu. ft.) Exterior Measurements Wheelbase (in.) ength (in.) leight (in.) Vidth (in.) Tack (in., front/rear)	54.2/46.1 12.8 91.1 105.1 187.6 55.7 71.3 61.1/61.2	54.2/46.1 12.8 88.0 105.1 187.6 55.7 71.3 61.1/61.2	54.2/46.1 12.8 91.1 105.1 187.6 55.7 71.3 61.1/61.2	54.2/46.1 12.8 88.0 105.1 187.6 55.7 71.3 61.1/61.2	12.8 88.0 105.1 187.6 55.7 71.3 61.1/61.2
houlder Room (in., front/rear) liproom (in., front/rear) argo Volume (cu. ft.) Passenger Volume (cu. ft.) Exterior Measurements Vheelbase (in.) ength (in.) leight (in.) Vichth (in.) rack (in., front/rear) curve Weight (ibs., MT/AT)	54.2/46.1 12.8 91.1 105.1 187.6 55.7 71.3	54.2/46.1 12.8 88.0 105.1 187.6 55.7 71.3	54.2/46.1 12.8 91.1 105.1 105.1 187.6 55.7 71.3	54.2/46.1 12.8 88.0 105.1 187.6 55.7 71.3	12.8 88.0 105.1 187.6 55.7 71.3
winder Room (in., front/rear) liproom (in., front/rear) arago Volume (cu. ft.) Exterior Measurements Vheelbase (in.) ength (in.) leight (in.) Vidth (in.) rack (in., front/rear) zurb Weight (lbs., MT/AT) EPA Mileage Estimates*/Fuel Capacity	54.2/46.1 12.8 91.1 105.1 187.6 55.7 71.3 61.1/61.2 3038/3100	54.2/46.1 12.8 88.0 105.1 187.6 55.7 71.3 61./61.2 3073/3150	54.2/46.1 12.8 91.1 105.1 187.6 55.7 71.3 61.1/61.2	54.2/46.1 12.8 88.0 105.1 187.6 55.7 71.3 61.1/61.2	12.8 88.0 105.1 187.6 55.7 71.3 61.1/61.2
houlder Room (in., front/rear) liproom (in., front/rear) arago Volume (cu. ft.) Exterior Measurements Vheelbase (in.) ength (in.) leight (in.) Vidth (in.) Track (in., front/rear) Jurb Weight (lbs., MT/AT) EPA Mileage Estimates†/Fuel Capacity -Speed Manual (City/Highway)	54.2/46.1 12.8 91.1 105.1 187.6 55.7 71.3 61.1/61.2	54.2/46.1 12.8 88.0 105.1 187.6 55.7 71.3 61.1/61.2	54.2/46.1 12.8 91.1 105.1 187.6 55.7 71.3 61.1/61.2	54.2/46.1 12.8 88.0 105.1 187.6 55.7 71.3 61.1/61.2	12.8 88.0 105.1 187.6 55.7 71.3 61.1/61.2 3285/NA
houlder Room (in., front/rear) liproom (in., front/rear) argo Volume (cu. ft.) assenger Volume (cu. ft.) Exterior Measurements Wheelbase (in.) ength (in.) leight (in.) Vidth (in.) irack (in., front/rear) urb Weight (lbs., MT/AT) EPA Mileage Estimates†/Fuel Capacity -Speed Manual (City/Highway)	54.2/46.1 12.8 91.1 105.1 187.6 55.7 71.3 61.1/61.2 3038/3100 26/34	54.2/46.1 12.8 88.0 105.1 187.6 55.7 71.3 61.1/61.2 3073/3150 26/34	54.2/46.1 12.8 91.1 105.1 187.6 55.7 71.3 61.1/61.2 NA/3274	54.2/46.1 12.8 88.0 105.1 187.6 55.7 71.3 61.1/61.2 NA/3318	12.8 88.0 105.1 187.6 55.7 71.3 61.1/61.2
houlder Room (in., front/rear) liproom (in., front/rear) argo Volume (cu. ft.) assenger Volume (cu. ft.) Exterior Measurements Wheelbase (in.) ength (in.) leight (in.) Vidth (in.) irack (in., front/rear) urb Weight (lbs., MT/AT) EPA Mileage Estimates†/Fuel Capacity -Speed Manual (City/Highway)	54.2/46.1 12.8 91.1 105.1 187.6 55.7 71.3 61.1/61.2 3038/3100	54.2/46.1 12.8 88.0 105.1 187.6 55.7 71.3 61./61.2 3073/3150	54.2/46.1 12.8 91.1 105.1 187.6 55.7 71.3 61.1/61.2	54.2/46.1 12.8 88.0 105.1 187.6 55.7 71.3 61.1/61.2	12.8 88.0 105.1 187.6 55.7 71.3 61.1/61.2 3285/NA
Biolder Room (in., front/rear) liproom (in., front/rear) largo Volume (cu. ft.) Exterior Measurements Wheelbase (in.) ength (in.) leight (in.) Vidth (in.) Youth (in., front/rear) Curb Weight (ibs., MT/AT) EPA Mileage Estimates†/Fuel Capacity -Speed Manual (City/Highway) -Speed Automatic (City/Highway)	54.2/46.1 12.8 91.1 105.1 187.6 55.7 71.3 61.1/61.2 3038/3100 26/34	54.2/46.1 12.8 88.0 105.1 187.6 55.7 71.3 61.1/61.2 3073/3150 26/34	54.2/46.1 12.8 91.1 105.1 187.6 55.7 71.3 61.1/61.2 NA/3274	54.2/46.1 12.8 88.0 105.1 187.6 55.7 71.3 61.1/61.2 NA/3318	12.8 88.0 105.1 187.6 55.7 71.3 61.1/61.2 3285/NA
houlder Room (in., front/rear) liproom (in., front/rear) largo Volume (cu. ft.) Exterior Measurements Vheelbase (in.) ength (in.) leight (in.) Vidth (in.) Tack (in., front/rear) EVA Mileage Estimates†/Fuel Capacity -Speed Manual (City/Highway) -Speed Automatic (City/Highway) -Speed Automatic (City/Highway) -Speed Automatic (City/Highway)	54.2/46.1 12.8 91.1 105.1 187.6 55.7 71.3 61.1/61.2 3038/3100 26/34 24/34	54.2/46.1 12.8 88.0 105.1 187.6 55.7 71.3 61.1/61.2 3073/3150 26/34 24/34	54.2/46.1 12.8 91.1 105.1 105.1 187.6 55.7 71.3 61.1/61.2 NA/3274 21/30	54.2/46.1 12.8 88.0 105.1 187.6 55.7 71.3 61.1/61.2 NA/3318 21/30	12.8 88.0 105.1 187.6 55.7 71.3 61.1/61.2 3285/NA 20/30
houlder Room (in., front/rear) liproom (in., front/rear) largo Volume (cu. ft.) Exterior Measurements Vheelbase (in.) ength (in.) leight (in.) Vidth (in.) Tack (in., front/rear) EVA Mileage Estimates†/Fuel Capacity -Speed Manual (City/Highway) -Speed Automatic (City/Highway) -Speed Automatic (City/Highway) -Speed Automatic (City/Highway)	54.2/46.1 12.8 91.1 105.1 187.6 55.7 71.3 61.1/61.2 3038/3100 26/34 24/34 17.1	54.2/46.1 12.8 88.0 105.1 187.6 55.7 71.3 61.1/61.2 3073/3150 26/34 24/34 17.1	54.2/46.1 12.8 91.1 105.1 187.6 55.7 71.3 61.1/61.2 NA/3274 21/30 17.1	54.2/46.1 12.8 88.0 105.1 187.6 55.7 71.3 61.1/61.2 NA/3318 21/30 17.1	12.8 88.0 105.1 187.6 55.7 71.3 61.1/61.2 3285/NA 20/30 17.1
ihoulder Room (in., front/rear) liproom (in., front/rear) arago Volume (cu. ft.) Exterior Measurements Wheelbase (in.) ength (in.) leight (in.) vidth (in.) rack (in., front/rear) zurb Weight (lbs., MT/AT) EPA Mileage Estimates†/Fuel Capacity -Speed Manual (City/Highway) -Speed Automatic (City/Highway) -Speed Automatic (City/Highway) elequired Fuel Exterior Features	54.2/46.1 12.8 91.1 105.1 187.6 55.7 71.3 61.1/61.2 3038/3100 26/34 24/34 17.1	54.2/46.1 12.8 88.0 105.1 187.6 55.7 71.3 61.1/61.2 3073/3150 26/34 24/34 17.1	54.2/46.1 12.8 91.1 105.1 187.6 55.7 71.3 61.1/61.2 NA/3274 21/30 17.1	54.2/46.1 12.8 88.0 105.1 187.6 55.7 71.3 61.1/61.2 NA/3318 21/30 17.1	12.8 88.0 105.1 187.6 55.7 71.3 61.1/61.2 3285/NA 20/30 17.1
Shoulder Room (in., front/rear) Itiproom (in., front/rear) Cargo Volume (cu. ft.) Passenger Volume (cu. ft.) Exterior Measurements Wheelbase (in.) ength (in.) leight (in.) Vidth (in.) Track (in., front/rear) Curb Weight (lbs., MT/AT) EPA Mileage Estimates†/Fuel Capacity I-Speed Manual (City/Highway) I-Speed Automatic (City/Highway) I-Speed Automatic (City/Highway) I-Speed Automatic (City/Highway) I-Speed Automatic (City/Highway) I-Speed Automatic (City/Highway) I-Speed Fuel Exterior Features Power Moonroof with Tilt Feature	54.2/46.1 12.8 91.1 105.1 187.6 55.7 71.3 61.1/61.2 3038/3100 26/34 24/34 17.1	54.2/46.1 12.8 88.0 105.1 187.6 55.7 71.3 61.1/61.2 3073/3150 26/34 24/34 17.1 Regular Unleaded	54.2/46.1 12.8 91.1 105.1 187.6 55.7 71.3 61.1/61.2 NA/3274 21/30 17.1	54.2/46.1 12.8 88.0 105.1 187.6 55.7 71.3 61.1/61.2 NA/3318 21/30 17.1 Regular Unleaded	12.8 88.0 105.1 187.6 55.7 71.3 611/61.2 3285/NA 20/30 17.1 Regular Unleaded
Shoulder Room (in., front/rear) liproom (in., front/rear) Cargo Volume (cu. ft.) Passenger Volume (cu. ft.) Exterior Measurements Wheelbase (in.) ength (in.) leight (in.) Vidth (in.) Tack (in., front/rear) Lurb Weight (lbs., MT/AT) EPA Mileage Estimates†/Fuel Capacity -Speed Manual (City/Highway) -Speed Manual (City/Highway) -Speed Manual (City/Highway) -Speed Manual (City/Highway) -Speed Manual (City/Highway) -Speed Manual (City/Highway) -Speed Fuel	54.2/46.1 12.8 91.1 105.1 187.6 55.7 71.3 61.1/61.2 3038/3100 26/34 24/34 17.1 Regular Unleaded	54.2/46.1 12.8 88.0 105.1 187.6 55.7 71.3 61.1/61.2 3073/3150 26/34 24/34 17.1 Regular Unleaded •	54.2/46.1 12.8 91.1 105.1 187.6 55.7 71.3 61.1/61.2 NA/3274 21/30 17.1 Regular Unleaded	54.2/46.1 12.8 88.0 105.1 187.6 55.7 71.3 61.1/61.2 NA/3318 21/30 17.1 Regular Unleaded •	12.8 88.0 105.1 187.6 55.7 71.3 61.1/61.2 3285/NA 20/30 17.1 Regular Unleaded
houlder Room (in., front/rear) liproom (in., front/rear) liproom (in., front/rear) liproom (in., front/rear) Exterior Measurements Wheelbase (in.) ength (in.) leight (in.) Vidth (in.) System (its., mit.) EFA Mileage Estimates†/Fuel Capacity EPA Mileage Estimates†/Fuel Capacity Speed Manual (City/Highway) -Speed Manual (City/Highway) -Speed Automatic (City/Highway) -Speed Automatic (City/Highway) uel (gal.) leaguine Fuel Exterior Features Sover Moonroof with Tilt Feature Noo Wheels security System	54.2/46.1 12.8 91.1 105.1 187.6 55.7 71.3 61.1/61.2 3038/3100 26/34 24/34 77.1 Regular Unleaded Accessory	54.2/46.1 12.8 88.0 105.1 187.6 55.7 71.3 61.1/61.2 3073/3150 26/34 24/34 17.1 Regular Unleaded • 16*	54.2/46.1 12.8 91.1 105.1 187.6 55.7 71.3 61.1/61.2 NA/3274 21/30 17.1 Regular Unleaded Accessory	54.2/46.1 12.8 88.0 105.1 187.6 55.7 71.3 61.1/61.2 NA/3318 21/30 77.1 Regular Unleaded • 16"	12.8 88.0 105.1 187.6 55.7 71.3 61.1/61.2 3285/NA 20/30 17.1 Regular Unleaded • 17*
Shoulder Room (in., front/rear) liproom (in., front/rear) liproom (in., front/rear) liproom (cu. ft.) Passenger Volume (cu. ft.) Exterior Measurements Wheelbase (in.) .ength (in.) leight (in.) Tack (in., front/rear) Curb Weight (lbs., MT/AT) EPA Mileage Estimatesi/Fuel Capacity -Speed Manual (City/Highway) -Speed Manual (City/Highway) -Speed Automatic (City/Highway) -Speed Automatic (City/Highway) -Speed Automatic (City/Highway) -Speed Security System Recurity System Recurity System With Power Window Control	54.2/46.1 12.8 91.1 105.1 187.6 55.7 71.3 61.1/61.2 3038/3100 26/34 24/34 17.1 Regular Unleaded Accessory Accessory	54.2/46.1 12.8 88.0 105.1 187.6 55.7 71.3 61.1/61.2 3073/3150 26/34 24/34 17.1 Regular Unleaded • 16" •	54.2/46.1 12.8 91.1 105.1 105.1 187.6 55.7 71.3 61.1/61.2 NA/3274 21/30 17.1 Regular Unleaded Accessory •	54.2/46.1 12.8 88.0 105.1 187.6 55.7 71.3 61.1/61.2 NA/3318 21/30 17.1 Regular Unleaded • 16" •	12.8 88.0 105.1 187.6 55.7 71.3 61.1/61.2 3285/NA 20/30 17.1 Regular Unleaded • 17" •
Shoulder Room (in., front/rear) Iiproom (in., front/rear) Cargo Volume (cu. ft.) Exterior Measurements Mheelbase (in.) ength (in.) Height (in.) Nidth (in.) Stack (in., front/rear) Curb Weight (lbs., MT/AIT) EFA Mileage Estimates†/Fuel Capacity ESpeed Manual (City/Highway) I-Speed Manual (City/Highway) I-Speed Automatic (City/Highway) I-Speed Automatic (City/Highway) I-Speed Automatic (City/Highway) I-Speed Fuel Exterior Features Newer Moonroof with Tilt Feature New System	54.2/46.1 12.8 91.1 105.1 187.6 55.7 71.3 61.1/61.2 3038/3100 26/34 24/34 17.1 Regular Unleaded Accessory Accessory •	54.2/46.1 12.8 88.0 105.1 187.6 55.7 71.3 61.1/61.2 3073/3150 26/34 24/34 17.1 Regular Unleaded • 16° •	54.2/46.1 12.8 91.1 105.1 187.6 55.7 71.3 61.1/61.2 NA/3274 21/30 17.1 Regular Unleaded Accessory •	54.2/46.1 12.8 88.0 105.1 187.6 55.7 71.3 61.1/61.2 NA/3318 21/30 17.1 Regular Unleaded • 16° •	12.8 88.0 105.1 187.6 55.7 71.3 61.1/61.2 3285/NA 20/30 17.1 Regular Unleaded • 17" •

*Does not apply to fluid and filter changes. See your owner's manual for details. †Based on 2004 EPA mileage estimates. Use for comparison purposes only. Actual mileage may vary.

Features

Comfort & Convenience	LX	EX	LX V-6	EX V-6	EX V-6 6-Spee
r Conditioning with Air-Filtration System	•	•	•		Extooopco
ial-Zone Automatic Climate Control System		(with Leather)		•	•
onda Satellite-Linked Navigation System [™] with Voice Activation ⁴		Available (with Leather)			Available Available
wer Windows with Auto-Up/Down Driver's Window	•	Available (with Lea	•	•	Available Available
uminated Power Window Switches	•	•	•	•	•
wer Door Locks	•	•	•	•	•
		•	•		•
uise Control	•		•	•	
ather-Wrapped Steering Wheel		(with Leather)		•	Perforated
uminum Shift Knob					•
eering Wheel-Mounted Audio Controls		•	•	•	•
It and Telescopic Steering Column	•	•	•	•	•
omeLink® Remote System ⁹				•	•
emium Interior Accents		•		•	Exclusive
enter Console with Sliding Armrest and Storage Compartments	•	•	•	•	•
ont Audio Storage (12 CD-case capacity)	•	•	•	•	•
everage Holders, Front and Rear <i>(6 total)</i>	•	•	•	•	•
al Illuminated Vanity Mirrors	•	•	•	•	•
terior Ambient Console Lighting		•		•	•
ap Lights	•	•	•	•	•
inglasses Holder	•	•	•	•	•
in Box	•	•	•	•	•
riable Intermittent Windshield Wipers	•	•	•	•	•
ckable Glove Compartment with Light	•	•	•	•	•
emote Trunk Release with Lock	•	•	•	•	•
ectronic Remote Trunk Release	•	•	•	•	•
ear Window Defroster	•	•	•	•	•
argo Area Light	•	•	•	•	•
por Mats	•	•	•	•	•
de Door Pockets with Integrated Beverage Holder	•	•	•	•	•
Seating					
ather-Trimmed Seats and Door Panel Inserts		Available		•	Perforated
eated Front Seats		(with Leather)		•	•
iver's Seat with 8-Way Power Adjustment		(with Leather)	•	•	•
iver's Seat Adjustable Lumbar Support		•		•	•
iver's Seat with Power Height Adjustment	Manual	•			
issenger-Side Walk-In Feature	•	•	•	•	•
1/40 Split Fold-Down Rear Seatback with Lock	•	•	•	•	•
Audio System					
0-Watt AM/FM/CD Audio System	with C Crassiens				
	WITH 6 Speakers				
0-Watt AM/FM/6-Disc In-Dash CD Changer Audio System	with 6 Speakers	with 6 Speakers	with 6 Speakers	with 6 Speakers	
0-Watt AM/FM/6-Disc In-Dash CD Changer Audio System	with 6 Speakers	with 6 Speakers	with 6 Speakers	with 6 Speakers	with 6 Speakers
0-Watt AM/FM/6-Disc In-Dash CD Changer Premium Audio System	with 6 Speakers	•	with 6 Speakers	·	with 6 Speakers
0-Watt AM/FM/6-Disc In-Dash CD Changer Premium Audio System N® Satellite Radio ²	with 6 Speakers	with 6 Speakers (with Leather)	with 6 Speakers	with 6 Speakers	with 6 Speakers •
0-Watt AM/FM/6-Disc In-Dash CD Changer Premium Audio System M® Satellite Radio ² nstrumentation	·	(with Leather)	·	•	•
0-Watt AM/FM/6-Disc In-Dash CD Changer Premium Audio System M® Satellite Radio ² nstrumentation ogressive Self-Illuminating Gauges	•	(with Leather)	•	•	•
0-Watt AM/FM/6-Disc In-Dash CD Changer Premium Audio System M® Satellite Radio ² nstrumentation ogressive Self-Illuminating Gauges chometer	•	(with Leather) •	•	•	•
0-Watt AM/FM/6-Disc In-Dash CD Changer Premium Audio System M® Satellite Radio ² nstrumentation ogressive Self-Illuminating Gauges chometer gital Odometer and Digital Trip Meters <i>(2)</i>	•	(with Leather) • •	•	•	•
0-Watt AM/FM/6-Disc In-Dash CD Changer Premium Audio System M® Satellite Radio ² nstrumentation ogressive Self-Illuminating Gauges chometer gital Odometer and Digital Trip Meters (2) el and Coolant Temperature Gauges	• • • • • •	(with Leather) • • •	•	•	•
0-Watt AM/FM/6-Disc In-Dash CD Changer Premium Audio System M® Satellite Radio ² nstrumentation ogressive Self-Illuminating Gauges chometer gital Odometer and Digital Trip Meters (2) el and Coolant Temperature Gauges oor- /Trunk-Open Indicator Light	• • • • • •	(with Leather)	• • • • • •	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •
0-Watt AM/FM/6-Disc In-Dash CD Changer Premium Audio System M® Satellite Radio ² nstrumentation ogressive Self-Illuminating Gauges chometer gital Odometer and Digital Trip Meters (2) lel and Coolant Temperature Gauges por- /Trunk-Open Indicator Light w-Oil-Pressure and Low-Brake-Fluid Indicator Lights	• • • • •	(with Leather)	• • • •	• • • • •	• • • • •
0-Watt AM/FM/6-Disc In-Dash CD Changer Premium Audio System M® Satellite Radio ² nstrumentation ogressive Self-Illuminating Gauges chometer gital Odometer and Digital Trip Meters (2) el and Coolant Temperature Gauges oor- /Trunk-Open Indicator Light	• • • • • •	(with Leather)	• • • • • •	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •
0-Watt AM/FM/6-Disc In-Dash CD Changer Premium Audio System M® Satellite Radio ² nstrumentation ogressive Self-Illuminating Gauges chometer gital Odometer and Digital Trip Meters (2) lel and Coolant Temperature Gauges por- /Trunk-Open Indicator Light w-Oil-Pressure and Low-Brake-Fluid Indicator Lights	• • • • •	(with Leather)	• • • •	• • • • •	• • • • •
0-Watt AM/FM/6-Disc In-Dash CD Changer Premium Audio System M® Satellite Radio ² nstrumentation ogressive Self-Illuminating Gauges chometer gital Odometer and Digital Trip Meters (2) el and Coolant Temperature Gauges or- /Trunk-Open Indicator Light w-Oil-Pressure and Low-Brake-Fluid Indicator Lights aintenance Interval Indicator	• • • • •	(with Leather)	• • • •	• • • • • •	• • • • •
0-Watt AM/FM/6-Disc In-Dash CD Changer Premium Audio System M® Satellite Radio ² nstrumentation ogressive Self-Illuminating Gauges chometer gital Odometer and Digital Trip Meters (2) lel and Coolant Temperature Gauges por- / Trunk-Open Indicator Light w-Oil-Pressure and Low-Brake-Fluid Indicator Lights aintenance Interval Indicator terior Temperature Indicator Safety	• • • • •	(with Leather)	• • • •	• • • • • •	• • • • •
0-Watt AM/FM/6-Disc In-Dash CD Changer Premium Audio System M® Satellite Radio ² nstrumentation ogressive Self-Illuminating Gauges chometer gital Odometer and Digital Trip Meters (2) el and Coolant Temperature Gauges bor- /Trunk-Open Indicator Light w-Oil-Pressure and Low-Brake-Fluid Indicator Lights aintenance Interval Indicator terior Temperature Indicator Safety Point Seat Belts at all Seating Positions	• • • • • • •	(with Leather)	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • •	• • • • • •
0-Watt AM/FM/6-Disc In-Dash CD Changer Premium Audio System M® Satellite Radio ² nstrumentation ogressive Self-Illuminating Gauges chometer gital Odometer and Digital Trip Meters (2) el and Coolant Temperature Gauges bor- /Trunk-Open Indicator Light w-Oil-Pressure and Low-Brake-Fluid Indicator Lights aintenance Interval Indicator terior Temperature Indicator Safety Point Seat Belts at all Seating Positions ont 3-Point Seat Belts with Automatic Tensioning System	• • • • • •	(with Leather)	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • •	• • • • • • • • • • • •
0-Watt AM/FM/6-Disc In-Dash CD Changer Premium Audio System	• • • • • • •	(with Leather)	• • • • •	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • •
0-Watt AM/FM/6-Disc In-Dash CD Changer Premium Audio System M® Satellite Radio ² nstrumentation ogressive Self-Illuminating Gauges chometer gital Odometer and Digital Trip Meters (2) le and Coolant Temperature Gauges bor- /Trunk-Open Indicator Light w-Oil-Pressure and Low-Brake-Fluid Indicator Lights aintenance Interval Indicator terior Temperature Indicator Safety Point Seat Belts at all Seating Positions ont 3-Point Seat Belts with Automatic Tensioning System ial-Stage Front Airbags (SRS) ont Side Airbags with Passenger-Side Occupant Position Detection System (OPDS	• • • • • • •	(with Leather)	• • • • • •	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •
0-Watt AM/FM/6-Disc In-Dash CD Changer Premium Audio System M® Satellite Radio ² nstrumentation ogressive Self-Illuminating Gauges chometer gital Odometer and Digital Trip Meters (2) lel and Coolant Temperature Gauges por-/Trunk-Open Indicator Light w-Oil-Pressure and Low-Brake-Fluid Indicator Lights aintenance Interval Indicator terior Temperature Indicator Safety Point Seat Belts at all Seating Positions ont 3-Point Seat Belts with Automatic Tensioning System Ial-Stage Front Airbags (SRS) ont Side Airbags with Passenger-Side Occupant Position Detection System (OPDS de Curtain Airbags	• • • • • • • • • • • • • • • • • • •	(with Leather)	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •
0-Watt AM/FM/6-Disc In-Dash CD Changer Premium Audio System M® Satellite Radio ² nstrumentation ogressive Self-Illuminating Gauges chometer gital Odometer and Digital Trip Meters (2) el and Coolant Temperature Gauges por- / Trunk-Open Indicator Light w-Oil-Pressure and Low-Brake-Fluid Indicator Lights aintenance Interval Indicator terior Temperature Indicator safety Point Seat Belts at all Seating Positions ont 3-Point Seat Belts with Automatic Tensioning System ual-Stage Front Airbags (SRS) ont Side Airbags with Passenger-Side Occupant Position Detection System (OPDS de Curtain Airbags		(with Leather)	• • • • • • • • •	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •
0-Watt AM/FM/6-Disc In-Dash CD Changer Premium Audio System M® Satellite Radio ² nstrumentation ogressive Self-Illuminating Gauges chometer gital Odometer and Digital Trip Meters (2) lel and Coolant Temperature Gauges por-/Trunk-Open Indicator Light w-Oil-Pressure and Low-Brake-Fluid Indicator Lights aintenance Interval Indicator terior Temperature Indicator Safety Point Seat Belts at all Seating Positions ont 3-Point Seat Belts with Automatic Tensioning System Ial-Stage Front Airbags (SRS) ont Side Airbags with Passenger-Side Occupant Position Detection System (OPDS de Curtain Airbags	• • • • • • • • • • • • • • • • • • •	(with Leather)	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •

**Available on EX models without leather.

¹Motor Trend, December 2002. ²XM[®] Satellite Radio available only in the 48 contiguous United States. The XM name is a registered trademark of XM Satellite Radio, Inc. ³Based on 2004 EPA mileage estimates. Use for comparison purposes only. Actual mileage may vary. ⁴Available only in the 48 contiguous United States. ⁵National Highway Traffic Safety Administration crash-test results as of June 2003. ⁶Tier 2 Bin 2 EPA certification as of June 2003. ⁷Based on a U.S. emissions study (2002) by the Union of Concerned Scientists. The Union of Concerned Scientists is an independent organization. Results do not imply endorsement of Honda or its products. ⁸ULEV-rated on V-6 models available in CA and Some Northeastern states. ⁹HomeLink[®] is a registered trademark of Prince Corporation, a wholly owned subsidiary of Johnson Controls.¹⁰
 ¹⁰3-Year/ 36,000-Mile Limited Warranty: Ordinary maintenance or adjustments, parts subject to normal wear and replacement, and certain items are excluded. See your Honda dealer for the terms and conditions of this limited warranty. Always use seat belts and appropriate child seats. Children are safest in the rear seat. Specifications, features, illustrations and equipment shown in this brochure are based upon the latest available information at the time of printing. Although descriptions are believed correct, accuracy cannot be guaranteed. American Honda Motor Co., Inc., reserves the right to make changes at any time, without notice or obligation, in colors, specifications, accessories, materials and models. Some features mentioned herein are not available in all areas. See your Honda dealer for details. California version differs slightly due to emission standards. Some vehicles may be shown with optional equipment. Available = Optional. NA = Not applicable. Honda, the H-mark symbol, Honda Care, Honda Satellite-Linked Navigation System, i-VTEC and VTEC are trademarks of Honda Motor Co., Ltd. ©2003 American Honda Motor Co., Inc.