

transform the future.

Why wait for tomorrow when you can hit fast-forward? That's what it's like slipping inside the all-new '06 Civic Coupe. Just one look tells you this is more than new. It's the shape of things to come – leading-edge looks backed up with more power, sharper handling and a bigger dose of high-tech than ever seen in a Civic. Plus, there's a new Si that can't wait to be unleashed. Welcome to tomorrow. You're going to like it here.

• original prior1-dx+ 1/k+ 9KSigne Signe TypinIndue 4 ScienceNationer AllyAllentioner AllyAllentioner AllyAllentioner AllyAllentioner AllyNationer AllyNa				
Input prod loging backby diversityIn line 4 cylonderIn line 4 cylonderDisplas Backby diversityAtamionAlayAtamionAlayAtamionAlayDisplas Backby diversity103410341034Displas Backby diversity103410341034Displas Backby diversity103410341034Displas Backby diversity103410341034Displas Backby diversity104410341034Displas Backby diversity104410441044Displas Backby diversity <td>a onginooring</td> <td>o dv</td> <td>.s.lv</td> <td></td>	a onginooring	o dv	.s.lv	
Equip Expension (see Address of Address				
Diplement (c)178178178Diplement (c)178178178178Harsewerk for (c) (c) of c) of c)1286.001286.00Harsewerk for (c) of c) of control1281286.001286.00Harsewerk for (c) of c) of control1818.1110.211781286.00Harsewerk for (c) of control181818.1110.2117818.1110.2117818.1110.2117818.1110.2117818.1110.2117818.1110.2117818.1117818.1117818.1117818.1118		•		
Hinspace Hold 0500 Hold 6300 Hold 6300 Decay Link 2: Port 2: USA 2:				
Targe (10.4 graph)128 0.00128 0.00128 0.00Stands16.5.116.5.116.5.116.5.1Wan Fam16.Van SDIC / VTCP16.Van SDIC / VTCP16.Van SDIC / VTCPWan Fam000Constrainty family Streint"000Constrainty family Streint000Constrainty family Streint000Constrainty family Streint000Constrainty family Streinty000Constrainty family Streinty000Constrainty family Streinty000Constrainty family Streinty000Streinty family Streinty000Constrainty family Streinty000Constrainty family Streinty000Constrainty family Streinty000Constrainty family Streinty000Constrainty family Streinty000Constrainty family Streinty00 <t< td=""><td></td><td></td><td></td><td></td></t<>				
Comparison Natio 10.5.1 10.5.1 10.5.1 10.5.1 Num Yang Mang Mang Mang Mang Mang Mang Mang M				
Value Trans16 Value SDRC / VTEC16 Value SDRC / VTEC16 Value SDRC / VTECDrue by Var Tarotic System "ARB Ensions formsStand Stand Sta				
Mich ParallapietinCARB Entails ReturnULV2ULV2ULV2Developing Network System"Developing Network System"Developing Network System"Seveloping Network System	· · ·			
Dine - you's Thronts System"Dine - System with Immoliter00Direct function System with Immoliter00Obto Multer of Monter Bulle Internation00- Castem Statematics-0- Speed Manal Stammission00- Speed Manal Stammission (realible)00- Speed Manal Stammission (realible)00- Speed Manal Stammission (realible)00- Sobdy Supprison Chassis-0- Subdy Supprison Chassis00- Subdy Supprison State for Supprison00- Subdy Supprison State for Supprison100- Subdy Supprison State for Supprison100- Subdy Supprison State for Supprison1010- Subdy Supprison State for Supprison State for Supprison1010- Subdy Supprison State for		16-Valve SOHC i-VTEC®	16-Valve SOHC i-VTEC	16-Valve SOHC i-VTEC
CARS EnclandsULEV 2ULEV 2ULEV 2ULEV 2DURDATIONE NON Time Lip Intrust 1••••* Lansantisation (available)••••* Spear Manual Transmission (available)••••* Durdy Stagension (Chassis Charget Spear Automater Transmission (available)••••* Durdy Stagension (Chassis Charget Spear Automater Transmission (available)•••••* Durdy Stagension (Chassis Charget Spear Automater Transmission (available)•••		•	•	•
Disc I group of Lange Angel An				
100.000 Miles or More Tune Up Instruct ¹¹ • • • • transmission Speed Mound Transmission Compact Speed Ausends Transmission (available) • • • • body Supparation Chassis Control Link Academission Control Link Control Link Control Control Link Control Contro Link Control Contro Link Control Control Link Control Control Li		ULEV-2	ULEV-2	ULEV-2
- Iransinisions - - - Seperit Algorith Annual Transmission (available) - - - Body Assamatic Transmission (available) - - - Budy Assamatic Transmission (available) - - - Statistica fram Transmission (available) - - - Budy Assamatic Transmission (available) - - - Budy Assamatin (available) - -<	Direct Ignition System with Immobilizer	•	•	•
5 Speed Khanul Transmission••5 Speed Khanul Transmission (waldul)••• body/suggension/chassis••• Ums Body Construction••• Construction (Markov Speed Trans Suggension (Section Speed Transmission Sp	100,000-Miles-or-More Tune-Up Interval†	•	•	•
5 Speed Khanul Transmission••5 Speed Khanul Transmission (waldul)••• body/suggension/chassis••• Ums Body Construction••• Construction (Markov Speed Trans Suggension (Section Speed Transmission Sp				
Compact Speek Automatic Inventibabl • • • body/supponsion/chassis • • Unbedya/construction • • Catator Link MacPherion Start Front Supponton • • Stabilizer Form Supponton • • Stabilizer Form Start Front Supponton • • Stabilizer Form Start Form Start Supponton • • Stabilizer Form Start Form Start Supponton • • Stabilizer Form Start Supponton • • • Stabilizer Form Start Supponton • • • Start St	→ transmissions			
>bdy/sepansion/chassis Unit-Box (Chastruction • • Unit-Box (Chastruction • • Cattruct-Link MacPharen Start (Ford Suspension • • Reactive-Link Double Wanhone Rear Suspension • • Prover Assisted Rear-soft (Ford Suspension) 25.4NA 25.4V1.0 25.4V1.0 Prover Assisted Rear-soft (Ford Suspension) 13.4 13.7 13.6 Daring Damatruc, Colta-to-Calif (Ford Covers) 13.4 13.7 13.6 Daring Damatruc, Colta-to-Calif (Ford Dace Soft (F) 33.4 13.4 13.6 Prover Assisted Weakler Ford Dace Soft (F) 33.4 13.4 13.6 Prover Assisted Veallace (Ford Dace Soft (F) 33.4 34.5 35.6 Prover Assisted Veallace (Ford Dace Soft (F) 10.37.9 10.37.9 10.37.9 Al-Season Tires P19565 R15 S8H P20555 R16 S8H <	5-Speed Manual Transmission	•	•	•
Unit Barly Construction • • Reactive Link Double Winkhows Rear Suppansion • • Reactive Link Double Winkhows Rear Suppansion • • Reactive Link Double Winkhows Rear Suppansion • • Power Assisted React-and-Finion Sterring 254/110 252/110 Steering Minel Turing Diameter, Lork to-Lork 273 2.67 2.67 Steering Minel Turing Lock to-Lork (ft) 35.4 35.4 35.4 Power Assisted Wentileed Front Disc/Rear Drum Brakes (fn, forth/rear) 10.37.9 10.37.9 10.37.0 Power Assisted Wentileed Front Disc/Rear Drum Brakes (fn, forth/rear) 10.37.9 10.37.9 10.37.0 Stassan Tres P19665 hit 5810 P2605 hit 5810 P2605 16.31.0 All Sassan Tres P1966 hit 5201 P2605 hit 5810 P2605 Stassan Tres P1966 hit 5201 P30.95.1 P30.42.0 Stassan Tres P1966 hit 5201 P30.95.1 P30.42.0 Stassan Tres P1960 hit 5201 P30.95.1 P30.42.0 Stassan Tres P1960 hit 5201 P30.95.1	Compact 5-Speed Automatic Transmission (available)	•	•	•
Unit Barly Construction • • Reactive Link Double Winkhows Rear Suppansion • • Reactive Link Double Winkhows Rear Suppansion • • Reactive Link Double Winkhows Rear Suppansion • • Power Assisted React-and-Finion Sterring 254/110 252/110 Steering Minel Turing Diameter, Lork to-Lork 273 2.67 2.67 Steering Minel Turing Lock to-Lork (ft) 35.4 35.4 35.4 Power Assisted Wentileed Front Disc/Rear Drum Brakes (fn, forth/rear) 10.37.9 10.37.9 10.37.0 Power Assisted Wentileed Front Disc/Rear Drum Brakes (fn, forth/rear) 10.37.9 10.37.9 10.37.0 Stassan Tres P19665 hit 5810 P2605 hit 5810 P2605 16.31.0 All Sassan Tres P1966 hit 5201 P2605 hit 5810 P2605 Stassan Tres P1966 hit 5201 P30.95.1 P30.42.0 Stassan Tres P1966 hit 5201 P30.95.1 P30.42.0 Stassan Tres P1960 hit 5201 P30.95.1 P30.42.0 Stassan Tres P1960 hit 5201 P30.95.1				
Chriterium Machener Strappansion••Stellure Link Outly Wishone Reak 2 Stappansion55Stellure Link Outly Wishone Reak 2 Stappansion22Stellure Link Outly Wishone Reak 2 Stappansion2.732.87Stering Ratio1.371.371.37Turning Diameter, Outl-to-Out R/L35.435.435.4Power Assisted Berning Ratio1.37.71.37.7Turning Diameter, Outl-to-Out R/L103.7.91.02.7.9Power Assisted Ventilede Font Disc/Stoll Rear Disc Brakes (in, front/rear)103.7.91.02.7.9Power Assisted Ventilede Font Disc/Stoll Rear Disc Brakes (in, front/rear)1.915.81.92.9.2.5Power Assisted Ventilede Font Disc/Stoll Rear Disc Brakes (in, front/rear)1.92.9.2.51.92.9.2.5Power Assisted Ventilede Font Disc/Stoll Rear Disc Brakes (in, front/rear)1.92.9.2.51.92.9.2.5Power Assisted Ventilede Font Disc/Stoll Rear Disc Brakes (in, front/rear)2.80.9.51.92.9.2.5All Season Tire Control1.92.9.2.51.92.9.2.51.92.9.2.1Power Assisted Ventilede Font Disc/Stoll Rear Disc Brakes (in, front/rear)2.80.9.52.80.9.51.92.9.2.1Stellure Rear Disc Brakes (in, front/rear)2.80.9.52.80.9.52.90.9.2.1Stellure Rear Disc Brakes (in, front/rear)2.80.9.52.90.9.2.11.9.9.9.9.1Stellure Rear Disc Brakes (in, front/rear)2.80.9.52.90.9.2.11.9.9.9.9.1Stellure Rear Disc Brakes (in, front/rear)2.80.9.52.90.9.2.11.9.9.9.9.1Stellure Rear Disc Brakes (in, front/r				
Reactive.like Duoble Wish Dear Supportion••Prover. Assited Rack- and Prinor Starring25 AlVL25 AlVLPower. Assited Rack- and Prinor Starring13.713.7Sterring Meal Turns, Dack-to Lock27.32.47Sterring Meal Turns, Dack-to Lock35.435.4Power. Assited Ventilated Front Disc/Solid Rear Dus Brakes (in, front/rear)10.37.910.37.9Wheals15 with Full Covers16 with Full Covers16 AlVLWheals15 with Full Covers16 With Full Covers16 AlVLAl-Sasan TirrisP19505 R18 SBHP20505 R18 SBH27.00- interior measurements-13.1011.15- startif Rack15 With Full Covers16 With Full Covers16 AlVLAl-Sasan TirrisP19505 R18 SBHP20505 R18 SBH27.00- startif Covers16 With Full Covers16 AlVL- startif Covers16 With Full Covers16 AlVL- startif Covers16 Startif38.02513.10.342.1- startif Covers16 Startif38.02513.10.342.1- startif Covers15 Startif3.04.92.25.30.492.2- Startif Covers11 511 511 5- Startif Covers10 A.310 A.310 A.3- Startif Covers10 A.310 A.310 A.3- Startif Covers16 All All All All All All All All All Al	Unit-Body Construction	•	•	•
Reactive.like Duoble Wish Dear Supportion••Prover. Assited Rack- and Prinor Starring25 AlVL25 AlVLPower. Assited Rack- and Prinor Starring13.713.7Sterring Meal Turns, Dack-to Lock27.32.47Sterring Meal Turns, Dack-to Lock35.435.4Power. Assited Ventilated Front Disc/Solid Rear Dus Brakes (in, front/rear)10.37.910.37.9Wheals15 with Full Covers16 with Full Covers16 AlVLWheals15 with Full Covers16 With Full Covers16 AlVLAl-Sasan TirrisP19505 R18 SBHP20505 R18 SBH27.00- interior measurements-13.1011.15- startif Rack15 With Full Covers16 With Full Covers16 AlVLAl-Sasan TirrisP19505 R18 SBHP20505 R18 SBH27.00- startif Covers16 With Full Covers16 AlVL- startif Covers16 With Full Covers16 AlVL- startif Covers16 Startif38.02513.10.342.1- startif Covers16 Startif38.02513.10.342.1- startif Covers15 Startif3.04.92.25.30.492.2- Startif Covers11 511 511 5- Startif Covers10 A.310 A.310 A.3- Startif Covers10 A.310 A.310 A.3- Startif Covers16 All All All All All All All All All Al	Control-Link MacPherson Strut Front Suspension	•	•	•
Sabilar Bar (mn, frant/ran/)25,4NA25,4N125,4N1Shering Miner Turs, Lock out-out-out-out-out-out-out-out-out-out-		•	•	•
Power Assited Rek- and Prinor Steering•••Steering Maci13.713.713.7Steering Maci13.713.713.7Steering Maci35.435.435.4Power Assited Veniltate Fron Disc/Solid Rear Disc Brakes (in, front/ear)10.37.910.37.9Wheads15 with Full Covers16 with Full Covers16 AlloyAll-Saasan TiresP19 with Full Covers16 With Full Covers16 AlloySaad Cover Assited Weinter15 with Full Covers16 Alloy17 AlloySaad Cover Assited Weinter15 With Full Covers16 With Full Covers16 AlloySaad Cover Assited Weinter38 Alloy38 Alloy28 AlloySaad Cover Assited Weinter15 Statt38 Alloy28 AlloySaad Cover Assited Weinter15 Statt15 Statt15 StattSaad Cover Assited Weinter104.3104.3104.3104.3Saad Cover Assited Weinter16 Alloy16 Alloy16 AlloySaad Cover Assited Weinter16 Alloy16 Alloy16 AlloySaad Cover Assited Weinter10 Alloy10 Alloy10 AlloySaad Cover Assited Weinter16 Alloy16 Alloy16 Alloy		25.4/NA	25.4/11.0	25.4/11.0
Steering Rule 2.73 2.67 2.67 Steering Rule 13.7 13.7 13.7 Turning Diameter, Curt-to-Cub (fL) 35.4 35.4 35.4 Power-Assited Vernilated From Disk, Solid Raar Disc Brakes (in, forn(trear) 10.37.9 102.7.9 Power-Assited Vernilated From Disk, Solid Raar Disc Brakes (in, forn(trear) 15 'with Full Covers 16 'with Full Covers Al-Sease Tires P19505 R16 89H P20505 R16 89H P20505 R16 89H - Interior measurements - - - Headsonn (in, forn(trear) 38.0.05.1 38.0.05.1 38.042.1 Soldert Roan (in, forn(trear) 55.049.2 53.0442.1 53.042.1 Carpa Volume (in, forn(trear) 50.049.2 53.044.2 53.044.2 Carpa Volume (in, forn(trear) 5 5 5 - Solder Roan (in, forn(trear) 10.5 11.5 11.5 Passenger Volume (in, forn(trear) 50.049.2 50.049.2 50.049.2 - Solder Roan (in, forn(trear) 50.049.2 50.049.2 50.049.2 - Solder Roan (in, forn(trear) 50.049.2 <td></td> <td></td> <td></td> <td></td>				
Steering Pation 13.7 13.7 13.7 Turning Diametry, Cubin-Cub (Ir/) 35.4 35.4 35.4 Power-Assisted Vanilated Front Disc/Solid Rear Disc Brakes (in, front/rear) 10.307.9 103.012 Whends 15 'with Full Covers 16 'with Full Covers 16 'with Full Covers All-Season Tires 19'90565 R18 98H P205055 R18 98H P205055 R18 98H Ontering Contract, Covers 15' with Full Covers 16' with Full Covers 16' with Full Covers Interior measurements				
Turning Diameter, CurbG. Curb. (ht.) 35.4 35.4 35.4 Power.Asside Vanilated From User, Kear (ht., Tr., Arriver) 10.371.9 10.371.9 Power.Asside Vanilated From User, Kear (ht., Tr., Arriver) 10.371.9 10.371.9 Power.Asside Vanilated From User, Kear (ht., Tr., Arriver) 10.371.9 10.371.9 AI-Seasen Tires P195/05.816.89H P205/05.816.89H P205/05.816.89H Pomer.Asside Vanilated From User, Vanilated From Us				
Power Assisted Ventilaed Front Disc/Rear Dum Brakes (in, Innt/rear) 10.37.9 10.37.9 Wheels 15' winh Full Covers 16' winh Full Covers 16' winh Full Covers 16' winh Full Covers 16' Alloy Al-Season Tires P1956/58 18 98H P205/55 18 69H P205/55 816 89H P205/55 816 89H Al-Season Tires P1956/68 18 99H P205/55 816 89H P205/55 816 89H P205/55 816 89H Interior measurements Interior Main Covers 38.0025 1 35.0042 3 42.60.03 Shoulder Boon (in, font/rear) 42.60,03 42.60.03 42.60.03 42.60.03 Shoulder Boon (in, font/rear) 53.952.1 53.952.1 53.952.1 53.952.1 Shoulder Boon (in, font/rear) 53.052.1 53.052.1 50.052.1 Passenger Volume (a. f.) 53.052.1 53.052.1 50.052.1 Passenger Volume (a. f.) 53.052.1 53.052.1 50.052.1 Passenger Volume (a. f.) 15.0 11.5 11.5 11.5 Passenger Volume (a. f.) 53.052.1 53.052.1 53.052.1 50.052.1 Passenger Volume (a. f.) <td></td> <td></td> <td></td> <td></td>				
Power Assisted Venilated Force Disc/Solid Rear Disc Brakes (m., front/rear) 15 wink Full Covers 16 win				55.4
Wheels 15' with Full Covers 16' with Full Covers 16' Aloy All-Season Tires P195/65 R18 59H P205/55 R16 69H P205/55 R16 69H > interior measurements		10.3/1.3	10.3/7.9	10 0/10 0
Al-Season Tires P19565 R15 89H P205/55 R16 89H P205/55 R15/55 R15/55 R16 89H P205/55 R16 89H P205/55 R16 89H P			10" it 5 11 0	
• interior measurements Headroom (in., frant/rear) 38.0/35.1 38.0/35.1 37.0/37.1 Legroom (in., frant/rear) 42.6/30.3 42.6/30.3 42.6/30.3 Signuder Room (in., frant/rear) 53.9/52.1 53.9/52.1 53.9/52.1 Biouder Room (in., frant/rear) 53.9/52.1 53.9/52.1 53.9/52.1 Grag Volume (cu. ft.) 11.5 11.5 11.5 Passenger Volume (cu. ft.) 83.7 83.7 83.0 Sating Capacity 5 5 5 • exterior measurements - - - Wheelbase (in) 104.3 104.3 104.3 Longth (in.) 174.8 174.8 174.8 Wheelbase (in.) 53.5 53.5 53.5 Track (in., frant/rear) 58.0/80.1 59.0/80.1 59.0/80.1 Carb Weight (in.) 68.9 68.9 68.9 Track (in., frant/rear) 59.0/80.1 59.0/80.1 59.0/80.1 Carb Weight (in.) 13.2 13.2 13.2 Paileage estimates'/fu				· · · · · · · · · · · · · · · · · · ·
Headroom (in., front/rear) 38 0,051 38 0,051 37 8/44 7 Legroom (in., front/rear) 42 6/30.3 42 6/30.3 42 6/30.3 Binudier Room (in., front/rear) 53 9/52 1 53 9/52 1 53 9/52 1 Binudier Room (in., front/rear) 53 0/42 2 53 0/44 2 53 0/44 2 Carp Volume (cu. ft.) 11.5 11.5 11.5 Passenger Volume (cu. ft.) 83.7 83.7 83.0 Seating Capacity 5 5 5 I Attion (in., front/rear) 83.7 83.7 83.0 Seating Capacity 5 5 5 I Attion (in., front/rear) 83.7 83.0 11.5 Passenge Solume (cu. ft.) 83.7 83.0 6 Seating Capacity 5 5 5 5 I Attion (in.) 174.8 174.8 174.8 174.8 Length (in.) 174.8 174.8 174.8 174.8 Length (in.) 58.0 60.1 58.0 60.1 58.0 60.1 58.0 60.1 Lonb Weight (iss., MT/AT) 298.0 258.5 2864/2716 2701/2767 12.0 <	All-Season Tires	P195/65 R15 89H	P205/55 K16 89H	P205/55 R16 89H
Headroom (in., front/rear) 38 0,051 38 0,051 37 8/44 7 Legroom (in., front/rear) 42 6/30.3 42 6/30.3 42 6/30.3 Binudier Room (in., front/rear) 53 9/52 1 53 9/52 1 53 9/52 1 Binudier Room (in., front/rear) 53 0/42 2 53 0/44 2 53 0/44 2 Carp Volume (cu. ft.) 11.5 11.5 11.5 Passenger Volume (cu. ft.) 83.7 83.7 83.0 Seating Capacity 5 5 5 I Attion (in., front/rear) 83.7 83.7 83.0 Seating Capacity 5 5 5 I Attion (in., front/rear) 83.7 83.0 11.5 Passenge Solume (cu. ft.) 83.7 83.0 6 Seating Capacity 5 5 5 5 I Attion (in.) 174.8 174.8 174.8 174.8 Length (in.) 174.8 174.8 174.8 174.8 Length (in.) 58.0 60.1 58.0 60.1 58.0 60.1 58.0 60.1 Lonb Weight (iss., MT/AT) 298.0 258.5 2864/2716 2701/2767 12.0 <	a interior measurements			
Legroom (in, front/rear) 42,6/0.3 42,6/0.3 42,6/0.3 Shoulder Room (in, front/rear) 53,9/52.1 53,9/52.1 53,9/52.1 Shoulder Room (in, front/rear) 53,0/49.2 53,0/49.2 53,0/49.2 Cargo Volumo (cu. ft.) 11.5 11.5 11.5 Passenger Volume (cu. ft.) 83,7 83,7 83,0 Seating Capacity 5 5 5 • exterior measurements		20.0/25.1	20.0/2E 1	7 10/01 7
Shadlar Rom (in, frant/rear) 53 9/521 53 9/521 53 9/521 Hiproom (in, frant/rear) 53 0/49.2 53 0/49.2 53 0/49.2 Cargo Volume (cu. ft.) 11.5 11.5 11.5 Passenger Volume (cu. ft.) 83 7 83 7 83 0 Seating Capacity 5 5 5 - exterior measurements - - - Wheelbase (in.) 104.3 104.3 104.3 104.3 Length (in.) 174.8 174.8 174.8 174.8 Wide lbas, (fn./rear) 59 0.60.1 59/06.1 59/06.1 Carbo Weight (lbs., MT/AT) 2533/2555 2654/2716 2701/2767 - epa mileage estimates '/fuel capacity 50/06.1 50/06.1 50/06.1 - Speed Manual (City/Highway) 30/38 30/38 30/38 5 - Speed Manual (City/Highway) 30/40 30/40 30/40 30/40 30/40 Feedurator (City/Highway) 30/38 30/38 30/38 30/38 30/38 30/38 30/38 30/				
Hiproon (in., front/rear) 53.0/49.2 53.0/49.2 53.0/49.2 Cargo Volume (cu. ft.) 11.5 11.5 11.5 Passenger Volume (cu. ft.) 83.7 83.7 83.0 Seating Capacity 5 5 5 - exterior measurements - - - Wheeloase (in.) 104.3 104.3 104.3 Length (in.) 174.8 174.8 174.8 Higt (in.) 35.5 55.5 55.5 Vidth (in.) 68.9 68.9 68.9 Track (in., front/rear) 59.0/60.1 59.0/60.1 59.0/60.1 Carb Weight (liks, MT/AT) 259.0/255 256.4/2716 270.1/2767 - epa mileage estimates //fuel capacity 50.0/60.1 59.0/60.1 59.0/60.1 Seade Automatic (Citty/Highway) 30/38 30/38 30/38 30/38 S-Speed Maunatic (Citty/Highway) 30/40 30/40 30/40 30/40 Fuel gal./ Regular Unleaded Regular Unleaded Regular Unleaded Regular Unleaded Seade Maunatic (Citty/Highway) 30/38 50/38 5 <td< td=""><td></td><td></td><td></td><td></td></td<>				
Cargo Volume (cu. ft.) 11.5 11.5 11.5 Passenger Volume (cu. ft.) 83.7 83.7 83.7 Setting Capacity 5 5 • exterior measurements - - Wheebase (in.) 104.3 104.3 104.3 Length (in.) 174.8 174.8 174.8 Height (in.) 53.5 53.5 53.5 Whethose (in., font/rear) 50.9(60.1 50.9(60.1 50.9(60.1 Carb Veight (ibs., MT/AT) 293.72655 2654.2716 2701/2767 • opm inleage estimates //fuel capacity - - - 5 Speed Anomatic (Citty/Highway) 30/48 30/38 30/38 30/38 5 Speed Anomatic (Citty/Highway) 30/40 30/40 30/40 - Fequired Fuel Regular Unleaded Regular Unleaded Regular Unleaded Fequire Fuel 13.2 13.2 13.2 160-Watt AM/FM/CD Audio System with 6 Speekers - - 360-Watt AM/FM/CD Audio System with 6 Speekers - -				
Passenger Volume (cu. ft.) 83.7 83.7 83.0 Seating Capacity 5 5 5 • exterior measurements - - - Wheelbase (in) 104.3 104.3 104.3 Length (in.) 174.8 174.8 174.8 Height (in.) 68.9 68.9 68.9 Victh (in.) 59.0%0.1 59.0%0.1 59.0%0.1 Curb Weight (lbs., MT/AT/T) 259.0%0.1 59.0%0.1 59.0%0.1 Seating estimates //fuel capacity 2701/2767 2701/2767 I explaine age estimates //fuel capacity 30/38 30/38 30/38 Sespeed Automatic (Citry/Highway) 30/40 30/40<				
Seating Capacity 5 5 • exterior measurements				
• exterior measurements Wheelbase (in.) 104.3 104.3 104.3 Length (in.) 174.8 174.8 174.8 Height (in.) 53.5 53.5 53.5 Vidth (in.) 68.9 68.9 68.9 Track (in., front/rear) 59.0/60.1 59.0/60.1 59.0/60.1 Curb Weight (ibs., MT/AT) 2583/2655 2654/2716 2701/2767 • epa mileage estimates!/fuel capacity - - - • speed Manual (City/Highway) 30/38 30/38 30/38 - • Speed Manual (City/Highway) 30/40 30/40 30/40 30/40 • Speed Manual (City/Highway) 30/38 30/38 30/38 - • Speed Manual (City/Highway) 30/40 30/40 30/40 - • Speed Manual (City/Highway) 30/40 30/40 - - • Speed Manual (City/Highway) 30/40 30/40 - - • Speed Acture Fuel Regular Unleaded Regular Unleaded Regular Unleaded - • Other MUFMXCD Actio System with 6 Speakers - - -				
Wheelbase (in.) 104.3 104.3 104.3 Length (in.) 174.8 174.8 174.8 Height (in.) 53.5 53.5 53.5 Width (in.) 68.9 68.9 68.9 Track (in., front/rear) 59.0/60.1 59.0/60.1 59.0/60.1 Curb Weight (ibs., MT/AT) 2593/2655 2654/2716 2701/2767 - epa mileage estimates '/fuel capacity - - - - spae mileage estimates '/fuel capacity 30/38 30/38 30/38 5-Speed Automatic (City/Highway) 30/30 30/40 30/40 5-Speed Automatic (City/Highway) 30/40 30/40 30/40 Feedured Fuel Regular Unleaded Regular Unleaded Regular Unleaded - audio system with 6 Speakers - - - 350-Watt AW/FM/CD Audio System with 6 Speakers - - - 160-Watt AW/FM/CD Audio System with 6 Speakers - - - 350-Watt AW/FM/XM Ready ^{*3} /CD Premium Audio System - - - 160-Watt AW/FM/	Seating Capacity	5	5	5
Wheelbase (in.) 104.3 104.3 104.3 Length (in.) 174.8 174.8 174.8 Height (in.) 53.5 53.5 53.5 Width (in.) 68.9 68.9 68.9 Track (in., front/rear) 59.0/60.1 59.0/60.1 59.0/60.1 Curb Weight (ibs., MT/AT) 2593/2655 2654/2716 2701/2767 - epa mileage estimates '/fuel capacity - - - - spae mileage estimates '/fuel capacity 30/38 30/38 30/38 5-Speed Automatic (City/Highway) 30/30 30/40 30/40 5-Speed Automatic (City/Highway) 30/40 30/40 30/40 Feedured Fuel Regular Unleaded Regular Unleaded Regular Unleaded - audio system with 6 Speakers - - - 350-Watt AW/FM/CD Audio System with 6 Speakers - - - 160-Watt AW/FM/CD Audio System with 6 Speakers - - - 350-Watt AW/FM/XM Ready ^{*3} /CD Premium Audio System - - - 160-Watt AW/FM/				
Length (in.) 174.8 174.8 174.8 Height (in.) 53.5 53.5 53.5 Width (in.) 68.9 68.9 68.9 Track (in., iront/rear) 59.0/60.1 59.0/60.1 59.0/60.1 Curb Weight (lbs., MT/AT) 2593/2655 2654/2716 2701/2767 → epa mileage estimates'/fuel capacity - - - 5-Speed Automatic (Citry/Highway) 30/38 30/38 30/38 5-Speed Automatic (Citry/Highway) 30/40 30/40 30/40 Fuel (ga.) 13.2 13.2 13.2 Required Fuel Regular Unleaded Regular Unleaded Regular Unleaded → audio systems - - - - 160-Watt AM/FM/CD Audio System with 6 Speakers - - - - 350-Watt AM/FM/CD Audio System with 6 Speakers - - - - 360-Watt AM/FM/CD Audio System with 6 Speakers - - - - 350-Watt AM/FM/CD Audio System with 6 Speakers - - -				
Height (in.) 53.5 53.5 53.5 Width (in.) 68.9 68.9 68.9 Track (in., front/rear) 59.0/60.1 59.0/60.1 59.0/60.1 Curb Weight (lbs., MT/AT) 2593/2655 2564/2716 2201/2767 Speed Manual (Chy/Highway) 30/38 30/38 30/38 5-Speed Automatic (Chy/Highway) 30/40 30/40 30/40 5-Speed Automatic (Chy/Highway) 30/40 30/40 30/40 5-Speed Automatic (Chy/Highway) 13.2 13.2 13.2 Fuel (gal.) Regular Unleaded Regular Unleaded Regular Unleaded Fuel (gal.) Regular Unleaded Regular Unleaded Regular Unleaded 55-Watt AM/FM/CD Audio System with 6 Speakers - - 55-Watt AM/FM/XM Ready ^{*3} /CD Premium Audio System - - 55-Watt AM/FM/XM Ready ^{*3} /CD Premium Audio System - - 56-Watt AM/FM/XM Ready ^{*3} /CD Premium Audio System - - 709/Windows Media ^{**} Audio [*] (Madia [*]) MuA) Playback Capability - - MP3/Auxiliary Input Jack - - - XM* Satellite Radia ³				
With (in.) 68.9 68.9 68.9 68.9 Track (in., front/rear) 59.0/60.1 59.0/60.1 59.0/60.1 Curb Weight (lbs., MT/AT) 2593/2655 2654/2716 2701/2767 → epa mileage estimates'/fuel capacity				
Track (in., front/rear)59.0/60.159.0/60.159.0/60.1Curb Weight (lbs., MT/AT)2593/26552654/27162701/2767→ epa mileage estimates'/fuel capacity5-Speed Automatic (City/Highway)30/3830/3830/385-Speed Automatic (City/Highway)30/4030/4030/405-Speed Automatic (City/Highway)30/4030/4030/40Fuel (gal.)13.213.213.2Required FuelRegular UnleadedRegular UnleadedRegular Unleaded→ audio systems•••160-Watt AM/FM/CD Audio System with 6 Speakers••50-Watt AM/FM/XM Ready ^{®3} /CD Premium Audio System••MP3/Windows Media [™] Audio ⁴ (WMA) Playback Capability•••MP3/Auxiliary Input Jack••Navigation ModelsWelcome Screen/CD Text Display Capability•••				
Curb Weight (lbs., MT/AT) 2593/2655 2654/2716 2701/2767 -> epa mileage estimates '/fuel capacity -> >> <td></td> <td></td> <td></td> <td></td>				
-> epa mileage estimates'/fuel capacity 5-Speed Manual (<i>City/Highway</i>) 30/38 30/38 30/38 5-Speed Automatic (<i>City/Highway</i>) 30/40 30/40 30/40 Fuel (gal.) 13.2 13.2 13.2 Required Fuel Regular Unleaded Regular Unleaded Regular Unleaded -> audio systems - - - 160-Vatt AW/FM/CD Audio System with 6 Speakers - - 350-Watt AW/FM/XM Ready ^{e3} /CD Premium Audio System - - with 7 Speakers, Including Subwoofer - - MP3/Auxiliary Input Jack - - - XM* Satellite Radio ³ - - - Digital Audio-Card Reader Navigation Models Navigation Models Welcome Screen/CD Text Display Capability - - -				
5-Speed Automatic (City/Highway) 30/38 30/38 30/38 5-Speed Automatic (City/Highway) 30/40 30/40 30/40 5-Speed Automatic (City/Highway) 30/40 30/40 30/40 Fuel (gal.) 13.2 13.2 13.2 Required Fuel Regular Unleaded Regular Unleaded Regular Unleaded * audio systems • • • 160-Watt AM/FM/CD Audio System with 6 Speakers • • • 50-Watt AM/FM/XD Ready® 3/CD Premium Audio System • • • MP3/Windows Media™ Audio ⁴ (WMA) Playback Capability • • • MP3/Auxiliary Input Jack • • • • XM* Satellite Radio ³ • Navigation Models Navigation Models Uigital Audio-Card Reader • Navigation Models Welcome Screen/CD Text Display Capability • • •	Curb Weight (Ibs., MT/AT)	2593/2655	2654/2716	2701/2767
5-Speed Automatic (City/Highway) 30/38 30/38 30/38 5-Speed Automatic (City/Highway) 30/40 30/40 30/40 5-Speed Automatic (City/Highway) 30/40 30/40 30/40 Fuel (gal.) 13.2 13.2 13.2 Required Fuel Regular Unleaded Regular Unleaded Regular Unleaded * audio systems • • • 160-Watt AM/FM/CD Audio System with 6 Speakers • • • 50-Watt AM/FM/XD Ready® 3/CD Premium Audio System • • • MP3/Windows Media™ Audio ⁴ (WMA) Playback Capability • • • MP3/Auxiliary Input Jack • • • • XM* Satellite Radio ³ • Navigation Models Navigation Models Uigital Audio-Card Reader • Navigation Models Welcome Screen/CD Text Display Capability • • •				
5-Speed Automatic (<i>City/Highway</i>) 30/40 30/40 30/40 Fuel (gal.) 13.2 13.2 13.2 Required Fuel Regular Unleaded Regular Unleaded Regular Unleaded * audio systems • • • 160-Watt AW/FM/CD Audio System with 6 Speakers • • 350-Watt AM/FM/XM Ready®3/CD Premium Audio System • • With 7 Speakers, Including Subwoofer • • MP3/Auxiliary Input Jack • • XM* Satellite Radio ³ Navigation Models • Digital Audio-Card Reader Navigation Models Navigation Models Welcome Screen/CD Text Display Capability • • •				
Fuel (gal.) 13.2 13.2 13.2 Required Fuel Regular Unleaded Regular Unleaded Regular Unleaded -> audio systems - - 160-Vatt AM/FM/CD Audio System with 6 Speakers - - 350-Watt AM/FM/XM Ready®3/CD Premium Audio System - - with 7 Speakers, Including Subwoofer - - MP3/Auxiliary Input Jack - - XM* Satellite Radio ³ - - Digital Audio-Card Reader Navigation Models Welcome Screen/CD Text Display Capability - -				
Required Fuel Regular Unleaded Regular Unleaded → audio systems -> audio system with 6 Speakers -> audio System with 6 Speakers 350-Watt AW/FM/CD Audio System with 6 Speakers -> audio system with 6 Speakers 350-Watt AW/FM/XM Ready*3/CD Premium Audio System with 7 Speakers, Including Subwoofer -> audio system with 7 Speakers, Including Subwoofer MP3/Auxiliary Input Jack -> audio * XM* Satellite Radio³ -> audio * Digital Audio-Card Reader Navigation Models Welcome Screen/CD Text Display Capability -> audio *				
→ audio systems 160-Watt AM/FM/CD Audio System with 6 Speakers 350-Watt AM/FM/CD Audio System with 6 Speakers 350-Watt AM/FM/CD Ready [®] /CD Premium Audio System with 7 Speakers, Including Subwoofer MP3/Windows Media [™] Audio ⁴ (WMA) Playback Capability MP3/Auxiliary Input Jack XM* Satellite Radio ³ Digital Audio-Card Reader Welcome Screen/CD Text Display Capability • • •				
160-Watt AM/FM/CD Audio System with 6 Speakers • 350-Watt AM/FM/XM Ready®3/CD Premium Audio System with 7 Speakers, Including Subwoofer • MP3/Windows Media™ Audio4 (WMA) Playback Capability • MP3/Auxiliary Input Jack • XM® Satellite Radio3 • Digital Audio-Card Reader Navigation Models Welcome Screen/CD Text Display Capability •	Required Fuel	Regular Unleaded	Regular Unleaded	Regular Unleaded
160-Watt AM/FM/CD Audio System with 6 Speakers • 350-Watt AM/FM/XM Ready®3/CD Premium Audio System with 7 Speakers, Including Subwoofer • MP3/Windows Media™ Audio4 (WMA) Playback Capability • MP3/Auxiliary Input Jack • XM® Satellite Radio3 • Digital Audio-Card Reader Navigation Models Welcome Screen/CD Text Display Capability •				
350-Watt AM/FM/XM Ready*3/CD Premium Audio System • with 7 Speakers, Including Subwoofer • MP3/Windows Media ¹⁰⁴ (WMA) Playback Capability • • MP3/Auxiliary Input Jack • • MP3/Auxiliary Input Jack • • XM* Satellite Radio ³ Navigation Models Digital Jaudio-Card Reader Navigation Models Welcome Screen/CD Text Display Capability • •				
with 7 Speakers, Including Subwoofer • MP3/Windows Media [™] Audio ⁴ (WMA) Playback Capability • MP3/Auxiliary Input Jack • XM* Satellite Radio ³ • Digital Audio-Card Reader Navigation Models Welcome Screen/CD Text Display Capability •			•	
with 7 Speakers, Including Subwoofer MP3/Windows Media^w Audia⁴ (WMA) Playback Capability MP3/Auxiliary Input Jack MP3/Auxiliary Input Jack Navigation Models Digital Audio-Card Reader Navigation Models Welcome Screen/CD Text Display Capability e 				
MP3/Auxiliary Input Jack • • XM® Satellite Radio ³ Navigation Models Digital Audio-Card Reader Navigation Models Welcome Screen/CD Text Display Capability • •	with 7 Speakers, Including Subwoofer			-
MP3/Auxiliary Input Jack • • XM® Satellite Radio ³ Navigation Models Digital Audio-Card Reader Navigation Models Welcome Screen/CD Text Display Capability • •	MP3/Windows Media™ Audio ⁴ (WMA) Playback Capability		•	•
XM® Satellite Radio ³ Navigation Models Digital Audio-Card Reader Navigation Models Welcome Screen/CD Text Display Capability • •			•	•
Digital Audio-Card Reader Navigation Models Welcome Screen/CD Text Display Capability • •				Navigation Models
Welcome Screen/CD Text Display Capability • •				
			•	-
			•	



Your dealer's team of trained technicians is at the ready to help keep your Honda in superb shape. All 2006 Honda vehicles - and any Genuine Honda Accessories installed at the time of purchase-are covered by the 3-year/36,000-mile New-Vehicle Limited Warranty.6 Plus, Honda cars and trucks are covered by a 5-year/60,000-mile Limited Powertrain Warranty, too. For more information or assistance, see your Honda dealer or please give us a call at 1-800-33-Honda.

HONDA

Financial Services

Whether you wish to buy or lease a Honda vehicle, Honda Financial Services can assist you with the process. Please ask your dealer which lease or purchase plan best suits your needs.



Honda Care™ is an affordable, comprehensive vehicle and travel protection plan backed by Honda reliability, service and parts. Please see your Honda dealer for details.

*Horsepower and torque calculations reflect new SAE J1349 procedures revised August, 2004. †Does not apply to fluid and filter changes. Exact mileage is determined by actual driving conditions. Please see your owner's manual for more details.

→ safety	→ dx	→ x	→ ex
3-Point Seat Belts at All Seating Positions	•	•	•
Front 3-Point Seat Belts with Automatic Tensioning System	•	•	•
Driver's and Front Passenger's Seat-Belt Reminder	•	•	•
Dual-Stage, Dual-Threshold Front Airbags (SRS)	•	•	•
Front Side Airbags with Passenger-Side Occupant Position Detection System (OPDS)	•	•	•
Side Curtain Airbags	•	•	•
Active Head Restraints	•	•	•
Anti-Lock Braking System (ABS)	•	•	•
Electronic Brake Distribution (EBD)	•	•	•
Daytime Running Lights (DRL)	•	•	•
Side-Impact Door Beams	•	•	•
Outboard Lower Anchors and Tethers for Children (LATCH)	•	•	•
Emergency Trunk Opener	•	•	•
→ exterior features			
One-Touch Power Moonroof with Tilt Feature			•
Integrated Rear-Window Antenna	•	•	•
Security System with Remote Entry		•	with Trunk Release
Manually Operated Side Mirrors	•		
Body-Colored Power Side Mirrors		•	•
2-Speed/Intermittent Windshield Wipers	•	•	
Variable Intermittent Windshield Wipers			•
Impact-Absorbing Body-Colored Bumpers	•	•	•
Multi-Reflector Halogen Headlights	•	•	•
Body-Colored Rear Decklid Spoiler	•	•	•
Chrome Exhaust Finisher			•
Body-Colored Door Handles		•	•
-> comfort & convenience			
Air Conditioning with Air-Filtration System		•	•
Honda Satellite-Linked Navigation System ^{™2} with Voice Recognition		•	Available
Power Windows	•		Available
Power Windows with Auto-Up/Down Driver's Window	•	•	•
Power Door Locks with Auto-Dock Feature		•	•
Cruise Control		•	•
Steering Wheel-Mounted Controls		Cruise	Cruise/Audio/Navi (available)
Tilt and Telescopic Steering Column	•	•	•
Beverage Holders (front and rear)	•	•	•
Center Console with Sliding Armrest and Storage Compartment	Console/Storage	•	•
Door-Pocket Storage Bins	•	•	•
Passenger-Side Seatback Pocket	•	•	•
Satin-Finish Door-Handle Pulls		•	•
Headlights-On Reminder	•	•	•
Driver's and Front Passenger's Vanity Mirrors	•	•	•
Ambient Console Lighting	•	•	Blue
Map Lights		•	•
12-Volt Power Outlet	Front	Front	Front and Center Console
Rear Window Defroster with Timer	•	•	•
	•	•	•
→ seating			
→ seating Driver's Seat with Manual Height Adjustment	•	•	•
	•	•	•
Driver's Seat with Manual Height Adjustment			
Driver's Seat with Manual Height Adjustment Reclining Front Seatbacks	•	•	•
Driver's Seat with Manual Height Adjustment Reclining Front Seatbacks Adjustable Head Restraints	•	•	•
Driver's Seat with Manual Height Adjustment Reclining Front Seatbacks Adjustable Head Restraints Fold-Down Rear Seatback Passenger-Side Walk-In Feature	•	• • •	• • 60/40 Split
Driver's Seat with Manual Height Adjustment Reclining Front Seatbacks Adjustable Head Restraints Fold-Down Rear Seatback Passenger-Side Walk-In Feature → instrumentation	• • •	• • • with Memory	• 60/40 Split with Memory
Driver's Seat with Manual Height Adjustment Reclining Front Seatbacks Adjustable Head Restraints Fold-Down Rear Seatback Passenger-Side Walk-In Feature instrumentation Two-Tier Instrument Panel	• • • •	• • • with Memory •	• 60/40 Split with Memory •
Driver's Seat with Manual Height Adjustment Reclining Front Seatbacks Adjustable Head Restraints Fold-Down Rear Seatback Passenger-Side Walk-In Feature instrumentation Two-Tier Instrument Panel Backlit Gauges	• • • Blue	• • with Memory • Blue	• 60/40 Split with Memory • Blue
Driver's Seat with Manual Height Adjustment Reclining Front Seatbacks Adjustable Head Restraints Fold-Down Rear Seatback Passenger-Side Walk-In Feature	• • • Blue •	• • with Memory • Blue •	• 60/40 Split with Memory • Blue •
Driver's Seat with Manual Height Adjustment Reclining Front Seatbacks Adjustable Head Restraints Fold-Down Rear Seatback Passenger-Side Walk-In Feature	• • • Blue • •	• • • • • Blue • •	• 60/40 Split with Memory • Blue •
Driver's Seat with Manual Height Adjustment Reclining Front Seatbacks Adjustable Head Restraints Fold-Down Rear Seatback Passenger-Side Walk-In Feature	• • • Blue •	• • with Memory • Blue •	• 60/40 Split with Memory • Blue • • •
Driver's Seat with Manual Height Adjustment Reclining Front Seatbacks Adjustable Head Restraints Fold-Down Rear Seatback Passenger-Side Walk-In Feature	• • • Blue • •	• • • • • Blue • •	• 60/40 Split with Memory • Blue •



accessories

Your Honda dealer has a complete line of Genuine Honda Accessories that can make your new Civic Coupe even more special. And if you have them installed at the time of vehicle purchase, they're covered by the Honda New-Vehicle Limited Warranty.⁶

¹Preliminary EPA mileage estimates determined by Honda. Final 2006 EPA mileage estimates were not available at the time of printing. Use for comparison purposes only. Your mileage may vary. ²The Honda Satellite-Linked Navigation System is available only in the 48 contiguous United States on EX and Si models. ³ Required XM® subscription sold separately after three trial months. All fees and programming subject to change. Subscriptions subject to Customer Agreement available at xmradio.com. XM Ready® audio system is pre-wired to accept the dealer-installed accessory XM Satellite Radio hardware. XM service only available in the 48 contiguous United States. The XM name and XM Ready are registered trademarks of XM Satellite Radio Inc. ⁴Windows Media[™] Audio is a trademark of Microsoft® Corporation. ⁵ Automotive Lease Guide, December 2004.6 3-Year/36,000-Mile Limited Warranty. 5-Year/60,000-Mile Limited Powertrain Warranty. Ordinary maintenance or adjustments, parts subject to normal wear and replacement, and certain items are excluded. See your Honda dealer for the terms and conditions of the limited warranties. 7 Based on 2006 EPA mileage estimates. Use for comparison purposes only. Actual mileage may vary. Always use seat belts and appropriate child seats. Children 12 and under are safest when properly restrained in the rear seat. Specifications, features, illustrations and equipment shown in this brochure are based upon the latest available information at the time of printing. Although descriptions are believed to be correct, accuracy cannot be guaranteed. American Honda Motor Co., Inc., reserves the right to make changes at any time, without notice or obligation, in colors, specifications, accessories, materials and models. Some features mentioned herein are not available in all areas. See your Honda dealer for details. Some vehicles may be shown with optional equipment. Available = Optional. All images contained herein are either owned by American Honda Motor Co., Inc., or used under a valid license. It is a violation of federal law to reproduce these images without express written permission from American Honda Motor Co., Inc., or the individual copyright owner of such images. Honda Financial Services is a DBA of American Honda Finance Corporation. Honda, the H-mark symbol, Honda Care, ACE, Advanced Compatibility Engineering, Drive-by-Wire Throttle System, Honda Satellite-Linked Navigation System, i-VTEC and VTEC are trademarks of Honda Motor Co., Ltd. © 2005 American Honda Motor Co., Inc.