the Honda Odyssey

Odyssey Touring shown in Silver Pearl Metallic.



The 2006 Honda Odyssey has long set the minivan benchmark-just check out its lengthy list of laurels, honors and awards. And for many makers, that would be enough. But for 56 years, Honda has measured success by a unique philosophy. It's one defined by a desire for innovation, by the joy of discovery and by a **passion** for building truly exceptional vehicles. Last year, in completely reinventing the Odyssey, we raised the bar even higher-showcasing technologies and features to anticipate your needs and exceed your expectations. The result was thunderous applause from the critics, including 2005 Best Van among

Car and Driver's "5Best" Trucks," "2005 All-Star for Minivan" from AUTOMOBILE Magazine and much more. You might say we know what it takes to make a winner.

odyssey specifications & features

| Engineering | LX V-6 | EX V-6 | EX-L V-6 | Touring V-6 |
|---|---------------------|--------------------|-----------------------|----------------------|
| Engine Type | | | | |
| Engine Block/Cylinder Head | Aluminum-Alloy | Aluminum-Alloy | Aluminum-Alloy | Aluminum-Alloy |
| Displacement (cc) | 3471 | 3471 | 3471 | 3471 244 @ 5750 |
| Horsepower @ rpm (SAE net, Rev 8/04) | 244 @ 5750 | 244 @ 5750 | 244 @ 5750 | |
| Torque (Ibft. @ rpm) | 240 @ 5000 | 240 @ 5000 | 240@4500 | 240 @ 4500 |
| Redline (rpm) | 6300 | 6300 | 6300 | 6300 |
| Bore and Stroke (mm) | 89 x 93 | 89 x 93 | 89 x 93 | 89 x 93 |
| Compression Ratio | 10.0:1 | 10.0:1 | 10.0:1 | 10.0:1 |
| Valve Train | 24-Valve SOHC VTEC® | 24-Valve SOHC VTEC | 24-Valve SOHC i-VTEC® | 24-Valve SOHC i-VTEC |
| Multi-Point Fuel Injection | • | • | • | • |
| Drive-by-Wire Throttle System [™] | • | • | • | • |
| Variable Cylinder Management™ (VCM™) | | | • | • |
| Active Control Engine Mount System (ACM) | | | • | • |
| Active Noise Cancellation (ANC) | | | • | • |
| CARB Emissions Rating | ULEV-2 | ULEV-2 | ULEV-2 | ULEV-2 |
| Direct Ignition System with Immobilizer | • | • | • | • |
| 100,000-Mile or more Tune-Up Interval* | • | • | • | • |
| Transmission | | | | |
| 5-Speed Automatic Transmission | | | | |
| Gear Ratios: 1st: 2.563, 2nd: 1.552, 3rd: 1.021, 4th: 0.727 (0.767 with VCM), | • | • | • | • |
| 5th: 0.520 (0.595 with VCM), Reverse: 1.846, Final Drive: 4.428 | | | | |
| Body/Suspension/Chassis | | | | |
| Unit-Body Construction | • | • | • | |
| MacPherson Strut Front Suspension | • | • | • | • |
| Multi-Link Double Wishbone Rear Suspension | • | • | • | • |
| Stabilizer Bar (mm, front) | 23.0 | 23.0 | 23.0 | 24.0 |
| Variable Power-Assisted Rack-and-Pinion Steering | • | • | • | • |
| Steering Wheel Turns, Lock-to-Lock | 3.44 | 3.44 | 3.44 | 3.44 |
| | 16.2 | 16.2 | 16.2 | 16.2 |
| Steering Ratio | | | | |
| Turning Diameter, Curb-to-Curb (ft.) | 36.7 | 36.7 | 36.7 | 36.7 |
| Power-Assisted Ventilated Front Disc/Solid Rear Disc Brakes (in.) | 11.6/12.3 | 11.6/12.3 | 11.6/12.3 | 11.6/12.3 |
| Wheels | 16" w/Full Covers | 16" Alloy | 16" Alloy | 460mm Alloy |
| All-Season Tires | 235/65 R16 103T | 235/65 R16 103T | 235/65 R16 103T | |
| Michelin® PAX® System Run-Flat Technology | | | | 235-710R460A 104T |
| Interior Measurements | | | | |
| Headroom (in., front/middle/rear) | 40.9/40.0/38.4 | 40.9/40.0/38.4 | 39.2/39.6/38.4 | 39.2/39.6/38.4 |
| Legroom (in., front/middle/rear) | 40.8/40.0/41.1 | 40.8/40.0/41.1 | 40.8/40.0/41.1 | 40.8/40.0/41.1 |
| Shoulder Room (in., front/middle/rear) | 63.5/63.1/61.2 | 63.5/63.1/61.2 | 63.5/63.1/61.2 | 63.5/63.1/61.2 |
| Hiproom (in., front/middle/rear) | 57.0/64.4/48.5 | 57.0/64.4/48.5 | 57.0/64.4/48.5 | 57.0/64.4/48.5 |
| Cargo Volume (cu. ft., behind 3rd row) | 38.4 | 38.4 | 38.4 | 38.4 |
| Cargo Volume (cu. ft., behind 2nd row) | 91.1 | 91.1 | 91.1 | 91.1 |
| Cargo Volume (cu. ft., behind 1st row) | 147.4 | 147.4 | 147.4 | 147.4 |
| Passenger Volume (cu. ft.) | 171.4 | 171.4 | 168.3 | 168.3 |
| Seating Capacity | 7 | 8 | 8 | 7 |
| Exterior Measurements | | | | |
| Wheelbase (in.) | 118.1 | 118.1 | 118.1 | 118.1 |
| Length (in.) | 201.0 | 201.0 | 201.0 | 201.0 |
| Height (in.) | 68.8 | 70.0 | 70.0 | 70.0 |
| Width (in.) | 77.1 | 77.1 | 77.1 | 77.1 |
| Track (in., front/rear) | 66.7/66.8 | 66.7/66.8 | 66.7/66.8 | 66.7/66.8 |
| Curb Weight (lbs.) | 4378 | 4475 | 4537 | 4655 |
| Neight Distribution (%, front/rear) | 55/45 | 55/45 | 55/45 | 55/45 |
| | | | | |
| Towing Capacity (Ibs.) | 3500 [†] | 3500 [†] | 3500† | 3500 [†] |
| EPA Mileage Estimates**/Capacities | 10/05 | 10/05 | 00/00 | 00/00 |
| 5-Speed Automatic (City/Highway) | 19/25 | 19/25 | 20/28 | 20/28 |
| Crankcase (qt.) | 5.3 | 5.3 | 5.3 | 5.3 |
| Coolant System (qt.) | 10.2 | 10.2 | 10.2 | 10.2 |
| | 21.0 | 21.0 | 21.0 | 21.0 |
| Fuel (gal.) Required Fuel | Regular Unleaded | Regular Unleaded | Regular Unleaded | Regular Unleaded |

| Safety 2 Point Sect Polte at All Section Positions | LX | EX • | EX-L | Touring • |
|---|----------------|-----------------|--|-----------------------|
| 3-Point Seat Belts at All Seating Positions | • | • | • | • |
| Front 3-Point Seat Belts with Automatic Tensioning System Adjustable Seat Belt Anchors (front- and 2nd-row) | • | • | • | • |
| Dual-Stage, Dual-Threshold Front Airbags (SRS) | • | • | • | • |
| | - | • | • | · |
| Front Side Airbags with Passenger-Side Occupant Position Detection System (OPDS) | • | • | • | • |
| Three-Row Side Curtain Airbags with Rollover Sensor | • | • | • | • |
| Advanced Compatibility Engineering [™] (ACET) Body Structure | • | • | • | • |
| Heat-Rejecting Glass | • | • | • | • |
| Rear Privacy Glass | • | • | • | • |
| Alloy Wheels | | • | • | Michelin® PAX® System |
| Roof Rails | | • | • | • |
| Body-Colored Rear Roofline Spoiler with Integrated Brakelight | Black | • | • | • |
| Multi-Reflector Halogen Headlights | • | with Auto-Off | with Auto-Off | with Auto-On/Off |
| Body-Colored Parking Sensors (front/rear) | | | | • |
| Body-Colored Side Molding | Black | • | • | • |
| Body-Colored Tailgate Garnish | • | • | • | Chrome |
| 5-mph Impact-Absorbing Body-Colored Bumpers | • | • | • | • |
| Comfort & Convenience | | | | |
| Air Conditioning (manual, front and rear) | • | Manual | ManualD | |
| Tri-Zone Automatic Climate Control | | Manual Rear | Manual Rear | • |
| Power Windows with Auto-Up/Down Driver's Window (front- and 2nd-row) | • | • | • | • |
| Power Door and Tailgate Locks | • | • | • | Programmable |
| Electronic Cruise Control | • | • | • | • |
| Steering Wheel-Mounted Audio Controls | | • | • | • |
| Leather-Wrapped Steering Wheel and Shift Knob | | | • | • |
| Honda Satellite-Linked Navigation System [™] with Voice Recognition [™] and Rearview Camera | | | Available with DVD Entertainment System | Available |
| Honda DVD Entertainment System | | | Available | • |
| HomeLink® Remote System** | | • | • | • |
| Retractable Center Tray Table with Bag Hooks | • | • | • | • |
| Automatic Day/Night Rearview Mirror | | | | • |
| Driver's and Front Passenger's Illuminated Vanity Mirrors | • | • | • | • |
| Conversation Mirror with Sunglasses Holder | | • | • | • |
| Sunglasses Holder | • | | | |
| Map Lights (all rows) | • | • | • | • |
| Instrument Panel-Mounted Shifter | • | • | • | • |
| Power Adjustable Pedals | | | | • |
| Adjustable Steering Column | • | • | • | • |
| Beverage Holders (# per row: 1st/2nd/3rd) | 8/4/3 | 8/4/3 | 8/4/3 | 8/6/3 |
| Upper and Lower Glove Compartments | • | • | • | • |
| 12-Volt Power Outlets (2 front, 1 rear) | • | • | • | • |
| 115-Volt Power Outlet (3rd-row) | | | | • |
| In-Floor Storage (2nd-row) | • | with Lazy Susan | with Lazy Susan | with Lazy Susan |
| Removable Center Console (2nd-row) | | | | • |
| Seatback Pockets (front-row) | Passenger-Side | • | • | • |
| Seatback Pockets (2nd-row) | | • | • | • |
| Passenger-Assist Grips (all rows), 2nd Row with Garment Hooks | • | • | • | • |
| Integrated Sunshades (2nd-row) Remote Fuel Filler Door Release | • | • | • | • |
| | • | | | • |
| Front Door Courtesy Lights | | • | • | • |
| Rear Window Defroster | • | • | • | • |
| Rear-Seat Heater Ducts | • | • | • | • |
| Floor Mats | • | • | • | • |
| Cargo Net | | • | • | • |
| Cargo Area Light | • | • | • | • |
| Rear Storage Well | • | • | • | • |
| Cargo Area Tie-Down Anchors (6 total) | • | • | • | • |
| Cargo Area Bag Hooks (8 total) | • | • | • | • |
| | | | | |

odyssey specifications & features cont.

| | | - | - | |
|---|----|----|-----------------|--------------------------|
| Seating | LX | EX | EX-L | Touring |
| Driver's Seat with 8-Way Power Adjustment | | • | • | with Two-Position Memory |
| Driver's Seat with Manual Lumbar Support | | • | • | • |
| Adjustable 2nd-Row Seats with Armrests and Walk-in Feature | • | • | • | • |
| Stowable 2nd-Row PlusOne Seat™ | | • | • | |
| One-Motion 60/40 Split 3rd-Row Magic Seat® | • | • | • | • |
| Leather-Trimmed Seats and Door-Panel Inserts (front- and 2nd-row) | | | • | • |
| Heated Front Seats | | | • | • |
| Head Restraints at All Seating Positions | • | • | • | • |
| Audio Systems | | | | |
| 120-Watt AM/FM/CD Audio System with 4 Speakers | • | | | |
| 120-Watt AM/FM/XM Ready®/6-Disc In-Dash CD Changer | | | | |
| Audio System with 6 Speakers | | • | • | |
| 360-Watt AM/FM/6-Disc In-Dash CD Changer Premium Audio System | | | | |
| with 7 Speakers Including Subwoofer | | | | • |
| XM® Satellite Radio® | | | with Navigation | • |
| Integrated Glass Antenna | • | • | • | • |
| Instrumentation | LX | EX | EX-L | Touring |
| Programmable Multi-Information Display | | | | • |
| Tire Pressure Monitoring System (TPMS) Indicator | | | | • |
| Maintenance Minder System | • | • | • | • |
| Corner and Backup Sensor Indicator | | | | • |
| Miles-to-Empty Indicator | | | | • |
| Compass | | | | • |
| Exterior Temperature Indicator | | • | • | • |
| Door-/Tailgate-Open Indicator | • | • | • | • |
| Low-Fuel and Low-Oil-Pressure Indicators | • | • | • | • |
| Tachometer | • | • | • | • |

* Does not apply to fluid and filter changes. Exact mileage is determined by actual driving conditions. Please see your owner's manual for more details.

† Requires surge-type or electric trailer brakes, load-distribution hitch and transmission- and power steering-fluid coolers.

** Based on 2005 EPA milage estimates. Use for comparison purposes only. Actual mileage may vary.

*** Homelink® is a registered trademark of Price Corporation, a wholly owned subsidiary of Johnson Controls

LX rocker panels are black, body-colored on EX. Door handles and washer nozzles are body-colored on EX, black on LX.

¹Car and Driver, March 2005, ²Honda Satellite-Linked Navigation System is available only in the 48 contiguous United States on EX-L models with DVD Entertainment System, and on Touring models. ³©2005 Zagat Survey, LLC. Zagat Survey is a registered trademark of Zagat Survey, LLC. ⁴HomeLink® is a registered trademark of Prince Corporation, a wholly owned subsidiary of Johnson Controls.[®] ⁵Required XM® subscription sold separately after three trial months. All fees and programming subject to change. Subscriptions subject to Customer Agreement available at xmradio.com. XM Ready audio system is pre-wired to accept the dealer-installed accessory XM Satellite Radio hardware. XM service only available in the 48 contiguous United States. The XM name and XM Ready are registered trademarks of XM Satellite Radio Inc. ⁶Requires surge-type or electric trailer brakes and available Honda towing package. Refer to the owner's manual for additional towing information. ⁷Based on 2006 EPA mileage estimates. Use for comparison purposes only. Actual mileage may vary. * EX-L and Touring models. * Note: All comparisons were made between Michelin® Tires. Michelin and PAX are registered trademarks of Michelin North America, Inc. ¹⁰ Automotive Lease Guide, December 2004. ¹¹ 2005 Consumer Guide, Consumer Guide® is a registered trademark of Publications International, Ltd. ¹² Money,® March 2005. ¹³3-Year/36,000-Mile Limited Warranty. 5-Year/60,000-Mile Limited Powertrain Warranty. Ordinary maintenance or adjustments, parts subject to normal wear and replacement, and certain items are excluded. See your Honda dealer for the terms and conditions of the limited warranties. Always use seat belts and appropriate child seats. Children 12 and under are safest when properly restrained in the rear seat. Specifications, features, illustrations and equipment shown in this brochure are based upon the latest available information at the time of printing. Although descriptions are believed to be correct, accuracy cannot be guaranteed. American Honda Motor Co., Inc., reserves the right to make changes at any time, without notice or obligation, in colors, specifications, accessories, materials and models. Some features mentioned herein are not available in all areas. See your Honda dealer for details. Some vehicles may be shown with optional equipment. Available = Optional. All images contained herein are either owned by American Honda Motor Co., Inc., or used under a valid license. It is a violation of federal law to reproduce these images without express written permission from American Honda Motor Co., Inc., or the individual copyright owner of such images. Made in U.S.A. Honda Financial Services is a DBA of American Honda Finance Corporation. Honda, the H-mark symbol, Honda Care, Honda Satellite-Linked Navigation System, ACE, Advanced Compatibility Engineering, Drive-by-Wire Throttle System, Magic Seat, PlusOne Seat, Variable Cylinder Management, VCM, VSA, i-VTEČ and VTEC are trademarks of Honda Motor Co., Ltd. ©2005 American Honda Motor Co., Inc.