Accord Coupe



With the Accord Coupe, every side is the driver's side.

The Accord Coupe is the complete package, offering legendary Honda quality, cutting-edge technology and a long list of safety features. It's been meticulously engineered to deliver precise cornering, powerful acceleration and strong braking. And yes, it will readily accommodate you and four lucky others in luxurious comfort and sophisticated style. But we all know where the luckiest one of all gets to sit.

2007 Accord Coupe | Specifications and Features

_	респис			EV L V O	EVIVAGA
Engineering	LX	EX/EX-L	LX V-6	EX-L V-6	EX-L V-6 6-Speed
Engine Type	In-Line 4-Cylinder	In-Line 4-Cylinder	V-6	V-6	V-6
Engine Block/Cylinder Head	Aluminum-Alloy	Aluminum-Alloy	Aluminum-Alloy	Aluminum-Alloy	Aluminum-Alloy
Displacement (cc)	2354	2354	2997	2997	2997
Horsepower @ rpm (SAE net, Rev 8/04)*	166 @ 5800	166 @ 5800	244 @ 6250	244 @ 6250	244 @ 6250
Torque (lbft.@rpm)*	160 @ 4000	160 @ 4000	211 @ 5000	211 @ 5000	211 @ 5000
Compression Ratio	9.7:1	9.7:1	10.0:1	10.0:1	10.0:1
Valve Train	16-Valve DOHC i-VTEC®	16-Valve DOHC i-VTEC	24-Valve SOHC VTEC®	24-Valve SOHC VTEC	24-Valve SOHC VTEC
High-Performance Intake Manifold			•	•	•
Multi-Point Fuel Injection	•	•	•	•	•
Drive-by-Wire™ Throttle System	•	•	•	•	•
CARB Emissions Rating	LEV-2/PZEV ¹²	LEV-2/PZEV ¹²	LEV-2/ULEV-2 ¹³	LEV-2/ULEV-2 ¹³	LEV-2/ULEV-2 ¹³
Direct Ignition System with Immobilizer	•	•	•	•	•
100,000-Miles-or-More Tune-Up Interval†	•	•	•	•	•
Transmissions					
5-Speed Manual Transmission	•	•			
5-Speed Automatic Transmission	Available	Available	•	•	
Close-Ratio 6-Speed Manual Transmission					•
Body/Suspension/Chassis					
Unit-Body Construction	•	•	•	•	•
Double Wishbone Front Suspension	•	•	•	•	•
5-Link Double Wishbone Rear Suspension	•	•	•	•	•
Stabilizer Bar (mm, front/rear)	25.4/14.0	25.4/14.0	25.4/14.0	25.4/14.0	25.4/14.0
Front Shock Tower Bar					•
Variable Power-Assisted Rack-and-Pinion Steering	•	•	•	•	•
Steering Wheel Turns, Lock-to-Lock	2.94	2.94	2.75	2.75	2.75
Steering Ratio	15.22	15.22	15.22	15.22	15.22
Turning Diameter, Curb-to-Curb (ft.)	35.4	35.4	38.9	38.9	38.9
Power-Assisted Ventilated Front Disc/					
Solid Rear Disc Brakes (in., front/rear)	11.1/Drum	11.1/10.2	11.1/10.2	11.1/10.2	11.8/10.2
Wheels	16" Alloy	16" Alloy	17" Alloy	17" Alloy	Exclusive 17" Alloy
All-Season Tires	P205/60 R16 91V	P205/60 R16 91V	P215/50 R17 93V	P215/50 R17 93V	P215/50 R17 93V
Exterior Measurements	1 200/00 1110 011	1 200/00 1110 011	1210/001117 001	1 210/30 1117 30 V	1213/301117 301
Exterior incusurements					
Whoolbase (in I	105.1	105.1	105.1	105.1	105.1
Wheelbase (in.)	105.1	105.1	105.1	105.1	105.1
Length (in.)	187.8	187.8	187.8	187.8	187.8
Length (in.) Height (in.)	187.8 55.7	187.8 55.7	187.8 55.8	187.8 55.8	187.8 55.8
Length (in.) Height (in.) Width (in.)	187.8 55.7 71.3	187.8 55.7 71.3	187.8 55.8 71.3	187.8 55.8 71.3	187.8 55.8 71.3
Length (in.) Height (in.) Width (in.) Track (in., front/rear)	187.8 55.7 71.3 61.1/61.2	187.8 55.7 71.3 61.1/61.2	187.8 55.8 71.3 61.1/61.2	187.8 55.8 71.3 61.1/61.2	187.8 55.8 71.3 61.1/61.2
Length (in.) Height (in.) Width (in.) Track (in., front/rear) Curb Weight (l/bs., MT/AT)	187.8 55.7 71.3	187.8 55.7 71.3	187.8 55.8 71.3	187.8 55.8 71.3	187.8 55.8 71.3
Length (in.) Height (in.) Width (in.) Track (in., front/rear) Curb Weight (lbs., MT/AT) Interior Measurements	187.8 55.7 71.3 61.1/61.2 3053/3122	187.8 55.7 71.3 61.1/61.2 3093/3153 (3117/3177 EX-L)	187.8 55.8 71.3 61.1/61.2 NA/3353	187.8 55.8 71.3 61.1/61.2 NA/3360	187.8 55.8 71.3 61.1/61.2 3298/NA
Length (in.) Height (in.) Width (in.) Track (in., front/rear) Curb Weight (lbs., MT/AT) Interior Measurements Headroom (in., front/rear)	187.8 55.7 71.3 61.1/61.2 3053/3122 39.8/36.1	187.8 55.7 71.3 61.1/61.2 3093/3153 (3117/3177 EX-L) 37.5/36.1	187.8 55.8 71.3 61.1/61.2 NA/3353 37.5/36.1	187.8 55.8 71.3 61.1/61.2 NA/3360	187.8 55.8 71.3 61.1/61.2 3298/NA
Length (in.) Height (in.) Width (in.) Track (in., front/rear) Curb Weight (lbs., MT/AT) Interior Measurements Headroom (in., front/rear) Legroom (in., front/rear)	187.8 55.7 71.3 61.1/61.2 3053/3122 39.8/36.1 43.1/31.9	187.8 55.7 71.3 61.1/61.2 3093/3153 (3117/3177 EX-L) 37.5/36.1 43.1/31.9	187.8 55.8 71.3 61.1/61.2 NA/3353 37.5/36.1 43.1/31.9	187.8 55.8 71.3 61.1/61.2 NA/3360 37.5/36.1 43.1/31.9	187.8 55.8 71.3 61.1/61.2 3298/NA 37.5/36.1 43.1/31.9
Length (in.) Height (in.) Width (in.) Track (in., front/rear) Curb Weight (lbs., MT/AT) Interior Measurements Headroom (in., front/rear) Legroom (in., front/rear) Shoulder Room (in., front/rear)	187.8 55.7 71.3 61.1/61.2 3053/3122 39.8/36.1 43.1/31.9 56.1/55.4	187.8 55.7 71.3 61.1/61.2 3093/3153 (3117/3177 EX-L) 37.5/36.1 43.1/31.9 56.1/55.4	187.8 55.8 71.3 61.1/61.2 NA/3353 37.5/36.1 43.1/31.9 56.1/55.4	187.8 55.8 71.3 61.1/61.2 NA/3360 37.5/36.1 43.1/31.9 56.1/55.4	187.8 55.8 71.3 61.1/61.2 3298/NA 37.5/36.1 43.1/31.9 56.1/55.4
Length (in.) Height (in.) Width (in.) Track (in., front/rear) Curb Weight (lbs., MT/AT) Interior Measurements Headroom (in., front/rear) Legroom (in., front/rear) Shoulder Room (in., front/rear) Hiproom (in., front/rear)	187.8 55.7 71.3 61.1/61.2 3053/3122 39.8/36.1 43.1/31.9 56.1/55.4 54.2/46.1	187.8 55.7 71.3 61.1/61.2 3093/3153 (3117/3177 EX-L) 37.5/36.1 43.1/31.9	187.8 55.8 71.3 61.1/61.2 NA/3353 37.5/36.1 43.1/31.9	187.8 55.8 71.3 61.1/61.2 NA/3360 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1	187.8 55.8 71.3 61.1/61.2 3298/NA 37.5/36.1 43.1/31.9
Length (in.) Height (in.) Width (in.) Track (in., front/rear) Curb Weight (lbs., MT/AT) Interior Measurements Headroom (in., front/rear) Legroom (in., front/rear) Shoulder Room (in., front/rear) Hiproom (in., front/rear) Cargo Volume (cu. ft.)	187.8 55.7 71.3 61.1/61.2 3053/3122 39.8/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8	187.8 55.7 71.3 61.1/61.2 3093/3153 (3117/3177 EX-L) 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8	187.8 55.8 71.3 61.1/61.2 NA/3353 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8	187.8 55.8 71.3 61.1/61.2 NA/3360 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8	187.8 55.8 71.3 61.1/61.2 3298/NA 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8
Length (in.) Height (in.) Width (in.) Track (in., front/rear) Curb Weight (lbs., MT/AT) Interior Measurements Headroom (in., front/rear) Legroom (in., front/rear) Shoulder Room (in., front/rear) Hiproom (in., front/rear)	187.8 55.7 71.3 61.1/61.2 3053/3122 39.8/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 91.1	187.8 55.7 71.3 61.1/61.2 3093/3153 (3117/3177 EX-L) 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0	187.8 55.8 71.3 61.1/61.2 NA/3353 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0	187.8 55.8 71.3 61.1/61.2 NA/3360 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0	187.8 55.8 71.3 61.1/61.2 3298/NA 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0
Length (in.) Height (in.) Width (in.) Track (in., front/rear) Curb Weight (lbs., MT/AT) Interior Measurements Headroom (in., front/rear) Legroom (in., front/rear) Shoulder Room (in., front/rear) Hiproom (in., front/rear) Cargo Volume (cu. ft.) Passenger Volume (cu. ft.) Seating Capacity	187.8 55.7 71.3 61.1/61.2 3053/3122 39.8/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8	187.8 55.7 71.3 61.1/61.2 3093/3153 (3117/3177 EX-L) 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8	187.8 55.8 71.3 61.1/61.2 NA/3353 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8	187.8 55.8 71.3 61.1/61.2 NA/3360 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8	187.8 55.8 71.3 61.1/61.2 3298/NA 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8
Length (in.) Height (in.) Width (in.) Track (in., front/rear) Curb Weight (lbs., MT/AT) Interior Measurements Headroom (in., front/rear) Legroom (in., front/rear) Shoulder Room (in., front/rear) Hiproom (in., front/rear) Cargo Volume (cu. ft.) Passenger Volume (cu. ft.)	187.8 55.7 71.3 61.1/61.2 3053/3122 39.8/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 91.1	187.8 55.7 71.3 61.1/61.2 3093/3153 (3117/3177 EX-L) 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0	187.8 55.8 71.3 61.1/61.2 NA/3353 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0	187.8 55.8 71.3 61.1/61.2 NA/3360 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0	187.8 55.8 71.3 61.1/61.2 3298/NA 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0
Length (in.) Height (in.) Width (in.) Track (in., front/rear) Curb Weight (lbs., MT/AT) Interior Measurements Headroom (in., front/rear) Legroom (in., front/rear) Shoulder Room (in., front/rear) Hiproom (in., front/rear) Cargo Volume (cu. ft.) Passenger Volume (cu. ft.) Seating Capacity	187.8 55.7 71.3 61.1/61.2 3053/3122 39.8/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 91.1	187.8 55.7 71.3 61.1/61.2 3093/3153 (3117/3177 EX-L) 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0	187.8 55.8 71.3 61.1/61.2 NA/3353 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0	187.8 55.8 71.3 61.1/61.2 NA/3360 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0	187.8 55.8 71.3 61.1/61.2 3298/NA 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0
Length (in.) Height (in.) Width (in.) Track (in., front/rear) Curb Weight (lbs., MT/AT) Interior Measurements Headroom (in., front/rear) Legroom (in., front/rear) Shoulder Room (in., front/rear) Hiproom (in., front/rear) Cargo Volume (cu. ft.) Passenger Volume (cu. ft.) Seating Capacity EPA Mileage Estimates'/Fuel Capacity	187.8 55.7 71.3 61.1/61.2 3053/3122 39.8/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 91.1	187.8 55.7 71.3 61.1/61.2 3093/3153 (3117/3177 EX-L) 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5	187.8 55.8 71.3 61.1/61.2 NA/3353 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0	187.8 55.8 71.3 61.1/61.2 NA/3360 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0	187.8 55.8 71.3 61.1/61.2 3298/NA 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0
Length (in.) Height (in.) Width (in.) Track (in., front/rear) Curb Weight (lbs., MT/AT) Interior Measurements Headroom (in., front/rear) Legroom (in., front/rear) Shoulder Room (in., front/rear) Hiproom (in., front/rear) Cargo Volume (cu. ft.) Passenger Volume (cu. ft.) Seating Capacity EPA Mileage Estimates'/Fuel Capacity 5-Speed Manual (City/Highway)	187.8 55.7 71.3 61.1/61.2 3053/3122 39.8/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 91.1 5	187.8 55.7 71.3 61.1/61.2 3093/3153 (3117/3177 EX-L) 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5	187.8 55.8 71.3 61.1/61.2 NA/3353 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5	187.8 55.8 71.3 61.1/61.2 NA/3360 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5	187.8 55.8 71.3 61.1/61.2 3298/NA 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0
Length (in.) Height (in.) Width (in.) Track (in., front/rear) Curb Weight (lbs., MT/AT) Interior Measurements Headroom (in., front/rear) Legroom (in., front/rear) Shoulder Room (in., front/rear) Hiproom (in., front/rear) Cargo Volume (cu. ft.) Passenger Volume (cu. ft.) Seating Capacity EPA Mileage Estimates'/Fuel Capacity 5-Speed Manual (City/Highway) 5-Speed Automatic (City/Highway)	187.8 55.7 71.3 61.1/61.2 3053/3122 39.8/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 91.1 5	187.8 55.7 71.3 61.1/61.2 3093/3153 (3117/3177 EX-L) 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5	187.8 55.8 71.3 61.1/61.2 NA/3353 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5	187.8 55.8 71.3 61.1/61.2 NA/3360 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5	187.8 55.8 71.3 61.1/61.2 3298/NA 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5
Length (in.) Height (in.) Width (in.) Track (in., front/rear) Curb Weight (lbs., MT/AT) Interior Measurements Headroom (in., front/rear) Legroom (in., front/rear) Shoulder Room (in., front/rear) Hiproom (in., front/rear) Cargo Volume (cu. ft.) Passenger Volume (cu. ft.) Seating Capacity EPA Mileage Estimates'/Fuel Capacity 5-Speed Manual (City/Highway) 5-Speed Automatic (City/Highway) 6-Speed Manual (City/Highway)	187.8 55.7 71.3 61.1/61.2 3053/3122 39.8/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 91.1 5	187.8 55.7 71.3 61.1/61.2 3093/3153 (3117/3177 EX-L) 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5	187.8 55.8 71.3 61.1/61.2 NA/3353 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5	187.8 55.8 71.3 61.1/61.2 NA/3360 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5	187.8 55.8 71.3 61.1/61.2 3298/NA 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5
Length (in.) Height (in.) Width (in.) Track (in., front/rear) Curb Weight (lbs., MT/AT) Interior Measurements Headroom (in., front/rear) Legroom (in., front/rear) Shoulder Room (in., front/rear) Hiproom (in., front/rear) Cargo Volume (cu. ft.) Passenger Volume (cu. ft.) Seating Capacity EPA Mileage Estimates'/Fuel Capacity 5-Speed Manual (City/Highway) 5-Speed Automatic (City/Highway) G-Speed Manual (City/Highway) Fuel (gal.)	187.8 55.7 71.3 61.1/61.2 3053/3122 39.8/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 91.1 5	187.8 55.7 71.3 61.1/61.2 3093/3153 (3117/3177 EX-L) 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5	187.8 55.8 71.3 61.1/61.2 NA/3353 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5	187.8 55.8 71.3 61.1/61.2 NA/3360 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5	187.8 55.8 71.3 61.1/61.2 3298/NA 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5
Length (in.) Height (in.) Width (in.) Track (in., front/rear) Curb Weight (lbs., MT/AT) Interior Measurements Headroom (in., front/rear) Legroom (in., front/rear) Shoulder Room (in., front/rear) Hiproom (in., front/rear) Cargo Volume (cu. ft.) Passenger Volume (cu. ft.) Seating Capacity EPA Mileage Estimates'/Fuel Capacity 5-Speed Manual (City/Highway) 5-Speed Automatic (City/Highway) G-Speed Manual (City/Highway) Fuel (gal.) Required Fuel	187.8 55.7 71.3 61.1/61.2 3053/3122 39.8/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 91.1 5	187.8 55.7 71.3 61.1/61.2 3093/3153 (3117/3177 EX-L) 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5	187.8 55.8 71.3 61.1/61.2 NA/3353 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5	187.8 55.8 71.3 61.1/61.2 NA/3360 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5	187.8 55.8 71.3 61.1/61.2 3298/NA 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5
Length (in.) Height (in.) Width (in.) Track (in., front/rear) Curb Weight (lbs., MT/AT) Interior Measurements Headroom (in., front/rear) Legroom (in., front/rear) Shoulder Room (in., front/rear) Hiproom (in., front/rear) Cargo Volume (cu. ft.) Passenger Volume (cu. ft.) Seating Capacity EPA Mileage Estimates'/Fuel Capacity 5-Speed Manual (City/Highway) 5-Speed Manual (City/Highway) Fuel (gal.) Required Fuel Seating	187.8 55.7 71.3 61.1/61.2 3053/3122 39.8/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 91.1 5	187.8 55.7 71.3 61.1/61.2 3093/3153 (3117/3177 EX-L) 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5 26/34 24/34 17.1 Regular Unleaded	187.8 55.8 71.3 61.1/61.2 NA/3353 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5	187.8 55.8 71.3 61.1/61.2 NA/3360 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5	187.8 55.8 71.3 61.1/61.2 3298/NA 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5
Length (in.) Height (in.) Width (in.) Track (in., front/rear) Curb Weight (lbs., MT/AT) Interior Measurements Headroom (in., front/rear) Legroom (in., front/rear) Shoulder Room (in., front/rear) Hiproom (in., front/rear) Cargo Volume (cu. ft.) Passenger Volume (cu. ft.) Seating Capacity EPA Mileage Estimates'/Fuel Capacity 5-Speed Manual (City/Highway) 5-Speed Manual (City/Highway) Fuel (gal.) Required Fuel Seating Leather-Trimmed Seats and Door-Panel Inserts	187.8 55.7 71.3 61.1/61.2 3053/3122 39.8/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 91.1 5	187.8 55.7 71.3 61.1/61.2 3093/3153 (3117/3177 EX-L) 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5 26/34 24/34 17.1 Regular Unleaded EX-L only	187.8 55.8 71.3 61.1/61.2 NA/3353 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5	187.8 55.8 71.3 61.1/61.2 NA/3360 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5	187.8 55.8 71.3 61.1/61.2 3298/NA 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5 21/30 17.1 Regular Unleaded
Length (in.) Height (in.) Width (in.) Track (in., front/rear) Curb Weight (lbs., MT/AT) Interior Measurements Headroom (in., front/rear) Legroom (in., front/rear) Shoulder Room (in., front/rear) Hiproom (in., front/rear) Cargo Volume (cu. ft.) Passenger Volume (cu. ft.) Seating Capacity EPA Mileage Estimates'/Fuel Capacity 5-Speed Manual (City/Highway) 5-Speed Manual (City/Highway) F-Speed Manual (City/Highway) Fuel (gal.) Required Fuel Seating Leather-Trimmed Seats and Door-Panel Inserts Heated Front Seats	187.8 55.7 71.3 61.1/61.2 3053/3122 39.8/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 91.1 5	187.8 55.7 71.3 61.1/61.2 3093/3153 (3117/3177 EX-L) 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5 26/34 24/34 17.1 Regular Unleaded EX-L only EX-L only	187.8 55.8 71.3 61.1/61.2 NA/3353 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5	187.8 55.8 71.3 61.1/61.2 NA/3360 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5 20/29 17.1 Regular Unleaded •	187.8 55.8 71.3 61.1/61.2 3298/NA 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5 21/30 17.1 Regular Unleaded Perforated •
Length (in.) Height (in.) Width (in.) Track (in., front/rear) Curb Weight (lbs., MT/AT) Interior Measurements Headroom (in., front/rear) Legroom (in., front/rear) Shoulder Room (in., front/rear) Hiproom (in., front/rear) Cargo Volume (cu. ft.) Passenger Volume (cu. ft.) Seating Capacity EPA Mileage Estimates'/Fuel Capacity 5-Speed Manual (City/Highway) 5-Speed Automatic (City/Highway) Fuel (gal.) Required Fuel Seating Leather-Trimmed Seats and Door-Panel Inserts Heated Front Seats Driver's Seat Adjustable Lumbar Support	187.8 55.7 71.3 61.1/61.2 3053/3122 39.8/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 91.1 5	187.8 55.7 71.3 61.1/61.2 3093/3153 (31117/3177 EX-L) 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5 26/34 24/34 17.1 Regular Unleaded EX-L only EX-L only EX-L only	187.8 55.8 71.3 61.1/61.2 NA/3353 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5	187.8 55.8 71.3 61.1/61.2 NA/3360 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5 20/29 17.1 Regular Unleaded •	187.8 55.8 71.3 61.1/61.2 3298/NA 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5 21/30 17.1 Regular Unleaded Perforated •
Length (in.) Height (in.) Width (in.) Track (in., front/rear) Curb Weight (lbs., MT/AT) Interior Measurements Headroom (in., front/rear) Legroom (in., front/rear) Shoulder Room (in., front/rear) Hiproom (in., front/rear) Cargo Volume (cu. ft.) Passenger Volume (cu. ft.) Seating Capacity EPA Mileage Estimates'/Fuel Capacity 5-Speed Manual (City/Highway) 5-Speed Automatic (City/Highway) Fuel (gal.) Required Fuel Seating Leather-Trimmed Seats and Door-Panel Inserts Heated Front Seats Driver's Seat with 8-Way Power Adjustment Driver's Seat dijustable Lumbar Support Driver's Seat with Power Height Adjustment	187.8 55.7 71.3 61.1/61.2 3053/3122 39.8/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 91.1 5 26/34 24/34 17.1 Regular Unleaded	187.8 55.7 71.3 61.1/61.2 3093/3153 (3117/3177 EX-L) 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5 26/34 24/34 17.1 Regular Unleaded EX-L only EX-L only EX-L only	187.8 55.8 71.3 61.1/61.2 NA/3353 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5	187.8 55.8 71.3 61.1/61.2 NA/3360 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5 20/29 17.1 Regular Unleaded •	187.8 55.8 71.3 61.1/61.2 3298/NA 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5 21/30 17.1 Regular Unleaded Perforated •
Length (in.) Height (in.) Width (in.) Track (in., front/rear) Curb Weight (lbs., MT/AT) Interior Measurements Headroom (in., front/rear) Legroom (in., front/rear) Shoulder Room (in., front/rear) Hiproom (in., front/rear) Cargo Volume (cu. ft.) Passenger Volume (cu. ft.) Seating Capacity EPA Mileage Estimates'/Fuel Capacity 5-Speed Manual (City/Highway) 5-Speed Automatic (City/Highway) Fuel (gal.) Required Fuel Seating Leather-Trimmed Seats and Door-Panel Inserts Heated Front Seats Driver's Seat with 8-Way Power Adjustment Driver's Seat Adjustable Lumbar Support Driver's Seat with Power Height Adjustment Passenger-Side Walk-In Feature	187.8 55.7 71.3 61.1/61.2 3053/3122 39.8/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 91.1 5 26/34 24/34 17.1 Regular Unleaded	187.8 55.7 71.3 61.1/61.2 3093/3153 (31117/3177 EX-L) 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5 26/34 24/34 17.1 Regular Unleaded EX-L only EX-L only EX-L only • •	187.8 55.8 71.3 61.1/61.2 NA/3353 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5	187.8 55.8 71.3 61.1/61.2 NA/3360 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5 20/29 17.1 Regular Unleaded • • •	187.8 55.8 71.3 61.1/61.2 3298/NA 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5 21/30 17.1 Regular Unleaded Perforated • •
Length (in.) Height (in.) Width (in.) Track (in., front/rear) Curb Weight (lbs., MT/AT) Interior Measurements Headroom (in., front/rear) Legroom (in., front/rear) Shoulder Room (in., front/rear) Hiproom (in., front/rear) Cargo Volume (cu. ft.) Passenger Volume (cu. ft.) Seating Capacity EPA Mileage Estimates'/Fuel Capacity 5-Speed Manual (City/Highway) 5-Speed Automatic (City/Highway) Fuel (gal.) Required Fuel Seating Leather-Trimmed Seats and Door-Panel Inserts Heated Front Seats Driver's Seat with 8-Way Power Adjustment Driver's Seat Adjustable Lumbar Support Driver's Seat with Power Height Adjustment Passenger-Side Walk-In Feature 60/40 Split Fold-Down Rear Seatback with Lock	187.8 55.7 71.3 61.1/61.2 3053/3122 39.8/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 91.1 5 26/34 24/34 17.1 Regular Unleaded	187.8 55.7 71.3 61.1/61.2 3093/3153 (31117/3177 EX-L) 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5 26/34 24/34 17.1 Regular Unleaded EX-L only EX-L only EX-L only •	187.8 55.8 71.3 61.1/61.2 NA/3353 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5 20/29 17.1 Regular Unleaded	187.8 55.8 71.3 61.1/61.2 NA/3360 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5 20/29 17.1 Regular Unleaded • • •	187.8 55.8 71.3 61.1/61.2 3298/NA 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5 21/30 17.1 Regular Unleaded Perforated • •
Length (in.) Height (in.) Width (in.) Track (in., front/rear) Curb Weight (lbs., MT/AT) Interior Measurements Headroom (in., front/rear) Legroom (in., front/rear) Legroom (in., front/rear) Shoulder Room (in., front/rear) Hiproom (in., front/rear) Cargo Volume (cu. ft.) Passenger Volume (cu. ft.) Seating Capacity EPA Mileage Estimates'/Fuel Capacity 5-Speed Manual (City/Highway) 5-Speed Manual (City/Highway) G-Speed Manual (City/Highway) Fuel (gal.) Required Fuel Seating Leather-Trimmed Seats and Door-Panel Inserts Heated Front Seats Driver's Seat with 8-Way Power Adjustment Driver's Seat Adjustable Lumbar Support Driver's Seat with Power Height Adjustment Passenger-Side Walk-In Feature 60/40 Split Fold-Down Rear Seatback with Lock Audio Systems	187.8 55.7 71.3 61.1/61.2 3053/3122 39.8/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 91.1 5 26/34 24/34 17.1 Regular Unleaded Manual •	187.8 55.7 71.3 61.1/61.2 3093/3153 (31117/3177 EX-L) 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5 26/34 24/34 17.1 Regular Unleaded EX-L only EX-L only EX-L only • •	187.8 55.8 71.3 61.1/61.2 NA/3353 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5 20/29 17.1 Regular Unleaded	187.8 55.8 71.3 61.1/61.2 NA/3360 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5 20/29 17.1 Regular Unleaded • • •	187.8 55.8 71.3 61.1/61.2 3298/NA 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5 21/30 17.1 Regular Unleaded Perforated • •
Length (in.) Height (in.) Width (in.) Track (in., front/rear) Curb Weight (lbs., MT/AT) Interior Measurements Headroom (in., front/rear) Legroom (in., front/rear) Legroom (in., front/rear) Shoulder Room (in., front/rear) Hiproom (in., front/rear) Cargo Volume (cu. ft.) Passenger Volume (cu. ft.) Seating Capacity EPA Mileage Estimates'/Fuel Capacity 5-Speed Manual (City/Highway) 5-Speed Manual (City/Highway) 6-Speed Manual (City/Highway) Feul (gal.) Required Fuel Seating Leather-Trimmed Seats and Door-Panel Inserts Heated Front Seats Driver's Seat with 8-Way Power Adjustment Driver's Seat Adjustable Lumbar Support Driver's Seat with Power Height Adjustment Passenger-Side Walk-In Feature 60/40 Split Fold-Down Rear Seatback with Lock Audio Systems 120-Watt AM/FM/CD Audio System	187.8 55.7 71.3 61.1/61.2 3053/3122 39.8/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 91.1 5 26/34 24/34 17.1 Regular Unleaded	187.8 55.7 71.3 61.1/61.2 3093/3153 (31117/3177 EX-L) 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5 26/34 24/34 17.1 Regular Unleaded EX-L only EX-L only EX-L only • •	187.8 55.8 71.3 61.1/61.2 NA/3353 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5 20/29 17.1 Regular Unleaded	187.8 55.8 71.3 61.1/61.2 NA/3360 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5 20/29 17.1 Regular Unleaded • • •	187.8 55.8 71.3 61.1/61.2 3298/NA 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5 21/30 17.1 Regular Unleaded Perforated • •
Length (in.) Height (in.) Width (in.) Track (in., front/rear) Curb Weight (lbs., MT/AT) Interior Measurements Headroom (in., front/rear) Legroom (in., front/rear) Legroom (in., front/rear) Shoulder Room (in., front/rear) Hiproom (in., front/rear) Cargo Volume (cu. ft.) Passenger Volume (cu. ft.) Seating Capacity EPA Mileage Estimates'/Fuel Capacity 5-Speed Manual (City/Highway) 5-Speed Manual (City/Highway) G-Speed Manual (City/Highway) Fuel (gal.) Required Fuel Seating Leather-Trimmed Seats and Door-Panel Inserts Heated Front Seats Driver's Seat with 8-Way Power Adjustment Driver's Seat Adjustable Lumbar Support Driver's Seat with Power Height Adjustment Passenger-Side Walk-In Feature 60/40 Split Fold-Down Rear Seatback with Lock Audio Systems 120-Watt AM/FM/CD Audio System	187.8 55.7 71.3 61.1/61.2 3053/3122 39.8/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 91.1 5 26/34 24/34 17.1 Regular Unleaded Manual •	187.8 55.7 71.3 61.1/61.2 3093/3153 (31117/3177 EX-L) 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5 26/34 24/34 17.1 Regular Unleaded EX-L only EX-L only EX-L only • •	187.8 55.8 71.3 61.1/61.2 NA/3353 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5 20/29 17.1 Regular Unleaded	187.8 55.8 71.3 61.1/61.2 NA/3360 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5 20/29 17.1 Regular Unleaded • • •	187.8 55.8 71.3 61.1/61.2 3298/NA 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5 21/30 17.1 Regular Unleaded Perforated • • •
Length (in.) Height (in.) Width (in.) Track (in., front/rear) Curb Weight (lbs., MT/AT) Interior Measurements Headroom (in., front/rear) Legroom (in., front/rear) Legroom (in., front/rear) Shoulder Room (in., front/rear) Hiproom (in., front/rear) Cargo Volume (cu. ft.) Passenger Volume (cu. ft.) Seating Capacity EPA Mileage Estimates'/Fuel Capacity 5-Speed Manual (City/Highway) 5-Speed Manual (City/Highway) 6-Speed Manual (City/Highway) Feul (gal.) Required Fuel Seating Leather-Trimmed Seats and Door-Panel Inserts Heated Front Seats Driver's Seat with 8-Way Power Adjustment Driver's Seat Adjustable Lumbar Support Driver's Seat with Power Height Adjustment Passenger-Side Walk-In Feature 60/40 Split Fold-Down Rear Seatback with Lock Audio Systems 120-Watt AM/FM/CD Audio System	187.8 55.7 71.3 61.1/61.2 3053/3122 39.8/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 91.1 5 26/34 24/34 17.1 Regular Unleaded Manual •	187.8 55.7 71.3 61.1/61.2 3093/3153 (31117/3177 EX-L) 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5 26/34 24/34 17.1 Regular Unleaded EX-L only EX-L only EX-L only • •	187.8 55.8 71.3 61.1/61.2 NA/3353 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5 20/29 17.1 Regular Unleaded	187.8 55.8 71.3 61.1/61.2 NA/3360 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5 20/29 17.1 Regular Unleaded • • •	187.8 55.8 71.3 61.1/61.2 3298/NA 37.5/36.1 43.1/31.9 56.1/55.4 54.2/46.1 12.8 88.0 5 21/30 17.1 Regular Unleaded Perforated • •

2007 Accord Coupe | Specifications and Features (cont.)

Safety	LX	EX/EX-L	LX V-6	EX-L V-6	EX-L V-6 6-Speed
3-Point Seat Belts at All Seating Positions	•	•	•	•	•
Front 3-Point Seat Belts with Automatic Tensioning System	•	•	•	•	•
Driver's and Front Passenger's Seat Belt Reminder	•	•	•	•	•
Dual-Stage, Dual-Threshold Front Airbags (SRS)	•	•	•	•	•
Front Side Airbags with Passenger-Side Occupant					
Position Detection System (OPDS)	•	•	•	•	•
Side Curtain Airbags	•	•	•	•	•
Vehicle Stability Assist~ (VSA*) with Traction Control			•	•	•
Brake Assist			•	•	•
Anti-Lock Braking System (ABS)	•	•	•	•	•
Electronic Brake Distribution (EBD)		•	•	•	•
Daytime Running Lights (DRL)	•	•	•	•	•
Side-Impact Door Beams	•	•	•	•	•
Outboard Lower Anchors and Tethers for Children (LATCH)	•	•	•	•	•
Child-Seat Tether Anchor (rear-center)	•	•	•	•	•
Emergency Trunk Opener	•	•	•	•	•
Exterior Features					
Power Moonroof with Tilt Feature		•	•	•	•
Security System		•	•	•	•
Remote Entry System with Power Window Control	•	•	•	•	•
Variable Intermittent Windshield Wipers	•	•	•	•	•
Multi-Reflector Halogen Headlights with Auto-Off	•	•	•	•	•
Body-Colored Power Side Mirrors	•	Heated	Heated	Heated	Heated
Body-Colored Impact-Absorbing Bumpers	•	•	•	•	•
Chrome Exhaust Finisher	•	•	Dual Exhaust	Dual Exhaust	Dual Exhaust
LED Brakelights	•	•	•	•	•
Comfort & Convenience					
Air Conditioning with Air-Filtration System	•	•	•		
Dual-Zone Automatic Climate Control System		EX-L only		•	•
Honda Satellite-Linked Navigation System™3 with Voice Recognition		Available (EX-L)		Available	Available
Power Windows with Auto-Up/Down Driver's Window	•	•	•	•	•
Illuminated Power Window Switches		•		•	•
Power Door Locks	•	•	•	•	•
Cruise Control	•	•	•	•	•
Perforated Leather-Wrapped Steering Wheel		EX-L only		•	•
Aluminum Shift Knob with Perforated Leather					•
Illuminated Steering Wheel-Mounted Controls	Cruise	Cruise/Audio/Navi (availat	ole) Cruise/Audio	Cruise/Audio/Navi (availat	ole) Cruise/Audio/Navi (available)
Tilt and Telescopic Steering Column	•	•	•	•	•
HomeLink® Remote System ¹⁰				•	•
Premium Interior Accents		•		•	Carbon Fiber-Look
Center Console with Sliding Armrest and Storage Compartments	•	•	•	•	•
Front Audio Storage (12 CD-case capacity)	•	•	•	•	•
Beverage Holders, Front and Rear (6 total)	•	•	•	•	•
Driver's and Front Passenger's Illuminated Vanity Mirrors	•	•	•	•	•
Ambient Console Lighting		•		•	•
Map Lights	•	•	•	•	•
Sunglasses Holder	•	•	•	•	•
12-Volt Power Outlets	•	•	•	•	•
Lockable Glove Compartment with Light	•	•	•	•	•
Electronic Remote Trunk Release	•	•	•	•	•
Rear Window Defroster	•	•	•	•	•
Side Door Pockets with Integrated Beverage Holder	•	•	•	•	•
Instrumentation					
Maintenance Minder System	•	•	•	•	•
Red Backlit Gauges	•	•	•	•	•
Tachometer	•	•	•	•	•
Digital Odometer and Digital Trip Meters (2)	•	•	•	•	•
Exterior Temperature Indicator		EX-L only		•	•

¹ Based on 2007 EPA mileage estimates. Use for comparison purposes only. Actual mileage may vary. ² XM[®] Satellite Radio requires XM subscription, available at xmradio.com. Trial subscription provided free for first three months. All fees and programming subject to change. See your dealer for details. XM service only available in the 48 contiguous United States on EX-L models. ⁴@2006 Zagat Survey, ⁸ LLC. ² Zagat Survey, ⁸ LLC. ² Zagat Survey, ⁸ LLC. ² Skelley Blue Book's kbb. com awarded Honda two Best Resale Value Awards for the 2006 Odyssey and 2006 Accord Hybrid, www.kbb.com/media. ⁸ Based on 2006 model-year study. Intellichoice, ⁸ Inc. ⁸ Must mittellichoice.com. ⁷ Automotive Lease Guide, 2006 Residual Value Awards. ⁸ 2006 Consumer Guide, Consumer Guide, Consumer Guide, ⁸ is a registered trademark of Publications International, Ltd. ⁹ Car and Driver, January 2006. ¹⁰ HomeLink* is a registered trademark of Prince Corporation, a wholly owned subsidiary of Johnson Controls. ¹⁰ 13-Year/36,000-Mile Limited Warranty. ⁵ Year/60,000-Mile Limited Powertrain Warranty, Ordinary maintenance or adjustments, parts subject to normal wear and replacement, and certain items are excluded. See your Honda dealer for terms and conditions of the limited warranties. ¹² PZEV Partial Zero-Emission Vehicle) as certified by CABB. PZEV vehicles are SULEV-rated and have zero evaporative emissions. Available on LX, EX EXL 4-Exylinder models with AT in CA and some Northeastern states. ¹³ ULEV-2 rated on V-6 models available in CA and some Northeastern states. ¹⁴ PZEV Partial Zero-Emission Vehicle) as certified by CABB. PZEV vehicles are SULEV-rated and have zero evaporative emissions. Available on LX, EX EXL 4-Exylinder models with AT in CA and some Northeastern states. ¹³ ULEV-2 rated on V-6 models available in CA and some Northeastern states. Always use seat belts and appropriate child seats. Children 12 and under are safest when properly restrained in the rear seat. ¹⁵ Dieterations, acces