# DODGE TRUCKS



# RAM WAGINS





to spare.

# Power plus riding comfort.

Expect lively performance with top efficiency from the B150's standard electronic fuel-injected 3.9-liter V-6

engine.

Enjoy a smooth, stable ride with new gas-charged shock absorbers and a strong front stabilizer bar. Another plus: the B150's ability to tow up to 4,500 pounds of trailer weight.

# A value leader.

Looking for an exceptional value? The Ram Value Wagon is a winner. It's specially equipped, not stripped. (See details on page 8.)

The Ram B150 Wagon

offers these standard features, and more:

- Rugged Unibody construction
- Outstanding corrosion protection
- Power-assisted steering and brakes
- Five-speed manual overdrive transmission (109.6inch wheelbase)
- New AM stereo\*/FM stereo radio
- New deluxe steering wheel
- Quick-release rear seats

Like all Dodges, the B150
Ram Wagon shares the Ram
Tough tradition of strength
and durability. That's why
Dodge, and only Dodge, protects all its wagons with the
7/70 Limited Warranty.

\*Some AM stereo broadcasting may not be compatible with this radio. \*See page 10 for details.



Out on an errand or out for family fun, Dodge offers a selection of Ram Wagons designed with your needs in mind. Your choices include three body sizes, two wheelbases, and four seating arrangements.

# Big seating capacity.

The B250 and B350 Ram
Wagons are available with
eight-passenger seating on a
127.6-inch wheelbase. Need
more room? Our B350 offers
optional 12-passenger seating.
And, for even larger demands,
the B350 Maxiwagon has
optional seating for 15 people
when equipped with the 8,510Pound GVW Package.
An available Travel Seating

An available Travel Seating Package affords added comfort and flexibility that make any trip a joy. It's available with the LE Decor Package on B250 and B350 models.

# Choice of engines.

Our spirited 5.2-liter EFI
V-8 engine is standard on the
B350, optional on B150 and
B250. It's a proven performer,
generating 170 horsepower at
4,000 rpm. Or move up to the
heftier 5.9-liter V-8-with
electronic fuel injection for
1989. This engine is available
on B250 and B350 models,
and produces 190 horsepower
at 4,000 rpm.
Trailering is a breeze with

Trailering is a breeze with the Trailer Towing Package available on B250 and B350 Ram Wagons (see page 7).

# Prospector Package values.

Ask your dealer how you can save money by ordering the popular options in our Prospector Discount Packages. It's a smart way to increase value and create your own world of special driving pleasure.



**YOU'RE RIDING ON EASY STREET INSIDE A DODGE** RAM WAGON.

Imagine yourself luxuriating in the comfort of this interior with the optional LE Decor Pack-


The Austin cloth with Saddle Grain vinyl trim high-back Command front bucket seats provide additional body support. Take your choice of Bordeaux Red (shown below), Almond, and Twilight Blue. The quick-release rear bench seat has matching trim. (Page 9 shows the full selection of interior trims.)


The new engine cover console (opposite), with color-keyed carpeting, has extra conve-niences including a foldout tray and closable storage compartments.

Notice the luxury steering wheel and richlooking new Cheyenne Hickory woodtone applique on this handsome instrument panel (also shown opposite). Both features, plus Cheyenne Hickory applique on the front door trim panel, are part of the LE Decor Package.











XXXXX

Prospector Packages II, III, and IV)

Woodtone applique on lower face of instrument







D. Optional fifteen-passenger seating: B350 127.6-inch wheelbase Maxiwagon; rear door(s) with optional vented glass and 8,510-Pound GVW

■ Lower side and rear moldings:

## Two-tone paint (the main color is used above the upper molding and below the lower molding, with the secondary color run-

# Trailer Towing Preparation Package

■ 120-amp alternator

Cooling, auxiliary: transmission

■ Heavy-Duty Package: front and rear heavy-duty gas shock

Light Blue Metallic

Platinum Silver Metallic

Medium Tan Metallic

ight Cream


Dark Quartz Gray Metallic

Crimson Red

Walnut Brown Metallic

Twilight Blue Metallic

NOTE: Due to printing limitations, the colors shown will vary slightly from actual hues. See your Dodge dealer for accurate color chips.



Package required at extra cost.

# Two-Tone Paint Package

■ Bright taillight bezels upper side and rear moldings

ning in a wide band between the moldings)

(Not available on Ram Value Wagon or

■ 625-amp maintenance-free

oil to air (with automatic trans-

Heavy-duty variable load

■ Maximum engine cooling (see the Dodge Truck and Car Trailer Towing Guide for complete details and recommendations)

# **Exterior Colors**

Heavy-duty gas shock absorb-

Certain models, packages, and options may be subject to specific restrictions, requirements, or late availability. See your dealer for the latest

(Available in Prospector Packages II, III, and IV only, standard on Ram Value Wagon.)

wipers with intermittent wipe

■ Ignition key light and ignition

switch and headlight symbol

Deluxe Convenience Tilt/Cruise

Deluxe windshield wipers, standard on Ram

Value Wagon, and automatic transmission

Power Convenience Package

(Available in Prospector Pockage IV only.)

Power door locks: all doors

Power windows: driver and

front passenger doors only

Electronic speed control

Luxury steering wheel

■ Tilt steering column

Heavy-Duty Package

(Standard on B250 Maxiwagon.)

ers: front and rear

Deluxe two-speed windshield

Glove box lock and light

light with time delay

Package

■ Underhood reel-type light

Convenience Package

Cigar lighter light

Bright White

Black

S Windshield Wipers-Two-speed S-Standard. E-Extra cost. NA-Not available. NC-No extra charge. CO-Credit option. P-Package only.

to make the boson

Check Desired Options

Bumper-Rear step-type: bright Bumpers-Front and rear: bright Bumpers-Front and rear: painted

Corrosion Protection-Extensive use of galvanized steel/Uniprime<sup>1</sup>

Doors-Passenger: double hinged type, right side and single rear (all doors include easily removed metal check arm)

S Mirrors-Exterior dual 5-inch by 7-inch: bright
Mirrors-Exterior dual low-mount 6-inch by 9-inch:
bright

Wheel Covers-Deluxe (set of Sour)

Carpeting-Pull-length floor, color-keyed

Headimer-Full-length: white hardboard

Instrument Panel-Applique: woodtone

Mirror-Interior 10-inch day/night

two speakers; integral digital clock

Glove Box-Lock and light

Hood Release-In-cab activated

Clock-Electronic digital: integral with radio

Console-Engine cover: includes carpeted engine housing

Dash Liner-Insulated

Floor Mat-Full-length, with underlayment: black

Instrument Panel-Lower skirts: color-keyed
Lights-Ignition and headlight symbol with time
delay; low washer fluid warning light

Radio-AM stereo/FM stereo, electronically tuned:

Radio-Premium AM stereo FM stereo, elec-tronically tunod: seek-and-scan, Dynamic Noise Roduction; electronic cassette tape player with automatic reverse, metal tape sensor, Dolby B Noise Roduction; joystick balance/lader speaker

Radio Delete-Standard radio may be deleted for

S Scuff Pads—Front and rear doors, side step sill: rubber

S Tire Carrier-Spare: inside-mounted

Alternator-12-volt, 120-ampere

S Battery-500-ampere, maintenance-free

Battery-625 ampère, maintenance-free

Cooling-Auxiliary: transmission oil-to-air (automatic transmission and maximum engine

Defroster-Rear window: electric [for single rear

Instrumentation-Ammeter, engine oxclant tem-perature gauge, engine oil pressure gauge, fuel gauge, ofometer, speedometer, and trip odometer

S Brakes-Front disc, rear drum: power-assisted

S Alternator - 12-volt, 75-ampere

cooling required)

Cooling-Engine: maximum

Electronic Ignition System

Headlights-Halogen: rectangular

intermittent type

Engine Block Heater

door with vented glass only)

Windshield Wipers-Deluxe: two-speed

FUNCTIONAL

Tire Cover-Spare: inside-mounted

Radio-AM stereo\*FM stereo, electronically tuned: Dynamic Noise Reduction; cassette tape player with automatic reverse, bass/treble slide control

Mirrors-Exterior dual power remote control, low-mount 6-inch by 9-inch: bright

Moldings-Side and rear windows, taillight bezels, windshield: bright

Wheels-Argent-painted steel read-type: with bright hub (set of four; not available on BZ50

Wheels-Cast aluminum road-type (set of four; not available on B250 Maxiwagon)

Door-Single rear, with vented glass
Door-Sliding side, cargo: with vented glass

Doors-Dual rear: with vented glass

EXTERIOR

S Fuel Tank-22-gallon Fuel Tank-35-gallon

S Grille-Argent finish Grillo-Bright finish

INTERIOR

S Glass-All windows: tinted

S Hubcaps-Bright (set of four)

# Dodge Ram Wagon Specifications

Rem Value Wagon B150 B250 B350

E E E

S S S S E E

S S S S

S P P P Y

EEEE

SPPP

EEEE

SPPP

SSSS

SSSS

SPPP

E E E

XA S S S

	RAM VALUE WAGON	B150 WAGON	B250 WAGON AND MAXIWAGON	B350 WAGON AND MAXIWAGON	
GVW (lb): Std/Opt	5,300 6,010	5,300 5,500 6,010	6,010 6,4001	7,500 8,510	
Wheelbase (in.)	109.6 109.6	109.6 127.6 109.6 127.6	127.6 127.6 Maxi	127.6 127.6 127.6 127.6 Maxi Maxi	
Payload (lb)	1,305 1,960	1,305 1,235 1,960 1,155	1,840 2,185 1,865	2,930 3,810 2,605 3,590	
Axle Capacity (lb) Front Rear	3,300 3,850	3,300 3,850	3,300 3,850	3,600 5,500	
Brakes (in.) Front Disc Rear Drum Booster	11.75 x 1.25 11 x 2.5 Vacuum 10.5 single diaphragm	11.75 x 1.25 11 x 2.5 Vacuum 10.5 single diaphragm	11.75 x 1.25 11 x 2.5 Vacuum 10.5 single diaphragm	12.82 x 1.25 12 x 2.5 Vacuum 11.5 single diaphragm	
Engines: Std Opt	3.9-liter (239 CID) V-6 EFI 5.2-liter (318 CID) V-8 EFI	3.9-liter (239 CID) V-6 EFI 5.2-liter (318 CID) V-8 RFI	3.9-liter (239 CID) V-6 EFI 5.2-liter (318 CID) V-8 EFI 5.9-liter (360 CID) V-8 EFI	5.2-liter (318 CID) V-8 EFI 5.9-liter (360 CID) V-8 EFI	
Shock Absorbers (diameter-in.): Std Opt	(diameter-in.): Std 1.0		1.0 13/6 <sup>2</sup>	1.0	
Spring Ratings (lb) Front Rear: Std	Computer selected 1,610 1,810	Computer selected 1,610 1,610 1,810	omputer selected Computer selected		
Opt	1,810 1,980	1,810 1,810 1,980	1,980	2,770	
Steering	Power	Power	Power	Power	
Transmission: Std Opt	5-speed manual overdrive 3-speed automatic 4-speed automatic overdrive	overdrive (109.6° wb) 3-speed automatic (127.6° wb) 3-speed automatic 4-speed automatic		3-speed automatic 4-speed automatic overdrive	
Tire Size (Set of five)	P205/75R15   Steel-belted   P205/75R15   Steel-belted   P225/75R15   P225/75R15   Steel-belted   P235/75R15XL   P235/75R15XL   P235/75R15XL   Steel-belted   Steel-belte		stoel-belted radial-std with 6,010-lb GVW P235/75R15XL steel-belted radial-std with	LT225/75R16D steel-belted radial-ste on 127.6" wb with 7,500-lb GVW LT225/75R16E steel-belted radial-ste on Maxi and 127.6" wt with 8,510-lb GVW	
Wheel Rim Size (in.) 15 x 6.50 (Set of five)		15 x 6.50	15 x 6.50 15 x 6.50 heavy- duty (Maxi)	16 x 6.0	

Standard on Maxiwagon; optional on regular wagon. NOTE: Maximum payloads are based on models with minimum required load-carrying components. Poysoads should be reduced by weight of occupants and any optional equipment

Interior Dimensions

Height (maximum)

Dodge Wagon Exterior and

# Standard Safety Features

- Backup lights Brake system warning light Dual braking system with separate brake fluid reservoirs in the
- master cylinder Energy-absorbing steering column ■ Fade-resistant front disc brakes Glare reduction measures for instrument panel, steering
- wheel, and windshield wipers Ignition and steering column
- Inside hood release Padded instrument panel and
- sun visors Side marker lights and reflectors Traffic hazard warning flasher
- Unibelt restraint system

Width (maximum)	79.8"	79.8°	79.8"
			-
Length (maximum)	178.9°	196.9"	222.9"
Effective head room: driver	36.1~	36.1"	36.1"
Floor-to-roof height	53.2	53.2"	53.2"
Maximum inside width	72.2°	72.2"	72.2
Front seat to rear door	92.9"	110.9	136.9°
Engine cover to rear door	120.1"	138.1"	164.1"
Standard wagon rear seat to rear door	57.1"	75.1"	101.1"
Width between wheelhouses	50.0"	50.0	50.0"
Rear and side-hinged door  opening height opening width	47.2° 49.3°	47.2° 49.3°	47.2" 49.3"
Side sliding door -opening height -opening width	47.2° 39.8°	47.2" 39.8"	47.2° 39.8°

109.6' wb 127.6" wb Maxi

79.6° 80.9° 80.6°

**SPECIFICATIONS** 

**AND SELECTED** 

**OPTIONAL** 

OUIPMENT

STANDARD AND

\*Uniprime is a trademark of PPG Industries, Inc. 

There are special engine cooling requirements for field-installed air conditioning. Failure to follow these requirements may invalidate warranty. See your dealer for details.

Some AM stereo broadcasting may not be compatible with this radio.

Dynamic Noise Reduction is a trademark of National Semiconductor Corporation.

Dolby B is a trademark of Dolby Laboratories.

NOTE: Some of the equipment listed is available in package only.

YOU'RE RIDING **ON EASY STREET INSIDE A DODGE** RAM WAGON.

Imagine yourself luxuriating in the comfort of this interior with the optional LE Decor Package trim.
The Austin cloth with Saddle Grain vinyl

trim high-back Command front bucket seats provide additional body support. Take your choice of Bordeaux Red (shown below), Almond, and Twilight Blue. The quick-release rear bench seat has matching trim. (Page 9 shows the full selection of interior trims.) The new engine cover console (opposite), with color-keyed carpeting, has extra conveniences including a foldout tray and closable


storage compartments.

Notice the luxury steering wheel and richlooking new Cheyenne Hickory woodtone
applique on this handsome instrument panel
(also shown opposite). Both features, plus
Cheyenne Hickory applique on the front door
trim panel, are part of the LE Decor Package.











Ram Wagon with optional LE Decor. Austin cloth with vinyl trim full-contour high-back Command bucket seats with inboard folding armrests and reclining seatbacks are included in the LE Decor Package. In Almond, Twilight Blue, Bordeaux Red. Rear bench seat included.



Ram Wagon LE Decor alternate trim. Deluxe Turin knit vinyl with Saddle Grain vinyl trim full-contour high-back nonreclining Command bucket seats with inboard folding armrests are available as a no-charge option in the LE Decor Package. In Almond, Twilight Blue, Bordeaux Red. Rear bench seat included.



Ram Wagon Option. Ram Value Wagon Option. These high-back non-reclining Command bucket seats in cloth with vinyl trim are optional on the Ram Wagon and Ram Value Wagon. In Almond, Twilight Blue, Bordeaux Red. Rear bench seat



Ram Wagon. Ram Value Wagon. Both mod-els offer standard high-back non-reclining Command bucket seats in all-vinyl trim. Choice of Almond, Twilight Blue, Bordeaux Red. Rear bench seat included. A. Wheels and Wheel Covers.

Deluxe bright wheel covers are standard on Ram Value Wagon, and available with Prospector Packages II, III, and IV only.

2. Or accent your wagon's color and trim
with styled steel road wheels. Available in a
set of four on all models except B250
Maxiwagon and B350 models.
3. New for 1989, cast aluminum road wheels
add bold distinction to your Ram Wagon.
Available in a set of four on all models

except B250 Maxiwagon and B350 models.

B. Travel Seating Package.

1. Upright, there are two quick-release bench seats with fold-down seatbacks.

2. Reverse the front bench seat and install the woodtone-finish table. A swing-out leg gives extra support. The table stows away between the first bench seat and side panel.

3. Lower the back of the front bench seat for comfortable legging.

comfortable lounging.
4. Lower both seatbacks and you have a big
54-inch by 76-inch bed, plus handy storage

C. Air Conditioning.

This front-and-rear system keeps all pas-sengers cool and comfortable: six adjustable instrument panel outlets, nine adjustable rear compartment outlets, four-speed blower, and bi-level ventilation.

D. AM Stereo 'FM Stereo Radio with Cassette Tape Player.

This all-new quality sound system offers electronic tuning, 10 watts per channel, Dynamic Noise Reduction†; cassette tape player with automatic reverse, four speakers; demonstration tape; integral digital

\*Some AM stereo broadcasting may not be compatible \*Dynamic Noise Reduction (DNR) is a trademark of National Semiconductor Corporation.

E. 5.9-Liter EFI V-8 Engine.
Dodge's powerful 5.9-liter 360 CID V-8 incorporates single-point electronic fuel injection for the first time. This and other improvements mean increased power and driveability.

F. Tilt Steering Wheel.

Increases ease of entry to and exit from the driver's seat. Adjusts to six positions.
(Available as part of the Deluxe Convenience Tilt/Cruise Package, and included in Prospector Packages III and IV and Ram Value Wagon Package I.) Automatic transmission and deluxe intermittent wipers required at extra cost.

G. Rear Step Bumper.

A rear-end styling highlight. Made of strong, bright chrome-plated steel with corrugated surface for safe footing.


H. Dual Low-Mount Mirrors.

You get attractive styling and excellent rearward visibility. Bright finished. Also available in Prospector Packages.



























### **DECOR AND SPECIAL** PROSPECTOR DISCOUNT PACKAGES







### Seatina

A. Standard five-passenger seating: all models.



B. Optional eight-passenger seating: B150 109.6-inch wheelbase model with optional 6,010-Pound GVW Package, and all B250 and B350 models.



Optional twelve-passenger seating: B350 model: rear door(s) with optional vented glass required at extra cost



D. Optional fifteen-passenger seating: B350 127.6-inch wheelbase Maxiwagon; rear door(s) with optional vented glass and 8,510-Pound GVW Package required at extra cost.

Certain models, packages, and options may be subject to specific restrictions, requirements, or late availability. See your dealer for the latest ordering infon

### Convenience Package (Available in Prospector Packages II, III, and IV only; standard on Ram Value Wagon.)

■ Cigar lighter light ■ Deluxe two-speed windshield

wipers with intermittent wipe feature ■ Glove box lock and light

Ignition key light and ignition switch and headlight symbol light with time delay ■ Underhood reel-type light

Deluxe Convenience Tilt/Cruise Package

(Dehice windshield wipers, standard on Ram Value Wagon, and automatic transmission required at extra cost.) ■ Electronic speed control

Luxury steering wheel ■ Tilt steering column

### Power Convenience Package (Available in Prospector Parbone IV only)

Power door locks: all doors Power windows: driver and front passenger doors only

Heavy-Duty Package (Standard on B250 Maxiwagon.)

 Heavy-duty gas shock absorbers: front and rear

### Exterior Colors

Light Cream

Dark Quartz Gray Metallic

Crimson Red

Walnut Brown Metallic Twilight Blue Metallic

### Two-Tone Paint Package

■ Bright taillight bezels Lower side and rear moldings; upper side and rear moldings

m Two-tone paint (the main color is used above the upper molding and below the lower molding. with the secondary color running in a wide band between the

### moldings) Trailer Towing Preparation Package

(Not available on Ram Value Wagon or B150 models.)

■ 120-amp alternator ■ 625-amp maintenance-free

hattery ■ Cooling, auxiliary: transmission

oil to air (with automatic transmission) ■ Heavy-Duty Package: front

and rear heavy-duty gas shock absorbers

■ Heavy-duty variable load

flasher ■ Maximum engine cooling

(see the Dodge Truck and Car Trailer Towing Guide for complete details and recommendations)

Light Blue Metallic

Platinum Silver Metallic

Medium Tan Metallic

Black

Bright White

NOTE: Due to printing limitations, the colors shown will vary slightly from actual hues. See your Dodge dealer for accurate color chips.

<b>س</b>	Check Desired Options	Ram Value Waqon	B150	B250	B350
	EXTERIOR	3011		2200	2000
	Bumper-Rear step-type: bright	E	E	E	E
_	Bumpers-Front and rear: bright	S	P	P	P
S	Bumpers-Front and rear: painted	NA	S	S	S
S	Corrosion Protection—Extensive use of galvanized steel/Uniprime <sup>1</sup>	s	S	S	S
	Door-Single rear: with vented glass	E	E	E	E
	Door-Sliding side, cargo: with vented glass	NC	NC	NC	NC
	Doors-Dual rear: with vented glass	E	E	E	E
S	Doors—Passenger: double-hinged type, right side and single rear (all doors include easily removed				
	metal check arm)	S	S	S	S
S	Fuel Tank-22-gallon	S	S	S	S
S	Fuel Tank-35-gallon Glass-All windows: tinted	E	E	E S	E
S	Grille-Argent finish	NA	S	S	S
	Grille-Bright finish	S	P	P	P
S	Hubcaps-Bright (set of four)	NA	S	S	S
S	Mirrors-Exterior dual 5-inch by 7-inch: bright	S	S	S	S
	Mirrors-Exterior dual low-mount 6-inch by 9-inch: bright	E	E	E	E
	Mirrors-Exterior dual power remote control, low-				
_	mount 6-inch by 9-inch-bright  Moldings—Side and rear windows, taillight bezels,	E	E	E	E
	windshield: bright	S	P	P	P
	Wheel Covers-Deluxe (set of four)	S	P	P	P
	Wheels—Argent-painted steel road-type: with bright hub (set of four; not available on B250				
	Maxiwagon)	E	E	E	NA
	Wheels-Cast aluminum road-type (set of four; not	-	_	-	274
	available on B250 Maxiwagon) INTERIOR	E	E	E	NA
	Air Conditioning <sup>2</sup>	Е	E	E	E
_	Air Conditioning2-Rear: auxiliary, with or without	-		ь	ь
	auxiliary heater (for 127.6-inch wheelbase eight- cylinder models only)	NA	Е	Е	P
	Carpeting—Full-length floor: color-keyed	S	P	P	P
S	Clock-Electronic digital: integral with radio	S	S	S	S
	Console-Engine cover: includes carpeted engine	100	1		-
_	housing	E	E	E	E
s	Dash Liner-Insulated	S	P	P	P
0	Floor Mat-Full-length, with underlayment: black Glove Box-Lock and light	NA S	S	S	S
S	Headliner—Full-length: white hardboard	S	S	P	P
S	Hood Release—In-cab activated	S	S	S	S
-	Instrument Panel-Applique: woodtone	S	P	P	P
	Instrument Panel-Lower skirts: color-keyed	S	P	P	P
	Lights-Ignition and headlight symbol with time				
_	delay; low washer fluid warning light	S	P	P	P
S	Mirror-Interior 10-inch day/night	S	S	S	S
5	Radio-AM stereo <sup>3</sup> /FM stereo, electronically tuned: two speakers; integral digital clock	s	S	S	s
	Radio-AM stereo3/FM stereo, electronically typed-		0	0	3
	Dynamic Noise Reduction; cassette tape player	- n			_
-	with automatic reverse, bass/treble slide control Radio-Premium AM stereo <sup>3</sup> /FM stereo, elec-	E	E	E	E
	tronically tuned: seek-and-scan, Dynamic Noise				
	Reduction, electronic cassette tape player with automatic reverse, metal tape sensor, Dolby B				
	Noise Reduction; joystick balance/fader speaker				
_	control	E	E	E	E
	Radio Delete—Standard radio may be deleted for credit on factory orders	co	со	co	со
S	Scuff Pads-Front and rear doors,	100			-
	side step sill: rubber	S	S	S	S
S	Tire Carrier—Spare: inside-mounted	S	S	S	S
	Tire Cover-Spare: inside-mounted	S	P	P	P
	FUNCTIONAL				-
S	Alternator 12 and 75 amoure	9	c	0	
S	Alternator-12-volt, 75-ampere	S	S	S	S
s	Alternator-12-volt, 75-ampere Alternator-12-volt, 120-ampere	E	E	E	Е
	Alternator-12-volt, 75-ampere	_			
	Alternator—12-volt, 75-ampere Alternator—12-volt, 120-ampere Battery—500-ampere, maintenance-free	E S	E S	E S	E
s	Alternator—12-volt, 75-ampere Alternator—12-volt, 120-ampere Battery—500-ampere, maintenance-free Battery—625-ampere, maintenance-free Brakes—Front disc, rear drum: power-assisted Cooling—Auxiliary: transmission oil-to-air	E S E	E S E	E S E	E S E
s	Alternator—12-volt, 75-ampere Alternator—12-volt, 120-ampere Battery—500-ampere, maintenance-free Battery—625-ampere, maintenance-free Brakes—Front disc, rear drum: power-assisted Cooling—Auxiliary: transmission oil-to-air (automatic transmission and maximum engine	E S E S	E S E S	E S E S	E S E S
s	Alternator—12-volt, 75-ampere Alternator—12-volt, 120-ampere Battery—500-ampere, maintenance-free Battery—625-ampere, maintenance-free Brakes—Front disc, rear drum: power-assisted Cooling—Auxiliary: transmission oil-to-air (automatic transmission and maximum engine cooling required)	E S E	E S E	E S E	E S E S
s	Alternator—12-volt, 75-ampere Alternator—12-volt, 120-ampere Battery—500-ampere, maintenance-free Battery—625-ampere, maintenance-free Brakes—Front disc, rear drum: power-assisted Cooling—Auxiliary: transmission oil-to-air (automatic transmission and maximum engine cooling required) Cooling—Engine: maximum Defroster—Rear window: electric (for single rear	E S E S	E S E S	E S E S	E S E S
S	Alternator—12-volt, 75-ampere Alternator—12-volt, 120-ampere Battery—500-ampere, maintenance-free Battery—625-ampere, maintenance-free Brakes—Front disc, rear drum: power-assisted Cooling—Auxiliary: transmission oil-to-air (automatic transmission and maximum engine cooling required) Cooling—Engine: maximum Defroster—Rear window: electric (for single rear door with vented glass only)	E S S E E	E S E S	E S E S	E S E S
s	Alternator—12-volt, 75-ampere  Alternator—12-volt, 120-ampere Battery—500-ampere, maintenance-free Battery—625-ampere, maintenance-free Brakes—Front disc, rear drum: power-assisted Cooling—Auxiliary: transmission oil-to-air (automatic transmission and maximum engine cooling required) Cooling—Engine: maximum Defroster—Rear window: electric (for single rear door with vented glass only) Electronic Ignition System	E S E S	E S E E E E S	E S E E E E S	E S S E E E S
S S	Alternator—12-volt, 75-ampere Alternator—12-volt, 120-ampere Battery—500-ampere, maintenance-free Battery—625-ampere, maintenance-free Brakes—Front disc, rear drum: power-assisted Cooling—Auxiliary: transmission oil-to-air (automatic transmission and maximum engine cooling required) Cooling—Engine: maximum Defroster—Rear window: electric (for single rear door with vented glass only) Electronic Ignition System Engine Block Heater	E S E E E	E S E E E S E	E S E E E S E	E S E E E S E
S	Alternator—12-volt, 75-ampere  Alternator—12-volt, 120-ampere Battery—500-ampere, maintenance-free Battery—625-ampere, maintenance-free Brakes—Front disc, rear drum: power-assisted Cooling—Auxiliary: transmission oil-to-air (antomatic transmission and maximum engine cooling required) Cooling—Engine: maximum Defroster—Rear window: electric (for single rear door with vented glass only) Electronic Ignition System Engine Block Heater Headlights—Halogen: rectangular	E S E S	E S E E E E S	E S E E E E S	E S S E E E S
S S	Alternator—12-volt, 75-ampere  Alternator—12-volt, 120-ampere Battery—500-ampere, maintenance-free Battery—625-ampere, maintenance-free Brakes—Front disc, rear drum: power-assisted Cooling—Auxiliary: transmission oil-to-air (automatic transmission and maximum engine cooling required) Cooling—Engine: maximum Defroster—Rear window: electric (for single rear door with vented glass only) Electronic Ignition System Engine Block Heater Headlights—Halogen: rectangular Instrumentation—Ammeter, engine coolant temperature gauge, engine oil pressure gauge, fuel	E S E S E E S	E S E E E E S S	E S E E S E S	E S S E E S S
S S S	Alternator—12-volt, 75-ampere  Alternator—12-volt, 120-ampere Battery—500-ampere, maintenance-free Battery—625-ampere, maintenance-free Brakes—Front disc, rear drum: power-assisted Cooling—Auxiliary: transmission oil-to-air (automatic transmission and maximum engine cooling required) Cooling—Engine: maximum Defroster—Rear window: electric (for single rear door with vented glass only) Electronic Ignition System Engine Block Heater Headlights—Halogen: rectangular Instrumentation—Ammeter, engine coolant tem- perature gauge, engine oil pressure gauge, fuel gauge, odometer, speedometer, and trip odometer	E S E E E S	E S E E S S S S	E S E E S S S	E S E E S S
S S S	Alternator—12-volt, 75-ampere  Alternator—12-volt, 120-ampere Battery—500-ampere, maintenance-free Battery—625-ampere, maintenance-free Brakes—Front disc, rear drum: power-assisted Cooling—Auxiliary: transmission oil-to-air (antomatic transmission and maximum engine cooling required) Cooling—Engine: maximum Defroster—Rear window: electric (for single rear door with vented glass only) Electronic Ignition System Engine Block Heater Headlights—Halogen: rectangular Instrumentation—Ammeter, engine coolant temperature gauge, engine oil pressure gauge, fuel gauge, odometer, speedometer, and trip odometer Steering—Power-assisted	E S E E E S S	E S E E S S S S	E S E E S S S S	E S E E S S S S
S S S	Alternator—12-volt, 75-ampere  Alternator—12-volt, 120-ampere Battery—500-ampere, maintenance-free Battery—625-ampere, maintenance-free Brakes—Front disc, rear drum: power-assisted Cooling—Auxiliary: transmission oil-to-air (automatic transmission and maximum engine cooling required) Cooling—Engine: maximum Defroster—Rear window: electric (for single rear door with vented glass only) Electronic Ignition System Engine Block Heater Headlights—Halogen: rectangular Instrumentation—Ammeter, engine coolant tem- perature gauge, engine oil pressure gauge, fuel gauge, odometer, speedometer, and trip odometer	E S E E E S	E S E E S S S S	E S E E S S S	E S E E S S

# **Dodge Ram Wagon Specifications**

	RAM VALUE WAGON		B150 WAGON		B250 WAGON AND MAXIWAGON		B350 WAGON AND MAXIWAGON		
GVW (lb): Std/Opt	5,300 6,	010	5,300	5,500	6,010	6,010	6,4001	7,500	8,510
Wheelbase (in.)	0.000	09.6	109.6 127.6	127.6	109.6	127.6	127.6 127.6 Maxi	127.6 127.6 Maxi	127.6 127.6 Maxi
Payload (lb)	1,305 1,	960	1,305 1,155	1,235	1,960	1,840	2,185 1,865	2,930 2,605	3,810 3,590
Axle Capacity (lb) Front Rear	3,300 3,850			3,300 3,850		3 3	,300	3,600 5,500	
Brakes (in.) Front Disc Rear Drum Booster	11.75 x 1.25 11 x 2.5 Vacuum 10.5 single diaphragn	n	Vac	.75 x 1.2 11 x 2.5 cuum 10 e diaphr	0.5	11 Vacu	5 x 1.25 x 2.5 um 10.5 diaphragm	12.82 x 1.25 12 x 2.5 Vacuum 11.5 single diaphragm	
Engines: Std Opt	3.9-liter (239 CID) V-6 EF 5.2-liter (318 CID) V-8 EF	550	(239	3.9-liter CID) V-6 5.2-liter CID) V-8	EFI	3.9-liter (239 CID) V-6 EFI 5.2-liter (318 CID) V-8 EFI <sup>1</sup> 5.9-liter (360 CID) V-8 EFI		5.2-liter (318 CID) V-8 EFI 5.9-liter (360 CID) V-8 EFI <sup>1</sup>	
Shock Absorbers (diameter-in.): Std Opt	1.0 1¾16			1.0 13/16		1.0 1¾16¹		1.0 13/16	
Spring Ratings (lb) Front Rear: Std	Computer selecte	ed 810		uter sele 1,610	ected 1,810	Computer selected 1,810 1,980		Computer selected 2,360 2,770/ 2,670	
Opt	1,810 1,	980	1,810	1,810	1,980	1,980	1,980		Maxi
Steering	Power			Power		P	ower	2,770 Power	
Opt 3-speed manual overdrive  Opt 3-speed automatic 4-speed automatic overdrive		ic	overdri 3-spec (1: 3-spec (1: 4-spec	eed mar ve (109. ed auton 27.6" wh ed auton 09.6" wh ed auton verdrive	6" wb) natic o) natic o) natic o)			3-speed 4-speed	automatic automatic rdrive
Tire Size (Set of five)	P205/75R15 steel-belted radial—std with 5,300-lb GVV P235/75R15XL steel-belted radial—std with 6,010-lb GVV		belter with 5 P225/ belter with 5 P235/7 belter	75R15 d radial- ,300-lb 75R15 d radial- ,500-lb 5R15XI d radial- ,010-lb	-std GVW steel- -std GVW steel- -std	stee radial- 6,010 P235/ stee radial-	6/75R15 l-belted -std with l-lb GVW 75R15XL l-belted -std with l-lb GVW	steel-belte on 127.6 7,500- LT225/ steel-belte on Maxi ar	75R16D d radial—std 6" wb with -lb GVW 75R16E d radial—std id 127.6" wb 10-lb GVW
Wheel Rim Size (in.) (Set of five)	15 x 6.50		1	5 x 6.50	)	15 x 6	x 6.50 .50 heavy- (Maxi)	16	x 6.0

1Standard on Maxiwagon; optional on regular wagon. NOTE: Maximum payloads are based on models with minimum required load-carrying components.

# Standard Safety Features

- Backup lights
- Brake system warning light
   Dual braking system with separate brake fluid reservoirs in the master cylinder
- Energy-absorbing steering column Fade-resistant front disc brakes
- Glare reduction measures for instrument panel, steering wheel, and windshield wipers
- Ignition and steering column lock
- Inside hood release
- Padded instrument panel and sun visors
- Side marker lights and reflectors ■ Traffic hazard warning flasher system
- Unibelt restraint system

Dodge Wagon Exterior and Interior Dimensions	109.6" wb	127.6" wb	127.6" wb Maxi
Height (maximum)	79.6"	80.9"	80.6"
Width (maximum)	79.8"	79.8"	79.8"
Length (maximum)	178.9"	196.9"	222.9"
Effective head room: driver	36.1"	36.1"	36.1"
Floor-to-roof height	53.2"	53.2"	53.2"
Maximum inside width	72.2"	72.2"	72.2"
Front seat to rear door	92.9"	110.9"	136.9"
Engine cover to rear door	120.1"	138.1"	164.1"
Standard wagon rear seat to rear door	57.1"	75.1"	101.1"
Width between wheelhouses	50.0"	50.0"	50.0"
Rear and side-hinged door  opening height opening width	47.2" 49.3"	47.2" 49.3"	47.2" 49.3"
Side sliding door -opening height -opening width	47.2" 39.8"	47.2" 39.8"	47.2" 39.8"

<sup>1</sup>Uniprime is a trademark of PPG Industries, Inc. <sup>2</sup>There are special engine cooling requirements for field-installed air conditioning. Failure to follow these requirements may invalidate warranty. See your dealer for details. <sup>3</sup>Some AM stereo broadcasting may not be compatible with this radio. <sup>4</sup>Dynamic Noise Reduction is a trademark of National Semiconductor Corporation. <sup>5</sup>Dolby B is a trademark of Dolby Laboratories. NOTE: Some of the equipment listed is available in package only.





### **Interior Trim**



Ram Wagon with optional LE Decor. Austin cloth with vinyl trim full-contour high-back Command bucket seats with inboard folding armrests and reclining seatbacks are included in the LE Decor Package. In Almond, Twilight Blue, Bordeaux Red. Rear bench seat included.



Ram Wagon LE Decor alternate trim.

Deluxe Turin knit vinyl with Saddle Grain vinyl trim full-contour high-back non-reclining Command bucket seats with inboard folding armrests are available as a no-charge option in the LE Decor Package. In Almond, Twilight Blue, Bordeaux Red. Rear bench seat included.



Ram Wagon Option. Ram Value Wagon
Option. These high-back non-reclining
Command bucket seats in cloth with vinyl
trim are optional on the Ram Wagon and
Ram Value Wagon. In Almond, Twilight
Blue, Bordeaux Red. Rear bench seat
included.



Ram Wagon. Ram Value Wagon. Both models offer standard high-back non-reclining Command bucket seats in all-vinyl trim. Choice of Almond, Twilight Blue, Bordeaux Red. Rear bench seat included.

# A. Wheels and Wheel Covers.

1. Deluxe bright wheel covers are standard on Ram Value Wagon, and available with Prospector Packages II, III, and IV only.

2. Or accent your wagon's color and trim with styled steel road wheels. Available in a set of four on all models except B250 Maxiwagon and B350 models.

3. New for 1989, cast aluminum road wheels add bold distinction to your Ram Wagon. Available in a set of four on all models except B250 Maxiwagon and B350 models.

### B. Travel Seating Package.

 Upright, there are two quick-release bench seats with fold-down seatbacks.
 Reverse the front bench seat and install the woodtone-finish table. A swing-out leg gives extra support. The table stows away between the first bench seat and side panel.
 Lower the back of the front bench seat for

comfortable lounging.
4. Lower both seatbacks and you have a big
54-inch by 76-inch bed, plus handy storage

# C. Air Conditioning.

underneath.

This front-and-rear system keeps all passengers cool and comfortable: six adjustable instrument panel outlets, nine adjustable rear compartment outlets, four-speed blower, and bi-level ventilation.

# D. AM Stereo\*/FM Stereo Radio with Cassette Tape Player.

This all-new quality sound system offers electronic tuning, 10 watts per channel, Dynamic Noise Reduction<sup>†</sup>; cassette tape player with automatic reverse, four speakers; demonstration tape; integral digital clock.

\*Some AM stereo broadcasting may not be compatible with this radio.

<sup>†</sup>Dynamic Noise Reduction (DNR) is a trademark of National Semiconductor Corporation.

# E. 5.9-Liter EFI V-8 Engine.

Dodge's powerful 5.9-liter 360 CID V-8 incorporates single-point electronic fuel injection for the first time. This and other improvements mean increased power and driveability.

# F. Tilt Steering Wheel.

Increases ease of entry to and exit from the driver's seat. Adjusts to six positions. (Available as part of the Deluxe Convenience Tilt/Cruise Package, and included in Prospector Packages III and IV and Ram Value Wagon Package I.) Automatic transmission and deluxe intermittent wipers required at extra cost.

# G. Rear Step Bumper.

A rear-end styling highlight. Made of strong, bright chrome-plated steel with corrugated surface for safe footing.


# H. Dual Low-Mount Mirrors.

You get attractive styling and excellent rearward visibility. Bright finished. Also available in Prospector Packages.































MOPAR parts are engineered by Chrysler Motors for use in your new Dodge Ram
Wagon. When replacement is necessary,
be sure to specify MOPAR parts. Used by
professional mechanics all over the world.
Dodge and MOPAR are registered
trademarks, and Ram Wagon is a trade-

mark of Chrysler Motors Corporation.

7/70 Power Train Limited Warranty
Upon expiration of the basic 12-month or 12,000-mile limited warranty, coverage is extended on power train components to seven years or 70,000 miles. A deductible applies. See your dealer for a copy of the warranty.

# 7/100 Anticorrosion Limited Warranty

Your dealer will repair or replace at no charge outer body sheet metal panels found to have developed perforation (rustthrough) in normal use up to seven years or 100,000 miles. See your dealer for a copy of the limited warranty.



# Chrysler Credit Financing

Chrysler Credit offers a variety of finance programs that will help make your new Dodge truck even more affordable. These special finance and leasing programs are designed to meet the needs of today's automotive buyer. They include Gold Key Lease, America's Choice Payment Plan, College Graduate Plans, Retail Financing, and more. Ask your salesperson for details.

# Consider Leasing

Many of today's new vehicle prospects are wisely considering leasing as an alternative to buying. Leasing a new Dodge Ram Wagon usually involves a small security deposit and a first month's lease payment. Monthly payments are usually less than financing a new vehicle purchase. Ask your dealer for details.

**Optional Service Contract Coverage** 

Chrysler Service Contracts provide you with additional peace of mind protection for your new vehicle. Chrysler Motors offers a variety of plans to meet your needs. Plan coverage begins after your vehicle's basic warranty expires. A deductible applies. Allowances for car rental and towing are also included.

Specifications, descriptions, and illustrative materials contained herein are as accurate as known at the time this publication was approved for printing. Chrysler Motors reserves the right to discontinue models or options at any time or change specifications and materials, equipment, and design without notice and without incurring obligation. All options and accessories illustrated or referred to as optional or available in this publication are at extra cost. Some options are required in combination with other options. For the price of the model with the equipment you desire, or verification of specifications contained here, see your Dodge Truck dealer.

# BUCKLE UP FOR SAFETY.

### Chrysler Purchase Assistance Program for the Physically Challenged

Cash reimbursements of up to \$500 are available for qualified adaptive driving devices on 1989 Chrysler Motors cars and trucks. For further information, contact your dealer or the PHYSICALLY CHALLENGED RESOURCE CENTER at 1-800-255-9877.

