

CR-V 2WD LX: The CR-V was designed to be well prepared. The LX comes with a 146-hp, 2.0 liter, DOHC engine, 4-speed automatic transmission with Grade Logic Control, dual front airbags, power windows, mirrors and door locks, rear child-seat tether anchors, a removable picnic table, air conditioning, an AM/FM stereo with cassette and 4 speakers, and two 12-volt power outlets.



CR-V 4WD LX: The 4WD LX includes all the creature comforts that make driving the 2WD LX such a good time, but in addition offers Honda's Real Time 4-wheel drive. This model comes with a standard 5-speed manual transmission, and is available with a 4-speed automatic transmission.

## After you decide on a model,


you'll need to decide on a destination.



CR-V 4WD EX: The 4WD EX offers several more attractive features, like alloy wheels, an anti-lock braking system (ABS), an AM/FM stereo CD player with 4 speakers, a remote entry system, floor mats and body-colored mirrors and door handles.



CR-V 4WD SPECIAL EDITION: At the top of the line is the CR-V Special Edition. It features leather-trimmed seats, a leather-wrapped steering wheel, rear privacy glass and an AM/FM stereo cassette with in-dash CD player. Adding to its rugged good looks are body-colored bumpers and side moldings, a chrome grille accent and a body-colored hard spare tire cover.







You'll find the CR-V's cargo floor lifts out to become a picnic table and reveals the rear storage well. It's easy to get to and has room for any number of items.

Let's go camping. Climb inside the CR-V. folds away so you can walk through to Its expansive interior beckons as earnestly the rear seats. The rear seats feature center as the mountains, with well-thought-out armrests, and recline to a flat position on ergonomics. Controls and gauges are the EX and SE models. Once you've arrived all logically placed, and in at your campsite, make sure to the SE there are enticing take full advantage of the leather-trimmed seats and removable folding picnic table an AM/FM stereo that plays CDs as well as the two helpful 12-volt as well as cassettes. The driver's seat outlets. We hope you enjoyed the trip. But and steering column adjust to accommodate we would bet that your next journey in the a wide range of statures. Between the Honda CR-V, be it away from civilization or front seats is a clever tray table that in the heart of it, will be just as satisfying.

The convenient 50/50 split rear seatback allows you more flexibility in arranging the cargo and seating areas. So bring along other people, their stuff or any combination thereof.






CR-V EX interior shown.

The EX and SE models have a remote entry system that can unlock the CR-V's doors and rear glass hatch with a push of a button from up to 50 feet away. Handy, if your arms are full of groceries.



The CR-V's two-way tailgate allows you to open just the upper glass portion to toss in your backpack and sleeping bag. But if you need to load larger items, you can open the side-hinged tailgate.





The CR-V's 2 liter engine produces 146 horsepower with a wide, flat torque line. Torque lets you move quickly in city traffic. Horsepower lets you cruise effortlessly on the highway.



The CR-V uses 4 valves per cylinder and dual overhead camshafts (DOHC) to draw in more air and fuel. This helps the engine make more power and torque.




You want sure-footed grip without an overly stiff ride. The CR-V's very refined 4-wheel double wishbone suspension provides outstanding control and a comfortable ride.




Finally, a vehicle so versatile it will cause you to rethink your definition of "road." The Honda CR-V is packed with features and innovative technology. So you can expand your horizons and start to explore a new world. Just turn the key. And let the fun begin.

You've seen it from afar, the road that beckons, inviting you to a place not so crowded. If only you had the wheels to get there. Enter the Honda CR-V. Its 146horsepower engine has the power to take you back to nature. And its rigid chassis, stabilizer bars and 8.1" of ground clearance will help tame the roads you may encounter there. A supple, very refined 4-wheel double wishbone suspension system precisely positions the P205/70 R15 tires and wheels (alloy wheels on EX, SE models) for maximum comfort and control. CR-V's clever Real Time 4WD system senses wheel slippage, and automatically engages 4-wheel drive for more traction-there are no levers to shift. Front disc brakes and an anti-lock braking system (ABS) (on EX, SE models) help assure safe stops. To shift your adventures into gear, there's a 5-speed manual or an available 4-speed automatic transmission (standard on 2WD LX, 4WD SE). To increase comfort, the automatic uses Grade Logic Control programming to eliminate "gear hunting" when driving up or down hills.



CR-V's anti-lock braking system (ABS) (on EX, SE models) helps the driver retain steering control of the vehicle when braking hard, especially on slippery surfaces.








CR-V EX shown in Milano Red.


Life has a way of delivering the unexpected. That's why it's good to have a CR-V when you take to the streets. If the unthinkable should happen, the CR-V's rigid body also functions as a "steel safety cage." Energy-absorbing bumpers help protect in minor impacts. Front and rear crush zones progressively collapse to help absorb impact energy in a severe collision. Sturdy steel door beams help protect in a side impact. Primary occupant protection is provided by 3-point seat belts at all outboard seating positions, while dual front airbags. (SRS) help provide supplemental protection for the driver and front passenger in a moderate-to-severe frontal collision. Automatic front seat belt tensioners and adjustable front seat head restraints also help provide protection. To help keep the kids safe, there are auto-locking seat belt retractors, child-proof rear door locks and rear child-seat tether anchors for securing compatible child seats. And the CR-V's smooth variable-assist power rack-and-pinion steering and excellent handling will help give you the sure responsiveness you need to stay out of harm's way.





CR-V provides over 300° of outward visibility. This excellent view of the road, plus a high seating position, helps the driver see and avoid trouble before it happens.

When the road gets slippery, the CR-V's Real Time 4WD system automatically engages when you need the advantages of increased traction. And does so without you having to shift a lever.





For years, Honda has led the industry in reducing the impact automobiles have on the environment. Proving that it can be done with little sacrifice to performance. In 1975, we introduced the innovative Civic CVCC, the first car to

pass the federal Clean Air Act standards without the use of a catalytic converter. Ever since, our engineers have pushed the limits of design. When California's standards for Low-, Ultra-

Low- and Super Ultra-Low-Emission Vehicles (LEV, ULEV and SULEV) were introduced over the past seven years, a Honda was the first gasoline-powered car to meet each one. In fact, we have met these government standards before they were mandatory. While all Civics are now ULEV or better, every Honda does its part. From the natural-gas Civic GX, the cleanest internal combustion production-engine vehicle ever built, to the LEV-rated 240-hp S2000 roadster. With our track

record, it's only fitting that we would be the first to introduce a gasoline-electric-powered hybrid car in the United States: the Insight. This ultra-low-emission vehicle

was the first car to receive the Excellence in Environmental Engineering Award from the Sierra Club. Honda will continue to lead the way in providing you ENCELLENCE IN ENVIRONMENTAL ENGINEERING SIERRA CLUB with some of the most advanced and cleanest vehicles on the road today.

When you buy a new Honda, a team of dedicated professionals is standing by to assist you. Your dealer can help personalize



your Honda with a wide assortment of Genuine Honda Accessories. Have them installed at the

time of purchase and they're covered by the 3-year/36,000-mile limited warranty. And our Honda-trained technicians are available to help you take care of your new car. With their vast expertise and knowledge, they'll be able to help keep your vehicle in excellent condition. After all, no one knows your Honda better. If you'd like additional information, call us at 1-800-33-HONDA. Or visit our Web site at honda.com. If you're looking for quality, dependability and exceptional service, it's time for a Honda.



If you want quality service and dependable nationwide support, turn to American Honda Finance Corporation. They can assist you with your next purchase of a Honda automobile or product.



Add comfort to your passenger's seat with an adjustable armrest. It's mounted at the same height as the door armrest for even support. And the pivoting design allows for easy passage between seats.

## Care

Honda Care is a comprehensive, affordable vehicle and travel protection plan that is backed by Honda reliability, service and parts. Check with your dealer for additional information.



Keep items stored in the cargo area out of sight with a retractable cargo cover. It's made from vinyl that's color-coordinated to your vehicle's interior, and will help your CR-V look more clutter-free.

## Other available accessories:

- 6-Disc In-Dash CD Changer
- · CD Changer
- · CD Player
- · Cassette Player
- · Roof Rack
- · Roof-Rack Attachments
- · 15" Alloy Wheels
- · Keyless Entry/Security System (LX)
- · Splash Guards (front)
- Side and Rear Sport Trim
- · Floor Mats (LX)
- · Rear Cargo Net
- Trailer Hitch
- · Spare-Tire Cover

Visit your Honda dealer or honda.com for a complete list of accessories.



## Specifications and Features

Engine	2WD LX	4WD LX	4WD EX	4WD SE
Type: Aluminum Alloy In-Line 4	•	•	•	•
Displacement (liters)	2.0	2.0	2.0	2.0
Horsepower @ rpm (SAE net)	146 @ 6200	146 @ 6200	146 @ 6200	146 @ 6200
Torque (lbft.@ rpm)	133 @ 4500	133 @ 4500	133 @ 4500	133 @ 4500
Compression Ratio	9.6:1	9.6:1	9.6:1	9.6:1
Valve Train: 16-Valve DOHC	•	•	•	•
Fuel System: Multi-Point Fuel Injection	•	•	•	•
Ignition System: Electronic	•	•	•	•
Drivetrain				
Туре	FWD	Real Time™ 4WD	Real Time™ 4WD	Real Time™ 4WI
Manual Transmission: 5-Speed		•	•	
Automatic Transmission: 4-Speed (available)	STD	•	•	STD
Final Drive Ratio (MT/AT)	NA/4.36	4.56/4.36	4.56/4.36	NA/4.36
Body/Suspension/Chassis				
Body Type: Unit Body	•	•	•	•
Suspension: 4-Wheel Double Wishbone	•	•	•	•
Stabilizer Bar (mm, front/rear)	26.0/13.0	26.0/13.0	26.0/13.0	26.0/13.0
Variable-Assist Power				
Rack-and-Pinion Steering	•	•	•	•
Turning Diameter, Curb-to-Curb (ft.)	34.8	34.8	34.8	34.8
Power-Assisted Front Disc/Rear Drum Brakes	•	•	•	•
Anti-Lock Braking System (ABS)			•	•
Minimum Ground Clearance (in.)	8.1	8.1	8.1	8.1
Wheels	15" Styled Steel	15" Styled Steel	15" Alloy	15" Alloy
Tires: All-Season M+S		P205/70 R15 95S	P205/70 R15 95S	
		·	-	
Exterior Dimensions				
Wheelbase (in.)	103.2	103.2	103.2	103.2
Length (in.)	177.6	177.6	177.6	177.6
Height (in.)	65.9	65.9	65.9	65.9
Width (in.)	68.9	68.9	68.9	68.9
Track (in., front/rear)	60.4/60.4	60.4/60.4	60.4/60.4	60.4/60.4
	60.4/60.4 NA/3126	60.4/60.4 3210/3236	60.4/60.4 3219/3245	60.4/60.4 NA/3254
Track (in., front/rear)  Curb Weight (lbs., MT/AT)  Front/Rear Weight Distribution (lbs., MT)	60.4/60.4 NA/3126 NA	60.4/60.4 3210/3236 1750/1460	60.4/60.4 3219/3245 1759/1460	
Curb Weight (Ibs., MT/AT) Front/Rear Weight Distribution (Ibs., MT)	NA/3126 NA	3210/3236 1750/1460	3219/3245 1759/1460	NA/3254 NA
Curb Weight (lbs., MT/AT) Front/Rear Weight Distribution (lbs., MT) Front/Rear Weight Distribution (lbs., AT)	NA/3126 NA 1746/1380	3210/3236	3219/3245 1759/1460 1788/1457	NA/3254
Curb Weight (lbs., MT/AT) Front/Rear Weight Distribution (lbs., MT) Front/Rear Weight Distribution (lbs., AT)	NA/3126 NA	3210/3236 1750/1460 1779/1457	3219/3245 1759/1460	NA/3254 NA 1792/1462
Curb Weight (lbs., MT/AT) Front/Rear Weight Distribution (lbs., MT) Front/Rear Weight Distribution (lbs., AT) Towing Capacity (lbs.)	NA/3126 NA 1746/1380	3210/3236 1750/1460 1779/1457	3219/3245 1759/1460 1788/1457	NA/3254 NA 1792/1462
Curb Weight (lbs., MT/AT) Front/Rear Weight Distribution (lbs., MT) Front/Rear Weight Distribution (lbs., AT) Towing Capacity (lbs.) Interior Dimensions	NA/3126 NA 1746/1380 1000	3210/3236 1750/1460 1779/1457 1000	3219/3245 1759/1460 1788/1457 1000	NA/3254 NA 1792/1462 1000
Curb Weight (lbs., MT/AT) Front/Rear Weight Distribution (lbs., MT) Front/Rear Weight Distribution (lbs., AT) Towing Capacity (lbs.) Interior Dimensions Headroom (in., front/rear)	NA/3126 NA 1746/1380 1000 40.5/39.2	3210/3236 1750/1460 1779/1457 1000 40.5/39.2	3219/3245 1759/1460 1788/1457 1000	NA/3254 NA 1792/1462 1000 40.5/39.2
Curb Weight (lbs., MT/AT) Front/Rear Weight Distribution (lbs., MT) Front/Rear Weight Distribution (lbs., AT) Towing Capacity (lbs.) Interior Dimensions Headroom (in., front/rear) Legroom (in., front/rear)	NA/3126 NA 1746/1380 1000 40.5/39.2 41.5/36.7	3210/3236 1750/1460 1779/1457 1000 40.5/39.2 41.5/36.7	3219/3245 1759/1460 1788/1457 1000	NA/3254 NA 1792/1462 1000 40.5/39.2 41.5/36.7
Curb Weight (lbs., MT/AT) Front/Rear Weight Distribution (lbs., MT) Front/Rear Weight Distribution (lbs., AT) Towing Capacity (lbs.)  Interior Dimensions Headroom (in., front/rear) Legroom (in., front/rear) Shoulder Room (in., front/rear)	NA/3126 NA 1746/1380 1000 40.5/39.2 41.5/36.7 53.3/55.5	3210/3236 1750/1460 1779/1457 1000 40.5/39.2 41.5/36.7 53.3/55.5	3219/3245 1759/1460 1788/1457 1000 40.5/39.2 41.5/36.7 53.3/55.5	NA/3254 NA 1792/1462 1000 40.5/39.2 41.5/36.7 53.3/55.5
Curb Weight (lbs., MT/AT) Front/Rear Weight Distribution (lbs., MT) Front/Rear Weight Distribution (lbs., AT) Towing Capacity (lbs.) Interior Dimensions Headroom (in., front/rear) Legroom (in., front/rear) Shoulder Room (in., front/rear) Hiproom (in., front/rear)	NA/3126 NA 1746/1380 1000 40.5/39.2 41.5/36.7 53.3/55.5 53.4/50.7	3210/3236 1750/1460 1779/1457 1000 40.5/39.2 41.5/36.7 53.3/55.5 53.4/50.7	3219/3245 1759/1460 1788/1457 1000 40.5/39.2 41.5/36.7 53.3/55.5 53.4/50.7	NA/3254 NA 1792/1462 1000 40.5/39.2 41.5/36.7 53.3/55.5 53.4/50.7
Curb Weight (lbs., MT/AT) Front/Rear Weight Distribution (lbs., MT) Front/Rear Weight Distribution (lbs., AT) Towing Capacity (lbs.)  Interior Dimensions Headroom (in., front/rear) Legroom (in., front/rear) Shoulder Room (in., front/rear) Hiproom (in., front/rear) Cargo Volume (cu. ft., seat up/down)	NA/3126 NA 1746/1380 1000 40.5/39.2 41.5/36.7 53.3/55.5 53.4/50.7 29.6/67.2	3210/3236 1750/1460 1779/1457 1000 40.5/39.2 41.5/36.7 53.3/55.5 53.4/50.7 29.6/67.2	3219/3245 1759/1460 1788/1457 1000 40.5/39.2 41.5/36.7 53.3/55.5 53.4/50.7 29.6/67.2	NA/3254 NA 1792/1462 1000 40.5/39.2 41.5/36.7 53.3/55.5 53.4/50.7 29.6/67.2
Curb Weight (lbs., MT/AT) Front/Rear Weight Distribution (lbs., MT) Front/Rear Weight Distribution (lbs., AT) Towing Capacity (lbs.) Interior Dimensions Headroom (in., front/rear) Legroom (in., front/rear) Shoulder Room (in., front/rear) Hiproom (in., front/rear)	NA/3126 NA 1746/1380 1000 40.5/39.2 41.5/36.7 53.3/55.5 53.4/50.7	3210/3236 1750/1460 1779/1457 1000 40.5/39.2 41.5/36.7 53.3/55.5 53.4/50.7	3219/3245 1759/1460 1788/1457 1000 40.5/39.2 41.5/36.7 53.3/55.5 53.4/50.7	NA/3254 NA 1792/1462 1000 40.5/39.2 41.5/36.7 53.3/55.5 53.4/50.7
Curb Weight (lbs., MT/AT) Front/Rear Weight Distribution (lbs., MT) Front/Rear Weight Distribution (lbs., AT) Towing Capacity (lbs.)  Interior Dimensions Headroom (in., front/rear) Legroom (in., front/rear) Shoulder Room (in., front/rear) Hiproom (in., front/rear) Cargo Volume (cu. ft., seat up/down) Passenger Volume (cu. ft.)	NA/3126 NA 1746/1380 1000 40.5/39.2 41.5/36.7 53.3/55.5 53.4/50.7 29.6/67.2	3210/3236 1750/1460 1779/1457 1000 40.5/39.2 41.5/36.7 53.3/55.5 53.4/50.7 29.6/67.2	3219/3245 1759/1460 1788/1457 1000 40.5/39.2 41.5/36.7 53.3/55.5 53.4/50.7 29.6/67.2	NA/3254 NA 1792/1462 1000 40.5/39.2 41.5/36.7 53.3/55.5 53.4/50.7 29.6/67.2
Curb Weight (lbs., MT/AT) Front/Rear Weight Distribution (lbs., MT) Front/Rear Weight Distribution (lbs., AT) Towing Capacity (lbs.)  Interior Dimensions Headroom (in., front/rear) Legroom (in., front/rear) Hiproom (in., front/rear) Cargo Volume (cu. ft., seat up/down) Passenger Volume (cu. ft.)  Exterior/Interior Colors	NA/3126 NA 1746/1380 1000 40.5/39.2 41.5/36.7 53.3/55.5 53.4/50.7 29.6/67.2	3210/3236 1750/1460 1779/1457 1000 40.5/39.2 41.5/36.7 53.3/55.5 53.4/50.7 29.6/67.2	3219/3245 1759/1460 1788/1457 1000 40.5/39.2 41.5/36.7 53.3/55.5 53.4/50.7 29.6/67.2	NA/3254 NA 1792/1462 1000 40.5/39.2 41.5/36.7 53.3/55.5 53.4/50.7 29.6/67.2
Curb Weight (lbs., MT/AT) Front/Rear Weight Distribution (lbs., MT) Front/Rear Weight Distribution (lbs., AT) Towing Capacity (lbs.)  Interior Dimensions Headroom (in., front/rear) Legroom (in., front/rear) Hiproom (in., front/rear) Cargo Volume (cu. ft., seat up/down) Passenger Volume (cu. ft.)  Exterior/Interior Colors Milano Red/Dark Gray	NA/3126 NA 1746/1380 1000 40.5/39.2 41.5/36.7 53.3/55.5 53.4/50.7 29.6/67.2 98.0	3210/3236 1750/1460 1779/1457 1000 40.5/39.2 41.5/36.7 53.3/55.5 53.4/50.7 29.6/67.2 98.0	3219/3245 1759/1460 1788/1457 1000 40.5/39.2 41.5/36.7 53.3/55.5 53.4/50.7 29.6/67.2 98.0	NA/3254 NA 1792/1462 1000 40.5/39.2 41.5/36.7 53.3/55.5 53.4/50.7 29.6/67.2
Curb Weight (lbs., MT/AT) Front/Rear Weight Distribution (lbs., MT) Front/Rear Weight Distribution (lbs., AT) Towing Capacity (lbs.)  Interior Dimensions Headroom (in., front/rear) Legroom (in., front/rear) Hiproom (in., front/rear) Cargo Volume (cu. ft., seat up/down) Passenger Volume (cu. ft.)  Exterior/Interior Colors Milano Red/Dark Gray Clover Green Pearl/Dark Gray	NA/3126 NA 1746/1380 1000 40.5/39.2 41.5/36.7 53.3/55.5 53.4/50.7 29.6/67.2 98.0	3210/3236 1750/1460 1779/1457 1000 40.5/39.2 41.5/36.7 53.3/55.5 53.4/50.7 29.6/67.2 98.0	3219/3245 1759/1460 1788/1457 1000 40.5/39.2 41.5/36.7 53.3/55.5 53.4/50.7 29.6/67.2 98.0	NA/3254 NA 1792/1462 1000 40.5/39.2 41.5/36.7 53.3/55.5 53.4/50.7 29.6/67.2 98.0
Curb Weight (lbs., MT/AT) Front/Rear Weight Distribution (lbs., MT) Front/Rear Weight Distribution (lbs., AT) Towing Capacity (lbs.)  Interior Dimensions Headroom (in., front/rear) Legroom (in., front/rear) Hiproom (in., front/rear) Cargo Volume (cu. ft., seat up/down) Passenger Volume (cu. ft.)  Exterior/Interior Colors Milano Red/Dark Gray Clover Green Pearl/Dark Gray	NA/3126 NA 1746/1380 1000 40.5/39.2 41.5/36.7 53.3/55.5 53.4/50.7 29.6/67.2 98.0	3210/3236 1750/1460 1779/1457 1000 40.5/39.2 41.5/36.7 53.3/55.5 53.4/50.7 29.6/67.2 98.0	3219/3245 1759/1460 1788/1457 1000 40.5/39.2 41.5/36.7 53.3/55.5 53.4/50.7 29.6/67.2 98.0	NA/3254 NA 1792/1462 1000 40.5/39.2 41.5/36.7 53.3/55.5 53.4/50.7 29.6/67.2 98.0
Curb Weight (lbs., MT/AT) Front/Rear Weight Distribution (lbs., MT) Front/Rear Weight Distribution (lbs., AT) Towing Capacity (lbs.)  Interior Dimensions Headroom (in., front/rear) Legroom (in., front/rear) Hiproom (in., front/rear) Hiproom (in., front/rear) Cargo Volume (cu. ft., seat up/down) Passenger Volume (cu. ft.)  Exterior/Interior Colors Milano Red/Dark Gray Clover Green Pearl/Dark Gray Electron Blue Pearl/Dark Gray Taffeta White/Dark Gray	NA/3126 NA 1746/1380 1000 40.5/39.2 41.5/36.7 53.3/55.5 53.4/50.7 29.6/67.2 98.0	3210/3236 1750/1460 1779/1457 1000 40.5/39.2 41.5/36.7 53.3/55.5 53.4/50.7 29.6/67.2 98.0	3219/3245 1759/1460 1788/1457 1000 40.5/39.2 41.5/36.7 53.3/55.5 53.4/50.7 29.6/67.2 98.0	NA/3254 NA 1792/1462 1000 40.5/39.2 41.5/36.7 53.3/55.5 53.4/50.7 29.6/67.2 98.0
Curb Weight (lbs., MT/AT) Front/Rear Weight Distribution (lbs., MT) Front/Rear Weight Distribution (lbs., AT) Towing Capacity (lbs.)  Interior Dimensions Headroom (in., front/rear) Legroom (in., front/rear) Shoulder Room (in., front/rear) Hiproom (in., front/rear) Cargo Volume (cu. ft., seat up/down) Passenger Volume (cu. ft.)	NA/3126 NA 1746/1380 1000 40.5/39.2 41.5/36.7 53.3/55.5 53.4/50.7 29.6/67.2 98.0	3210/3236 1750/1460 1779/1457 1000 40.5/39.2 41.5/36.7 53.3/55.5 53.4/50.7 29.6/67.2 98.0	3219/3245 1759/1460 1788/1457 1000 40.5/39.2 41.5/36.7 53.3/55.5 53.4/50.7 29.6/67.2 98.0	NA/3254 NA 1792/1462 1000 40.5/39.2 41.5/36.7 53.3/55.5 53.4/50.7 29.6/67.2 98.0

Exterior Features	2WD LX	4WD LX	4WD EX	4WD SE
Dual Power Mirrors	•	•	Body-Colored	Body-Colored
Intermittent Rear Window Wiper/Washer	•	•	•	•
High-Mounted Taillights	•	•	•	•
Remote Entry System	Accessory	Accessory	•	•
Green Heat-Rejecting Glass	•	•	•	•
Body-Colored Door Handles			•	•
Body Side Molding	•	•	•	Body-Colored
Body-Colored Bumpers				•
Exterior Spare Tire Carrier with Tire Cover	•	•	•	Hard Cover
Aluminum-Alloy Wheels	Accessory	Accessory	Including Spare	Including Spare
Rear Splash Guards	•	•	•	•
Interior Features				
Air Conditioning w/Micron Air-Filtration System				
Power Windows w/Auto-Down Driver's Window	•	•	•	•
Power Door Locks	•	•	•	•
Cruise Control	•	•	•	•
				w/CD Player
AM/FM Stereo & 4 Speakers	w/Cassette	w/Cassette	w/CD Player	and Cassette
Driver's and Front Passenger's Airbags (SRS)	•	•	•	•
Front 3-Point Seat Belts w/Automatic Tensioning System	•	•	•	•
Adjustable Front Seat Belt Anchors	•	•	•	•
Rear 3-Point Seat Belts w/Center Lap Belt	•	•	•	•
Rear Child-Seat Tether Anchors	•	•	•	•
Child-Proof Rear Door Locks	•	•	•	•
Reclining Front Bucket Seats	•	•	•	•
Reclining Rear Seatbacks	•	•	Full-Flat	Full-Flat
Split 50/50 Fold-Down Rear Seatback	•	•	•	•
Driver's Seat with Manual Height Adjustment	•	•	•	•
Adjustable Steering Column	•	•	•	•
Beverage Holders, Front and Rear	•	•	•	•
Retractable Center Tray Table	•	•	•	•
Removable Folding Picnic Table	•	•	•	•
Waterproof Rear Storage Well	•	•	•	•
Door-Pocket Storage Bins	•	•	•	•
Cargo Area Light	•	•	•	•
Cargo Hook	•	•	•	•
12-Volt Accessory Outlets, Front and Rear	•	•	•	•
Tachometer	•	•	•	•
Low-Fuel Indicator Light	•	•	•	•
2-Speed/Intermittent Windshield Wipers	•	•	•	•
Map Lights	•	•	•	•
Quartz Digital Clock	•	•	•	•
Driver's and Front Passenger's Vanity Mirrors		•	•	•
Rear-Seat Heater Ducts	•	•	•	•
Remote Glass Hatch Release	•	•	•	•
Rear Window Defroster with Timer	•	•	•	•
Floor Mats		•	•	•
Lockable Glove Compartment	•	•	•	•
поскарне оноче сонирагинени	•	-	•	-
EPA Mileage Estimates†/Fuel Capacity				
5-Speed Manual (City/Highway)		22/25	22/25	
4-Speed Automatic (City/Highway)	22/25	22/25	22/25	22/25
= 17 11				

Fuel (gal.)

\*3-Year/36,000-Mile Limited Warranty: Ordinary maintenance or adjustments, parts subject to normal wear and replacement, and certain items are excluded. See your Honda dealer for the terms and conditions of this limited warranty. †Mileage figures shown for comparison only. Actual mileage may vary. Always use seat belts and appropriate child seats. Children are safest in the rear seat. Real Time is a trademark of Honda Motor Co. LTD. Some features mentioned herein are not available in all areas. See your Honda dealer for details. Some vehicles may be shown with optional equipment. Available—Optional. NA=Not applicable. Specifications, features, illustrations and equipment shown in this brochure are based upon the latest available information at the time of printing. Although descriptions are believed correct, accuracy cannot be guaranteed. American Honda Motor Co., Inc., reserves the right to make changes at any time, without notice or obligation, in colors, specifications, accessories, materials and models.





Accord Sedan



Accord Coupe



Civic Sedan



Civic Coupe



S2000



Prelude



Odyssey



Passport



CR-V



Insight