

**D**rive your

new Jetta with confidence. It's built to withstand the challenges of the road. And designed to enhance your level of driving satisfaction for as long as you can. A 1991 Jetta is protected by a 3-year/34,000-mile bumper-to-bumper limited warranty against defects in materials and workmanship, a 5-year/50,000-mile limited powertrain warranty and a 3-year/34,000-mile limited warranty against corrosion and rust perforation. See your authorized Volkswagen dealer for details.



**VW**  
  
**VAN DIEBEN**

**3-YEAR/34,000-MILE BUMPER-TO-BUMPER WARRANTY:** Volkswagen regularly seeks to deliver reliable information about its products. Volkswagen's engine product performance is the best. We have proven this by carrying an engine failure and timing cover seal warranty. This warranty gets from 0 to 100,000 miles. Volkswagen's overall 3-year, 34,000-mile bumper-to-bumper limited warranty is the industry's longest. Because you'll get the best of both worlds, we'll give you a 3-year/34,000-mile bumper-to-bumper limited warranty against defects in materials and workmanship. This is the best we can do. Please refer to the Volkswagen literature for more information. See your authorized Volkswagen dealer for details. ©1991 Volkswagen of America. Volkswagen of America is a registered trademark of Volkswagen of America. All other trademarks are the property of their respective owners.



# JETTA

1991

Searched for  
[ADPSource.com](http://ADPSource.com)

114



JETTA.  
AN AFFORDABLE ROAD CAR THAT  
TAKES COMMAND OF THE ROAD.

As a European road car, Jetta is a very personal vehicle. It lets you choose the combination of performance and comfort that best suits your individual driving needs. Jetta GL delivers the driving environment of a true European road car at an amazingly affordable price. Jetta Convert heightens the driving experience with personal luxury touches. Jetta GLI 16V with its 16-valve engine provides exhilarating power and performance. And Jetta GLI Diesel offers extraordinary economy\* and practicality. Since all Jetta cars designed for the Autobahn, they're engineered with independent suspension, power rack and pinion steering, power front disc brakes and front wheel drive. All of which work together to deliver precise handling and the distinctly European driving experience we call Fahrvergnügen. The emotion you feel only when you drive Volkswagen.



To experience this feeling yourself, you must drive a Jetta. It's a true European road car whose high level of performance is matched only by its high level of comfort.

\*EPA 40 mpg city/50 mpg highway.

Jetta GLI 1.8

Our 16V injected engine answers your demand for power eagerly and efficiently. Coupled to a 5-speed transmission, engine response is smooth and lively throughout its entire operating range. So you can cruise with confidence the longer you drive. Jetta can only raise the level of your driving enjoyment, it also heightens your sense of control. The car is command of the car and the road.





### The wiggly line

on the road says yes it will. But your confidence never wavers. *Chevrolet Cavalier* may be a heavy model, but it's also a model performer. Its independent suspension, *four-wheel disc* power front disc brakes provide excellent steering, excellent directional control and quiet stopping power. *Chevrolet Cavalier* not only rewards you with luxury features, it also promotes a sense of well-being in all driving conditions.



• *Chevrolet Cavalier's* standard power windows offer multiple convenience and provide you the ultimate while driving.



• For greater control over *Chevrolet Cavalier's* cruise controlled power windows use the adjuster on the back of a button to provide excellent window control.



• Cruise control is standard on *Chevrolet Cavalier*. Its cruise using feature that helps reduce driving fatigue.



**D**riving the

new 1987 Buick LeSabre is a lesson in responsive power. Its 3.0-liter 16-valve engine, 5-speed transmission, sport-tuned suspension, power rack and pinion steering and four-wheel power disc brakes turn the art of driving into the art of pleasure control.





• **Adjustable** high adjustable steering wheel and seat for maximizing the proper driving position for most road driving needs.



• **For your listening pleasure**, the Jetta SE offers a standard 6-disc high output stereo cassette system with an optional amplifier. For your protection, the standard safety features include standard locking and light and security coding.



• **Jetta SE SE is a great value** with the standard 100-hp 1.8L engine. The Jetta SE SE is a great value with the standard 100-hp 1.8L engine. The Jetta SE SE is a great value with the standard 100-hp 1.8L engine.



#### Jetta's control

tells you that driver control is permanent. The high adjustable steering wheel and infinitely adjustable seat conform to your personal driving posture. All major controls are within easy reach. And all buttons can be used by your fingertips. Driving harmony is complete. Jetta keeps you in control of the car. So you can keep the car in command of the road.

MPG City	41
MPG Hwy	53
MPG Comb	27.2
0-60	12.9
Top Speed	225
Max Load	60



■ Like Cam's new headrests provide an extra measure of comfort and support for your neck and shoulders.



■ A new seat-back storage system for Cam and Camo provides added comfort and features the convenience of a beverage tray.



## **E** mpower road

Now you're off to a better start in complete comfort for hours. It's a little *and your fundamental why.* The front bucket seats are fully reclinable and height adjustable. They're *body-contoured* to ensure the precise balance of comfort and support. Cam's *interior* is designed throughout your own mind of the road.

■ Cam is equipped with a unique interior seat-back system that helps you buckle up by providing a shoulder that fits comfortably. It's the place where the driver can stand. Supplemental support by both provides an added degree of security.





getting enjoyment of you, you'll be glad you're driving a lotus. Its spacious interior accommodates five adults in complete comfort. Standard appointments include tinted glass, a rear window defogger and dual remote-controlled mirrors. Lotus Cars offers the luxury of power windows and mirrors, and cruise control. When you start your trip completely refreshed, you'll find it the same way to a lotus.



■ You get 100 miles and still get behind the wheel. You'll find these capabilities, performance, and reliability. Lotus Cars and Lotus Cars are your friends in these things, and more.



■ Lotus's spacious trunk is one of the biggest in its class, at 14.7 cubic feet of storage space. If you prefer to carry a lot of luggage or groceries, you'll like riding your lotus.




■ Lotus provides a rear window defogger to keep off the fog. The rear window defogger is standard on Lotus Elise and Lotus Elise. The rear window defogger is standard on Lotus Elise and Lotus Elise.



### Ultra-Engine

Lead our tradition into well enter you here place to place as smoothly and effort lessly as possible. That's because life's performance, comfort and security are an integral part of its design. Finest engineering knowledge, help reproduction control. And an array of performance technology provides unmatched manufacturing. Volkswagen's own extensive reliability and durability helps ensure that you'll continue to enjoy driving your V6 in the years ahead.



The V6 and Diesel are equipped with a 1.8 liter fuel injected engine for generous 122 horsepower at 5400 rpm. The supercharger for fuel economy is made with rubber injection valves to reduce opening raps.

### Engineering Features

- 1 The V6 features a digital pressure control system programmed with an engine timing that maintains smooth performance in all driving conditions. The air control that respects the speed control and also compensates for altitude and weather changes.
- 2 Jet is equipped with engine timing of valves to provide extremely low vibration and mechanical control. For greater power and responsiveness, the independent suspension. Also the performance, an alternative for air engine and mechanical shock reduction.
- 3 Jet's updated fuel injection now also helps prevent stalling during fuel economy. The independent rear suspension features a longer travel rate. Also includes the 1/2 range and therefore also designed to help ensure a smooth, controlled ride.
- 4 Jet's V6 Jet's low speed pump also makes the 127" wheelbase that also help reduce engine vibration rate. To make engine working more smoothly by control fuel flow to distribution during 1000 to 1100 rpm, or 1800 to 2000 rpm, or 1000 to 1100 rpm, or 1200 to 1300 rpm, or 1400 to 1500 rpm, or 1600 to 1700 rpm, or 1800 to 1900 rpm, or 2000 to 2100 rpm, or 2200 to 2300 rpm, or 2400 to 2500 rpm, or 2600 to 2700 rpm, or 2800 to 2900 rpm, or 3000 to 3100 rpm, or 3200 to 3300 rpm, or 3400 to 3500 rpm, or 3600 to 3700 rpm, or 3800 to 3900 rpm, or 4000 to 4100 rpm, or 4200 to 4300 rpm, or 4400 to 4500 rpm, or 4600 to 4700 rpm, or 4800 to 4900 rpm, or 5000 to 5100 rpm, or 5200 to 5300 rpm, or 5400 to 5500 rpm, or 5600 to 5700 rpm, or 5800 to 5900 rpm, or 6000 to 6100 rpm, or 6200 to 6300 rpm, or 6400 to 6500 rpm, or 6600 to 6700 rpm, or 6800 to 6900 rpm, or 7000 to 7100 rpm, or 7200 to 7300 rpm, or 7400 to 7500 rpm, or 7600 to 7700 rpm, or 7800 to 7900 rpm, or 8000 to 8100 rpm, or 8200 to 8300 rpm, or 8400 to 8500 rpm, or 8600 to 8700 rpm, or 8800 to 8900 rpm, or 9000 to 9100 rpm, or 9200 to 9300 rpm, or 9400 to 9500 rpm, or 9600 to 9700 rpm, or 9800 to 9900 rpm, or 10000 to 10100 rpm, or 10200 to 10300 rpm, or 10400 to 10500 rpm, or 10600 to 10700 rpm, or 10800 to 10900 rpm, or 11000 to 11100 rpm, or 11200 to 11300 rpm, or 11400 to 11500 rpm, or 11600 to 11700 rpm, or 11800 to 11900 rpm, or 12000 to 12100 rpm, or 12200 to 12300 rpm, or 12400 to 12500 rpm, or 12600 to 12700 rpm, or 12800 to 12900 rpm, or 13000 to 13100 rpm, or 13200 to 13300 rpm, or 13400 to 13500 rpm, or 13600 to 13700 rpm, or 13800 to 13900 rpm, or 14000 to 14100 rpm, or 14200 to 14300 rpm, or 14400 to 14500 rpm, or 14600 to 14700 rpm, or 14800 to 14900 rpm, or 15000 to 15100 rpm, or 15200 to 15300 rpm, or 15400 to 15500 rpm, or 15600 to 15700 rpm, or 15800 to 15900 rpm, or 16000 to 16100 rpm, or 16200 to 16300 rpm, or 16400 to 16500 rpm, or 16600 to 16700 rpm, or 16800 to 16900 rpm, or 17000 to 17100 rpm, or 17200 to 17300 rpm, or 17400 to 17500 rpm, or 17600 to 17700 rpm, or 17800 to 17900 rpm, or 18000 to 18100 rpm, or 18200 to 18300 rpm, or 18400 to 18500 rpm, or 18600 to 18700 rpm, or 18800 to 18900 rpm, or 19000 to 19100 rpm, or 19200 to 19300 rpm, or 19400 to 19500 rpm, or 19600 to 19700 rpm, or 19800 to 19900 rpm, or 20000 to 20100 rpm, or 20200 to 20300 rpm, or 20400 to 20500 rpm, or 20600 to 20700 rpm, or 20800 to 20900 rpm, or 21000 to 21100 rpm, or 21200 to 21300 rpm, or 21400 to 21500 rpm, or 21600 to 21700 rpm, or 21800 to 21900 rpm, or 22000 to 22100 rpm, or 22200 to 22300 rpm, or 22400 to 22500 rpm, or 22600 to 22700 rpm, or 22800 to 22900 rpm, or 23000 to 23100 rpm, or 23200 to 23300 rpm, or 23400 to 23500 rpm, or 23600 to 23700 rpm, or 23800 to 23900 rpm, or 24000 to 24100 rpm, or 24200 to 24300 rpm, or 24400 to 24500 rpm, or 24600 to 24700 rpm, or 24800 to 24900 rpm, or 25000 to 25100 rpm, or 25200 to 25300 rpm, or 25400 to 25500 rpm, or 25600 to 25700 rpm, or 25800 to 25900 rpm, or 26000 to 26100 rpm, or 26200 to 26300 rpm, or 26400 to 26500 rpm, or 26600 to 26700 rpm, or 26800 to 26900 rpm, or 27000 to 27100 rpm, or 27200 to 27300 rpm, or 27400 to 27500 rpm, or 27600 to 27700 rpm, or 27800 to 27900 rpm, or 28000 to 28100 rpm, or 28200 to 28300 rpm, or 28400 to 28500 rpm, or 28600 to 28700 rpm, or 28800 to 28900 rpm, or 29000 to 29100 rpm, or 29200 to 29300 rpm, or 29400 to 29500 rpm, or 29600 to 29700 rpm, or 29800 to 29900 rpm, or 30000 to 30100 rpm, or 30200 to 30300 rpm, or 30400 to 30500 rpm, or 30600 to 30700 rpm, or 30800 to 30900 rpm, or 31000 to 31100 rpm, or 31200 to 31300 rpm, or 31400 to 31500 rpm, or 31600 to 31700 rpm, or 31800 to 31900 rpm, or 32000 to 32100 rpm, or 32200 to 32300 rpm, or 32400 to 32500 rpm, or 32600 to 32700 rpm, or 32800 to 32900 rpm, or 33000 to 33100 rpm, or 33200 to 33300 rpm, or 33400 to 33500 rpm, or 33600 to 33700 rpm, or 33800 to 33900 rpm, or 34000 to 34100 rpm, or 34200 to 34300 rpm, or 34400 to 34500 rpm, or 34600 to 34700 rpm, or 34800 to 34900 rpm, or 35000 to 35100 rpm, or 35200 to 35300 rpm, or 35400 to 35500 rpm, or 35600 to 35700 rpm, or 35800 to 35900 rpm, or 36000 to 36100 rpm, or 36200 to 36300 rpm, or 36400 to 36500 rpm, or 36600 to 36700 rpm, or 36800 to 36900 rpm, or 37000 to 37100 rpm, or 37200 to 37300 rpm, or 37400 to 37500 rpm, or 37600 to 37700 rpm, or 37800 to 37900 rpm, or 38000 to 38100 rpm, or 38200 to 38300 rpm, or 38400 to 38500 rpm, or 38600 to 38700 rpm, or 38800 to 38900 rpm, or 39000 to 39100 rpm, or 39200 to 39300 rpm, or 39400 to 39500 rpm, or 39600 to 39700 rpm, or 39800 to 39900 rpm, or 40000 to 40100 rpm, or 40200 to 40300 rpm, or 40400 to 40500 rpm, or 40600 to 40700 rpm, or 40800 to 40900 rpm, or 41000 to 41100 rpm, or 41200 to 41300 rpm, or 41400 to 41500 rpm, or 41600 to 41700 rpm, or 41800 to 41900 rpm, or 42000 to 42100 rpm, or 42200 to 42300 rpm, or 42400 to 42500 rpm, or 42600 to 42700 rpm, or 42800 to 42900 rpm, or 43000 to 43100 rpm, or 43200 to 43300 rpm, or 43400 to 43500 rpm, or 43600 to 43700 rpm, or 43800 to 43900 rpm, or 44000 to 44100 rpm, or 44200 to 44300 rpm, or 44400 to 44500 rpm, or 44600 to 44700 rpm, or 44800 to 44900 rpm, or 45000 to 45100 rpm, or 45200 to 45300 rpm, or 45400 to 45500 rpm, or 45600 to 45700 rpm, or 45800 to 45900 rpm, or 46000 to 46100 rpm, or 46200 to 46300 rpm, or 46400 to 46500 rpm, or 46600 to 46700 rpm, or 46800 to 46900 rpm, or 47000 to 47100 rpm, or 47200 to 47300 rpm, or 47400 to 47500 rpm, or 47600 to 47700 rpm, or 47800 to 47900 rpm, or 48000 to 48100 rpm, or 48200 to 48300 rpm, or 48400 to 48500 rpm, or 48600 to 48700 rpm, or 48800 to 48900 rpm, or 49000 to 49100 rpm, or 49200 to 49300 rpm, or 49400 to 49500 rpm, or 49600 to 49700 rpm, or 49800 to 49900 rpm, or 50000 to 50100 rpm, or 50200 to 50300 rpm, or 50400 to 50500 rpm, or 50600 to 50700 rpm, or 50800 to 50900 rpm, or 51000 to 51100 rpm, or 51200 to 51300 rpm, or 51400 to 51500 rpm, or 51600 to 51700 rpm, or 51800 to 51900 rpm, or 52000 to 52100 rpm, or 52200 to 52300 rpm, or 52400 to 52500 rpm, or 52600 to 52700 rpm, or 52800 to 52900 rpm, or 53000 to 53100 rpm, or 53200 to 53300 rpm, or 53400 to 53500 rpm, or 53600 to 53700 rpm, or 53800 to 53900 rpm, or 54000 to 54100 rpm, or 54200 to 54300 rpm, or 54400 to 54500 rpm, or 54600 to 54700 rpm, or 54800 to 54900 rpm, or 55000 to 55100 rpm, or 55200 to 55300 rpm, or 55400 to 55500 rpm, or 55600 to 55700 rpm, or 55800 to 55900 rpm, or 56000 to 56100 rpm, or 56200 to 56300 rpm, or 56400 to 56500 rpm, or 56600 to 56700 rpm, or 56800 to 56900 rpm, or 57000 to 57100 rpm, or 57200 to 57300 rpm, or 57400 to 57500 rpm, or 57600 to 57700 rpm, or 57800 to 57900 rpm, or 58000 to 58100 rpm, or 58200 to 58300 rpm, or 58400 to 58500 rpm, or 58600 to 58700 rpm, or 58800 to 58900 rpm, or 59000 to 59100 rpm, or 59200 to 59300 rpm, or 59400 to 59500 rpm, or 59600 to 59700 rpm, or 59800 to 59900 rpm, or 60000 to 60100 rpm, or 60200 to 60300 rpm, or 60400 to 60500 rpm, or 60600 to 60700 rpm, or 60800 to 60900 rpm, or 61000 to 61100 rpm, or 61200 to 61300 rpm, or 61400 to 61500 rpm, or 61600 to 61700 rpm, or 61800 to 61900 rpm, or 62000 to 62100 rpm, or 62200 to 62300 rpm, or 62400 to 62500 rpm, or 62600 to 62700 rpm, or 62800 to 62900 rpm, or 63000 to 63100 rpm, or 63200 to 63300 rpm, or 63400 to 63500 rpm, or 63600 to 63700 rpm, or 63800 to 63900 rpm, or 64000 to 64100 rpm, or 64200 to 64300 rpm, or 64400 to 64500 rpm, or 64600 to 64700 rpm, or 64800 to 64900 rpm, or 65000 to 65100 rpm, or 65200 to 65300 rpm, or 65400 to 65500 rpm, or 65600 to 65700 rpm, or 65800 to 65900 rpm, or 66000 to 66100 rpm, or 66200 to 66300 rpm, or 66400 to 66500 rpm, or 66600 to 66700 rpm, or 66800 to 66900 rpm, or 67000 to 67100 rpm, or 67200 to 67300 rpm, or 67400 to 67500 rpm, or 67600 to 67700 rpm, or 67800 to 67900 rpm, or 68000 to 68100 rpm, or 68200 to 68300 rpm, or 68400 to 68500 rpm, or 68600 to 68700 rpm, or 68800 to 68900 rpm, or 69000 to 69100 rpm, or 69200 to 69300 rpm, or 69400 to 69500 rpm, or 69600 to 69700 rpm, or 69800 to 69900 rpm, or 70000 to 70100 rpm, or 70200 to 70300 rpm, or 70400 to 70500 rpm, or 70600 to 70700 rpm, or 70800 to 70900 rpm, or 71000 to 71100 rpm, or 71200 to 71300 rpm, or 71400 to 71500 rpm, or 71600 to 71700 rpm, or 71800 to 71900 rpm, or 72000 to 72100 rpm, or 72200 to 72300 rpm, or 72400 to 72500 rpm, or 72600 to 72700 rpm, or 72800 to 72900 rpm, or 73000 to 73100 rpm, or 73200 to 73300 rpm, or 73400 to 73500 rpm, or 73600 to 73700 rpm, or 73800 to 73900 rpm, or 74000 to 74100 rpm, or 74200 to 74300 rpm, or 74400 to 74500 rpm, or 74600 to 74700 rpm, or 74800 to 74900 rpm, or 75000 to 75100 rpm, or 75200 to 75300 rpm, or 75400 to 75500 rpm, or 75600 to 75700 rpm, or 75800 to 75900 rpm, or 76000 to 76100 rpm, or 76200 to 76300 rpm, or 76400 to 76500 rpm, or 76600 to 76700 rpm, or 76800 to 76900 rpm, or 77000 to 77100 rpm, or 77200 to 77300 rpm, or 77400 to 77500 rpm, or 77600 to 77700 rpm, or 77800 to 77900 rpm, or 78000 to 78100 rpm, or 78200 to 78300 rpm, or 78400 to 78500 rpm, or 78600 to 78700 rpm, or 78800 to 78900 rpm, or 79000 to 79100 rpm, or 79200 to 79300 rpm, or 79400 to 79500 rpm, or 79600 to 79700 rpm, or 79800 to 79900 rpm, or 80000 to 80100 rpm, or 80200 to 80300 rpm, or 80400 to 80500 rpm, or 80600 to 80700 rpm, or 80800 to 80900 rpm, or 81000 to 81100 rpm, or 81200 to 81300 rpm, or 81400 to 81500 rpm, or 81600 to 81700 rpm, or 81800 to 81900 rpm, or 82000 to 82100 rpm, or 82200 to 82300 rpm, or 82400 to 82500 rpm, or 82600 to 82700 rpm, or 82800 to 82900 rpm, or 83000 to 83100 rpm, or 83200 to 83300 rpm, or 83400 to 83500 rpm, or 83600 to 83700 rpm, or 83800 to 83900 rpm, or 84000 to 84100 rpm, or 84200 to 84300 rpm, or 84400 to 84500 rpm, or 84600 to 84700 rpm, or 84800 to 84900 rpm, or 85000 to 85100 rpm, or 85200 to 85300 rpm, or 85400 to 85500 rpm, or 85600 to 85700 rpm, or 85800 to 85900 rpm, or 86000 to 86100 rpm, or 86200 to 86300 rpm, or 86400 to 86500 rpm, or 86600 to 86700 rpm, or 86800 to 86900 rpm, or 87000 to 87100 rpm, or 87200 to 87300 rpm, or 87400 to 87500 rpm, or 87600 to 87700 rpm, or 87800 to 87900 rpm, or 88000 to 88100 rpm, or 88200 to 88300 rpm, or 88400 to 88500 rpm, or 88600 to 88700 rpm, or 88800 to 88900 rpm, or 89000 to 89100 rpm, or 89200 to 89300 rpm, or 89400 to 89500 rpm, or 89600 to 89700 rpm, or 89800 to 89900 rpm, or 90000 to 90100 rpm, or 90200 to 90300 rpm, or 90400 to 90500 rpm, or 90600 to 90700 rpm, or 90800 to 90900 rpm, or 91000 to 91100 rpm, or 91200 to 91300 rpm, or 91400 to 91500 rpm, or 91600 to 91700 rpm, or 91800 to 91900 rpm, or 92000 to 92100 rpm, or 92200 to 92300 rpm, or 92400 to 92500 rpm, or 92600 to 92700 rpm, or 92800 to 92900 rpm, or 93000 to 93100 rpm, or 93200 to 93300 rpm, or 93400 to 93500 rpm, or 93600 to 93700 rpm, or 93800 to 93900 rpm, or 94000 to 94100 rpm, or 94200 to 94300 rpm, or 94400 to 94500 rpm, or 94600 to 94700 rpm, or 94800 to 94900 rpm, or 95000 to 95100 rpm, or 95200 to 95300 rpm, or 95400 to 95500 rpm, or 95600 to 95700 rpm, or 95800 to 95900 rpm, or 96000 to 96100 rpm, or 96200 to 96300 rpm, or 96400 to 96500 rpm, or 96600 to 96700 rpm, or 96800 to 96900 rpm, or 97000 to 97100 rpm, or 97200 to 97300 rpm, or 97400 to 97500 rpm, or 97600 to 97700 rpm, or 97800 to 97900 rpm, or 98000 to 98100 rpm, or 98200 to 98300 rpm, or 98400 to 98500 rpm, or 98600 to 98700 rpm, or 98800 to 98900 rpm, or 99000 to 99100 rpm, or 99200 to 99300 rpm, or 99400 to 99500 rpm, or 99600 to 99700 rpm, or 99800 to 99900 rpm, or 100000 to 100100 rpm, or 100200 to 100300 rpm, or 100400 to 100500 rpm, or 100600 to 100700 rpm, or 100800 to 100900 rpm, or 101000 to 101100 rpm, or 101200 to 101300 rpm, or 101400 to 101500 rpm, or 101600 to 101700 rpm, or 101800 to 101900 rpm, or 102000 to 102100 rpm, or 102200 to 102300 rpm, or 102400 to 102500 rpm, or 102600 to 102700 rpm, or 102800 to 102900 rpm, or 103000 to 103100 rpm, or 103200 to 103300 rpm, or 103400 to 103500 rpm, or 103600 to 103700 rpm, or 103800 to 103900 rpm, or 104000 to 104100 rpm, or 104200 to 104300 rpm, or 104400 to 104500 rpm, or 104600 to 104700 rpm, or 104800 to 104900 rpm, or 105000 to 105100 rpm, or 105200 to 105300 rpm, or 105400 to 105500 rpm, or 105600 to 105700 rpm, or 105800 to 105900 rpm, or 106000 to 106100 rpm, or 106200 to 106300 rpm, or 106400 to 106500 rpm, or 106600 to 106700 rpm, or 106800 to 106900 rpm, or 107000 to 107100 rpm, or 107200 to 107300 rpm, or 107400 to 107500 rpm, or 107600 to 107700 rpm, or 107800 to 107900 rpm, or 108000 to 108100 rpm, or 108200 to 108300 rpm, or 108400 to 108500 rpm, or 108600 to 108700 rpm, or 108800 to 108900 rpm, or 109000 to 109100 rpm, or 109200 to 109300 rpm, or 109400 to 109500 rpm, or 109600 to 109700 rpm, or 109800 to 109900 rpm, or 110000 to 110100 rpm, or 110200 to 110300 rpm, or 110400 to 110500 rpm, or 110600 to 110700 rpm, or 110800 to 110900 rpm, or 111000 to 111100 rpm, or 111200 to 111300 rpm, or 111400 to 111500 rpm, or 111600 to 111700 rpm, or 111800 to 111900 rpm, or 112000 to 112100 rpm, or 112200 to 112300 rpm, or 112400 to 112500 rpm, or 112600 to 112700 rpm, or 112800 to 112900 rpm, or 113000 to 113100 rpm, or 113200 to 113300 rpm, or 113400 to 113500 rpm, or 113600 to 113700 rpm, or 113800 to 113900 rpm, or 114000 to 114100 rpm, or 114200 to 114300 rpm, or 114400 to 114500 rpm, or 114600 to 114700 rpm, or 114800 to 114900 rpm, or 115000 to 115100 rpm, or 115200 to 115300 rpm, or 115400 to 115500 rpm, or 115600 to 115700 rpm, or 115800 to 115900 rpm, or 116000 to 116100 rpm, or 116200 to 116300 rpm, or 116400 to 116500 rpm, or 116600 to 116700 rpm, or 116800 to 116900 rpm, or 117000 to 117100 rpm, or 117200 to 117300 rpm, or 117400 to 117500 rpm, or 117600 to 117700 rpm, or 117800 to 117900 rpm, or 118000 to 118100 rpm, or 118200 to 118300 rpm, or 118400 to 118500 rpm, or 118600 to 118700 rpm, or 118800 to 118900 rpm, or 119000 to 119100 rpm, or 119200 to 119300 rpm, or 119400 to 119500 rpm, or 119600 to 119700 rpm, or 119800 to 119900 rpm, or 120000 to 120100 rpm, or 120200 to 120300 rpm, or 120400 to 120500 rpm, or 120600 to 120700 rpm, or 120800 to 120900 rpm, or 121000 to 121100 rpm, or 121200 to 121300 rpm, or 121400 to 121500 rpm, or 121600 to 121700 rpm, or 121800 to 121900 rpm, or 122000 to 122100 rpm, or 122200 to 122300 rpm, or 122400 to 122500 rpm, or 122600 to 122700 rpm, or 122800 to 122900 rpm, or 123000 to 123100 rpm, or 123200 to 123300 rpm, or 123400 to 123500 rpm, or 123600 to 123700 rpm, or 123800 to 123900 rpm, or 124000 to 124100 rpm, or 124200 to 124300 rpm, or 124400 to 124500 rpm, or 124600 to 124700 rpm, or 124800 to 124900 rpm, or 125000 to 125100 rpm, or 125200 to 125300 rpm, or 125400 to 125500 rpm, or 125600 to 125700 rpm, or 125800 to 125900 rpm, or 126000 to 126100 rpm, or 126200 to 126300 rpm, or 126400 to 126500 rpm, or 126600 to 126700 rpm, or 126800 to 126900 rpm, or 127000 to 127100 rpm, or 127200 to 127300 rpm, or 127400 to 127500 rpm, or 127600 to 127700 rpm, or 127800 to 127900 rpm, or 128000 to 128100 rpm, or 128200 to 128300 rpm, or 128400 to 128500 rpm, or 128600 to 128700 rpm, or 128800 to 128900 rpm, or 129000 to 129100 rpm, or 129200 to 129300 rpm, or 129400 to 129500 rpm, or 129600 to 129700 rpm, or 129800 to 129900 rpm, or 130000 to 130100 rpm, or 130200 to 130300 rpm, or 130400 to 130500 rpm, or 130600 to 130700 rpm, or 130800 to 130900 rpm, or 131000 to 131100 rpm, or 131200 to 131300 rpm, or 131400 to 131500 rpm, or 131600 to 131700 rpm, or 131800 to 131900 rpm, or 132000 to 132100 rpm, or 132200 to 132300 rpm, or 132400 to 132500 rpm, or 132600 to 132700 rpm, or 132800 to 132900 rpm, or 133000 to 133100 rpm, or 133200 to 133300 rpm, or 133400 to 133500 rpm, or 133600 to 133700 rpm, or 133800 to 133900 rpm, or 134000 to 134100 rpm, or 134200 to 134300 rpm, or 134400 to 134500 rpm, or 134600 to 134700 rpm, or 134800 to 134900 rpm, or 135000 to 135100 rpm, or 135200 to 135300 rpm, or 135400 to 135500 rpm, or 135600 to 135700 rpm, or 135800 to 135900 rpm, or 136000 to 136100 rpm, or 136200 to 136300 rpm, or 136400 to 136500 rpm, or 136600 to 136700 rpm, or 136800 to 136900 rpm, or 137000 to 137100 rpm, or 137200 to 137300 rpm, or 137400 to 137500 rpm, or 137600 to 137700 rpm, or 137800 to 137900 rpm, or 138000 to 138100 rpm, or 138200 to 138300 rpm, or 138400 to 138500 rpm, or 138600 to 138700 rpm, or 138800 to 138900 rpm, or 139000 to 139100 rpm, or 139200 to 139300 rpm, or 139400 to 139500 rpm, or 139600 to 139700 rpm, or 139800 to 139900 rpm, or 140000 to 140100 rpm, or 140200 to 140300 rpm, or 140400 to 140500 rpm, or 140600 to 140700 rpm, or 140800 to 140900 rpm, or 141000 to 141100 rpm, or 141200 to 141300 rpm, or 141400 to 141500 rpm, or 141600 to 141700 rpm, or 141800 to 141900 rpm, or 142000 to 142100 rpm, or 142200 to 142300 rpm, or 142400 to 142500 rpm, or 142600 to 142700 rpm, or 142800 to 142900 rpm, or 143000 to 143100 rpm, or 143200 to 143300 rpm, or 143400 to 143500 rpm, or 143600 to 143700 rpm, or 143800 to 143900 rpm, or 144000 to 144100 rpm, or 144200 to 14



After you choose, you'll be rewarded with remarkable performance. Achieving comfort and increasing driver control. A major that's within your reach. A number of optional enhancements pictured here make owning a little or even greater pleasure the best way to appreciate Acura is to drive one. It's the smart way to understand the distinctive European driving experience we call *Adrenaline*.



• The power windows feature a lock-out in the driver's side door to prevent you from opening the door while you drive.

• Acura CD and Cassette are optional CD speed controls. A cassette that allows for manual programming makes driving through road traffic easier.



• Available on Acura CD and Cassette is an optional 6-disc CD stereo cassette control system with an optional dual-disc control. You will enjoy listening to your music in the car with a dual-disc control system that allows listening to light and security coding.



• Optional on Acura CD and Cassette is an optional 6-disc CD stereo cassette control system with an optional dual-disc control. You will enjoy listening to your music in the car with a dual-disc control system that allows listening to light and security coding.



Model	Acura Integra	Acura Integra	Acura Integra
Engine	4-cylinder, 1.8L	4-cylinder, 1.8L	4-cylinder, 1.8L
Transmission	5-speed manual	5-speed manual	5-speed manual, 4-speed
Drive type	Front-wheel drive	Front-wheel drive	Front-wheel drive
0-60 mph (sec)	10.8	10.8	10.8
Top speed (mph)	140	140	140
MPG (city/hwy)	24/32	24/32	24/32
MPG (combined)	27	27	27
Warranty	3-year/50,000-mile	3-year/50,000-mile	3-year/50,000-mile
Options	High-rear seat, air, fog lights, leather seats	High-rear seat, air, fog lights, leather seats	High-rear seat, air, fog lights, leather seats, 4-speaker stereo, 4-disc CD, 4-disc Cassette
Price	\$14,999	\$14,999	\$14,999
Color	Black, Silver	Black, Silver	Black, Silver
Interior	Black, Silver	Black, Silver	Black, Silver
MPG (city/hwy)	24/32	24/32	24/32
MPG (combined)	27	27	27
Warranty	3-year/50,000-mile	3-year/50,000-mile	3-year/50,000-mile
Options	High-rear seat, air, fog lights, leather seats	High-rear seat, air, fog lights, leather seats	High-rear seat, air, fog lights, leather seats, 4-speaker stereo, 4-disc CD, 4-disc Cassette

#### Options

CD	\$1,000	4-disc CD stereo cassette control system	\$1,000
Cassette	\$1,000	4-disc cassette control system	\$1,000
Leather	\$1,000	Leather seats, leather steering wheel, leather gear shift knob, leather door panels, leather floor mats	\$1,000
High-rear seat	\$1,000	High-rear seat, air, fog lights, leather seats	\$1,000
Air	\$1,000	Air conditioning	\$1,000
Fog lights	\$1,000	Fog lights	\$1,000
4-disc CD	\$1,000	4-disc CD stereo cassette control system	\$1,000
4-disc Cassette	\$1,000	4-disc cassette control system	\$1,000

#### MPG (City/Highway/Combined)

Model	Acura Integra	Acura Integra	Acura Integra
City	24	24	24
Highway	32	32	32
Combined	27	27	27
Options	High-rear seat, air, fog lights, leather seats	High-rear seat, air, fog lights, leather seats	High-rear seat, air, fog lights, leather seats, 4-speaker stereo, 4-disc CD, 4-disc Cassette
Price	\$14,999	\$14,999	\$14,999
Color	Black, Silver	Black, Silver	Black, Silver
Interior	Black, Silver	Black, Silver	Black, Silver
MPG (city/hwy)	24/32	24/32	24/32
MPG (combined)	27	27	27
Warranty	3-year/50,000-mile	3-year/50,000-mile	3-year/50,000-mile
Options	High-rear seat, air, fog lights, leather seats	High-rear seat, air, fog lights, leather seats	High-rear seat, air, fog lights, leather seats, 4-speaker stereo, 4-disc CD, 4-disc Cassette

#### Options

CD	\$1,000	4-disc CD stereo cassette control system	\$1,000
Cassette	\$1,000	4-disc cassette control system	\$1,000
Leather	\$1,000	Leather seats, leather steering wheel, leather gear shift knob, leather door panels, leather floor mats	\$1,000
High-rear seat	\$1,000	High-rear seat, air, fog lights, leather seats	\$1,000
Air	\$1,000	Air conditioning	\$1,000
Fog lights	\$1,000	Fog lights	\$1,000
4-disc CD	\$1,000	4-disc CD stereo cassette control system	\$1,000
4-disc Cassette	\$1,000	4-disc cassette control system	\$1,000

#### MPG (City/Highway/Combined)

Model	Acura Integra	Acura Integra	Acura Integra
City	24	24	24
Highway	32	32	32
Combined	27	27	27
Options	High-rear seat, air, fog lights, leather seats	High-rear seat, air, fog lights, leather seats	High-rear seat, air, fog lights, leather seats, 4-speaker stereo, 4-disc CD, 4-disc Cassette
Price	\$14,999	\$14,999	\$14,999
Color	Black, Silver	Black, Silver	Black, Silver
Interior	Black, Silver	Black, Silver	Black, Silver
MPG (city/hwy)	24/32	24/32	24/32
MPG (combined)	27	27	27
Warranty	3-year/50,000-mile	3-year/50,000-mile	3-year/50,000-mile
Options	High-rear seat, air, fog lights, leather seats	High-rear seat, air, fog lights, leather seats	High-rear seat, air, fog lights, leather seats, 4-speaker stereo, 4-disc CD, 4-disc Cassette

#### MPG (City/Highway/Combined)

City	24	24	24
Highway	32	32	32
Combined	27	27	27
Options	High-rear seat, air, fog lights, leather seats	High-rear seat, air, fog lights, leather seats	High-rear seat, air, fog lights, leather seats, 4-speaker stereo, 4-disc CD, 4-disc Cassette
Price	\$14,999	\$14,999	\$14,999
Color	Black, Silver	Black, Silver	Black, Silver
Interior	Black, Silver	Black, Silver	Black, Silver
MPG (city/hwy)	24/32	24/32	24/32
MPG (combined)	27	27	27
Warranty	3-year/50,000-mile	3-year/50,000-mile	3-year/50,000-mile
Options	High-rear seat, air, fog lights, leather seats	High-rear seat, air, fog lights, leather seats	High-rear seat, air, fog lights, leather seats, 4-speaker stereo, 4-disc CD, 4-disc Cassette

**Standard Features**

Model	100	100L	100L 100	100L 100L	100L 100L 100
<b>Dimensions</b>					
2 1/4" x 3 1/2" x 1/8" (includes two-panel design)					
2 1/4" x 3 1/2" x 1/8" (includes three-panel design)					
2 1/4" x 3 1/2" x 1/8" (includes four-panel design)					
<b>Panel</b>					
Standard (includes panel with 1/8" x 3/8" panel design and one-panel design)					
Standard (includes panel with 1/8" x 3/8" panel design and two-panel design)					
Standard (includes panel with 1/8" x 3/8" panel design and three-panel design)					
Standard (includes panel with 1/8" x 3/8" panel design and four-panel design)					
<b>Panel</b>					
Standard (includes panel with 1/8" x 3/8" panel design and one-panel design)					
Standard (includes panel with 1/8" x 3/8" panel design and two-panel design)					
Standard (includes panel with 1/8" x 3/8" panel design and three-panel design)					
Standard (includes panel with 1/8" x 3/8" panel design and four-panel design)					

Model	100	100L	100L 100	100L 100L	100L 100L 100
<b>Dimensions</b>					
2 1/4" x 3 1/2" x 1/8" (includes two-panel design)					
2 1/4" x 3 1/2" x 1/8" (includes three-panel design)					
2 1/4" x 3 1/2" x 1/8" (includes four-panel design)					
<b>Panel</b>					
Standard (includes panel with 1/8" x 3/8" panel design and one-panel design)					
Standard (includes panel with 1/8" x 3/8" panel design and two-panel design)					
Standard (includes panel with 1/8" x 3/8" panel design and three-panel design)					
Standard (includes panel with 1/8" x 3/8" panel design and four-panel design)					

Model	100	100L	100L 100	100L 100L	100L 100L 100
<b>Dimensions</b>					
2 1/4" x 3 1/2" x 1/8" (includes two-panel design)					
2 1/4" x 3 1/2" x 1/8" (includes three-panel design)					
2 1/4" x 3 1/2" x 1/8" (includes four-panel design)					
<b>Panel</b>					
Standard (includes panel with 1/8" x 3/8" panel design and one-panel design)					
Standard (includes panel with 1/8" x 3/8" panel design and two-panel design)					
Standard (includes panel with 1/8" x 3/8" panel design and three-panel design)					
Standard (includes panel with 1/8" x 3/8" panel design and four-panel design)					

Model	100	100L	100L 100	100L 100L	100L 100L 100
<b>Dimensions</b>					
2 1/4" x 3 1/2" x 1/8" (includes two-panel design)					
2 1/4" x 3 1/2" x 1/8" (includes three-panel design)					
2 1/4" x 3 1/2" x 1/8" (includes four-panel design)					
<b>Panel</b>					
Standard (includes panel with 1/8" x 3/8" panel design and one-panel design)					
Standard (includes panel with 1/8" x 3/8" panel design and two-panel design)					
Standard (includes panel with 1/8" x 3/8" panel design and three-panel design)					
Standard (includes panel with 1/8" x 3/8" panel design and four-panel design)					

**R**esulting from

the February 2008 experience after its release dates, Delta offers a unique selection of panel colors from which to choose. A comprehensive 10-step anti-corrosion paint and finish process will help keep your Delta airport looking new for many years to come.



- 1 Black
- 2 Cobalt Blue Metallic
- 3 Medium Blue Metallic
- 4 Titanium Red
- 5 Light Yellow Metallic
- 6 Acid Gray Metallic
- 7 Dark Red Metallic
- 8 Silver White
- 9 Brilliant Blue Metallic
- 10 Diamond Blue Metallic

For more information, visit [www.delta.com](http://www.delta.com)