



Everyone has a different personality. And so does every Volkswagen.

Passat, Jetta, Golf and the Golf Cabrio. The fact is, we

believe a car should be an extension of its driver's personality. Not just

in the way it looks, but in the way it performs. And

that's something you'll experience whenever you drive down the

road. Heck, even roads have different personalities. Just

take a ride along Route 66 sometime. Or anywhere you can rediscover

the simple joy of driving, whether traveling cross-

country or just across town. You'll find out a lot about the personality

Scanned Wikswagen. And maybe a little something about your own.









What is it about the Passat that makes it so distinctive, so advanced, It's an ergonomically designed instrument panel, with everything in plain sight and easy reach. Of course, any appreciation of so Volkswagen? The first place to look for an answer the Passat's virtues includes the safety of ABS brakes' is under the hood. Because appropriately enough, and dual front air bag supplemental restraints. there is no better example of German Plus traction control' to engineering than the engine reduce wheel slip when on the GLX, a 2.8-liter, accelerating on slick road surfaces. The versatile 172-horsenower VR6. But the Passat is more GLX Wagon offers nearly 70 cubic feet of cargo space. than Motronic engine management and fuel injection: and the sedan features an expansive, wide opening it's the sound of an eight-speaker stereo with optional trunk-mounted CD changer and the style of BBS* light-alloy wheels it is intelligently engineered. In other words, all very Passat. AD Resource com

		ANSIAT GLS	PRISET GUE		5 = Sunded O = Optonal	- = Net available	61.5	66X
WTHOM:			From wheel done with macron control		ANTENNA	Roof-mounted whip anness		5
						Yeard glass		
						polycarbonate letters		
		115 (ii) 5.400 RPM GME net?				Fing Samps		
imum tomor		122 (ii) 3,230 RPM (b;-6.)			MIRRORS	Dud power mimon, delegable		
c toin		Sinds evaluat can belieferen	Succeeding com, characters		MOLDINGS	Body color side moldings		
		Sequential multi-port facil associon (Morenic)	Sepontal multi-port fact injection (Nicrosta)					
five nepty			Detail downers with deal break servers					
distri		Digital electronic with lettack service				Windshield wipen, I speed with		
pinc comtrols		Monosec electronic engine management.	Monosic electronic engine management			programmable interval wipe feature		
MASRISSIONS					wwitte	15° 888 8 spoke alloy wheels	-	
		Souther: 3-speed manual Control (Societically controlled adaptive	Standard: 5-speed mercal Contents: Electronically controlled adaptive			14" and wheels with delate wheel streets		
		Oyunat Escontially oriented steptive dual-mode t-speed moments:	dust-mode 4-speed automatic					
						4D CONVENIENCE PEATURES		
ECTRICAL			12 sub; 60 area lis					
		12 rule, 60 amp hr	12 sale, 60 amp 5s. 137 ame		ALT BACK	Dual air bug supplemental resinaiss system	- 1	- 6
		90 amp	120 amp		41485	Associate valuate alarm nonem		
IV. CHARDS, EUSPEN	1004			_	ASSEST MANUARY	Pagement overhead assist handles		
		Seel, unitted construction with	thed, serious construction with both on four feedow		BANKET .	Anni Jack Braker Frances	0	
		bok-on from lenders		_		Ann lock Bodong bysom Comer comple with somer him	- 0	
ни вирения		Independent Mydheson style with	Independent Madheners street with		consoci	Cover cousely with wonge bin and become holden		
		cell spregs and I from subdiant for	col spings and 2 from mildian har	_	CRUMI CONTROL	and beverage bolders Chalar central		
саг нафеннов		Independent tenion beam adv with cell springs, advances shock absorbers and lifeten realitizer for	independent tonion beam sale with out springs, reference grapessucted shock absorbers and		DEFENCE CONTROL	Electric reprinted before defender		
		marries mere messen tot 1600 x00000 px	I from subdays but		DEFECTER.	Electric man window defender Incommensation, including	-	-
writing		Power assisted rack and pirson	Tree-assest sale and entire			instrumentation, including speedometric techniques, trip		
nier		Reservational 18.1" sented from days, 8.9" mar-days.	Descripted 11' sensel leve duca 6.9' nor duca			odonous, coolen temperature gosge.		
		Chesiphal Anni Sark Braking System (1885)	Sundari Ann-lock Broking Sween (ARC)					
Socia and tree		POSSNOR GRIS all research times						
		on 0" x 14" sted wheels						
TERMS SIMINGS								
		Solan	Solin Wigon					
indoor		10 Fridmani	N 17088an/28-973-713mm)			fuel-filler sloor with "convenience-sloor"		
			N.47000mm0/36.17090mm0			Season for available sumself and/or report withflows	100	
			et (1) (etamol et (1) (etamol		LUCCASS AREA			
good		45 (*)1,145mm)				Carpend, illuminand lugger comparison		
		37.0"(65best)	37.0°(904mm)/37.0°(904mm) -		warn	From years, fully enclasing with harate		
hodder mem		55.87(1,587mm)	55.0%3.997mm0.55.0%3.397mm0			adventure: adverable headwern		
		54.0°(1.373 mm)	54.0°(3.371mm).54.0°(3.372mm)					
			Sedati Viligini			Hospite hors wan	0	0
TOTAL			99 yrs. 0./222 cm fr.		SOUND SYSTEMS	Persons AM FM street canera rador		
eres .						with 6-poster want system CD sharper (finites)	5.	
nd.			112 m 3 / 136 m 5				0	· ·
XTEROR DIRECTORS					SPEEROWS	Hoghe adjustable serving column Landar correspond species wheel	- 1	2.
CULTURAL STREET, SALES		Sebn	Sedan Waters			Leather relieved which knot and hand bester cover		- 2
hober		183.752.624mm2	SCS TYLED HOLD SCS TYLED HOLD	_	STORAGE	From and our door storage pockets	-	
tend ingh			161 TO ACCOUNT OF A SHOW		TURNOOF	Presi plan sunned	- 0	- 0
		AT \$53 TO Security	67 TO 715ma (97 TO 715ma)		TRACTION	Tactor control system		
end width					TRACTION TRACTION			
rend bright (unliden)		56 4°(3.432mm)	56 4°C 452mm 58 7°C 490mm	_		Power school stuck release	5	3
nde:		58.4°(3,484eas)	56 (*0,48466) 58 (*3,48466)	_	www.	Breer studies (with convenience		
			56.2"(1,428mm):56.2"(3,438mm)	_		open and close formers)	- 5	
	A)	26.4 S.(21.7m)	36.4 0.131.7m2					of energoids.
es wenter				- 2				
		Sedan	Solin Wigon		'Delayed availability terroduction.			
head manimizes		2.819 De.	3.140 Bs./5.201 Bs.					
some money		2.000 flu.	1.167 Ba (1.267 Ba					
OR THE COMMETTE								
SO FUEL COMMUNETE			Menal Assesser					
		20/29 segg 20/27 segg 136 miles 499 miles	18/25 mpg 18/25 mpg 462 min 462 min					

Scanned for A2Resource.com





Beethoven's 9th. And whether reaching for the It's no secret that all drivers are not the same. The question is, why do so many drive the same look-alike, drive-alike cars? cruise control or the trip computer on the GLX, For those inclined to take a detour from the letta puts everything at your fingertips. A simple ordinary, there's the Volkswagen Jetta, turn of the key locks all doors, closes the power windows with its thoughtand sunroof, and fully engineered cabin controls and choice of standard five-speed activates the security alarm system.

manual transmission or optional four-speed

The fold-down, split rear seat conveniently

automatic. The Jetta's eight-speaker stereo accommodates those hauling garden tools, water skis,

fills the car with sound, whether listening to the ballgame and name rods or a cello. Hey, even all Jetta drivers are not the same.

				5 = bankel = 0 = 0				GLX	
NOME				SLASS.	Real mounted whip antenna				4
OC.	Surfacion in law	Budinler (17'Y)		50346	Terrod glass	5	5		The same of
	2.0 law	2.8 liser			Body color galle				
Sploreer	113 or 5 400 BPM (SAE med)	177 Or 1,800 3PM O		LAMPS	Eurosyle hologos hosdiseps islantine mannes labo famous!				
loopeva	122 or 3,000 RPM (bb.)				For large				
balmun sirgor				manhan	Dual source-controlled names				
she soin	Single everhood cam, belv-drives	Two comband came, of			Dual power minon, delogable				
isdian supply.	Separatal male-port lack reporters (Moreovac)		sel injection (Materials)	miscones	Bob sile militare				
	Digital electronic with letock sensor	Digital electronic with		1753.683	Box wire works				
				WALKERSONS	Hondis wind-hald washer notifice				
					Windshield wiren, 2 arend with				
		Sunday 3-speed may							
	Optional: Electronically controlled adaptive	Optional Entremical							
	dial-roods #-speed automatic	dual-mode 4-speed so							
LOCTOCOL					15° 885 Latour design alley wheels				
					ORT AND CONVENIENCE PRATURES				
				AS	Air conditioning ICFC deal				
OF COURSE STREET	Seed, unitized construction with bolt-on from fee	line. Starf, sectoral commu-	tion with hole-on front Sindon	AR ANGS	Dud at her conferenced messive more				
tost suspension	Indoordes Mathenes entry with			AM ANGS				5	
	col sprage and Efform substant but	coll springs and 20mm	authline har		Anti-sheli vahide alam system	. 5	5	- 5	METALLIC C
or supersion				ASSIST MANGLES	Passinger everband assist handles				
	sdescript: shock absorbers and 20mm malitime b		nd shock absorbers and	BANKES	Anniboli Braking funces	0	0	5	
		It mes subdian her			frake war indicator				
worker	Present associated tacks and obtains	Power-second rack on		cowsout	Center conside with stonge bin				
relete	Preservantioned 1dt 1" remord from days, 7.9" year	flower ascend 11" von	nd from does, 0.5° mar does		and beverage bolden				
		5 Sonded Anslock Bo		CRUSE CONTROL	Cross cornel				
	Optional Anti-Lock Braking Spirore (ASS)			eernooten	Decree yor window delicour				PEARLY
thick and time	F185/008-1401 all-season time on 6" x 14" steel	F025-500-15H all-sex							
	wheels falley wheels on sono GL and GES models	00 00" x 15" 885 allo			observed tachement stip observed confine temperature state.				
	P195-ROR-1401 all-season time with				had level gauge and dight clock				
CTEROR DORTHOODS					Multi-function telp-computer				
				LARRY	Overhead interior map reading lange				
	from for		Sear	1000	Six-contact mass count larking				
ladore	39.2'(996mm)* 37.3'(947mm)*		37.3*(HTmm)		neon telepret, including trust.				041777
	42.37(1,074mm) 31.37(803mm)		31.5°(905ew)						
hoolder noon	53.8"(1.367mm) 52.8"(3.345mm)		32.853.34Ees0						
	55.2°(1.355mm) 52.3°(1.328mm)	53.2'(1.551nm)	33.373.336eec2		pewa windows				
beenger						5			
MIN				16875	Faces soen, fully reclaring with beight				
	Miles A	100 on 8			adjustment (above side only CL);				
AZERIOR DIRECTORO					adjustable headered Spile fidding mar anni 200 NO				
	47 (V2-47)west	67 Y13 473mm)			with fidding amores	100			
hobec	47 37(2,47)mm3 173 Vis altimed	07.1°(3.473mm)					- 1	5	
twod longth				Amount System	Persons 800 FM sience courter radio				-
holeste.	es_Dit_sidemit_	65.7'11.6Y3eerl				9	5	5	- 0
Overall heads (unlades)	56.1713.4000mm?	56.2°13.438mm)				0	0	0	HOUSE !
David height tandadoo	NAME AND ADDRESS OF THE PARTY O			ITTERAC	Physic advanable stantag column	- 1	-		
	or MC11 Among	56-273,4340002							
		3428 (264)80			manual shift levels and hand broke cover			5	
Tuesing viscle Grash to craft?	32.8 5. 000360			STORAGE	from and nor door stonge pockets	- 5			
CURS WEIGHT		183196		NAME OF TAXABLE PARTY.	Power glass namood	.0			
Manual transmission	2.71+ Bu.	2.955 Da.		TRACTION	During control spages			5	-
Assense recommen	2,790 fbs.	£ 960 Zm.		TRUMS RELEASE	Steer senior medi srivar		-	-	mann
INTERNAL CONTRACTORS	ELFORATES			WINDOWS	Reservinges (with commence				
		Manual	Assensite		ones, and close formers)		4	4	
Condudence (EEV)	24.50 mpg 13:29 mpg	18/23 mpg	16:25 mgg		note available on all enable. See your disple for more dena-				_
Macroso driving range	112 min 122 min	362 mlm	362 mlos		more practistie on all models. See your dealey for more densit may core eligibile between Canada and the U.S.	a new world of	the elect wa	t ma pace.	-
									-
Tor GU numbers, on GCS let	mp.			"fonded in rafe profe	tion Cl. models.				-
									200

Scanned for A2Resource.com









								SLASS					
post			6-cylinder (LF V)		Scolinder in law			640145	Body color 2-har grille				
	toledrinlar		2.6 line		2.0 last				Body color 3-bar gelle				
	20 law				113 St 3,400 KF			LAMPS	Hoalimps, baloger Eurosy's				
	315 (E. 5,402 RP)		172 (6: 5,400 301						Sidertime running light feature?				
			173-W 4,200 RP		122 OF 3-200 KP				Hodimps, hanger Eurosyle dual-balls				
			Two iverbeal con		Single overhead s				(Soprime nameing light feature) Headlander, halosen Europede daed halls				
belier some			Sequential multi-p		Sequential multi-			MOLDINICS	Body rule moldens				
			injustices (Military)		injection Oldness				Nick ricket panel treatment				
pone								1000.000					
Ingine commonly		sic engine management											
BANGHUSS CAS								THILLHOMTS	Dahened sallgles				
	Southed Lorent		Sunded: 3 sport		Sunded: 5-spec			WALDERWIPERS.	But window wiper/washer system				
			Sport send						Windshield sepen, 2 speed with montennable assertal size feature				
						de Aspend automatic		weeths					
and residen									Wheel covers, delane Wheels, alles, I standar	5			0
			12 volt. 62 amp 3						Wheels, along 9-species				
mey	12 vol. 63 sep?		122 amp			with air conditioning)							
		with air conditioning!							HOST AND CONVENIENCE PRATURE				
DOT, CHASSIS, SUSPENSI	ON:				Need, secrited or								
for	Seed, unitized on	sessories	Steel, uniciped co-		with hob-on for	a Decident		AE	Air conditioning ICPC-bod	5	- 5	67	0
	with belove born	e kendern				choon me with		ARRASS	Dod at hig applonessal somains system				
		Phenoe strate with	Independent Me	Phonon stron with	Independent Ma	Zines subday by		41.489					
		then subject her	con speeds and a	Over stabilizer fear	Independent son				Freez and war processor assist handles				
	Independent ton	non-bearn arde	Independent ser- with cell preme-	ion boss and	Independent ton with and springs	non recent and		ASSETT MANUALES	Arts lack Stating System	0	0		
		мансоре	with cock springs.	according to the same of	that thereon			COADOLE		- 0	J		
	shock absorbers a and direct bar Clini	and transa	and 21 mm softs	too hor				COMBOLE	Center consele with stronge bin and beverage holders				
	Pract assisted to				Power-awared to	Augustiness		nernource					- 5
santing			Power-monated III		from percent is	d I' sexual bone			Electric mar window delinear	3	- 5		- 8
tules	fewer asserted 10 days, 7.9° year di	3.1" venued from	days, 8.5° march	VESSOR NOTE					Newsr senses hatch release				
		russa (A.V. 164) oduction and Sport						DISTRAMENTS.					
			Sessem (NBS)						tacherment etp-adorneut coolan temperature strate, had bred assess and shrink clock				
Aborb and tern								LAMPE	Overhead interior map-reading lamps				
					shed below today			LIGHTING	Deserve lighting				
					said whode (all-			LOCKS	Never several looking spotent, mulading				
		maon and Sport models							batch and facilities door and key-operated				
NTERIOR DORERSHOPS									"commence close" feature for susseed and power windows (when so equipped)				
				Box	Puso	Tew		LUNGSAGE AREA					
Nodove					58.7'(965mm)	38.67930mm)			Carpened luggage companions with cover and disministers				
ABOVE	43.153 (254mm)		42.3°01.00*4mm2										
Sheddermon 2-doe		24.6°(3.367em)	As STO STANKS	34.673.582em2	54 (5) \$24mm	47 FT1 204nm2		PURRORS	Dayingle rearism name Passenger make minor		- 0		- 15
		12.8°(3.345mm)							Paintings variety sturies Dial remote controlled minute				
4-doo				51.6713.08mm2		40.573.820mm2			Dud power mirrors, with delay france				
tproon 2-dos		51 9°(1,318mn2			2011200000			DEATH	Front bucket wars, fully reclasing with				
4-doo		32.3°(3.328mm2							driver year beight adjustment and 2-way				
CAPEL DRIVINGS ADMITTED										4			
Descriptor	\$6 ca. 6.		#7 cu. b.		82 co. fi.				Print spot sun, fully suleing with				
Cept					Feb. 5, 035 with	isarsion KARelb			driver sear height adjustment and 2-way				
	105 cm h		100 you fit.		90 cu. S.				adjustable headens Front sport soon, July reclasses with		5		5
STIRLES CONTRODOS									Front sport scon, fully reclaining with driver/passenger sear bright adjustment				
Aborbar	97.712.673mml		87.552.472mm		97.272.47260				and 2-way adjustable headness.				
			190 (1407)		192-C14-072m						5		
Dend leigh	140.454.075mm				66.7% 69200					5			
Denilyidh	66.7'(1.695em)		66.27(3,895mm)		56.7"(3.695mm				Leadur wire Georgia softwell				0
Overall beight Lordaden)	56-2'\1.427mmi		56-953,435euni						Split felding true and (MSMS)				- 9
lack from					57 A*11 A5-Rese			SOUND STITTING					
From Proce	36.953.440nm		56 472, 432mm		56.2711.426eus				with 6-speaker sound system and				
luming circle tools to carls			34.2 S (32.45m)						CD change control capabilities CD change (b-disc)	5	5	5	5
											0		-0
CURB WEIGHT			2.818.7m		> 779 Pm			STORAGE	Front door stonge podets				
Manual transmission	2,615 Bs.: 2,54				2,519 Es.			punnour.					
	2,600 Ba. 2,65	C Disc.			2,000 350.				(s)t and ship, with morehabil	0			
THE FUEL CONSUMPTION	********							TRACTION					
	Manual	Assenses			Manual			windows					
Conductors (EPE)	24/37 may	23:29 mps	16:15 mms			23.08 mpg							
in highway (EN) decision diving range	Manual		Menul 16:15 rpg 362 mlo		Manual 24/91 mpg 449 mbo	Accessed 1109 repair 100 repair 500 ratio	i bénne	Not all other and ea	agence analytic on all models, for your distinctor or may vary slightly between Canada and the U.S. materials	nere dende and	e argy of the	S sole and mn.	,

ANTENNA Red married arrange

SOLA-GLA GOLA-SPORT

604A-611 VIII

Volkswagen Protection Plus includes a 10-year/100,000-mile limited powertrain warranty for original owners. No other carmaker in the world offers a longer powertrain warranty. And there's no fine-print YEAR deductible. Volkswagen also provides a limited warranty against corrosion perforation that's good for six years, with no mileage limitation. And a MILE two-year/24,000-mile limited warranty covers defects in materials or MARRANTY workmanship, bumper to bumper'. Volkswagen even pays for scheduled maintenance - including oil changes - for two years or 24,000 miles. And wherever you go in the U.S. or Canada, you've got the peace of mind that comes with 24-hour roadside assistance for two full vegration This year followings claim in limited warming details. From an excluded and an womand by their manufactures. Physiological for the Claim State Claim, Manufactures (Application State Claim, Manufactures) (Application State Claim) (Application State Clai

Scanned for