

# **TL** Pricing

#### 2010 TL TRIM LEVELS (Configuration Options)\*

| 1 - TL  | Starting at \$35,105 <sup>1</sup> |
|---|-----------------------------------|
| 2 - TL SH-AWD   | Starting at \$38,655              |
| 3 - TL with Technology Package  | Starting at \$38,835              |
| 4 - TL with Technology Package and 18" wheels                                   | Starting at \$39,835              |
| 5 - TL SH-AWD with Technology Package   | Starting at \$42,385              |
| 6 - TL SH-AWD 6-Speed Manual with Technology Package                            | Starting at \$42,385              |
| 7 - TL SH-AWD with Technology Package and High-Performance Tires                | Starting at \$43,385              |
| 8 - TL SH-AWD 6-Speed Manual with Technology Package and High-Performance Tires | Starting at \$43,385              |

#### TECHNOLOGY PACKAGE (Adding to or replacing standard features)

Acura Navigation System<sup>10</sup> with Voice Recognition™, Traffic Rerouting™, rearview camera and Zagat Survey® ratings and reviews

Acura/ELS Surround® 440-watt Premium 10-speaker Sound System with HDD music storage, in-dash CD, DVD-Audio, MP3, WMA<sup>6</sup> and DTS® player, Dolby® <sup>5</sup> Pro Logic® II and AM/FM tuner

AcuraLink® Satellite Communication System

AcuraLink Real-Time Traffic and Weather™<sup>13</sup>

Keyless Access System with smart entry, push button ignition and Acura personalized settings for driver's seat, outside mirrors, select audio and navigation settings and more

GPS-linked, solar-sensing, temperature control<sup>10</sup>



XM®<sup>4</sup> Radio with Note Function music-reminder

Bluetooth® <sup>11</sup> HandsFreeLink® wireless telephone interface with phonebook exchange

Automated Appointments<sup>™</sup>

Interface dial

Body-colored decklid spoiler with integrated rearview camera

Sport seats with perforated Milano Premium Leather-trimmed interior

Chrome door handle trim

#### TL SH-AWD FEATURES

305-hp, 3.7-liter, 24-valve, SOHC, V-6 engine with intake/exhaust VTEC®

Super Handling All-Wheel Drive™ (SH-AWD®)

Hill Start Assist

18-inch split-spoke alloy wheels

245/45 R18 96V Michelin Pilot HX MXM4 All-Season tires

Integrated quad-outlet sport exhaust

Bumper-integrated front brake cooling ducts

Black carpeting

#### **High Performance Tire Package**

19 x 8.0 aluminum-alloy wheels

245/40 ZR19 94Y Michelin Pilot Sport S2 Summer tires

#### 18- inch wheel Option (TL FWD)

18-inch, five-spoke alloy wheels

245/45 R18 96V Michelin Pilot HX MXM4 All-Season tires



# **TL** Specifications

## ENGINES

| Engine type  |                                    | 24-valve, SOHC, VTEC® V-6  |
|--|------------------------------------|--|
| Valvetrain   |                                    | Variable Valve Timing and Lift Electronic Control (VTEC®) for intake (3.7L: also exhaust valves), 4 valves per cylinder, with a belt-driven single overhead camshaft |
| Displacement (liters)  | TL<br>TL SH-AWD                    | 3.5<br>3.7   |
| Compression ratio  |                                    | 11.2:1   |
| Horsepower @ rpm (SAE net)                                   | TL<br>TL SH-AWD                    | 280 @ 6200<br>305 @ 6300   |
| Torque lbs-ft @ rpm  | TL<br>TL SH-AWD                    | 254 @ 5000<br>273 @ 5000   |
| Redline  | TL<br>TL SH-AWD                    | 6800<br>6700   |
| EPA Estimated Fuel Mileage<br>(city / highway) <sup>27</sup> | TL<br>TL SH-AWD AT<br>TL SH-AWD MT | 18 / 26 mpg<br>17 / 25 mpg<br>17 / 25 mpg  |
| Recommended fuel <sup>19</sup>                               |                                    | Premium unleaded 91 octane   |
| Fuel injection   |                                    | PGM-FI Multi-Point Programmed Fuel Injection system  |
| Throttle control   |                                    | Drive-by-Wire™ throttle system   |
| Ignition   |                                    | Direct ignition system with knock control  |
| Engine block   |                                    | Cast aluminum alloy with aluminum cylinder liners  |
| Cylinder head  |                                    | Cast aluminum alloy; 4-valves-per-cylinder; pent-roof combustion chamber design  |
| Emission rating  |                                    | ULEV-2   |
| Tune-up interval <sup>3</sup>                                |                                    | 100K +/- miles no scheduled tune-ups   |
|  |                                    |  |



## DRIVETRAIN

| Drivetrain Layout   | TL<br>TL SH-AWI  | )               | 2   | unted front engine, front-wheel drive<br>unted front engine, Super Handling All-Wheel<br>)®)                     |
|---|--|-----------------|---|--|
| Maximum Torque Distribution<br>Range (front:rear)                                 | TL SH-AW[  | )               | 90:10 to 30:70  |  |
| Maximum Left/Right Distribution<br>of Available Rear-Wheel Torque<br>(left:right) | TL SH-AWI  | )               | 100:0 to 0:100  |  |
| Transmission  |  |                 | shifters and Grad   | tic Transmission with Sequential SportShift paddle<br>e Logic Control<br>with Hill Start Assist (TL SH-AWD only) |
| Gear Ratios (:1)  | 1st<br>2nd<br>3rd<br>4th<br>5th<br>6th<br>Reverse<br>Final drive | TL<br>TL SH-AWD | Automatic<br>2.70<br>1.61<br>1.07<br>0.69<br>0.49<br><br>1.89<br>4.31<br>4.53 | Manual<br>3.63<br>2.12<br>1.53<br>1.13<br>0.85<br>0.69<br>3.66<br><br>3.84                                       |

## CHASSIS

| Body type                           |  | Unit body   |
|-------------------------------------|--|---|
| Front suspension                    |  | Independent double-wishbone   |
| Rear suspension                     |  | Independent multi-link  |
| Shock absorbers                     |  | Dual-stage with "blow off" valving  |
| Front Stabilizer bar, mm            | TL<br>TL SH-AWD  | 30.0<br>31.0  |
| Rear Stabilizer bar, mm             | TL<br>TL SH-AWD  | 19.0<br>20.0  |
| Steering type                       |  | Electric variable power-assisted rack-and-pinion steering (EPS)   |
| Steering ratio                      |  | 14.0:1  |
| Steering wheel turns (lock-to-lock) |  | 2.7   |
| Turning circle, curb-to-curb, ft    |  | 38.4 ft   |
| Wheels                              | TL<br>TL SH-AWD<br>(Optional on FWD)<br>TL SH-AWD with HPT | 17 x 8.0 aluminum-alloy<br>18 x 8.0 aluminum-alloy<br>19 x 8.0 aluminum-alloy   |
| Tires                               | TL<br>TL SH-AWD<br>TL SH-AWD with HPT                      | 245/50 R17 98V Bridgestone Turanza All-Season<br>245/45 R18 96V Michelin Pilot HX MXM4 All-Season<br>245/40 ZR19 94Y Michelin Pilot Sport S2 Summer |
| Brake discs (front/rear)            |  | 12.6" ventilated front / 13.2" solid rear   |
| Braking systems                     |  | ABS, Electronic Brake Distribution (EBD) and Brake Assist   |
| Stability Control                   | TL   | Vehicle Stability Assist™ (VSA®) using throttle control and 3-channel brake control utilizing yaw, lateral g, speed, and steering sensors           |
|                                     | TL SH-AWD  | Vehicle Stability Assist™ (VSA®), additionally incorporating SH-AWD system  |



## **DIMENSIONS & CAPACITIES**

| Wheelbase, in (mm)  |  | 109.3 (2775)  |
|---|--|---|
| Track, in (mm)  | Front<br>Rear  | 63.2 (1605)<br>63.8 (1620)  |
| Overall length, in (mm)                                   |  | 195.3 (4961)  |
| Overall width, in (mm)                                    |  | 74.0 (1880)   |
| Height (unladen), in (mm)                                 |  | 57.2 (1492)   |
| Minimum ground clearance, in (mm)                         | TL<br>TL SH-AWD  | 5.9 (151)<br>5.7 (145)  |
| Curb weight, starting, lb (kg)                            | TL<br>TL w/ Technology Package<br>TL SH-AWD AT<br>TL SH-AWD AT w/ Technology Package<br>TL SH-AWD MT w/ Technology Package | 3721 (1688)<br>3735 (1694)<br>3962 (1797)<br>3975 (1803)<br>3889 (1764) |
| Weight distribution (% front / rear)                      | TL<br>TL SH-AWD AT<br>TL SH-AWD MT   | 61/49<br>59/41<br>58/42   |
| Headroom  | Front<br>Rear  | 38.4 (976)<br>36.7 (932)  |
| Legroom   | Front<br>Rear  | 42.5 (1079)<br>36.2 (919)   |
| Hiproom   | Front<br>Rear  | 55.7 (1415)<br>54.8 (1392)  |
| Shoulder room   | Front<br>Rear  | 58.1 (1477)<br>56.2 (1428)  |
| Fuel tank capacity, U.S. gal. (liters)                    |  | 18.5 (70.0)   |
| Crankcase refill capacity, including filter, qt. (liters) |  | 5.3 (5.0)   |
| Cooling system capacity, qt. (liters)                     |  | 9.1 (8.6)   |
| EPA Passenger Volume, cu ft                               |  | 98.2  |
| EPA Cargo Volume, cu ft                                   | TL<br>TL SH-AWD  | 13.1<br>12.5  |
| Turning diameter, curb-to-curb, ft.                       |  | 38.4  |

## **TL** Features

#### **INTERIOR FEATURES**

Sport seats with leather-trimmed interior

Driver's 10-way power seat including 2-way power lumbar support

Front passenger's 8-way power seat

Heated front seats

Acura 276-watt Premium Sound System with AM/FM tuner, 6-disc in-dash CD, MP3, WMA changer, Dolby® <sup>5</sup> Pro Logic® II and 8 speakers, including 8-inch subwoofer

XM® Radio



### **INTERIOR FEATURES**

| ι | JSB <sup>7</sup> Audio Interface with iPod® <sup>8</sup> integration   |
|---|--|
| ľ | 4P3/auxiliary input jack   |
| E | <i>Bluetooth</i> ® Audio   |
| F | Radio Data System (RDS)  |
| S | Speed-Sensitive Volume Control (SVC)   |
| F | ront center console with integrated sliding tray and dual level storage compartments   |
| F | Rear-seat center armrest with locking trunk pass-through   |
| F | Retractable rear-seat head restraints  |
| ι | ED backlit gauges with progressive illumination  |
| Γ | Aulti-Information Display  |
| ٢ | Aaintenance Minder system  |
| Ţ | rip computer   |
| E | Exterior temperature indicator   |
| ¢ | Compass  |
| I | lluminated ignition, power-window and door-lock switches, steering-wheel controls and overhead controls                                  |
| [ | Dual-zone, dual-mode adaptive climate control system with humidity control and air filtration  |
|   | Rear-passenger ventilation controls  |
| F | Remote entry system with folding key and Acura personalized settings for driver's seat, outside mirrors, select audio settings, and more |
| F | ower windows with driver and front passenger's auto-up/down, auto-reverse and key-off operation  |
| F | Remote- and driver's door lock-operated windows-open function  |
| E | <i>Bluetooth</i> ® HandsFreeLink® wireless telephone interface   |
| S | Steering wheel-mounted controls for cruise control, audio, phone, Multi-Information Display, and available Voice Recognition             |
| ŀ | HomeLink®  |
| ( | Cruise control   |
| Т | ilt and telescoping steering column  |
| S | Simulated chestnut wood trim   |
| Т | Fextured metal interior trim   |
| F | Front and rear overhead LED map lights   |
| ŀ | Ambient cabin lighting   |
| ۵ | Driver and front passenger's footwell lighting   |
| ۵ | Door-mounted courtesy lights   |
| L | eather-wrapped steering wheel and gearshift knob   |
| F | Front and rear beverage holders  |
| F | Front and rear-door storage compartments   |
| ( | Center console utility compartments  |
| 5 | Seatback pockets   |
| F | Aluminum threshold garnish   |
| ( | Carpeted floor mats  |
| C | Driver's and front passenger's illuminated vanity mirrors  |
| 1 | I2-volt power outlets in front and center console  |
| F | Automatic dimming rearview mirror  |
| r | Rear-window defroster with timer   |

Theft-deterrent system with electronic immobilizer



#### EXTERIOR FEATURES

Power moonroof with tilt feature, auto-open/close with auto reverse and key-off operation

Heated outside mirrors with reverse gear tilt-down and integrated directional signals

Auto-on/off headlights

Xenon High-Intensity Discharge (HID) headlights

Fog lights

LED mirror-integrated directional signals, taillights, brakelights and Center High Mount Stop Light

Stainless steel body-contoured roof trim

Speed-sensing, variable intermittent windshield wipers

Integrated dual-outlet exhaust

Body-colored handles

Driver's and passengers illuminated door handle recesses

Rear window defroster with timer

17-inch, 5-split-spoke aluminum-alloy wheels

Acoustic glass front windshield

#### SAFETY FEATURES

Advanced Compatibility Engineering<sup>™</sup> (ACETM) body structure

Vehicle Stability Assist™ (VSA®) with traction control

4-wheel anti-lock braking system (ABS)

Electronic Brake Distribution (EBD)

Brake Assist

Dual-stage, multiple-threshold front airbags (SRS)

Front side airbags with passenger-side Occupant Position Detection System (OPDS)

Side curtain airbags

Active front head restraints

3-point height-adjustable seat belts with load limiters and automatic tensioning system (front)

3-point rear seat belts

LATCH (Lower Anchors and Tethers for Children) child-seat mounting system

Daytime Running Lights (DRL)

Tire Pressure Monitoring System (TPMS) with location and pressure indicators

Front and rear impact-absorbing crumple zones

Side-impact door beams



#### WARRANTIES

| Vehicle <sup>16</sup>                                   | 4-year/50,000-mile limited warranty    |
|---|--|
| Powertrain <sup>16</sup>                                | 6-year/70,000-mile limited warranty    |
| Outer Body Rust-through                                 | 5-year/unlimited-mile limited warranty |
| Acura Genuine Accessories <sup>17</sup>                 | 4-year/50,000-mile limited warranty    |
| Acura Total Luxury Care® (TLC) with Roadside Assistance | 4-year/50,000-mile                     |
| Seat belts  | 15 years                               |

- 1 Prices shown are Acura suggested retail prices only and do not include taxes, license or a \$810 destination and handling charge. Acura vehicle accessory costs, labor and installation vary. Dealers set their own prices. Please consult your selected dealer.
- <sup>3</sup> Does not apply to fluid and filter changes or periodic inspections. Please refer to the maintenance section of your owner's manual to determine all appropriate maintenance intervals.
- 4 Required XM Radio monthly subscription sold separately after 90-day trial period. Other fees and taxes may apply after initial trial period, including a one-time activation fee. Subscription fee is consumer only. All fees and programming subject to change. Subscription subject to Customer Agreement available at xmradio.com. XM service only available in the 48 contiguous United States. The XM name is a registered trademark of Sirius XM Radio Inc.
- <sup>5</sup> Dolby and the double-D symbol are registered trademarks of Dolby Laboratories.
- 6 Windows Media® Audio is a trademark or registered trademark of Microsoft® Corporation in the United States and/or other countries.
- 7 The USB Audio Interface is used for direct connection to and control of some current digital audio players and other USB devices that contain MP3, WMA or AAC music files. Some USB devices with security software and digital rights-protected files may not work. Please see your local Acura dealer for details on compatibility.
- 8 Currently includes fifth generation or later Apple iPod, Nano, iPod Classic, iPod Touch, or iPhone®. iPod® is a registered trademark of Apple Computer, Inc., registered in the U.S. and other countries.
- 10 Acura Navigation System and related features available in the 48 contiguous United States, Hawaii, Alaska, Puerto Rico and Canada. See your local Acura dealer for current navigation system area coverage.
- 11 The Bluetooth word mark and logos are owned by the Bluetooth SIG, Inc., and any use of such marks is under license.
- 13 AcuraLink Real-Time Traffic and Weather ™ are operable only in select markets within the 48 contiguous United States. AcuraLink Real-Time Traffic™ is also operable in Vancouver, Toronto and Montreal. AcuraLink® Satellite Communication System does not require any subscription. AcuraLink Real-Time Traffic and Weather™ are available by separate XM NavTraffic® and XM NavWeather™ subscriptions after a complimentary 90-day trial period.
- 15 Government star ratings are part of the National Highway Traffic Safety Administration's (NHTSA's) New Car Assessment Program (www.safercar.gov). Model tested with standard side-impact air bags (SAB's)
- 16 Ordinary maintenance items or adjustments, parts subject to normal wear and replacement, and certain other items are excluded.
- 17 When installed at the time of new-vehicle delivery.
- 18 See your local dealer for details about Total Luxury Care® (TLC), Roadside Assistance, and Concierge Service.
- 19 Using gasoline with an octane lower than 91 octane may cause damage to the engine. Please consult the owner's manual for details.
- 27 Based on 2010 EPA mileage estimates, reflecting new EPA fuel economy methods beginning with 2008 models. Use for comparison purposes only. Do not compare to models before 2008. Your actual mileage will vary, depending on how you drive and maintain your vehicle.

Although the specifications, features, equipment and other information contained in this document are based upon up-to-date information, and while Acura, Inc. makes all reasonable efforts to insure that all material is correct, accuracy cannot be guaranteed and Acura makes no warranties or representations as to its accuracy.