



SAFARI CARGO VAN TRUCK

Safari is the new-size van with a dual personality: It can be a hard-working commercial delivery vehicle, or a funloving recreational vehicle. And while Safari has handled these jobs very well in the past, the '87 version should do them even better. There's more power under the hood with both the standard and available engines for increased performance, along with other improvements in the engine area; new higher-capacity Delco Freedom batteries; and new paint color selections.

Try One For Size...And Strength Although it's slightly shorter and narrower than a full-size GMC Vandura, Safari has a surprisingly spacious interior - up to 189.9 cu ft of space for commercial cargo, or for conversion to a recreational vehicle or travel van. Payload ratings of 1000, 1350 or 1700 lb offer the muscle for your requirements: includes passengers, cargo, and equipment.

Easy To Live With

Safari stands only 74.5" high, so it can be stored in an average-sized garage. Outside rearview mirrors can be folded flat against the body to permit access to narrow spaces. Low door step heights allow convenient entry and exit. And Safari's short turning circle helps make it easy to get around on city streets and parking lots.

Equip It To Suit You

Safari comes only in standard trim, but a large selection of paint colors, moldings, striping and other dress-up trim is available. A vinyl-trimmed lowback driver seat, insulated front compartment headliner and black rubber floor covering in the driver area are standard. Available seating includes a matching low-back passenger seat, and arrangements of two or four high-back bucket seats. Interiors offer a choice of four colors, depending on your selection of seats and upholstery fabric.



Vocational racks, partitions and other special equipment are available from aftermarket suppliers. Ask your GMC Dealer for details

> Cover: Photographed at "The Moorings of Vero Beach," Vero Beach, FL.



High-tech instrument cluster; gages and warning lights identified by international graphics

COMMITMENT PLUS


Commitment Plus is one of the most complete joint sales and service customer satisfaction programs available on light-duty trucks today. It offers the following benefits:

- A thorough new-vehicle inspection One full tank of fuel
- □ Complementary 3000-mile maintenance service including oil change and oil filter at no extra charge.

GMC Truck and GMC Dealerships are truly committed to making GMC Light Duty Trucks easy to live with. Our customers' total satisfaction is indeed our goal

Applies to retail sales only, but not to any Series 3500 model described in this catalog.

WINDOW COMBINATIONS



Standard glass



Available glass for sliding door, side panel opposite door, and rear doors



Available complete body glass

Available rear door glass, either fixed or swing-out



Additional window combinations are available, including clear, tinted or deep-tinted glass. Ask your dealer for details.

ENGINES

2.5 Litter Tech IV long-life, singlebelt accessory



2.5 Liter Tech IV Gasoline Engine. The standard powerplant for Safari Cargo Vans, this peppy 4-cylinder engine continues with Electronic Fuel Injection and features extra horsepower for '87.

4.3 Liter Vortec V6 Gasoline Engine. Improvements to this available engine add extra horsepower for '87. Features include Electronic Fuel Injection; Vortec swirl-port induction system for good fuel/air mix; and the new singlebelt accessory drive system.

New GM-CAMS Maintenance System represents a computerized automotive maintenance system, with emphasis on diagnostics. Your

participating GMC Truck Dealer's terminal is connected to your gasoline-powered vehicle's on-board computer and interacts with a comprehensive computer network. That, in turn, is supported by the continuously updated master data base of repair procedures at the GM Information Center. In effect, GM's total diagnostic and repair resources stand ready to help with your individual vehicle problems, should they occur.

A WORD ABOUT ENGINES

Some GMC Light Duty Trucks are equipped with engines produced by other GM divisions, subsidiaries, or affiliated companies worldwide. See your dealer for details.

ENGINE TECHNICAL DATA A SECURIOR TO A SECURIOR

Displacement/Type	L4 film	VS Gas
Engine Ordering Code	LNE	LB4 -
Fuel Delivery	Electronic F	uel Injection
Bore and Stroke (In)	4.0 X 3.0	4.0 X 3.48
Compression Ratio	8391	9.3 to 1
SAL Net Horsepower @ RPM	36 g 4400	150 49-4000
SAE Not largue (bill) on RPM	135 g 3250	230 cp 2400





High-back bucket seats are available with Standard Vinyl and Custom Cloth (shown) or Custom Vinyl upholstery.

Safari Cargo Van shown with available equipment.



Safari helps simplify cargo loading with a wide-opening, easy-sliding side door.



Panel-type rear doors can be swung open almost 180". Flat load floor only 94.8" from ground level makes loading easy.



Series 1500 Vandura shown with Special Two-Tone paint scheme and other available equipment



60/40 panel side doors are available at no extra charge to replace standard sliding door



Available high-back bucket seats come in new Standard Vinyl material (shown) in two colors or available Custom Vinyl in five colors

GMC VANDURA TRUCK

Here's our full-size business van for the dollar-wise businessman. It's built to be big on space and easy on expenses. Choose a gasoline engine model for '87, and you'll get the added performance of computercontrolled Electronic Fuel Injection. It replaces the conventional carburetor and fuel pump, helping reliability.

Other improvements include new single-belt accessory drive for all gasoline engines; it replaces multiple V-belts, is designed for long life, and does not require adjustment for the life of the belt. Standard gasoline engine generator capacity has been increased with a new compact, highefficiency Delcotron. New lightweight, flattop design Delco Freedom batteries also feature greater capacity in gasoline engine applications for '87.

Two Wheelbase Selections Vandura is available in 110" and 125" wheelbases, both with large cargo areas that can be fitted out, if necessary, with aftermarket racks and bins to suit professional needs. All models have side and rear doors that open wide for easy cargo loading.

Comfortable Interiors

Vandura is driver-oriented. A deepfoam cushioned low-back driver seat, covered in a durable new vinyl material, is standard. Other standard features include door-operated dome lamp switches and a columnmounted multifunction switch.

ENGINES

4.3 Liter Vortec V6 Gasoline. This high-compression V6 features Vortec swirl inlet ports for good fuel/air mix, fast-burn combustion chambers and new roller hydraulic valve lifters for improved operation.

5.0 Liter V8 Gasoline. A job-proven engine that provides impressive performance for a wide range of commercial applications.



Rear doors open wide for easy loading. Positive-stop feature is available.



Instruments are arranged and identified for easy reading.

5.7 Liter V8 Gasoline. This bigdisplacement V8 provides the horsepower and torque recommended for towing medium and heavyweight trailers.

6.2 Liter V8 Diesel. With its impressive performance and rugged dependability, this truck-tough diesel is an ideal engine for stop-and-go driving, city delivery work and other demanding applications. High torque output makes it a solid choice for heavy-load hauling. It's standard on Vandura diesel models.

New GM-CAMS Maintenance System. GM-CAMS represents a computerized automotive maintenance system, with emphasis on diagnostics. Your participating GMC Truck Dealer's terminal is connected to your gasoline-powered vehicle's on-board computer and interacts with a comprehensive computer network. That, in turn, is supported by the continuously updated master data base of repair procedures at the GM Information Center. In effect, GM's total diagnostic and repair resources stand ready to help with your individual vehicle problems, should they occur.

A WORD ABOUT ENGINES

Some GMC Light Duty Trucks are equipped with engines produced by other GM divisions, subsidiaries, or affiliated companies worldwide. See your dealer for details.

PAINT SCHEMES

Vandura models offer a choice of 10 standard solid paint colors (see back cover) plus available two-tone schemes as illustrated below.




Special Two-Tone Paint Scheme



Deluxe Two-Tone Paint Scheme

AVAILABLE WINDOW ARRANGEMENTS

Shown below are some of the window arrangements available for Vandura. Ask your dealer about others, including those with tinted and deep-tinted glass.





with swing-out side door glass

Swing-out glass in rear doors



ENGINE TEC	HNICAL DATA					_		
ENGINE TYPE			GASO	DIESEL				
Displacement/Con	guration	43 53 53 53 657 (380 CG) (380 CG) (380 CG) (380 CG)		6.31 6. (379.00) (379 V8				
Engine Ordering Co	de	1.84	1.03	Li	25	LHS	11.6	
Series Availability G-1500		3	A	-		-	- 100	
61	6-2500	5	A	A(1)		5 (2)	-	
	6-3500	5 (2)	100			-	-	
	G-35000 & CRF		- m	Contract Contract		-		
Fuel Delivery			Electronic F	uel injection	Maria III	Fuel lo	yector.	
Sore & Stroke, (in)		4.00 s 3.48	2.74 x 3.48	4.00×3.48 3.90		3.96	8×3.82	
Compression Ratio		93101	93101	8.5 to 1 Ch	9.3 to 1	7 21.5 to 1		
SAE Net Horsepow	er as RPM	150 gr 4000	170 ap 4000	185 @ 4000	795 @ 4000	130 gr 2000	145-@ 2600	
SAI Net lorger (fo	TO GETTINE	230 ga 2400	260 gr 2400	290 cp 2400	290 cr 2900	240 ap 2000	248 gr 2000	

5 - Standard A - Available 1 - 1 Model TG21305 only 2 - Not available in California 3 Model TG21305 only



SAFARI CARGO VAN ACCESSORIES







Comfortilt steering wheel Delco radios

Available equipment from GMC Truck enables Safari to tow large trailers.

Your Safari can be equipped with a wide range of factory- or dealerinstalled options to add to your satisfaction. See back cover for equipment available in addition to options shown here.

Trailering. Properly equipped, a Safari Cargo Van can move up to 10,000 lb Gross Combination Weight...that includes everything going down the road (truck, trailer, passengers, cargo, and equipment on truck and trailer). The chart below shows the maximum allowable Gross

Combination Weight Rating (GCWR) based on all standard and available engines and rear axle ratios with automatic transmissions.

Safari Cargo Van can be ordered with available Trailering Special Equipment packages to help you properly equip it for trailering. See your GMC Truck Dealer for package content, and ask him for the '87 GMC Truck Trailering Guide which gives complete details on trailering requirements and recommendations.



Front air conditioning

Power windows





Below eyeline rearview mirror

Rally wheels

GROSS COMBINATION WEIGHT RATING BY ENGINE AND AXLE RATIO FOR AUTOMATIC TRANSMISSIONS

	100000000000000000000000000000000000000	SHOSS	COMBUNATION	AN THOUSING	THIS (N)		
	6000	6500	7500	8500	9500	10,000	
ENGRE	READ AXLE PAINES						
2.54.1.4 GAS (LNIS)	3.73	4.10			10000	6000000	
4.3L V6 GAS (LB4)	15-11		2.73	3.08	3.42	3.73	

TECHNICAL DATA

MODEL		SAFARI CARGO WAN WARDURA			NURA				
SERVES			M-1500		6-1506	G-2100	6-3560(1)	G-3560/CNF	
PRISOND RATING (III)		1000	1350	1700	-	-	-	-	
CIVIN RATING (Ibi)		-	-	-	4900-6000	6600	7100	8600	
ENGINE MAILABILITY		(See Pages 2 and 5; consult your GMC Dealer for further powertrain details.)							
FRONT SUSPENSION					Independent, Coll Spring				
Capacity (ft)		2700	2700	2700	3400	3400(2)	3900	3900	
Spring capacity (floct)		1350	1350	1300	1310(4)	1700(5)	1700	1950	
Shock absorber diameter (mm)	The state of the	o win the			Standard 25; Available 3	The state of the s			
Stabilizer bar diameter (in)	Standard	-		1.10	-			1.06	
	Available	1.10	1.10	-	1.06	1.06	1.06	-	
REAR SUSPENSION	-0.00		1 -6		alisbury Axle, Leaf Sprin	W.			
Aute capacity (b)		2900	2900	2900	3500	3500	5700	\$700	
Spring capacity (flocts)	Standard	1245	1245(6)	1450	1200	1700	2100	2700	
	Available	-	-	-	1700	2100	-	-	
Shock absorber diameter (mm)				5,072	Standard 25; Available 32				
SERVICE BRAKES		A 151		Hyd	Hydraulic, Front DiscRear Drum				
Manual		SM	(40)		SM	-	-		
Possi		Ausl(7)	SM	SM	Avad	SM	5M	SM	
PRINCING BRAKES		Cable to Rear Wheels							
STEERING					Recirculating Bull Gear	0.			
Manual		SM	SM	-	SM	-	-	-	
Proept	The Atlanta	Aud	Avail	SM	Avail	SM	SM	SM	
TIMES	Stedard	P195/75R15(B)	P195/75A15(B)	P205/75R15/8	P195/75R15(R)	P225/75R15(8)	8.75R-16.50	8.75-16.50	
	Available		Various (consult your GMC Dealer)						
FUEL TANK CAPACITY (pil)	10011155	Standard 17, Available 27 Standard 22, Available 33 (125° WB)							
BATTERY CCA Gas models		Standard: 525; Available: 600							
	Diesel models	-		-	-	dual 540	-	dual 540	
GENERATOR AMPS	Gas models		85 (9)			85	(R)		
	Diesel models		-	14	-	66	-	66	

2 - Diesel models: 3500 b (110° WE); 3625 b (125° WE)

3 - At ground, such 4 - 1700 to capacity avoidable

5 - Diesel models: 1750 tb (110: WIII; 1835 tb (125" WIII)

B - All Seasons Nov

Required with V5 engine

9 - 100 amp unit included with air conditioning (requires VE engine on Safari)

SVANDURA ACCESSORIES TRUCK





Delco radios

Vandura has the muscle to tow large trailers with available

equipment from GMC Truck.

Available equipment can increase the comfort, convenience and value of your Vandura in addition to enhancing its appearance. See back cover for a listing of selected available equipment.

Trailering. Properly equipped, a GMC Vandura can move up to 13,500 lb Gross Combination Weight...that includes everything going down the road (truck, trailer, passengers, cargo, and equipment on truck and trailer). The chart below shows the maximum allowable Gross Combination Weight Rating (GCWR) based on all standard and available engines and rear axle ratios with automatic

Your Vandura can be ordered with available Trailering Special Equipment packages to help you properly equip it for trailering. See your GMC Truck Dealer for details.

GROSS COMBINATION WEIGHT RATING BY ENGINE AND AXLE RATIO FOR AUTOMATIC TRANSMISSIONS

	1	0.73000	68055	COMBIN	ATHON WE	IGHT RA	DWG (No	1656158	0
	8500	1000	9500	10,000	10,500	11,000	11,500	12,000	13,500
ENGINE	REAR ACLE NATIOS								
4.3L V6 GAS (LB4)	3.06		3.42	3.73	100	SULU:	1.23		
5.0L VB GAS (5.00)			3.06	5000	3.42		3.73	0.70	75.00
5.7L V8 GAS (L05)		2.73	Loren	3.00	OTTO SALES	-	U.S. S. S. S.	3.73	4.10
6.2L VII DIESEL 6.HKLL4)		3.06		3.42		3.73		4.10	777

Comfortilt steering wheel



Front air conditioning

Rear compartment heater



Power door locks

and/or power windows



Platform trailer hitch

Rally wheels

IMPORTANT! A WORD ABOUT THIS CATALOG: We have tried to make this catalog as comprehensive and factual as possible and we hope you find it helpful. However, since the time of printing, some of the information you'll find here may have been updated. Also, some of the associated with the GMC name. equipment shown or described throughout this catalog is available as factory-installed options, as dealer accessories, and as specialized equipment from various

bring you up to date. The right is reserved to make changes at any time, without notice, in prices, colors, materials, equipment, specifications, and models. Check with your GMC Dealer for complete information.

A WORD ABOUT ASSEMBLY, COMPONENTS, AND **OPTIONAL EQUIPMENT IN THESE GMC PRODUCTS:**

independent suppliers at extra cost. Your dealer has

details and, before ordering, you should ask him to

The GMC Trucks described in this catalog are assembled at facilities operated by General Motors. These vehicles incorporate thousands of different components produced by car and truck groups and various component divisions of GM and by various suppliers worldwide to General Motors. From time to time during the manufacturing process, it may be necessary, in order to meet public demand for particular vehicles or equipment, or to meet federally mandated emissions, safety and fuel economy requirements, or for other reasons, to

produce GMC products with different components or differently sourced components than initially scheduled. All such components have been approved for use in GMC products and will provide the quality performance

With respect to extra-cost optional equipment, make certain you specify the type of equipment you desire on your vehicle when ordering it from your dealer. Some options may be unavailable when your truck is built. Your dealer receives advice regarding the current availability of options. You may ask the dealer for this information. GM also requests the dealer to advise you if an option you ordered is unavailable. We suggest that you verify that your truck includes the optional equipment you ordered, or, if there are changes, that they are accept-

These vehicles also are available under the Chevrolet nameplate as the Astro Cargo Van and Series 10/20/30 Chevy Van.

A WORD ABOUT UPDATED SERVICE INFORMATION: GMC Truck and Coach Operation regularly sends its dealers useful service bulletins about GMC Truck products. GMC Truck and Coach Operation monitors product information in the field. We then prepare bulletins for servicing our products better. Now you can get these bulletins, too. Ask your dealer. To get ordering information, call toll free 1-800-551-4123.

STANDARD AND AVAILABLE EQUIPMENT

MODEL		SAFARI CARGO VAN	VANDURA
EXTERIOR EQUIPMENT			
BUMPER GUARDS, FRON	T CHROMED	-	A
BUMPERS, FRONT	Chromed	-	A
AND REAR	Chromed with rub strips and end caps	A	-
	Painted	5	S
	Painted with rub strips and end caps	A	-
CARRIER, WINCH-TYPE SE	PARE TIRE	۸	-
XXXX, SLIDING SIDE LO	ALCOHOL STATE OF THE STATE OF T	S	5
OORS, SWING-OUT REA		5	5
DOORS, SWING-OUT SID		-	A .
XTENDER LINK, SLIDING		-	A
ILLER DOOR, FUEL	Manually-operated	5	\$
CAN LE AND	Remote-controlled	٨	
SRILLE AND SELATED ITEMS	Standard	5	S
	Deluxe	A .	A
SUARDS, BLACK DOOR E HORN, SINGLE ELECTRIC	THE RESERVE AND ADDRESS OF THE PARTY OF THE	A	S
EYS, SEPARATE CARGO	CONTRACTOR OF THE PROPERTY OF	A	A
AIRRORS, REARVIEW	Chromed conventional		S
MURRORS, REPORTIE III	Painted below eyeline	A	A
	Painted conventional	5	-
	Stainless steel	-	
	below eyeline	- 1	A
MOLDINGS	Black body side	A	Α.
	Black wheel opening	A	-
	Black windshield	S	-
	Bright wheel opening	_	Α.
NAMEPLATE(S)	"Diesel 6.2 Litre" front fender (diesel models)	-	s
	"Diesel 6.2 Litre" rear door (diesel models)	-	s
	"Fuel Injection" rear door (gas models)	s	s
	"GMC" rear door	S	S
	"Safari" front door	S	-
	"Vandura" front fender	-	S
VHEELS	Cast aluminum	A	-
	Conventional; argent with bright hubcaps	s	-
	Conventional; black with bright hubcaps and trim rings	A	_
	Conventional; black with bright wheel covers	A	
	Conventional; white with bright hubcaps	_	s
	Rally; argent with bright hubs and trim rings	-	A(1)
	Rally; argent with black hubs and bright trim rings	A	-
/INDSHIELD WIPER/	Conventional	\$	5
VASHER SYSTEM	Intermittent	A	A
NTERIOR EQUIPMENT	Taxas .		
IR CONDITIONING	Front	^	A .
DURENT CR. (Front and rear	-	A
ARMRESTS, FRONT DOOR		5	S

MODEL		SAFARI CARGO VAN	VANDURA			
INTERIOR EQUIPMENT (contd)					
CARRIER, SPARE TIRE		S	5			
COAT HOOK (single LH si	de)	S	5			
COLD CLIMATE PACKAGE		A	-			
CONSOLE, ROOF		A	-			
CONVENIENCE TRAY		S	S			
COVER, SPARE TIRE	_	A				
DOOR LOCK SYSTEM, PO	WTD	A	A			
FLOOR AND	Front compartment	TO PARTY.	Carrier			
WHEELHOUSE COVERING	Front compartment	s	5(3)			
	color-keyed carpet		A			
	Full-length black rubber	٨	-			
	Full-length color-keyed rubber	A	-			
FLOOR MATS, FRONT CO		-	A			
FLOW-THROUGH POWER	Contract of the Contract of th	5	-			
HEADLINER, FRONT COM		\$	5			
HEATER AND	Standard	S	5			
DEFOGGER	Deluxe		-			
HEATER, REAR		A	A			
INSTRUMENT CLUSTER	Gage-type	A	A			
S STATE OF S	Warning-light-type	S	S			
LAMP, DOME	Front	٨	-			
AND READING	Rear	-	A			
LAMPS, FRONT AND REAL	S	S				
UGHTER, OGARETTE	۸	A .				
LIGHTING, AUXILIARY	A	A				
OPERATING CONVENIENCE	CE PACKAGE	A	A			
PANELS, REAR QUARTER		A	-			
RADIOS, VARIOUS		A	A			
SEAT BACK RECLINER AN	D DUAL ARMRESTS	A	-			
SEAT(S), HIGH-BACK	Custom Cloth driver and passenger	A				
FRONT BUCKET	Custom Vinyl driver and passenger	A	A			
	Custom Vinyl driver	_	-			
	Standard Vinyl driver		٨			
	and passenger	A	A			
CC + YC	Standard Vinyl driver	-	A			
SEATS, HIGH-BACK REAR BUCKET	Two, matching Custom Cloth or Custom Vinyl driver and passenger seats	A				
SEAT(S), LOW-BACK	Standard Vinyl driver and passenger		11/4			
FRONT BUCKET	Standard Vinyl driver	5	5			
	Standard Vinyl passenger	-	A			
STEERING WHEEL	Conventional	S	S			
	Comfortilt	A	A			
	Custom	A	A			
	Sport (5)	A	A			
STOP, REAR DOOR POSITI	THE RESIDENCE OF THE PARTY OF T					
STOP, REAR DOOR POSITI	CONTRACTOR CONTRACTOR STATEMENT CONTRACTOR C		100			
STORAGE COMPARTMEN	T Instrument panel	5	5			
	T Instrument panel Driver	5	S			
STORAGE COMPARTMEN	T Instrument panel	THE RESERVE THE PERSON NAMED IN	No. of Concession, Name of			

S-Standard 5-Available interim 1987

A-Available

1-G-1500/2500 only

2-included with selected radios

3-RH portion only with passenger seat

4-Also included with passenger seat

SAFARI EXTERIOR COLORS



VANDURA EXTERIOR COLORS



NOTE: Due to printing irregularities, colors shown may vary from actual tones. Ask your dealer to show you accurate paint chips and fabric swatches. (M) = Metallic.





GMAC

At your GMC Truck Dealer, financing or leasing your new GMC Truck is as easy as saying -GMAC...the financial services people from General Motors.



9002-87 USA Litho in Canada