


THE LUXURY OF FOUR-SEASON LIVING

NO OTHER MID-SIZE VAN OFFERS MORE ADVANTAGES... WINTER, SUMMER, SPRING OR FALL.

Safari offers some of the most advanced features in its class. For example: All Wheel Drive Models that grip the road with four driving wheels instead of two. That means improved traction on roads slick with rain, snow, sleet or ice. And because it's a full-time all wheel drive system, it delivers maximum traction automatically, with no levers to shift or buttons to push.



XT extended body models with an extra 18.6 cu ft of cargo volume let you carry more luggage and other gear on vacation trips or weekend outings.

Standard 4-wheel anti-lock brake system adds to driving confidence under all weather and road conditions (see page 9 for details).

More trailering muscle than any non-GM mid-size van — up to 6000 lb for properly equipped models.



Highest V6 power in its class with standard or available 4.3 Liter Vortec V6 engines.

Plus, all these standard features:

4-speed automatic overdrive transmission Power brakes

Variable-ratio powering steering

Independent front suspension

Integral body-frame construction

Swing-out rear doors Payloads up to 1935 lbs on 4x2 XT models

Steel-belted, radial-ply All Season tires

Truck-size maximum cargo area: 151.8 cu ft for regular models, 170.4 cu ft for XT models ☐ Base coat/clear coat exterior paint ☐ Tinted glass all around (deep-tinted on Safari SLT)

Halogen headlamps ☐ 27-gallon fuel tank ☐ Heavy-duty 630 CCA battery

Remotecontrolled fuel filler door

Intermittent windshield wipers

Headlamp warning chimes

Gage-type instrument cluster

Electronically-tuned

AM/FM stereo radio with seek-scan, digital clock and premium speakers
Cigarette lighter with ashtray illumination
Convenience tray
Energy-absorbing steering column
Lap and shoulder safety belts at all outboard seating positions
Deluxe heater/ventilation system with windshield and side window defoggers.

THE ULTIMATE IN SAFARI ELEGANCE.

From its striking exterior paint to its luxurious interior decor, SLT is the most lavishly appointed model in the Safari lineup.

For the exterior, choose one of two special solid paint colors — Catalina Blue Metallic or new Slate Metallic. Rally wheels are painted to complement the exterior color scheme. Other distinctive touches include deep-tinted window glass, swing-out rear door glass, black body side moldings with bright trim and an air dam with fog lamps.

The spacious SLT interior features special bench and bucket seats with folding armrests. Bucket seat backs recline and have adjustable headrests. All seats are covered with rich Velour Cloth upholstery in Blue or Gray. Adding to the elegance are padded interior trim panels which match the seat upholstery, sport steering wheel, left hand rear compartment sidewall storage pouch with zipper and net-type storage pockets at rear of front seat backs.

"WEATHER" OR NOT, ALL WHEEL DRIVE IS ALWAYS READY TO GO

Safari's full-time all wheel drive grips the road with all four wheels for added traction in all kinds of weather. Features include automatic wheel slip control: If a wheel starts to lose traction, power is transferred to the other wheels to help keep you moving. Note: All Wheel Drive models are not intended for off-road usage.







XT All Wheel Drive model with SLT trim and other available equipment

A GREAT WAY TO GET CARRIED AWAY

HOW TO MOVE A FAMILY IN STYLE AND COMFORT.

The mid-level SLE treatment is an attractive step up from standard models in interior luxury and exterior styling. It's available with either regular or XT extended body Safari models.

On the outside, SLE offers a tasteful balance of appearance features. These include a black and argent deluxe grille, Rally wheels, black wheel opening moldings, black body side moldings with bright trim, air dam with fog lamps and painted bumpers with color-keyed end caps and bright-trimmed black rub strips. Choose from 10 standard solid exterior colors, including new Fieldstone Gray Metallic.

You can add to all of this with a variety of available items, such as Custom or Deluxe two-tone paint scheme, deeptinted glass and color-coordinated cast aluminum wheels. SLE 4x2 models can be ordered with a special GT sport package consisting of distinctive appearance items plus selected chassis equipment for high-performance ride and handling (see page 8 for additional details).

PLENTY OF SPACE PACKED WITH VALUE.

The handsome color-keyed interior is highlighted by rich Custom Vinyl or Custom Cloth seat trim in your choice of Blue, Saddle, Garnet or Gray. And there's exceptional value and comfort to match the luxury. High-back front bucket seats are included, along with a 3-passenger center bench seat.

Other tasteful touches include colorkeyed floor carpeting and carpet trim


throughout, full-length headliner, front door storage pockets, custom steering wheel and interior trim panels with decorative cloth inserts.


A long list of standard conveniences includes a gage-type instrument cluster with trip odometer and electric speedometer, headlamp warning

chimes, retractable coat hooks, cigarette lighter with ashtray illumination, convenience tray and stepwell lamps.

SLE also comes with swing-out rear door glass, tinted window glass all around, color-keyed floor mats, illuminated right-hand visor mirror and combination front dome/dual reading lamps.

Want even more comfort and luxury? Select from a wide array of available options like reclining high-back bucket seats with armrests, new front passenger underseat storage compartment, Delco radio equipment, air conditioning and overhead storage console with dome and reading lamps.











Every Safari model has a standard 4-wheel anti-lock brake system teamed with power front disc/rear drum brakes. See page 9 for details.

XT All Wheel Drive model with SLE trim and other available equipment.

A VAN LOAD OF STANDARD VALUE

IF YOU THINK IT JUST LOOKS GOOD, BETTER TAKE A SECOND LOOK.

That's because this smartly-styled Safari comes with a wide array of features and equipment you might not expect in a standard model. For example:

Full-gage instrumentation Intermittent windshield wiper system ☐ Tinted glass all around ☐ Electronically-tuned AM/FM stereo radio with seek-scan, digital clock and premium speakers

Front door storage pockets

Deluxe heater/ ventilation system with side window defoggers

Remote fuel filler door release
Winch-type spare tire carrier ☐ Halogen headlamps ☐ Heavy-duty battery.




Interior comfort begins with high-back front bucket seats and a 3-passenger center bench seat, all with practical Vinyl upholstery in your choice of Blue, Saddle, Garnet or Gray. Or select available Custom Vinyl or Custom Cloth seat trim in the same colors. (See page 11 for available seating arrangements.) Adding to the decor are a full-

length cloth headliner and color-keyed carpeting for the floor and wheel-housings.

Outside, SLX is distinguished by such sporty touches as a black grille, black rearview mirrors and blackout paint on body and door areas between the windows. Black plastic front bumper guards are included on All Wheel Drive models. Choose from 10 standard solid paint colors, including new Fieldstone Gray. Painted bumpers are keyed to the exterior color scheme.

SLX trim is available in the full range of Safari model choices: rear wheel drive, all wheel drive, regular or extended (XT) body length.






New available slide-out compartment provides convenient storage space under the front passenger seat. This handy addition can be ordered for all Safari models.

SLX interior with Custom Cloth seat trim. With 7-person seating, this Safari provides 83.7 cu ft of cargo space. Or remove the bench seat, as shown, and cargo space increases to 102.3 cu ft.

10 inches



XT All Wheel Drive model with SLX trim and other available equipment





QUALITY ADDITIONS

EXTRA STYLE AND PLEASURE.

Safari can be ordered with a variety of available options, some of which are described on this page and on page 10. Appearance and convenience equipment includes:

New underseat storage compartment for front passenger seat ☐ Electronic instrumentation ☐ Electronic speed control/tilt steering wheel package

6-way power adjuster for driver's seat

Black roof-mounted luggage carrier

Chromed front and rear bumpers

Interior roof console.



Electronic instrumentation



Front air conditioning



Aluminum wheels

Delco full-feature AM stereo*/FM stereo radio

Delco radio equipment (electronicallytuned) includes:

AM/FM stereo radio with stereo cassette tape, seek-scan, digital clock and premium speakers Full-feature AM stereo*/FM stereo radio with seek-scan, stereo cassette



speakers.

tape with search & repeat, graphic

equalizer, digital clock and premium

Chassis equipment includes:

Locking

differential rear axle

Engine oil

cooler


HD radiator with trans-

mission oil cooler

Sport suspension.

Roof storage console with dome and reading lamps

Tilt steering wheel**



Safari GT package for 2-WD models adds a sporty touch, plus a special road-hugging suspension. Exterior features include a blacked-out grille, window and bumper treatment with gold accent striping. Plus front bumper rub strips and body side and rear moldings with gold color accents, simulated air exhaust louvers (except XT models), air dam with fog lamps and Rally wheels. Shown with available Special Two-Tone paint and aluminum wheels.



*Receives C-Quam® AM stereo broadcasts. Most AM stations across the country broadcast in C-Quam, but some do not. Check with your local stations for compatibility in

**Part of a convenience package. Consult your GMC Truck dealer for details.

SOLID VALUE FOR THE MONEY

BUILT FOR PERFORMANCE AND DEPENDABILITY.

Here are just a few of the features that make Safari a pleasure to own:

Four-wheel anti-lock brake system is designed to improve a driver's ability to stop without skidding, by allowing the wheels to keep turning as the vehicle slows.

Electric speedometer provides accurate readings; there's no cable to break or make noise.

BEATURES

27-gallon fuel tank allows plenty of miles between fill-ups.

Power steering helps make Safari easy to drive.

Advanced suspension components like computer-selected front coil springs (2-WD) or torsion bars (AWD), help

provide a quality ride.

Swing-out rear doors are a big convenience. Unlike vans with rear liftgates, Safari's double rear doors don't interfere with access to roof-mounted luggage.

Integral body-frame construction adds to structural rigidity and helps reduce body noise.

Anti-corrosion protection includes the use of 2-side galvanized steel for all body panels except the roof.

A POWERFUL STATEMENT OF PERFORMANCE

HIGHEST V6 POWER IN SAFARI'S CLASS.

The standard 4.3 Liter Vortec V6 pumps out 150 SAE net horsepower at 4000 RPM for impressive performance and towing ability.

If you want the ultimate in 2-WD Safari performance, specify the available high-output 4.3 Liter H.O. Vortec V6. Equipped with high-lift camshaft, dual tail pipes and lowrestriction sport muffler, this aggressive engine delivers a whopping 170 SAE net HP at 4600 RPM. It's an ideal power choice for big loads and heavy towing (not available on All Wheel Drive models).

Both engines are improved for '91 with new spark plugs for enhanced cold

TI IOII IDO

starting and driveability. A new starter motor plus fuel system revisions add to reliability. Other features include: Electronic Fuel Injection for quick starts and smooth performance

Electronic Spark Control to help control spark knock while maintaining optimum advance firing characteristics ☐ Anti-friction hydraulic valve lifters for operating efficiency

Single-belt accessory drive designed for automatic adjustment and long service life.

Both engines are teamed with a 4-speed automatic transmission with overdrive. You get the convenience of an automatic plus the advantages of overdrive.

VORTEC V6 ENGINE SPECIFICATIONS

DISPLACEMENT/CONFIGURATION	4.3L (26	2 CID) V6
Engine Ordering Code	LB4	LU2 (1)
Fuel Delivery	electronic	fuel injection
Bore & Stroke, in	4.0	x 3.48
Compression Ratio	9.3	3 to 1
SAE Net Horsepower @ RPM	150 @ 4000	170 @ 4600
SAE Net Torque (lb-ft) @ RPM	230 @ 2400	225 @ 2800
1 - High-output version, available for 2-WD models only.	230 @ 2700	223 W 2000

TOPS IN ITS CLASS FOR TOWING.

A properly equipped Safari can tow gross trailer weights up to 6000 lbs. That's more pull than any non-GM van in its class. Gross trailer weight includes trailer, passengers and cargo in the trailer and equipment on the trailer.

To put it another way, a properly equipped Safari can move up to 10,000 lb Gross Combination Weight, which includes the weight of everything going down the road. The chart at right shows the maximum allowable Gross Combination Weight Rating (GCWR) based on all standard and available engines and rear axle ratios.

Light- and heavy-duty trailering equipment packages are available to help you properly outfit your Safari for towing a


trailer. See your GMC Truck dealer for package content.

For complete details about recommendations and requirements for trailering, ask your dealer for the 1991 Trailering Guide.

GROSS COMBINATION WEIGHT RATING (GCWR) (1) BY ENGINE AND AXLE RATIO

ENGINE/AXLE RATIO	GCWR (lb)
4.3L Vortec V6/3.23	9000
4.3L Vortec V6/3.42	9500
4.3L Vortec V6/3.73 (2)	10,000
4.3L H.O. Vortec V6/4.10 (2) (3)	10,000

- l Includes truck, trailer, passengers, cargo and equipment on truck
- 2 Requires available heavy-duty trailering equipment.3 2-WD models only.



Safari can be equipped to pull big trailer loads

STANDARD AND AVAILABLE EQUIPMENT

EXTERIOR EQUIPMENT

			5.0						
MODEL		SAFARI SLX (STD-ZW9)	SAFARI SLE (YC6)	SAFARI SLT (YC7)	MODEL		SAFARI SLX (STD-ZW9)	SAFARI SLE (YC6)	SAFARI SLT (YC7)
AIR DAM	Conventional	S	-	16-	HEADLAMPS	Halogen-type	S	S	S
	With fog lamps	_	S	S	HORNS, DUAL ELECTRIC HIGH/LOW-NOTE		S	S	S
BLACKOUT PAINT	(between windows)	S	S	S	MIRRORS, REAR-	Painted below eyeline	A	A	A
	Chromed with rub strips and				VIEW	Painted conventional	S	S	S
AND REAR	end caps	A	A	<u>A</u>		Electric remote controlled	A	A	A
	Painted	S			MOLDINGS	Wide black body side and rear	A 6,8	\$ 6	\$ 6
	Painted with rub strips and end caps	_	S	S		Black wheel opening	A 8	S	S
CARRIER, WINCH-		S	S	S	WHEELS, CAST A	LUMINUM (5)	A	A	A
FILLER DOOR, REM	MOTE-CONTROLLED FUEL	S	S	S	WHEELS,	Argent with bright hubcaps	S	_	_
GLASS	Complete body	A	A	A	CONVENTIONAL				
	Rear door swing-out	_	S	S	WHEELS, RALLY	Includes black hubs and			
	Deep tinted	A	A	S	(5)	bright trim rings	A	S	S
	Tinted	S	S	_	WINDSHIELD WIDED (WASHED	Intermittent	S	S	S
GRILLE AND	Standard (black)	S	_		WIPER/WASHER SYSTEM				
FRONT LAMP BEZELS	Deluxe (black with argent trim)	_	S	S					

INTEDIOD EOLIDMENT

MODEL		SAFARI SLX (STD-ZW9)	SAFARI SLE (YC6)	SAFARI SLT (YC7)	MODEL		SAFARI SLX (STD-ZW9)	SAFARI SLE (YC6)	SAFARI SLT (YC7)
AIR CONDITION-	Front	A	A	A	LAMPS	Convenience tray	A 3	S	S
ING	Front and rear	A	A	A		Front and rear dome	S	S	S
ARMRESTS,	With 7-person seating	S	S	S		Front dome and reading	A 3	S	S
BUCKET SEAT	With 5- or 8-person seating	A 2	A 2	S		Stepwell	A 3	S	S
DUAL LH/RH FOLDING						Storage compartment	A 3	S	S
ARMRESTS, ZP5/	ZP5: LH on sidewall, RH on				LAMP SWITCHES,	All doors	A 3	S	S
ZP8 CENTER	seat	S	S		DOME & STEP- WELL	Front doors only	S	·	
BENCH SEAT LH/ RH	ZP5/ZP8: dual LH/RH on				WELL	Switch override	A 3	S	S
	seat			<u>S</u>	LIGHTER, CIGARI	ETTE (with ashtray illumination) S	S	S
ARMRESTS, FRON		S	S	S	MAP POCKETS, FI	RONT DOOR	S	S	S
ARMRESTS, ZP7/ ZP8 REAR BENCH	On rear wheelhousings	S	S		MIRROR	Illuminated RH visor		S	S
SEAT LH/RH	Dual LH/RH on seat	-	-	S		Rearview	S	S	S
CHIMES, HEADLA	MP WARNING	S	S	S		RH visor	S	_	<u>-</u>
CLOCK, ELECTRIC		\$4	\$4	<u>S4</u>	RADIOS, ELEC-	AM/FM stereo	\$7	S 7	S 7
COAT HOOKS	Three retractable	S	S	S	TRONICALLY-	AM/FM stereo with stereo			
COLD CLIMATE PA		A	A	A	TUNED (includes seek-scan, digital	cassette	A	A	A
CONSOLE, ROOF		A	A	A	clock and premium	AM stereo/FM stereo with			
CONVENIENCE TRAY	Instrument panel	S	S	S	speakers)	graphic equalizer & stereo cassette with search-repeat	A	A	A
	ZP5/ZP7/ZP8 bench seats			S	RECLINER,	With 7-person seating	S	S	S
CONVENIENCE	Power door locks	A	A	A	BUCKET SEAT	With 5- or 8-person seating	A 1	A	S
PACKAGES	Power door locks/power				BACK				
	windows	A	A	<u>A</u>	SEAT ADJUSTER,	POWER (driver seat)	A	A	A
	Tilt steering wheel/electronic				SEATING	5-person	S	S	S
	speed control	A	A	A	ARRANGEMENTS	7-person	A	A	A
FLOOR AND	Full-length color-keyed carpet	S	S	S		8-person	A	A	A
WHEELHOUSE COVERING					STEERING WHEEL	Conventional	S	_	
	NT & REAR COLOR-					Custom		S	_
KEYED RUBBER		_	S	S		Sport		_	S
FLOW-THROUGH '	VENTILATION	S	S	S		MECHANICAL) REAR DOOR	S	S	S
HEADLINER, FULI	LENGTH	S	S	S	STORAGE	Instrument panel	S	S	S
HEATER AND DEF	OGGER, DELUXE	S	S	S	COMPARTMENT	LH rear sidewall	S	S	S
HEATER, REAR		A	A	A		Sliding drawer under front			
INSTRUMENT CLUSTER	Gage-type with trip odometer	S	S	S	OF D TOTAL DEC. DD.	passenger seat	A	A 0	A
	Electronic gage-type with trip					VER & PASSENGER	8	S	S
	odometer	A	A	A	TRIM PANELS	Standard	S		
						Custom	_	S	
						Deluxe	-		S

S - Standard A - Available

10

1 - Requires Custom seat trim. 2 - Part of available seat back recliner.


3 - Part of available auxiliary lighting package. 4 - Integral with standard and available radios.

5 - Color-coordinated to elected

body color(s). 6 - Includes bright inserts for moldings


and front bumper rub strip.

 7 - Radio delete available. See your GMC Truck dealer for details. 8 - Part of available ZY4/ZY6 two-tone paint.




Fieldstone Gray (M) Smoke Blue (M)







Sunset Gold (M)*



Deep Red (M)* Burnt Red (M)*



Slate (M)**

GRAY


*Not available for SLT models

**Available for SLT models only NOTE: (M) = Metallic. Colors shown may vary slightly from actual tones. Ask your GMC Truck dealer to show you actual paint chips.

Catalina Blue (M)** Mojave Beige*




Onyx Black*



Midnight Blue (M)*

Available 8-person seating. Standard 5-person seating plus a 3-passenger rear bench seat. XT extended body models provide for additional cargo or baggage, as shown in top view above.

DIMENSIONS (inches) RECOMMENDED INTERIOR TRIM COLORS 176.8 186.8



Standard 5-person seating. Two high-back front bucket seats and center 3-passenger bench seat with 85.8 cu ft cargo space behind the bench seat (104.4 cu ft with XT extended body models).

a 3-passenger rear bench seat.

4-person seating. By removing the rear bench seat included with available 7-person seating, you can have seating for four persons plus 83.7 cu ft of cargo space (102.3 cu ft with XT extended body models).

Available 7-person seating. Four high-back reclining bucket seats with dual folding armrests plus

SEATING ARRANGEMENTS

2-person seating. Removal of bench seat(s) included with standard 5-person or available 8-person seating permits seating for two and opens up 151.8 cu ft of cargo space (170.4 cu ft with XT extended body models).

Midnight Blue Metallic

EXTERIOR

Ivory White

Mojave Beige

Onyx Black

SOLID COLORS

Sterling Silver Metallic

Smoke Blue Metallic

Sunset Gold Metallic

Deep Red Metallic

Burnt Red Metallic

Slate Metallic (1)

Fieldstone Gray Metallic

Catalina Blue Metallic (1)

Ivory White*

keyed.

Available Special Two-Tone Paint (ZY3) for SLT

models only. Includes multi-colored decal beltline striping color keyed to the two-tone combination selected; standard Rally or available aluminum wheels also are color-keyed.

Available Custom Two-Tone Paint (ZY6) for SLX

moldings on SLX models (standard on SLE

models). Available Rally wheels (standard on

SLE models) and aluminum wheels are color-

Available Deluxe Two-Tone Paint (ZY4) for SLX

and SLE models, except those with the GT

striping and black body side/rear lower moldings (standard on SLE models). Available Rally

BLUE

GARNET SADDLE

package. Includes dual-tone beltline decal

wheels (standard on SLE models) and

aluminum wheels are color-keyed.

and SLE models. Includes black body side

THE REASSURANCE OF GMC TRUCK VALUE

VEHICLE WARRANTY BUMPER TO BUMPER PLUS

The GM 3-year/50,000-mile BUMPER TO BUMPER PLUS WARRANTY covers repairs for any new GMC Truck model, including labor and parts, to correct any defects in material or workmanship occurring during the warranty period. The complete vehicle (except tires, which are covered by their manufacturer) will be covered for 3 years or 50,000 miles, whichever comes first. After the first year or 12,000 miles, there is a \$100 deductible per repair visit. Body sheet metal rust-through from corrosion is covered for 6 years or 100,000 miles, whichever comes first. There is no deductible for rust-through repairs. See your GMC Truck dealer for terms of this limited warranty.

DEALER SERVICE

COMMITMENT PLUS

Commitment Plus is one of the most complete joint sales and service customer satisfaction programs available on trucks today (retail sales only). It offers the following benefits:

A thorough pre-delivery vehicle inspection

-	-		C 1	1 1		-	
•		ne	tril	l tanl	1	ot	tile

 Complimentary 3000-mile maintenance service including oil change and oil filter GMC Truck and GMC Truck Dealerships are truly committed to making our trucks easy to live with. Our customers' total satisfaction is indeed our goal!

1991 GMC TRUCK SAFETY FEATURES

GROSS VEHICLE WEIGHT RATING/ PAYLOAD (Ib) 5600/1775 5850/1935 5800/1645 (3) - 5950/1785 6100/186 ENGINE/TRANSMISSION 4.3L EFI Vortec V6/4-speed automatic overdrive 4.3L EFI Vortec H.O. V6/4-speed automatic overdrive standard standard FRONT SUSPENSION independent, coil springs independent, torsion bars Capacity (Ib) 2700 3050 Spring capacity (Ib) (1) 1350 1525 Shock absorber diameter (in) 1.26 1.26 Stabilizer bar diameter (in) 1.26 1.18 REAR SUSPENSION Salisbury axle, leaf springs Salisbury axle, leaf springs Capacity (Ib) 2900 3150 3150 3150 Spring capacity (Ib) (1) 1450 1575 1575 1575 Shock absorber diameter (in) 1.26 1.26 1.26 SERVICE BRAKES hydraulic, power-assisted front disc/rear drum with four-wheel anti-lock brakes SERVICE BRAKES hydraulic, power-assisted front disc/rear drum with four-wheel anti-lock brakes STEERING variable ratio, power-assisted, recirculating ball gear TIRES All Season, steel-belted, radial-ply	TECHNICAL INFORMATION									
GROSS VEHICLE WEIGHT RATING/PAYLOAD (Ib) 5600/1775 5850/1935 5800/1645 (3) - 5950/1785 6100/186 ENGINE/TRANSMISSION (consult your GMC Truck dealer for available axle ratios) 4.3L EFI Vortec V6/4-speed automatic overdrive standard standard 4.3L EFI Vortec H.O. V6/4-speed automatic overdrive available — FRONT SUSPENSION independent, coil springs independent, torsion bars Capacity (Ib) 2700 3050 Spring capacity (Ib) (1) 1350 1525 Shock absorber diameter (in) 1.26 1.18 REAR SUSPENSION Salisbury axle, leaf springs Salisbury axle, leaf springs Capacity (Ib) 2900 3150 3150 3150 Spring capacity (Ib) (1) 1450 1575 1575 1575 Shock absorber diameter (in) 1.26 1.26 1.26 SERVICE BRAKES hydraulic, power-assisted front disc/rear drum with four-wheel anti-lock brakes cable to rear wheels STEERING variable ratio, power-assisted, recirculating ball gear TIRES All Season, steel-belted, radial-ply Standard P205/	DRIVE TYPE	2-WHEEL ALL-WHEEL								
GROSS VEHICLE WEIGHT RATING/ PAYLOAD (Ib) 5600/1775 5850/1935 5800/1645 (3) - 5950/1785 6100/186 ENGINE/TRANSMISSION 4.3L EFI Vortec V6/4-speed automatic overdrive (consult your GMC Truck dealer for available axle ratios) 4.3L EFI Vortec H.O. V6/4-speed automatic overdrive standard FRONT SUSPENSION independent, coil springs independent, torsion bars Capacity (Ib) 2700 3050 Spring capacity (Ib) (1) 1350 1525 Shock absorber diameter (in) 1.26 1.26 Stabilizer bar diameter (in) 1.26 1.18 REAR SUSPENSION Salisbury axle, leaf springs Salisbury axle, leaf springs Capacity (Ib) 2900 3150 3150 3150 Spring capacity (Ib) (1) 1450 1575 1575 1575 Shock absorber diameter (in) 1.26 1.26 1.26 SPRING Capacity (Ib) (1) 1450 1575 1575 1575 Shock absorber diameter (in) 1.26 1.26 1.26 SERVICE BRAKES hydraulic, power-assisted front disc/rear drum with four-wheel anti-lock brakes cab	BODY TYPE	Regular	Extended	Regular	Extended					
4.3L EFI Vortec V6/4-speed automatic overdrive 4.3L EFI Vortec H.O. V6/4-speed automatic overdrive 4.3L EFI Vortec H.O. V6/4-speed automatic overdrive FRONT SUSPENSION independent, coil springs independent, torsion bars Capacity (lb) 2700 3050 Spring capacity (lb) (1) 1350 1525 Shock absorber diameter (in) 1.26 1.18 REAR SUSPENSION Salisbury axle, leaf springs Capacity (lb) 2900 3150 3150 3150 3150 Spring capacity (lb) (1) 1450 1575 1575 1575 Shock absorber diameter (in) 1.26 1.26 SERVICE BRAKES hydraulic, power-assisted front disc/rear drum with four-wheel anti-lock brakes PARKING BRAKES TIRES All Season, steel-belted, radial-ply Standard P205/75R15 P215/75R15 P205/75R15 (4) P215/75R15 Available (consult your GMC Truck dealer) (2)	PAYLOAD (lb)	5600/1775	5850/1935		6100/1865					
automatic overdrive 4.3L EFI Vortec H.O. V6/4-speed automatic overdrive REONT SUSPENSION independent, coil springs independent, torsion bars Capacity (lb) 2770 3050 Spring capacity (lb) (1) 1350 1525 Shock absorber diameter (in) 1.26 1.18 REAR SUSPENSION Salisbury axle, leaf springs Capacity (lb) 2900 3150 Spring capacity (lb) (1) 1450 1575 Shock absorber diameter (in) 1.26 1.18 REAR SUSPENSION Salisbury axle, leaf springs Salisbury axle, leaf springs Salisbury axle, leaf springs Spring capacity (lb) (1) 1450 1575 1575 1575 1575 Shock absorber diameter (in) 1.26 SERVICE BRAKES hydraulic, power-assisted front disc/rear drum with four-wheel anti-lock brakes PARKING BRAKES TEERING variable ratio, power-assisted, recirculating ball gear TIRES All Season, steel-belted, radial-ply Standard P205/75R15 P215/75R15 P205/75R15 (4) P215/75R15 Available	ENGINE/TRANSMISSION									
Automatic overdrive	automatic overdrive	stan	ndard	standard						
Capacity (lb) 2700 3050 Spring capacity (lb) (1) 1350 1525 Shock absorber diameter (in) 1.26 1.26 Stabilizer bar diameter (in) 1.26 1.18 REAR SUSPENSION Salisbury axle, leaf springs Salisbury axle, leaf springs Capacity (lb) 2900 3150 3150 3150 Spring capacity (lb) (1) 1450 1575 1575 1575 Shock absorber diameter (in) 1.26 1.26 1.26 SERVICE BRAKES hydraulic, power-assisted front disc/rear drum with four-wheel anti-lock brakes PARKING BRAKES cable to rear wheels STEERING variable ratio, power-assisted, recirculating ball gear TIRES All Season, steel-belted, radial-ply Standard P205/75R15 P215/75R15 P205/75R15 (4) P215/75R1 Available (consult your GMC Truck dealer) (2)	4.3L EFI Vortec H.O. V 6/4-speed automatic overdrive	avai	ilable							
Capacity (lb) 2700 3050 Spring capacity (lb) (1) 1350 1525 Shock absorber diameter (in) 1.26 1.26 Stabilizer bar diameter (in) 1.26 1.18 REAR SUSPENSION Salisbury axle, leaf springs Salisbury axle, leaf springs Capacity (lb) 2900 3150 3150 3150 Spring capacity (lb) (1) 1450 1575 1575 1575 Shock absorber diameter (in) 1.26 1.26 1.26 SERVICE BRAKES hydraulic, power-assisted front disc/rear drum with four-wheel anti-lock brakes PARKING BRAKES cable to rear wheels STEERING variable ratio, power-assisted, recirculating ball gear TIRES All Season, steel-belted, radial-ply Standard P205/75R15 P215/75R15 P205/75R15 (4) P215/75R1 Available (consult your GMC Truck dealer) (2)	FRONT SUSPENSION	independent, coil springs independent, torsion bars								
Shock absorber diameter (in) 1.26 1.26 Stabilizer bar diameter (in) 1.26 1.18 REAR SUSPENSION Salisbury axle, leaf springs Salisbury axle, leaf springs Capacity (lb) 2900 3150 3150 3150 Spring capacity (lb) (1) 1450 1575 1575 1575 Shock absorber diameter (in) 1.26 1.26 1.26 SERVICE BRAKES hydraulic, power-assisted front disc/rear drum with four-wheel anti-lock brakes PARKING BRAKES cable to rear wheels STEERING variable ratio, power-assisted, recirculating ball gear TIRES All Season, steel-belted, radial-ply Standard P205/75R15 P215/75R15 P205/75R15 (4) P215/75R1 Available (consult your GMC Truck dealer) (2)	Capacity (lb)									
Stabilizer bar diameter (in) 1.26 1.18 REAR SUSPENSION Salisbury axle, leaf springs Salisbury axle, leaf springs Capacity (lb) 2900 3150 3150 3150 Spring capacity (lb) (1) 1450 1575 1575 1575 Shock absorber diameter (in) 1.26 1.26 SERVICE BRAKES hydraulic, power-assisted front disc/rear drum with four-wheel anti-lock brakes PARKING BRAKES cable to rear wheels STEERING variable ratio, power-assisted, recirculating ball gear TIRES All Season, steel-belted, radial-ply Standard P205/75R15 P215/75R15 P205/75R15 (4) P215/75R1 Available (consult your GMC Truck dealer) (2)	Spring capacity (lb) (1)	13	1525	25						
REAR SUSPENSION Salisbury axle, leaf springs Salisbury axle, leaf springs Capacity (lb) 2900 3150 3150 3150 Spring capacity (lb) (1) 1450 1575 1575 1575 Shock absorber diameter (in) 1.26 1.26 1.26 SERVICE BRAKES hydraulic, power-assisted front disc/rear drum with four-wheel anti-lock brakes cable to rear wheels STEERING variable ratio, power-assisted, recirculating ball gear TIRES All Season, steel-belted, radial-ply Standard P205/75R15 P215/75R15 P205/75R15 (4) P215/75R1 Available (consult your GMC Truck dealer) (2)	Shock absorber diameter (in)	1.26								
Capacity (lb) 2900 3150 3150 3150 Spring capacity (lb) (1) 1450 1575 1575 Shock absorber diameter (in) 1.26 1.26 SERVICE BRAKES hydraulic, power-assisted front disc/rear drum with four-wheel anti-lock brakes PARKING BRAKES cable to rear wheels STEERING variable ratio, power-assisted, recirculating ball gear TIRES All Season, steel-belted, radial-ply Standard P205/75R15 P215/75R15 P205/75R15 (4) P215/75R1 Available (consult your GMC Truck dealer) (2)	Stabilizer bar diameter (in)	1.26								
Spring capacity (lb) (1) 1450 1575 1575 1575 Shock absorber diameter (in) 1.26 1.26 SERVICE BRAKES hydraulic, power-assisted front disc/rear drum with four-wheel anti-lock brakes PARKING BRAKES cable to rear wheels STEERING variable ratio, power-assisted, recirculating ball gear TIRES All Season, steel-belted, radial-ply Standard P205/75R15 P215/75R15 P205/75R15 (4) P215/75R1 Available (consult your GMC Truck dealer) (2)	REAR SUSPENSION	Salisbury axle, leaf springs Salisbury axle, leaf springs								
Shock absorber diameter (in) SERVICE BRAKES hydraulic, power-assisted front disc/rear drum with four-wheel anti-lock brakes PARKING BRAKES Cable to rear wheels STEERING variable ratio, power-assisted, recirculating ball gear TIRES All Season, steel-belted, radial-ply Standard P205/75R15 P215/75R15 P205/75R15 P205/75R15 (consult your GMC Truck dealer) (2)	Capacity (lb)	2900 3150		3150	3150					
SERVICE BRAKES hydraulic, power-assisted front disc/rear drum with four-wheel anti-lock brakes PARKING BRAKES cable to rear wheels STEERING variable ratio, power-assisted, recirculating ball gear TIRES All Season, steel-belted, radial-ply Standard P205/75R15 P215/75R15 P205/75R15 (4) P215/75R1 Available (consult your GMC Truck dealer) (2)	Spring capacity (lb) (1)	1450	1575	1575	1575					
PARKING BRAKES STEERING TIRES Standard P205/75R15 P205/75R15 P205/75R15 Available Cable to rear wheels variable ratio, power-assisted, recirculating ball gear All Season, steel-belted, radial-ply P215/75R15 P205/75R15 (4) P215/75R15 P205/75R15 (2)	Shock absorber diameter (in)	1.	.26	1.26						
STEERING variable ratio, power-assisted, recirculating ball gear TIRES All Season, steel-belted, radial-ply Standard P205/75R15 P215/75R15 P205/75R15 (4) P215/75R1 Available (consult your GMC Truck dealer) (2)	SERVICE BRAKES	hydraulic, pov	wer-assisted front d	lisc/rear drum with four-wheel a	nti-lock brakes					
TIRES All Season, steel-belted, radial-ply Standard P205/75R15 P215/75R15 P205/75R15 (4) P215/75R1 Available (consult your GMC Truck dealer) (2)	PARKING BRAKES		ca	ble to rear wheels						
TIRES All Season, steel-belted, radial-ply Standard P205/75R15 P215/75R15 P205/75R15 (4) P215/75R1 Available (consult your GMC Truck dealer) (2)	STEERING	variable ratio, power-assisted, recirculating ball gear								
Available (consult your GMC Truck dealer) (2)	TIRES									
Available (consult your GMC Truck dealer) (2)	Standard	P205/75R15	P215/75R15	1						
	Available									
LODE IT IN CITE (gallolis)	FUEL TANK CAPACITY (gallons)	27								
BATTERY CCA 630	BATTERY CCA									
GENERATOR AMPS 85 (100 with C60/C69 air or V10 package)	GENERATOR AMPS	85 (100 with C60/C69 air or V10 package)								

CCA - Cold Cranking Amps (1) - At ground, each.

(2) - Tire chains should not be used with available P245/60HR15 tires as they may cause damage to the vehicle.

(3) - Available with standard 5-passenger seating only. (4) - P215/75R15 tires required for 5950-lb GVWR.







GM®, Vortec® and Delco® are registered trademarks of General Motors Corporation. GMC Truck™, Safari™ and Commitment Plus/GMC Truck Logo™ are trademarks of General Motors Corporation.

© 1990 General Motors Corporation. All Rights Reserved.



defroster controls

Tires with built-in tread wear indicators

Four-wheel anti-lock brake system.

IMPORTANT: A WORD ABOUT THIS CATALOG.

We have tried to make this catalog as comprehensive and factual as possible. We reserve the right, however, to make changes at any time, without notice, in prices, colors, materials, equipment, specifications, models and availability. Also, tires shown in illustrations are supplied by various manufacturers. Since some information may have been updated since the time of printing, please check with your GMC Truck dealer for complete details.

A WORD ABOUT ENGINES.

GMC Truck models are equipped with engines produced by the GM Engine Division, its subsidiaries or suppliers to GM worldwide.

A WORD ABOUT ASSEMBLY OF GMC TRUCK MODELS.

GMC Truck models are assembled by different operating units of General Motors, its subsidiaries or suppliers to GM worldwide. GMC Truck models incorporate thousands of components produced by different operating units of GM, its subsidiaries or suppliers to GM worldwide. We sometimes find it necessary to produce GMC Truck models with different or differently sourced components than originally scheduled. All such components have been approved for use in GMC Truck models and will provide the quality performance associated with the GMC Truck name. Since some options may be unavailable when your vehicle is assembled, we suggest that you verify that your vehicle includes the equipment you ordered or, if there are changes, that they are acceptable to you.

A WORD ABOUT UPDATED SERVICE INFORMATION.

GMC Truck Division regularly sends its dealers useful service bulletins about GMC Truck products. GMC Truck Division monitors product performance in the field. We then prepare bulletins for servicing our products better. Now you can get these bulletins, too. Ask your dealer. To get ordering information, call 1-800-551-4123.

A WORD ABOUT CORROSION PROTECTION.

GMC Truck models are designed and built to resist corrosion. All body sheet metal components are warranted against rust-through corrosion for 6 years/100,000 miles. Application of additional rust inhibiting materials is not required under the corrosion coverage.