TRUCKS

Be moved

WE HEAD FOR THE HILLS IN

Р 8. azca

5



Performance: Up to 207 hp

Model Lineup: 11 Great Trucks

insights | features | facts and figures TRUCK EDITION



Cover Story Our reviewer heads for the hills to test the trucks and get in some riding on vintage dirt bikes.



6 The Inside Story Four doors, rear jump

seats, tons of room and a great stereo. What else could you need?



Performance

Power in abundance, easy to take care of. And Mazda Trucks give you the choice of three engines.



Whatever you want in a truck, you'll find a Mazda Truck designed just for you. Go here for colors and specifications too.

More B-Series on the Web

When you see this symbol 📧 on the Features & Options page, it's telling you that additional, in-depth information is available for the indicated Truck features. Just head for our Web site at MazdaUSA.com and look for the same symbol there.

WE HEAD FOR THE HILLS IN B-SERIES

When the motorcycle magazine


55

I work for decided to test Mazda's improved B4000 4x4 Cab Plus 4 and B3000 4x2 Dual Sport trucks, my buddy and I jumped at the chance. The mountains called us.

8



COVER STORY



begins with high-strength, full-box-section front frame rails (vs. open frame rails). They provide exactly the rigidity the double wishbones, torsion bars and gas shocks need to really do their jobs, on or off the road.

One thing I like about motocross (besides the speed and sheer excitement!) is the tight connection between man and machine.



f it goes off road, I love it. So naturally, nothing gets my wheels turning like getting out of town, then driving into the mountains. After we loaded up our motorcycles and gear, I took the lead in the B4000 4x4 SE Cab Plus 4, with the idea that we'd both get seat time in each truck during the drive up. We've generally found that when something

looks right, it usually works right. That's true with the styling on all the Mazda B-Series Trucks. They have an aerodynamic look that's tough and aggressive. We liked the fact that the Dual Sport model, a 4x2, had the same lifted, take-no-prisoners look as the 4x4, plus its own unique "teardrop" alloy wheels.

The road into the mountains has plenty of steep climbs and switchbacks. In some trucks, the grades strain the engine and make the climb a chore. Not so in the B4000. With its 4.0-liter, 207-hp V6 engine, the weight of the motorcycle in back barely fazed it. The B3000 Dual Sport, also with a V6, had no trouble keeping up, either. The 5-speed manual transmission on the 4x4 made it easy to keep the engine in its powerband. The optional 5-speed automatic on the Dual Sport did the same job in fine fashion, of course without any effort from us.



B-Series Trucks got us to our remote location and did so in style. Fog lights shown are standard equipment on the 4x4 (and Dual Sport, at right).

Just from habit I'd periodically look in the rearview mirror to check my bike. With the standard cargo-bed tie-down loops, I needn't have worried—it was plenty secure. And with a big cab to stretch out in, I had two hours to listen to some CDs and enjoy the ride. That wasn't hard, considering the civilized independent front suspension. The story




Below: 4x4 look, 4x2 weight—Dual Sport models are 4x2s with the high-riding 4x4 suspension. They come in B3000 and B4000 models.

The B4000 provides that same connection in important areas like steering. Some trucks don't offer it, but all Mazda B-Series models have power rack-and-pinion steering for great road feel, with engine-speed-sensing variable assist to help in low-speed maneuvers. The bottom line? I like to be in control, and a B-Series Truck makes sure I am.

Left: We'd highly recommend the accessory bed extender, ideal for helping secure and contain our bikes.





I shifted into 4WD on the fly when the dirt road got rougher. It didn't slow us down, though; Mazda's pulse-vacuum hub-lock

After we finished riding, we left our bikes with friends and headed off-highway in the B4000 4x4 SE Cab Plus 4. Miles of loose shale, sand, rocky climbs and gnarly trails promised all the challenges of motocross.



The generous ground clearance paid off when negotiating tough terrain. Underbody skid plates help protect the fuel tank and transfer case.

technology lets you shift into 4WD at speeds up to 45 mph. The big P245/75R16 tires dug in as the B4000 carried us higher and soon, sunlight raked the trail through a canopy of pines. Things looked serious when we reached the rock fall by the creek. We knew it would be rough going because there were so few

Contraction of the

tire tracks on the far side. But I believe in Tread Lightly![®] off-road guidelines, so we stopped to scout the area before proceeding. Then I switched the two-speed transfer case into low range, and we proceeded with our rock-crawling. The surface was steep and slick, but the V6 engine's 238 lb-ft of torque



We remember when some trucks made us stop before shifting into 4WD. Not this Mazda 4x4. A convenient dash switch lets you do it on the fly. And there's no separate transfer-case lever, either.

took us right up the hill with no problem. On the far side, the wilderness turned

even more remote, and the trail grew narrower before darting mysteriously into the forest. Where would it lead? We had to find out. And after all, isn't a taste for adventure why you get a 4x4 in the first place?

THE INSIDE STORY



Behind the seats, there's so much space that I almost felt guilty driving alone. Except I had stored my gear bag, toolbox and cooler back there. Otherwise, I might have folded down the twin rear jump seats to make room for two rear passengers. And we could have turned up the music, popped open a couple of sodas and

ENJOY THE **CIREAT INCOORS** With four doors, comfortable seating up front, rear jump seats, tons of room and a rockin' stereo, who needs an apartment?

talked motocross all the way up....But for a test, I still kind of like driving solo. I also like keeping tabs on my equipment; B-Series instrumentation includes a 6000-rpm tachometer, voltmeter and

oil-pressure gauge. And whenever I'm out on the bike, I like knowing no one else will be driving my truck. If it's a Mazda, they likely won't. Because these trucks have an "immobilizer" feature—

othing beats the pure fun of riding motocross at the track. Except maybe the drive out there—when crisp blue skies dance above you and your favorite beat is



Above: AM/FM/CD stereo is standard on most B-Series models, includes 4 speakers and a digital clock.

Right: Jump seats let you carry two more people and fold out of the way when not in use.

Far right: Cup holders are conveniently placed on either side of the shift lever. thumping inside the cabin. During my time in both trucks, the AM/FM stereo (complete with CD player) kept me company, playing my favorites through its four speakers, the bass line even seeming to keep perfect time with the bumps and dips in the road.

Getting comfortable in the driver's seat was quick and easy. Adjust the seat position and available tilt steering wheel, fasten your 3-point safety belt, dial up the CFC-free air conditioning, and you're ready to roll.








the ignition key has an embedded microchip coded for each truck, so only your key can start your truck. And when I'm out riding, good luck trying to catch me to get hold of that key.

MAZDA'S MOST owertu **B-SERIES**



| B2300 (vehicles built from Nov. 2000): | | | | | |
|--|------------------------------|--|--|--|--|
| Engine size/type | 2.3-liter in-line 4-cylinder | | | | |
| Valvetrain | DOHC 16-valve | | | | |
| Bore and stroke | 3.45 x 3.70 | | | | |
| Ignition system | Electronic distributorless | | | | |
| Fuel injection | Electronic multiport | | | | |
| Horsepower | 140 @ 5050 rpm | | | | |
| Torque | 155 @ 4050 rpm | | | | |
| EPA estimated fuel | 4x2 Manual TBA* | | | | |
| economy, city/hwy mpg | 4x2 Automatic TBA* | | | | |
| | | | | | |

| B2500 (vehicles built before Nov. 2000): | | | | | |
|---|------------------------------|----------------|--|--|--|
| Engine size/type | 2.5-liter in-line 4-cylinder | | | | |
| Valvetrain | SOHC 8-valve | | | | |
| Bore and stroke | 3.78 x 3.40 | | | | |
| Ignition system | Electronic distributorless | | | | |
| Fuel injection | Electronic multiport | | | | |
| Horsepower | 119 @ 5000 rpm | | | | |
| Torque | 146 @ 3000 rpm | | | | |
| EPA estimated fuel economy, city/hwy mpg | 4x2 Manual 4x2 Automatic | 22/26 20/24 | | | |

| B3000: | | | |
|-----------------------|----------------------------|-------|--|
| Engine size/type | 3.0-liter V6 | | |
| Valvetrain | OHV 12-valve | | |
| Bore and stroke | 3.50 x 3.14 | | |
| Ignition system | Electronic distributorless | | |
| Fuel injection | Electronic multiport | | |
| Horsepower | 150 @ 5000 rpm | | |
| Torque | 185 @ 3750 rpm | | |
| EPA estimated fuel | 4x2 Manual | 17/22 | |
| economy, city/hwy mpg | 4x2 Automatic | 16/2 | |
| | 4x4 Manual | 17/2 | |
| | 4x4 Automatic | 15/19 | |
| | | | |

| B4000: | | | |
|---|-----------------------------|------------------------------|--|
| Engine size/type | 4.0-liter V6 | | |
| Valvetrain | SOHC 12-valve | | |
| Bore and stroke | 3.95 x 3.32 | | |
| Ignition system | Electronic distributorles | | |
| Fuel injection | Electronic multiport | | |
| Horsepower | 207 @ 5250 rpm | | |
| Torque | 238 @ 3000 rpm | | |
| EPA estimated fuel economy, city/hwy mpg | 4x2 Automatic 4x4 Manual | 18/2 16/2 16/2 16/2 | |
| | | | |



s our road tests indicated, Mazda B-Series Trucks have plenty of power and muscle. And they're built for durability and easy maintenance, with 100,000 miles between scheduled tune-ups[†] Standard equipment also includes Emergency Roadside Assistance and a Loaner Car Program.*

The B4000 has a new V6 for 2001, and in addition to its 207 hp-47 more than the previous year's model—it also develops 238 lb-ft of torque, at a low 3000 rpm. And you don't need to indulge in serious off-roading or heavy-duty work to appreciate all the benefits of that power—this truck flat-out moves. However, if you want something a little more economical, Mazda has alternatives. Very good alternatives, as a matter of fact. There's the 3.0-liter V6 in the B3000 models, with 150 hp at 5000 rpm; torque is 185 lb-ft at 3750 rpm. This smooth engine is plenty capable, on the road or off. Mazda also offers new power in the B2300, a 2.3-liter, 16-valve DOHC 4-cylinder engine, with 140 hp and 155 lb-ft of torque to get the job done. A 5-speed manual transmission is standard for all models, and a 5-speed automatic is available for the 2.3-liter and both V6's. For extra peace of mind, every B-Series Truck comes with the Mazda Emergency **Roadside Assistance and Loaner Car** Program[‡] These programs are in effect for the duration of the new-vehicle warranty.



Top: 4-wheel anti-lock brakes (ABS), standard on all Mazda Trucks, help deliver straighter, surer stops.

Above: All Mazda truck engines use cam chains that don't need scheduled replacement (unlike cam belts).

* Information not available at time of printing

[†]Under normal driving conditions w/routine fluid/filter changes.

[‡]See the first Features & Options page for further details.



Mazda adds 29% more horsepower for 2001.

You want a tough truck, you're looking at it. The Mazda B4000 4x4 SE Cab Plus 4. Long name—and long on power. Its 4.0-liter V6 pumps out 207 horsepower—Mazda's most powerful truck engine ever—and 238 lb-ft of torque. You get big 16-inch alloy wheels with all-terrain tires, and 4-wheel anti-lock brakes (ABS). Four doors and foldaway jump seats. Be ready to meet your challenges, on-road or off, wherever you want to go. Maybe you'll even pick up a few trophies along the way.





Choose FROM A WIDE RANGE OF 11 MODELS



a **B-Series** Trucks top the J.D. Power and Associates Initial Quality su

Multiple engines, body styles and trim levels add up to a wide range of trucks. It works out this way: B2300 models have the 2.3-liter 4-cylinder engine and come in Regular Cab body style, in SX and deluxe SE trim levels. B3000 models have the 3.0-liter V6, come in Regular Cab, Cab Plus and Cab Plus 4 body styles, and in SE or Dual Sport configurations. B4000 models have the 4.0-liter V6, come in 4-door Cab Plus 4 models, and in SE or

Dual Sport configurations. The Dual Sport models are 4x2s with the 4x4 suspension components to give you the lifted look of a 4x4, without the extra weight of the 4WD mechanicals. Note that B2300 models will be available starting in December of 2000. Whichever model you choose, you're getting a well-built, guality truck. In fact, Mazda B-Series was ranked best compact pickup in Initial Quality by J.D. Power and Associates.*

*The Mazda B-Series was the highest-ranked Compact Pickup in J.D. Power and Associates 2000 Initial Quality Study™ Study based on a total 47,909 consumer responses indicating owner-reported problems during the first 90 days of ownership. www.jdpower.com



B-Series Trucks HAUL up to 5874 pounds.



f your activities regularly include towing something, say your boat to the lake or even a racing car, Mazda Trucks are an excellent choice among compact pickups, particularly the powerful B4000 models. With a maximum trailer weight of up to 5874 pounds, B4000 will outpull any Frontier or Tacoma.

| Payload/Trailer Weights (lb) | | Regul | Regular Cab | | Cab Plus/Cab Plus 4 | | |
|------------------------------|-----|-------|-------------------|--------------------------|------------------------------|--------------------------|------------------------------|
| | | | Axle Ratio | Max. Payload/ GVWR | Max. Trailer Wt./ GCWR | Max. Payload/ GVWR | Max. Trailer Wt./ GCWR |
| B2300 | 4x2 | M5 | 3.73 | 1260/4320 | 1687/4800 | _ | _ |
| | | A5 | 4.10 | 1260/4320 | 2293/5500 | _ | _ |
| B2500 | 4x2 | M5 | 3.75 | 1260/4320 | 1588/4800 | _ | _ |
| | | A4 | 4.10 | 1260/4320 | 2194/5500 | _ | _ |
| B3000 | 4x2 | M5 | 3.73 | 1260/4320 | 2680/6000 | 1260/4740 | 2487/6000 |
| | | A5 | 3.73 | 1260/4320 | 4139/7500 | 1260/4740 | 3945/7500 |
| | 4x4 | M5 | 4.10 | 1260/4320 | 2404/6000 | 1260/5060 | 2204/6000 |
| | | A5 | 4.10 | 1260/4320 | 3868/7500 | 1260/5060 | 3673/7500 |
| B4000 | 4x2 | M5 | 3.55† | _ | _ | 1260/4740 | 3320/7000 |
| | | A5 | 3.55 ⁺ | _ | _ | 1260/4740 | 5874/7500 |
| | 4x4 | M5 | 4.10 | _ | _ | 1260/5060 | 3098/7000 |
| | | A5 | 4.10 | _ | _ | 1260/5060 | 5561/9500 |

GVWR = Gross Vehicle Weight Rating; GCWR = Gross Combined Weight Rating; M5 = 5-speed manual; A4 = 4-speed automatic; A5 = 5-speed automatic; +Dual Sport only

Mazda recommends getting the automatic transmission if you're planning on towing. Electronically controlled, and with five speeds, it can take full advantage of the B4000's power and torque. The chart below has complete information on payload and trailer weights for all 2001 Mazda B-Series Trucks.

Above: Formula Mazda race cars provide their own brand of driving adventure and exhilaration.

Other standard features that make the B4000 especially well-suited for towing include a Class III trailer-hitch receiver and prewiring for the necessary trailer electrical hookups. Also standard is a limited-slip differential, which is a great help when you need to pull a heavy load on a slippery surface.

Payload: Payload weights shown are maximums and must be reduced by the weight of any passengers or optional equipment.

Trailer Weight: Trailer weights shown are maximums and must be reduced by the weight of any passengers, cargo, hitch, or optional equipment in the towing vehicle. The following equipment may also be required: load-carrying hitch for trailers under 2,000 lb and load-equalizing hitch for trailers over 2,000 lb. Towing a trailer will have an effect on the vehicle's handling, braking, durability, performance, and driving economy. For specific information on recommended or required equipment, see your Mazda Dealer. Hitches are available through manufacturers other than Mazda.



Part of the fun of owning your truck is finding ways to personalize it. So, along with your new truck, Mazda also designed a long list of Genuine Mazda Accessories.[†] Each one engineered to complement the form and function of your new truck. Some of these accessories are shown here, and other accessories available include:



• Cruise control Floor mats

- All-weather floor mats
- Front mask
- Hood deflector
- Sliding rear window
- Bedliner
- Trailer hitch
- Fog lights
- Retractable tie-down hooks
- Tie-down loops
- Spare-tire lock
- Tailgate lock
- Engine block heater
- Hard[‡] or soft tonneau cover
- Wheel locks
- Foldable storage box[‡]

Top to bottom: Stylish, practical side steps; bed extender increases carrying capacity; bed-rail caps protect top rails and still allow easy tie-down access. [†]Mazda notes that all Genuine Mazda Accessories, if installed by the Mazda Dealer prior to or at

initial vehicle retail delivery, carry the same new-vehicle warranty as the truck. ‡Available 2/01.

Mazda Limited Warranty

Mazda warrants that the Mazda vehicle will be free of defects with normal use and prescribed maintenance for 36 months or 50,000 miles, whichever comes first, or Mazda will repair any problem without charge. Ordinary maintenance items or adjustments, parts subject to normal wear and replacement and certain other items are excluded. This transferable "limited warranty" is included on all new 2001 Mazda vehicles sold and serviced in the United States.

Complement the limited warranty on your new vehicle with the Mazda Extended Protection Plan, the only service agreement backed by Mazda. See your Mazda Dealer for complete details.

Emergency Roadside Assistance and Loaner Car

As part of our commitment to your total satisfaction, B-Series owners are automatically enrolled in our Emergency Roadside Assistance Service Program for the duration of the 36-month/50,000-mile limited warranty. Dead battery? Locked out? When the unexpected happens, this 24-hour service will provide just about any assistance necessary to get your truck back on the road and minimize any inconvenience. In many cases, owners of 2001 Mazda vehicles being repaired under warranty will be eligible for the free Mazda Loaner Car Program. For complete details, see your Mazda Dealer.

COLOR COMBINATIONS

| | Interior Color | | | | |
|-----------------------------|------------------------|-------------------------|--|--|--|
| Exterior Color | SX 4x2 w/Black Trim | SE All w/Bright Trim | Dual Sport 4x2/SE 4x4 w/Body-Color Trim | | |
| Mystic Black Clearcoat | Gray | Gray | Gray | | |
| Deep Galaxy Blue Metallic | _ | Gray | _ | | |
| Jewel Green Metallic | _ | Beige | Beige | | |
| Classic White Clearcoat | Gray | Gray | Gray | | |
| Desert Sand Metallic | _ | Beige | _ | | |
| Medium Melina Blue Metallic | _ | Gray | _ | | |
| Performance Red Clearcoat | Gray | Gray | Gray | | |
| Sunburst Red Metallic | _ | Gray | _ | | |
| Platinum Frost Metallic | _ | Gray | _ | | |



FEATURES & OPTIONS

| Mechanical Features | SX 4x2 | SE 4x2 | Dual Sport 4x2 | SE 4x4 |
|---|-----------|-------------------|--------------------------|---------------------------------------|
| 119-hp 2.5L SOHC 8-valve 4-cylinder engine§ | B2500 | B2500 | _ | _ |
| 🛪 i 140-hp 2.3L DOHC 16-valve 4-cylinder engine§ | B2300 | B2300 | _ | _ |
| 🛛 🚺 150-hp 3.0L OHV 12-valve V6 engine | _ | B3000 | B3000 | B3000 |
| 1 207-hp 4.0L SOHC 12-valve V6 engine | _ | _ | B4000 | B4000 |
| 5-speed manual transmission | S | S | S | S |
| Shift-on-the-fly 4WD system with pulse-vacuum hub-lock technology; dual-range transfer case | _ | _ | _ | S |
| Underbody skid plates for fuel tank and transfer case | _ | _ | _ | B4000 |
| ✓ i Fully boxed front frame rails | S | S | S | S |
| Front independent double-wishbone suspension with coil springs, stabilizer bar; rear leaf-spring suspension | S | S | _ | _ |
| Asised front independent double-wishbone suspension with torsion-bar springs, stabilizer bar; rear leaf-spring suspension with stabilizer bar | _ | _ | S | S |
| Rack-and-pinion steering with engine-speed-sensing variable assist | s | S | S | S |
| ▲ i) Power-assisted front disc/rear drum brakes with 4-wheel Anti-lock Brake System (ABS) | S | S | S | S |
| ▼ i Limited-slip rear differential | _ | _ | B4000 | B4000 |
| Exterior Features | | | | |
| 15-inch styled steel wheels with bright center caps and P225/70R15 all-season tires | S | _ | _ | _ |
| 15-inch alloy wheels with bright center caps and P225/70R15 all-season tires | — | s | — | — |
| 15-inch alloy wheels with bright center caps and P235/75R15 raised-black-letter all-terrain tires | _ | _ | S | _ |
| 16-inch alloy wheels with bright center caps and P245/75R16 outline-white-letter all-terrain tires | — | — | — | S |
| Front bumper, rear step bumper and grille | Black | Bright | Body-color | Bright or Body-colo |
| Wheel-arch moldings | — | — | Body-color | Black or Body-colo |
| Black front and rear mud guards | S | S | S | S |
| Class III frame-mounted trailer-hitch receiver | Α | Α | B4000 | B4000 |
| Dual black side-view mirrors (aero-style on SX, SE, B4000 Dual Sport) | s | S | s | s |
| Power remote aero-style side-view mirrors | _ | P (CP/CP4) | S (B4000) P (B3000CP) | S (B4000) P (B3000CP |
| 2-speed windshield wipers with variable-intermittent setting | S | S | S | S |
| Solar-control tinted glass | S | S | S | S |
| Dark-tint privacy glass on rear window and rear quarter windows | — | CP/CP4 | CP/CP4 | CP/CP4 |
| Cargo-bed light | _ | S | _ | S |
| Front fog lights | Α | Α | S | S |
| Frank taur kaale | | | ~ | <i>c</i> |

Product Changes and Options Availability: Following publication of this brochure, certain changes in standard equipment, options, prices and the like, or product delays may have occurred which would not be included in these pages. Your Mazda Dealer is your best source for up-to-date information. Mazda reserves the right to change product specifications at any time without incurring obligations. Options shown or described in this brochure are available at extra cost and may be offered only in combination with other options or subject to additional ordering requirements or limitations.

Front tow hooks

| Interior Features | SX 4x2 | SE 4x2 |
|---|-----------|-----------|
| · · · · · · · · · · · · · · · · · · · | 4x2 S | 48. |
| | - | - |
| Passenger-side air bag deactivation switch** | S | S |
| 3-point outboard front safety belts with pretensioners and height-adjustable shoulder anchors; center lap belt | S | S |
| 60/40 split bench seat with vinyl upholstery; vinyl floor covering | S | _ |
| 60/40 split bench seat with cloth upholstery; full cut-pile carpeting | — | S |
| Fold-down rear jump seats with lap belts | _ | CP/C |
| Fold-down center armrest with storage compartment | _ | S |
| Door-mounted map pockets; cloth-covered sun visors, passenger's vanity mirror | - | s |
| Passenger's-side A-pillar-mounted passenger-assist grip | _ | _ |
| Power locks with remote keyless entry; power windows; one-touch-down driver's window | - | P (CP/0 |
| Map lights | _ | S |
| Carpeted floor mats | Α | S |
| All-weather floor mats | Α | Α |
| Floor consolette with dual cup holders | S | S |
| Antitheft engine immobilizer | S | S |
| Cigarette lighter, plus separate dash-mounted 12-volt power outlet | S | S |
| Tachometer, voltmeter, engine-coolant-temperature and oil-pressure gauges | S | S |
| CFC-free air conditioning | 0 | S |
| AM/FM stereo with two speakers and digital clock | S | _ |
| AM/FM/CD stereo with four speakers and digital clock | Α | S |

Options and Option Packages

| 4-speed automatic transmission | O (B2500) | O (B2500) | _ | _ |
|---|------------------|-------------------|--------------------------|--------------------------|
| ✓ i 5-speed automatic transmission | O (B2300) | O (B2300) | 0 | 0 |
| Convenience Package: Bedliner; sliding rear window; leather-wrapped tilt steering wheel; cruise control with steering-wheel-mounted controls | _ | O (CP/CP4) | O (CP/CP4) | O (CP/CP4) |
| Power Package: Power mirrors; power windows with one-touch-down driver's window; power door locks; remote keyless entry with two transmitters | _ | O (CP/CP4) | O (B3000CP) S (B4000) | O (B3000CP) S (B4000) |

CP: Cab Plus CP4: Cab Plus 4 S: Standard A: Dealer-Installed Accessory —: Not Available O: Optional P: Package 2.5L engine (B2500) on vehicles built before November 2000. 2.3L engine (B2300) on vehicles built from November 2000 Always wear your safety belt and deactivate passenger-side air bag when using a rear-facing child safety seat.

| Trim Levels | Regular Cab | Cab Plus | Cab Plus 4 |
|-----------------------|-------------|----------|------------|
| B 2300 SX 4x2 | • | _ | _ |
| B 2500 SX 4x2 | • | _ | _ |
| B 2300 SE 4x2 | • | _ | _ |
| B 2500 SE 4x2 | • | _ | _ |
| B 3000 Dual Sport 4x2 | • | • | _ |
| B 4000 Dual Sport 4x2 | _ | _ | • |
| B 3000 SE 4x2 | • | • | • |
| B 3000 SE 4x4 | • | • | _ |
| B 4000 SE 4x4 | _ | _ | • |
| Available | | | |







Jewel Green Metallie



Deep Galaxy Blue Metall



Classic White Clearcoa





Beige Cloth SE, Dual Sport

Gray Vinyl SX



Gray Cloth SE, Dual Sport

S P E C I F I C A T I O N S

| | Dual Sport 4x2 | SE 4x4 |
|-----|-------------------|------------------|
| | | |
| | S | S |
| | S | S |
| | s | S |
| | _ | _ |
| | S | S |
| 4 | CP/CP4 | CP/CP4 |
| | S | S |
| | S | S |
| | S | S |
| P4) | S (B4000) | S (B4000) |
| | P (B3000CP) | P (B3000CP) |
| | — | S |
| | Α | S |
| | S | Α |
| | S | S |
| | S | S |
| | S | S |
| | S | S |
| | S | S |
| | _ | |
| | S | S |
| | | |

| | Regular Cab | | | Cab Pl | us/Cab | Plus 4 |
|----------------------------------|--------------|----------------------|--------------|--------------|----------------------|--------------|
| Exterior Dimensions (inches) | SX/SE 4x2 | Dual Sport 4x2 | SE 4x4 | SE 4x2 | Dual Sport 4x2 | All 4x4 |
| Wheelbase | 111.6 | 111.6 | 111.6 | 125.7 | 125.9 | 125.9 |
| Overall length | 187.5 | 187.7 | 187.7 | 202.9 | 201.7 | 201.7 |
| Height | 64.9 | 68.0 | 68.6 | 64.8 | 67.9 | 68.5 |
| Width | 69.4 | 70.3 | 70.3 | 69.4 | 70.3 | 70.3 |
| Front track | 58.6 | 58.6 | 58.6 | 58.6 | 58.6 | 58.6 |
| Rear track | 57.3 | 57.3 | 57.3 | 57.3 | 57.3 | 57.3 |
| Bed length | 71.8 | 71.8 | 71.8 | 71.8 | 71.8 | 71.8 |
| Bed depth | 16.5 | 16.5 | 16.5 | 16.5 | 16.5 | 16.5 |
| Bed width between wheelhouses | 52.0 40.4 | 52.0 40.4 | 52.0 40.4 | 52.0 40.4 | 52.0 40.4 | 52.0 40.4 |
| Ground clearance at rear axle | 6.7 | 7.3 | 7.9 | 6.7 | 7.3 | 7.9 |
| Approach angle (minimum) | 21° | 28° | 28° | 21° | 28° | 28° |
| Departure angle (minimum) | 15° | 20° | 20° | 15° | 20° | 20° |

| | Regul | ar Cab | Cab Plus/Cab Plus 4 | | |
|------------------------------|-------|--------|---------------------|------|--|
| Interior Dimensions (inches) | 4x2 | 4x4 | 4x2 | 4x4 | |
| Front headroom | 39.2 | 39.2 | 39.2 | 39.2 | |
| Rear headroom | _ | _ | 35.6 | 35.6 | |
| Front legroom | 42.4 | 42.4 | 42.2 | 42.2 | |
| Rear legroom | _ | _ | 40.3 | 40.3 | |
| Front shoulder room | 54.5 | 53.8 | 53.8 | 53.8 | |
| Rear shoulder room | _ | _ | 15.3 | 15.3 | |

Base Curb Weight (Ib)

| Total | 3025 | 3441 | 3210 | 3585 | |
|---------------------|----------------|--------|------|----------------|--|
| | Manu | Manual | | Automatic | |
| Transmission Ratios | 2.3L/2.5L/3.0L | 4.0L | 2.5L | 2.3L/3.0L/4.0L | |
| 1st gear | 3.72 | 3.40 | 2.47 | 2.47 | |
| 2nd gear | 2.20 | 2.05 | 1.47 | 1.85 | |
| 3rd gear | 1.50 | 1.31 | 1.00 | 1.47 | |
| 4th gear | 1.00 | 1.00 | 0.75 | 1.00 | |
| 5th gear | 0.79 | 0.79 | _ | 0.75 | |

Transfer Case Ratios (4x4)

Fuel Capacity (U.S. gallons)

| Low | 2.48 | | 2.48 | _ | | 2.48 |
|-----------------------------------|--------------|----------------------|---------------------|-----------|----------------------|------------|
| High | 1.00 | | 1.00 | _ | | 1.00 |
| | Regular Cab | | Cab Plus/Cab Plus 4 | | | |
| Steering | SX/SE 4x2 | Dual Sport 4x2 | SE 4x4 | SE 4x2 | Dual Sport 4x2 | All 4x4 |
| Ratio | 22.0:1 | 21.5:1 | 21.5:1 | 19.2:1 | 18.7:1 | 18.7:1 |
| Turning circle (curb-to-curb, ft) | 37.7 | 39.1 | 39.1 | 42.7 | 43.0 | 43.0 |
| Brakes (inches) | | | | | | |
| Ventilated front discs | 10.3 | 11.3 | 11.3 | 10.3 | 11.3 | 11.3 |
| Rear drums | 9.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 |

16.5 16.5 16.5

19.5 19.5 19.5

LOG ON. BE MOVED.



www.MazdaUSA.com

10% TOTAL RECOVERED FIBER ALL POST-CONSUMER FIBER BUCKLE UP

7755 Irvine Center Drive, Irvine, CA 92618 • 800-639-1000 ©2000 Mazda North American Operations Printed in U.S.A. 9/00 (150M) Part No. 9999-92-0105-01