



D. G. U. S.

RAM 1500 RAM HEAVY DUTY 2500/3500





2014 RAM 1500	S = Included 0 = Optional P = Available within package noted	TRADESMAN REG/QUAD/CREW	HFE REGULAR CAB	EXPRESS REG/QUAD/CREW	SLT REG/QUAD/CREW	BIG HORN/LONE STAR REG/QUAD/CREW	OUTDOORSMAN QUAD/CREW	SPORT REG/QUAD/CREW	LARAMIE QUAD/CREW	LARAMIE LONGHORN CREW CAB	
CPOS PACKAGE		В	P	C	G	Z/Y	T	L	Н	K	M
ENGINES TRANSMISSIONS											
305 hp 269 lb-ft of torque 3.6L Pentastar® Flex Fuel 24V VVT V6 8-spec	ed automatic	S	S	_	S	S	S		S	-	_
240 hp 420 lb-ft of torque 3.0L EcoDiesel V6* 8-spec	ed automatic	0	_	-	0	0	0		0	0	0
395 hp 410 lb-ft of torque 5.7L HEMI® V8 6-spec	ed automatic •	0	-	S	_	-		-		-	_
395 hp 410 lb-ft of torque 5.7L HEMI V8 8-spec	ed automatic .	0	0	0	0	0	0	S	0	S	S
MECHANICAL FEATURES											
ACTIVE GRILLE SHUTTERS (included with 8-speed automatic transmission)		S	S	P	S	S	S	S	S	S	S
STEERING — Electronic rack and pinion		S	S	S	S	S	S	S	S	S	S
STOP/START SYSTEM — HFE models only		-	S	-	_	-	_	-			_
SUSPENSION — Front, upper and lower A-arms, coil springs, twin-tube shocks		S	S	S	S	S	S	S	S	S	0
— Rear, 5-link, coil springs, twin-tube shocks		S	S	S	S	S	S	S	S	S	0
— Active-Level™ Four-Corner Air Suspension System; includes front upper and lower A-arms, air springs, twin-tube shocks, rear 5-link, air compressor, dual closed loop system storage tanks (Quad Cab® and Crew Cab only; not available for Crew Cab 4x2 models with 6'4" box)		0	_	0	0	0	0	0	0	0	S
TRAILER HITCH — Class IV hitch receiver (included with Trailer Tow Group)		S	_	0	P	S	S	0/P	S	S	S
TRANSFER CASE — Electronic part-time (4x4 models only)		S		S	S	-	S	_		_	_
— Electronic on-demand (4x4 models only; included with 5.7L HEMI V8 or 3.0L EcoDiesel V6*)		_	-	_	_	S	_	S	S	S	S
SAFETY & SECURITY											
AIR BAGS ^[2] — Advanced multistage front		S	S	S	S	S	S	S	S	S	S
— Supplemental side-curtain		S	S	S	S	S	S	S	S	S	S
— Supplemental front-seat side-mounted		S	S	S	S	S	S	S	S	S	S
BRAKES — Power-assisted 4-wheel antilock disc		S	S	S	S	S	S	S	S	S	S
ELECTRONIC STABILITY CONTROL (ESC) ^[3] — Includes 4-wheel ABS, Brake Assist, All-Speed Traction Control, Rainy Day Braking, Ready Alert Braking, Electronic Roll Mitigation, Hill Start Assist and Trailer Sway Control ^[3]		S	S	S	S	S	S	S	S	S	S
PARKSENSE® FRONT AND REAR PARK ASSIST[4] — Not available on Regular Cab (included with Rear Camera and Park Assist Group)			_	_		0	0	0	0	S	S
PARKVIEW® REAR BACK-UP CAMERA[4] — With dynamic grid lines (grid lines not available with Uconnect® 3.0 Radio)		0	_	0	0	0	0	S	S	S	S
REMOTE KEYLESS ENTRY WITH ALL-SECURE™ — Controls for power door locks, tailgate and RamBox® System (when equipped), illuminated entry system, panic alarm, includes two transmitters (included with Popular Equipment Group and Power and Remote Entry Group)		P	_	P	S	S	S	S	S	S	S
REMOTE START SYSTEM — Included with Remote Start and Security Group		_	_	_	_	P	S	P	0	S	S
SECURITY ALARM — Included with Remote Start and Security Group		_	_	-	_	P	S	P	S	S	S
		100000		100		-		2000	March March 1985		N. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.

NOTE: Some features and/or applications may be late availability.

^{*}Late availability.

2014 RAM 2500/3500	S = Included O = Optional P = Available within package noted	TRADESMAN REG/CREW	POWER WAGON® TRADESMAN CREW	SLT REG/CREW/MEGA	BIG HORN / LONE STAR CREW/MEGA	OUTDOORSMAN	POWER WAGON CREW	LARAMIE CREW/MEGA	POWER WAGON LARAMIE CREW	LARAMIE LONGHORN CREW/MEGA	LARAMIE LIMITED CREW/MEGA
CPOS PACKAGE		2TA	2TB	2TG	2TZ/ 2TY	2TT	2TP	2TH	2TJ	2TK	2TM
ENGINES	TRANSMISSIONS										
383 hp 400 lb-ft of torque 5.7L HEMI® V8	6-speed automatic (SRW only)	S		S	S	S		S		S	S
383 hp 400 lb-ft of torque 5.7L HEMI V8 dual-fuel CNG/gasoline	6-speed automatic (2500 Crew Cab 8' box only)	0	_	0			_		_		_
410 hp 429 lb-ft of torque (370 hp 3500 Mega Cab® only) 6.4L HEMI V8 wit		0	S	0	0	0	S	0	S	0	0
350 hp 660 lb-ft of torque 6.7L Cummins® Turbo Diesel	6-speed manual (G56)	0	_	0	0	0		0			
370 hp 800 lb-ft of torque 6.7L Cummins Turbo Diesel	6-speed automatic (68RFE)	0	_	0	0	0	_	0		0	0
385 hp 850 lb-ft of torque 6.7L Cummins Turbo Diesel	6-speed AISIN® HD automatic (3500 only)	0	_	0	0			0		0	0
Diesel Exhaust Fluid (DEF) system (standard with diesel engine)		P		P	P	P	-	P		P	Р
MECHANICAL FEATURES											
		0	0	0	0	0	0	0	0	0	0
— Dual-rated at 440 amps (6.7L diesel only; includes two 220-amp alternators)		0	_	0	0	0		0	_	0	0
DIESEL EXHAUST BRAKE — With "smart" function, included with all Cummins diesel engines		P	_	P	P	P	_	P		P	Р
FIFTH-WHEEL/GOOSENECK PREP PACKAGE — Includes in-box 7-pin harness connector (not available with RamBox® System)		0	_	0	0	0	_	0		0	0
TRAILER TOW — 4-pin/7-pin trailer harness plug (combination receptacle)		S	S	S	S	S	S	S	S	S	S
— Class V hitch receiver		S	S	S	S	S	S	S	S	S	S
TRANSFER CASES (4x4 models only) — Manual shift-on-the-fly		S	S		-	-	S	-	S	-	
— Electronic shift-on-the-fly		0	_	S	S	S		S		S	S
WINDLE WADNING - Labels 10,000 Ibib.		-	S	_			S		S		
SAFETY & SECURITY											
AIR BAGS[2] — Multistage front and knee bolsters		S	S	S	S	S	S	S	S	S	S
— Supplemental side-curtain		S	S	S	S	S	S	S	S	S	S
— Supplemental front-seat side-mounted		S	S	S	S	S	S	S	S	S	S
CARGO-VIEW CAMERA[4] — (requires Uconnect® 8.4A or 8.4AN radios)				0	0	0	0	0	0	0	0
ELECTRONIC STABILITY CONTROL (ESC) ^[3] — Includes Brake Assist, Electronic Roll Mitigation, Hill Start Assist, Rain Brake Support, Ready Alert Braking, All-Speed Traction Control and Trailer Sway Control ^[3]		S	S	S	S	S	S	S	S	S	S
ELECTRONIC TRAILER BRAKE CONTROLLER		0	0	S	S	S	S	S	S	S	S
PARKSENSE® REAR PARK ASSIST ^[4]			_	0	0	0	0	S	S	S	S
PARKVIEW® REAR BACK-UP CAMERA ^[4] — (video displayed in rearview mirror with Uconnect 3.0 radio, or on-screen with Cargo-View Camera ^[4] with other radios)		0	0	0	0	0	0	S	S	S	S
REMOTE KEYLESS ENTRY — Controls for power door locks, tailgate, RamBox System, illuminated entry system, panic alarm (included in Tradesman Popular Equipment or Power and Remote Entry Group)		P	P	S	S	S	S	S	S	S	S
REMOTE START — (requires automatic transmission)		-		0	S	S	0	0	0	S	S
SECURITY ALARM — Detects break-in		-		0	0	S	0	S	S	S	S
SENTRY KEY® THEFT DETERRENT SYSTEM — Engine immobilizer		S	S	S	S	S	S	S	S	S	S
TIRE PRESSURE INFORMATION SYSTEM — With EVIC display and alert (350	0)	S	_	S	S			S	-	S	S
TIDE DDECCLIDE MONITODING (TDM) With EVIC display and alast (2500)		C	C	C	C	C	C	C	C	C	C

NOTE: Some features and/or applications may be late availability.

TIRE PRESSURE MONITORING (TPM) — With EVIC display and alert (2500)





TOP LEFT: RAM 2500 CREW CAB BIG HORN TOP RIGHT: RAM 3500 LARAMIE LONGHORN DUALLY BOTTOM: RAM 3500 REGULAR CAB TRADESMAN DUALLY WITH OPTIONAL CHROME APPEARANCE GROUP AND MOPAR® GOOSENECK HITCH

roperly secure all cargo...



RAMTRUCKS.COM

866-RAMINFO


JOIN IN













Take a multimedia tour of your vehicle on your mobile device. Visit the Chrysler Group LLC page in Tunes® from your smartphone or iPad® to download the most up-to-date vehicle apps. Log on to the **ramtrucks.com** mobile site for an at-a-glance review of what you need to know about your

Ram truck. Experience visual and interactive demonstrations while gaining access to product information at your fingertips, wherever you go.



IRR A IN ZONE









"Based on 2013 Automotive News Full-size Truck segment and latest available competitive information. The Advanced Front Air Bags in this vehicle are certified to the new U.S. federal regulations for advanced air bags. Children 12 years old and younger should always ride buckled up in a rear seat. Infants in rear-facing child restraints should never ride in the front seat of a vehicle with a passenger front air bag. All occupants should always wear their lap and shoulder belts properly. "No system, no matter how sophisticated, can repeal the laws of physics or overcome careless driving actions. Performance is limited by available traction, which snow, ice and other conditions can affect. When the ESC warning lamp flashes, the driver needs to use less throttle and adapt speed and driving behavior to prevailing road conditions. Always drive carefully, consistent with conditions. Always wear your seat belt. "Always look before proceeding, electronic drive aid is not a substitute for conscientious driving, always be aware of your surroundings." "Transferable. See your dealer for complete details and a copy of the 5-Year/100,000-Mile Powertrain Limited Warranty.

About this catalog: Since the time of printing, some of the information you'll find in this catalog may have been updated. Ask your dealer for details. Some of the equipment shown or described throughout this catalog is available at extra cost. Specifications, descriptions, illustrative materials and all competitive comparisons contained herein are as accurate as known at the time this publication was approved for printing. Chysler Group LLC reserves the right to discontinue models at any time or change specifications without notice and without incurring obligation. Some options may be required in combination with other options. For the price of the model with the equipment you desire, or verification of specifications contained here, see your Ram dealer. Facebook and logo are registered trademarks of facebook, Inc. The Twitter logo is a service mark of Twitter, Inc. You'lube and logo, Google- and logo are trademarks of Google Inc. Instagram and logo are registered trademarks of Instagram, Inc. Pinterest and logo are registered trademarks of Pinterest, Inc. iPad and Tunes are registered trademarks of Apple Inc. Cummins is a registered trademark of Cummins, Inc. AlSIN is a registered trademark of Cummins, Inc. AlSIN is a registered trademark of Warn Industries, Inc. Chrysler, Ram, the Ram's Head logo, HEMI, Big Horn, Laramie, Laramie Longhorn, Mega Cab, Mopar, ParkView, ParkSense, Pentastar, Power Wagon, Quad Cab, RamBox, Sentry Key, TorqueFilte, Tradesman, and Uconnect are registered trademarks and Active-Level, All-Secure, HFE High Puel Efficiency and Design and Keyless Enter in Go are trademarks of Chrysler Group LLC.

