



Simply the

Now we are unleashing the Saab 9-3 Griffin. A uniquely designed and equipped model available in all four body styles. We are proud to say that this is the best Saab 9-3 ever.

The new Scandinavian design touches make this edition of the Saab 9-3 look crisper and even more powerful. Take the driver's seat and you'll find further proof of fresh attitude all around you. Start up, press on, enjoy the road and discover what the latest engine technologies mean. This car really does put some spice in your life.

The Griffin range.



Saab 9-3 Convertible.

A four-season, four-seater with a top that opens up in 20 seconds.

Saab 9-3 Sport Sedan.
Designed around the driver.
With 220 hp at hand.

Saab 9-3X. Saab driving excitement at a higher level. Standard, ground-breaking Saab XWD™ with eLSD. Saab 9-3 SportCombi. Innovative versatility combined with driving exhilaration. Starting at 258 lb-ft of torque.

Four-season, four-seater.

Saab 9-3 Convertible.

This is a Saab icon that spotlights progressive Scandinavian design. An open car for an open mind. A four-season, four-seater that will empower your senses. Sporty, elegant and playful. You'll feel it in the dynamic driver's seat. In the turbo power, spirited performance and cutting-edge chassis design. Plus all the advanced features that enhance driving excitement and convenience even further. Did we mention world-class real-life safety? Prepare for it all — top up or top down.

The Aero Griffin.

The top-of-the-line Aero Griffin model with dual sport exhaust pipes, sport chassis, front fog lamps with graphite fiber-effect trim, sport interior and matching equipment offers the most intense Saab driving experience.



Cockpit and soft-top.

The new Griffin interior is designed to add even more sporty attraction and driving pleasure. The top raises and latches in just 20 seconds. Available with remote operation, it delivers excellent insulation from outside noise, heat and cold.

Experience BioPower.

In the Saab 9-3 Convertible, you can enjoy the refined turbo power from our new E85-capable BioPower engine. It's equipped with advanced technical features such as direct injection, dual-variable valve timing and a twin-scroll turbo. The result? Power when you want it. Like when passing other cars. 258 lb-ft of torque is available from 2,000 to 4,000 rpm and delivered through a six-speed manual transmission, or six-speed automatic with manual shift mode.

Saab 9-3 Griffin Convertible

S= Standard, O = Option, NC = No Charge option, P = Package, — = Not available

Model	Turbo⁴ FWD	Aero FWD	Indepen- dence
Engine			
2.0L 4-cylinder turbo, inline, aluminum block and cylinder head, 220 hp @5,300 rpm	S	S	S
Transmission			
6-speed manual, Front Wheel Drive (FWD)	S	NC	NC
6-speed automatic, Front Wheel Drive (FWD)	0	S	S
Chassis			
Suspension, front, MacPherson strut type with gas shock absorbers, anti-roll bar and hydroformed subframe	S	S	S
Suspension, rear independent, four-link with toe-link, coil springs, gas shock absorbers, anti-roll bar, subframe and 'Re-Axs' passive rear-wheel steering system	S	S	S
Power-assisted rack-and-pinion steering	S	S	S
Four wheel disc brakes, ventilated front	S	_	_
Four wheel disc brakes, ventilated front & rear	_	S	S
Lowered, sport-tuned chassis		S	S
Body & Exterior			
Tinted, heat absorbent glass	S	S	S
Clamshell wrap-over hood design	S	S	S
Saab 3-port grille design	S	S	S
Exposed twin exhaust tailpipes	_	S	S
Sport front and rear fascias	_	S	S
17"×7.5" 5-spoke turbine alloy wheels	S	_	_
17"×7.5" 5-spoke twist alloy wheels	_	S	_
18"×7.5" alloy wheels & high-performance summer tires	_	_	S
All-season tires	S	S	_
Halogen projector beam headlights	S	_	_
Bi-Xenon cornering headlights	Р	S	S
Front fog lamps	S	S	S
Rear fog lamp	S	S	S
High-pressure headlight washers	S	S	S
Electric rear defogger	S	S	S
Triple-layer, insulated fully automatic convertible top	S	S	S
Jet Black, metallic exterior color	0	0	_
Arctic White, solid exterior color	NC	NC	
Nocturne Blue, metallic exterior color	0	0	
Glacier Silver, metallic exterior color	0	0	
Java, metallic exterior color	0	0	_
Carbon Gray, metallic exterior color	0	0	
Diamond Silver, metallic exterior color	0	0	_
Black, solid exterior color	NC	NC	_
Laser Red, solid exterior color	NC	NC	
Oak, metallic exterior color	0	0	_
Amber Orange, metallic exterior color	_	_	S

Model	Turbo⁴ FWD	Aero FWD	Indepen- dence
Cabin & Interior styling			
Perforated leather-wrapped steering wheel	S	S	
Perforated leather-wrapped sport steering wheel	_	S	S
Driver-focused cockpit theme	S	S	S
Signature Saab mesh-style air outlets with joy-stick directional control	S	S	S
Black leather-appointed seats	NC	_	_
Parchment leather-appointed seats	NC	_	_
Black leather-appointed sport seats with parchment accents	_	NC	
Parchment leather-appointed sport seats with black accents	_	NC	_
Parchment leather-appointed sport seats with body-color coordinated accents and stitching	_	_	S
Titanium metallic interior trim	S	_	_
Graphite-fiber effect interior trim	_	S	_
Carbon-fiber effect interior trim	_	0	_
Leather instrument panel & brake handle with coordinated stitching	_	_	S
Comfort & Convenience			
Universal remote garage door opener	Р	S	S
Rain-sensing windshield wipers	S	S	S
Driver information center with trip computer	S	S	S
Cruise control	S	S	S
Power driver seat	S	S	S
Power passenger seat	S	S	S
Power front-seats with driver side memory	Р	Р	S
Front seat storage pouch	S	S	S
Remote keyless entry	S	S	S
Center armrest w/storage bin	S	S	S
Power windows with express down, front	S	S	S
Dual-zone climate control system	S	S	S
Power, heated outside mirrors	S	S	S
Auto-dimming interior mirror with digital compass	S	S	S
Heated front seats	S	S	S
Power folding, auto-dimming outside mirrors	Р	Р	S
Two front-seat passenger cup holders	S	S	S
Front & rear interior reading lamps	S	S	S
Door pocket storage areas	S	S	S
Front console with 12V outlet	S	S	S
Illuminated vanity mirrors	S	S	S
Express close and remote open front windows	S	S	S
Remote open for convertible top	S	S	S

FEATURES & SPECIFICATIONS

Aero

41.5/1,054 41.4/1,054 41.4/1,054

31.9/810 31.9/810 31.9/810

12.4/351 12.4/351 12.4/351

Indepen-

FWD dence

Turbo⁴ FWD

Model	Turbo⁴ FWD	Aero FWD	Indeper dence
Safety & Security			
SAHR (Saab Active Head Restraint), front	S	S	S
Dual stage driver & front passenger air bags	S	S	S
Pop-up bars, rear	S	S	S
Seat integrated safety belts, front seats	S	S	S
Front side-impact head & thorax air bags	S	S	S
Front passenger sensing system	S	S	S
Front & rear outboard safety belt pre-tensioners	S	S	S
Front & rear outboard safety belt force limiters	S	S	S
Central locking remote control with panic alarm	S	S	S
Rear seat outboard head restraints	S	S	S
Anti-lock braking system (ABS)	S	S	S
Electronic Stability Program (ESP®)	S	S	S
Traction Control System (TCS)	S	S	S
Break-away foot pedals	S	S	S
Anti-pinch side windows	S	S	S
Child seat LATCH system	S	S	S
Tire pressure monitor	S	S	S
Anti-theft alarm with engine immobilizer	S	S	S
Halo lighting	S	S	S
Visual & audible front safety belt reminder	S	S	S
Infotainment & Technology			
AM/FM radio with CD player	S		
AM/FM radio with 6-CD changer	P P	S	S
Navigation radio with 8" touch screen (requires OnStar®)	0	0	0
Steering wheel-mounted controls for audio system	S	S	S
7-speaker audio system	S	_	_
11-speaker, 300-watt audio system (includes 6-CD changer radio)	P	S	S
Auxiliary audio input	S	S	S
OnStar® Directions & Connections with 6 months of service	P	S	S
Bluetooth® hands-free phone system*	P	S	S
XM® Satellite radio with 3-month trial period	S	S	S
Rear park assist	P	P	0
*Included with OnStar®.			
Option Packages			
Convenience Package:	0	_	_
Power folding, auto-dimming outside mirrors			
Power front seats with driver side memory			
Rear park assist			
Bi-Xenon cornering headlights			
Premium Package:	_	0	_
Power folding, auto-dimming outside mirrors			
Power front seats with driver side memory			
Rear park assist			

EPA-estimated, city/hwy, manual TBD TBD TBD EPA-estimated, city/hwy, automatic TBD TBD TBD Extra dimensions Exterior Overall length, in./mm 182.9/4,646 182.9/4,646 182.9/4,646 Overall width, in./mm 70.1/1,781 70.1/1,78	Engine	S	S	S
Bore & stroke, 3.4×3.4 in. (86mm×86mm) Compression ratio, 9.5:1 Power, 220 hp @ 5,300 rpm Torque, 258 lb-ft (350 Nm) @ 2,500 rpm 4-valves per cylinder Dual overhead camshafts with variable cam-phasing Twin-scroll turbocharger with intercooler E85-capable S S S S Fuel economy EPA-estimated, city/hwy, manual TBD TBD TBD TBD EPA-estimated, city/hwy, automatic TBD TBD TBD Extra dimensions Exterior Overall length, in./mm 182.9/4,646 182.9/4,646 182.9/4,646 Overall width, in./mm 70.1/1,781 70.1/1,781 70.1/1,781 Overall height, in./mm 56.6/1,438 56.6/1,438 56.6/1,438 Wheelbase, in./mm 105.3/2,675 105.3/2,675 105.3/2,6 Curb weight, 3,380–3,710 lbs. (1,535–1,695 kg) Max tow capacity, 3,500 lbs. (1,588 kg) Gross vehicle mass, 4,320–4,650 lbs. (1,960–2,110 kg) Cd value, 0.30 Fuel tank capacity, gal./L 16.0/61 16.0/61 16.0/61 Front track, in./mm 60.0/1,524 60.0/1,524 60.0/1,52 Rear track, in./mm 59.3/1,506 59.3/1,506 59.3/1,506 Interior Headroom, front in./mm 38.0/965 38.0/965 38.0/96 Headroom, rear in./mm 37.0/940 37.0/940 37.0/940 Shoulder room, front in./mm 56.0/1,422 56.0/1,4	,			
Compression ratio, 9.5:1 Power, 220 hp @ 5,300 rpm Torque, 258 lb-ft (350 Nm) @ 2,500 rpm 4-valves per cylinder Dual overhead camshafts with variable cam-phasing Twin-scroll turbocharger with intercooler E85-capable S S S Fuel economy EPA-estimated, city/hwy, manual TBD TBD TBD TBD EPA-estimated, city/hwy, automatic TBD TBD TBD Extra dimensions Exterior Overall length, in./mm 182.9/4,646	Displacement, 121.9 cu. in. (1,998 cc)			
Power, 220 hp @ 5,300 rpm Torque, 258 lb-ft (350 Nm) @ 2,500 rpm 4-valves per cylinder Dual overhead camshafts with variable cam-phasing Twin-scroll turbocharger with intercooler E85-capable S S S S Fuel economy EPA-estimated, city/hwy, manual TBD TBD TBD TBD EPA-estimated, city/hwy, automatic TBD TBD TBD TBD EExtra dimensions Exterior Overall length, in./mm 182.9/4,646 182.9/	Bore & stroke, 3.4×3.4 in. (86 mm×86 mm)			
Torque, 258 lb-ft (350 Nm) @ 2,500 rpm 4-valves per cylinder Dual overhead camshafts with variable cam-phasing Twin-scroll turbocharger with intercooler E85-capable S S S S Fuel economy EPA-estimated, city/hwy, manual TBD TBD TBD TBD EPA-estimated, city/hwy, automatic TBD TBD TBD TBD Extra dimensions Exterior Overall length, in./mm 182.9/4,646 182.9/4,6	Compression ratio, 9.5:1			
4-valves per cylinder Dual overhead camshafts with variable cam-phasing Twin-scroll turbocharger with intercooler E85-capable S S S S Fuel economy EPA-estimated, city/hwy, manual EPA-estimated, city/hwy, automatic TBD TBD TBD TBD TBD TBD TBD TBD TBD TB	Power, 220 hp @ 5,300 rpm			
Dual overhead camshafts with variable cam-phasing	Torque, 258 lb-ft (350 Nm) @ 2,500 rpm			
Twin-scroll turbocharger with intercooler E85-capable S S S S Fuel economy EPA-estimated, city/hwy, manual TBD TBD TBD TBD EPA-estimated, city/hwy, automatic TBD TBD TBD TBD EExtra dimensions Exterior Overall length, in./mm 182.9/4,646 182	4-valves per cylinder			
E85-capable S S S S S S S S S S S	Dual overhead camshafts with variable cam-phasing			
Fuel economy EPA-estimated, city/hwy, manual EPA-estimated, city/hwy, automatic EPA-estimated, city/hwy, automatic TBD TBD TBD TBD TBD TBD TBD TB	Twin-scroll turbocharger with intercooler			
EPA-estimated, city/hwy, manual TBD TBD TBD EPA-estimated, city/hwy, automatic TBD TBD TBD Extra dimensions Exterior Overall length, in./mm 182.9/4,646 182.9/4,646 182.9/4,646 Overall width, in./mm 70.1/1,781 70.1/1,78	E85-capable	S	S	S
EPA-estimated, city/hwy, automatic Extra dimensions Exterior Overall length, in./mm Overall length, in./mm 70.1/1,781 Overall height, in./mm 70.1/1,781 Overall height, in./mm 56.6/1,438 56.6/1,438 Curb weight, 3,380–3,710 lbs. (1,535–1,695 kg) Max tow capacity, 3,500 lbs. (1,535–1,695 kg) Max tow capacity, 3,500 lbs. (1,588 kg) Gross vehicle mass, 4,320–4,650 lbs. (1,960–2,110 kg) Cd value, 0.30 Fuel tank capacity, gal./L Front track, in./mm 60.0/1,524 60.0/1,524 60.0/1,524 60.0/1,524 60.0/1,524 finterior Headroom, front in./mm 38.0/965 38.0/965 38.0/965 38.0/965 38.0/965 38.0/965 38.0/965 38.0/965 38.0/965 38.0/965	Fuel economy			
Extra dimensions Exterior Overall length, in./mm Overall width, in./mm 70.1/1,781 Overall height, in./mm 70.1/1,781 Overall height, in./mm 56.6/1,438 56.6/1,438 56.6/1,438 Wheelbase, in./mm 105.3/2,675	EPA-estimated, city/hwy, manual	TBD	TBD	TBD
Exterior Overall length, in./mm 182.9/4,646<	EPA-estimated, city/hwy, automatic	TBD	TBD	TBD
Overall length, in./mm 182.9/4,646 16.0.1/1,72 10.5.3/2,675 105.3/2,67	Extra dimensions			
Overall width, in./mm 70.1/1,781	Exterior			
Overall height, in./mm	Overall length, in./mm	182.9/4,646	182.9/4,646	182.9/4,64
Wheelbase, in./mm 105.3/2,675	Overall width, in./mm	70.1/1,781	70.1/1,781	70.1/1,781
Curb weight, 3,380–3,710 lbs. (1,535–1,695 kg) Max tow capacity, 3,500 lbs. (1,588 kg) Gross vehicle mass, 4,320–4,650 lbs. (1,960–2,110 kg) Cd value, 0.30 Fuel tank capacity, gal./L Front track, in./mm 60.0/1,524 60.0/1,524 60.0/1,524 60.0/1,524 60.0/1,524 60.0/1,526 Rear track, in./mm 59.3/1,506 59.3/1,506 59.3/1,506 59.3/1,506 10.0/61 10.0/	Overall height, in./mm	56.6/1,438	56.6/1,438	56.6/1,43
Max tow capacity, 3,500 lbs. (1,588 kg) Gross vehicle mass, 4,320–4,650 lbs. (1,960–2,110 kg) Cd value, 0.30 Fuel tank capacity, gal./L Front track, in./mm 60.0/1,524 60.0/1,524 60.0/1,524 60.0/1,524 60.0/1,524 60.0/1,526 Food track, in./mm 59.3/1,506 59.3/1,506 59.3/1,506 59.3/1,506 10.0/61	Wheelbase, in./mm	105.3/2,675	105.3/2,675	105.3/2,67
Gross vehicle mass, 4,320–4,650 lbs. (1,960–2,110 kg) Cd value, 0.30 Fuel tank capacity, gal./L Front track, in./mm 60.0/1,524 60.0/1,524 60.0/1,524 60.0/1,524 60.0/1,526 60.0/1,526 60.0/1,526 60.0/1,526 60.0/1,526 60.0/1,526 60.0/1,526 60.0/1,527 80.0/16	Curb weight, 3,380-3,710 lbs. (1,535-1,695 kg)			
Cd value, 0.30 Fuel tank capacity, gal./L Front track, in./mm 60.0/1,524 60.0/1,524 60.0/1,524 60.0/1,524 60.0/1,526 60.0/1,526 60.0/1,526 60.0/1,526 60.0/1,526 60.0/1,526 60.0/1,526 60.0/1,526 60.0/1,526 60.0/1,526 60.0/1,526 60.0/1,526 60.0/1,526 60.0/1,626 6	Max tow capacity, 3,500 lbs. (1,588 kg)			
Fuel tank capacity, gal./L 16.0/61 16.0/61 16.0/61 Front track, in./mm 60.0/1,524 60.0/1,524 60.0/1,524 60.0/1,524 60.0/1,524 60.0/1,524 60.0/1,526 Front track, in./mm 59.3/1,506 59.3/1,5	Gross vehicle mass, 4,320–4,650 lbs. (1,960–2,110 kg)			
Front track, in./mm 60.0/1,524 60.0/1,524 60.0/1,524 60.0/1,524 60.0/1,524 60.0/1,524 60.0/1,524 60.0/1,524 60.0/1,524 60.0/1,526 Front track, in./mm 59.3/1,506 59.3/1,506 59.3/1,506 59.3/1,506 front in./mm 38.0/965 38.0/965 38.0/965 38.0/965 Headroom, rear in./mm 37.0/940 37.0/940 37.0/940 Shoulder room, front in./mm 56.0/1,422	Cd value, 0.30			
Rear track, in./mm 59.3/1,506 <th< td=""><td>Fuel tank capacity, gal./L</td><td>16.0/61</td><td>16.0/61</td><td>16.0/61</td></th<>	Fuel tank capacity, gal./L	16.0/61	16.0/61	16.0/61
Headroom, front in./mm 38.0/965 38.0/96	Front track, in./mm	60.0/1,524	60.0/1,524	60.0/1,52
Headroom, front in./mm 38.0/965 38.0/96	Rear track, in./mm	59.3/1,506	59.3/1,506	59.3/1,50
Headroom, rear in./mm 37.0/940 37.0/940 37.0/940 Shoulder room, front in./mm 56.0/1,422 56.0/1,422 56.0/1,422	Interior			
Shoulder room, front in./mm 56.0/1,422 56.0/1,422 56.0/1,422	Headroom, front in./mm	38.0/965	38.0/965	38.0/965
	Headroom, rear in./mm	37.0/940	37.0/940	37.0/940
Shoulder room, rear in./mm 44.7/1,135 44.7/1,135 44.7/1,135	Shoulder room, front in./mm	56.0/1,422	56.0/1,422	56.0/1,422
	Shoulder room, rear in./mm	44.7/1,135	44.7/1,135	44.7/1,13

Model

Leg room, front in./mm

Leg room, rear in./mm

Cargo capacity, cu. ft./L

Bolder, brighter and very eager.

Saab 9-3 Sport Sedan and SportCombi.

Just one look and you'll know it. The Saab 9-3 is designed for driving exhilaration beyond the ordinary. Boosted by the powerful sensation that comes from a new, highly efficient turbo engine. The driver-focused interior strikes you the very second you slide into the cockpit and discover all the ways it was designed to perform. So if you really want to enjoy true driving exhilaration, welcome to the Saab 9-3 Griffin.





The Aero Griffin.

The top-of-the-line Griffin model with dual sport exhaust pipes, sport chassis, front foglights with graphite fiber-effect trim, sport interior and matching equipment offer the most intense Saab driving experience.



The Saab 9-3 has a new turbocharged BioPower engine, which means you can fuel it with E85, gas or any mix of the two. It produces power when you want it. Like when passing other cars. 258 lb-ft of torque is available from 2,000 to 4,000 rpm and delivered through a six-speed manual transmission or six-speed automatic transmission. Among all its technical features, you'll find direct injection, dual variable valve timing and twin-scroll turbo resulting in 220 hp maximum output.



Designed to elevate your experience.

Saab 9-3X.

The Saab 9-3X Griffin is designed around you — an active driver with an active life. A sporty wagon with a rugged exterior and elevated all-season performance, with standard Saab XWD™ (Cross-Wheel Drive) system. If you like a commanding view, the new Saab 9-3X is the perfect place to be. With its raised chassis you are seated a bit higher in the driver-focused cockpit. Experience instant turbocharged power at hand and a sensational feeling of control, in virtually all kinds of weather and road conditions.



Turbo power when you want it.

The XWDTM system in the Saab 9-3X is perfectly mated by a new turbocharged engine. It provides a massive 258 lb-ft of torque from 2,000 to 4,000 rpm and maximum output is 220 hp.





Saab XWD.

The Saab XWD™ system continuously senses your driving style and the road conditions. It then actively helps improve the car's behavior on the road. Designed to help provide better grip, faster acceleration, more agile cornering and improved stability. In virtually all kinds of weather.

eLSI

Standard on the 9-3X Griffin, the electronically controlled rear limited slip differential balances torque between the rear wheels, helping the car to turn even quicker and more easily.



15.0/425 15.0/425 15.0/425 15.0/425

Saab 9-3 Griffin Sport Sedan

S= Standard, O = Option, NC = No Charge option, P = Package, — = Not available

Model	Turbo⁴ FWD	Turbo⁴ XWD	Aero FWD	Aero XWD
Engine				
2.0L 4-cylinder turbo, inline, aluminum block and cylinder head, 220 hp @5,300 rpm	S	S	S	S
Transmission				
6-speed manual	S	NC	NC	NC
6-speed automatic with manual shift mode, Cross-Wheel Drive (XWD)	_	S	_	S
Chassis				
Suspension, front, MacPherson strut type with gas shock absorbers, anti-roll bar and hydroformed subframe	S	S	S	S
Suspension, rear independent, four-link with toe-link, coil springs, gas shock absorbers, anti-roll bar, subframe and 'Re-Axs' passive rear-wheel steering system	S	S	S	S
Power-assisted rack-and-pinion steering	S	S	S	S
Four wheel disc brakes, ventilated front	S	_	_	
Four wheel disc brakes, ventilated front & rear	_	S	S	S
Lowered, sport-tuned chassis	_	_	S	_
Body & Exterior				
Tinted, heat absorbent glass	S	S	S	S
Clamshell wrap-over hood design	S	S	S	S
Saab 3-port grille design	S	S	S	S
17"×7.5" 5-spoke turbine alloy wheels	S	_	_	_
17"×7.0" 5-spoke twin alloy wheels	_	S	_	S
17"×7.5" 5-spoke twist alloy wheels	_	_	S	_
All-season tires	S	S	S	S
Bi-Xenon cornering headlights	Р	Р	S	S
Halogen projector beam headlights	S	S	_	_
Front fog lamps	S	S	S	S
Rear fog lamp	S	S	S	S
Power tilt/slide moonroof	0	0	S	S
High-pressure headlight washers	S	S	S	S
Electric rear defogger	S	S	S	S
Sport front and rear fascias	_	_	S	S
Exposed twin exhaust tailpipes	_	S	S	S
Nocturne Blue, metallic exterior color	0	0	0	0
Glacier Silver, metallic exterior color	0	0	0	0
Java, metallic exterior color	0	0	0	0
Carbon Gray, metallic exterior color	0	0	0	0
Diamond Silver, metallic exterior color	0	0	0	0
Black, solid exterior color	NC	NC	NC	NC
Laser Red, solid exterior color	NC	NC	NC	NC
Arctic White, solid exterior color	NC	NC	NC	NC
Jet Black, metallic exterior color	0	0	0	0
Oak, metallic exterior color	0	0	0	0

Model	Turbo⁴ FWD	Turbo⁴ XWD	Aero FWD	Aero XWD
Cabin & Interior styling				
Perforated leather-wrapped steering wheel	S	S	_	_
Perforated leather-wrapped sport steering wheel	_	_	S	S
Driver-focused cockpit theme	S	S	S	S
Signature Saab mesh-style air outlets with joy-stick directional control	S	S	S	S
Black leather-appointed seats	NC	NC	_	_
Parchment leather-appointed seats	NC	NC	_	_
Black leather-appointed sport seats with parchment accents	_	_	NC	NC
Parchment leather-appointed sport seats with black accents	_	_	NC	NC
Titanium metallic interior trim	S	S	_	_
Graphite-fiber effect interior trim	_	_	S	S
Carbon-fiber effect interior trim	_	_	0	0
Comfort & Convenience				
Universal remote garage door opener	Р	Р	S	S
Rain-sensing windshield wipers	S	S	S	S
Driver information center with trip computer	S	S	S	S
Cruise control	S	S	S	S
Power driver seat	S	S	S	S
Power passenger seat	Р	Р	S	S
Power front seats with driver side memory	Р	Р	Р	Р
Front seat storage pouch	S	S	S	S
Heated front seats	S	S	S	S
Remote keyless entry	S	S	S	S
Center armrest w/storage bin	S	S	S	S
Power windows with express down, front	S	S	S	S
Dual-zone climate control system	S	S	S	S
Cooled glove box	S	S	S	S
Power, heated outside mirrors	S	S	S	S
Auto-dimming interior mirror with digital compass	Р	Р	S	S
Power folding, auto-dimming outside mirrors	Р	Р	Р	Р
Rear 60/40 split folding seat	S	S	S	S
Rear center armrest with storage & two cup holders and trunk pass-through	S	S	S	S
Two front seat passenger cup holders	S	S	S	S
Front & rear interior reading lamps	S	S	S	S
Door pocket storage areas	S	S	S	S
Front console with 12V outlet	S	S	S	S
Illuminated vanity mirrors	S	S	S	S
Express close and remote open front windows*	Р	Р	S	S
Express and remote open for moonroof*	P	Р	S	S
*Included with power moonroof.				
Safety & Security				
SAHR (Saab Active Head Restraint), front	S	S	S	S
Dual stage driver & front passenger air bags	S	S	S	S
Front & rear side-curtain air bags	S	S	S	S

Model	Turbo⁴ FWD	Turbo ⁴ XWD	Aero FWD	Aero XWD	Model
Safety belt height adjustment, front	S	S	S	S	Premium Package:
Front side-impact thorax air bags	S	S	S	S	Power folding, auto-dimmin
Front passenger sensing system	S	S	S	S	Power front seats with driv
Front outboard safety belt pre-tensioners	S	S	S	S	Rear park assist
Front outboard safety belt force limiters	S	S	S	S	
Central locking remote control with panic alarm	S	S	S	S	Bose Package:
Center rear armrest/load hatch with luggage intrusion protection	S	S	S	S	AM/FM radio with 6-CD cl 11-speaker Bose centerpoi
Rear seat outboard head restraints	S	S	S	S	audio system
Child door lock system (rear doors)	S	S	S	S	Specifications
Anti-lock braking system (ABS)	S	S	S	S	Engine
Electronic Stability Program (ESP®)	S	S	S	S	2.0L 4-cylinder turbo, inlin
Traction Control System (TCS)	S	S	S	S	and cylinder head, transver
Break-away foot pedals	S	S	S	S	Displacement, 121.9 cu. in.
Anti-pinch side windows	S	S	S	S	Bore & stroke, 3.4×3.4 in.
Child seat LATCH system	S	S	S	S	Compression ratio, 9.5:1
Tire pressure monitor	S	S	S	S	Power, 220 hp @ 5,300 rpr
Anti-theft alarm with engine immobilizer	S	S	S	S	Torque, 258 lb-ft (350 Nm)
Halo lighting	S	S	S	S	4-valves per cylinder
Visual & audible front safety belt reminder	S	S	S	S	Dual overhead camshafts with variable cam-phasing
Infotainment & Technology					Twin-scroll turbocharger w
AM/FM radio with CD player	S	S	_	_	E85-capable
AM/FM radio with 6-CD changer	Р	Р	S	S	
Navigation radio with 8" touch screen (requires OnStar®)	0	0	0	0	EPA-estimated, city/hwy, n
Steering wheel-mounted controls for audio system	S	S	S	S	EPA-estimated, city/hwy, a
7-speaker audio system	S	S	_	_	_ Dimensions
11-speaker Bose centerpoint surround sound audio system	Р	Р	S	S	Exterior
Auxiliary audio input	S	S	S	S	Overall length, in./mm
OnStar® Directions & Connections	P	P	S	S	Overall width, in./mm
with 6 months of service					Overall height, in./mm
Bluetooth® hands-free phone system*	Р	P	S	S	Wheelbase, in./mm
XM® Satellite radio with 3-month trial period	S	S	S	S	Curb weight, 3,380–3,710 lb
Rear park assist *Included with OnStar®.	P	P	Р	P	Max tow capacity, 3,500 lbs
Ontion Books and					(1,960–2,110 kg)
Option Packages Comfort Packages*	0	0			Cd value, 0.30
Comfort Package:*					Fuel tank capacity, gal./L
Power passenger seat					Front track, in./mm
Universal Home Remote Inside rearview auto-dimming mirror					Rear track, in./mm
with compass	0	0			Headroom, front in./mm
Convenience Package:*	0	0			-
Power folding, auto-dimming outside mirrors					Headroom, rear in./mm
Power front seats with driver side memory					Shoulder room, front in./m
Rear park assist					Shoulder room, rear in./mr
Bi-Xenon cornering headlights					Leg room, front in./mm
*Cannot combine Comfort and Convenience Packages.					Leg room, rear in./mm
					Cargo capacity, cu. ft./L

Model	Turbo⁴ FWD	Turbo⁴ XWD	Aero FWD	Aero XWD
Premium Package:	_	_	0	0
Power folding, auto-dimming outside mirrors				
Power front seats with driver side memory				
Rear park assist				
Bose Package:	0	0	S	S
AM/FM radio with 6-CD changer				
11-speaker Bose centerpoint surround sound audio system				
Specifications				
Engine	S	S	S	S
2.0L 4-cylinder turbo, inline, aluminum block and cylinder head, transverse				
Displacement, 121.9 cu. in. (1,998 cc)				
Bore & stroke, 3.4×3.4 in. ($86 \text{mm} \times 86 \text{mm}$)				
Compression ratio, 9.5:1				
Power, 220 hp @ 5,300 rpm				
Torque, 258 lb-ft (350 Nm) @ 2,500 rpm				
4-valves per cylinder				
Dual overhead camshafts with variable cam-phasing				
Twin-scroll turbocharger with intercooler				
E85-capable	S		S	
Fuel economy				
EPA-estimated, city/hwy, manual	TBD	TBD	TBD	TBD
EPA-estimated, city/hwy, automatic	TBD	TBD	TBD	TBD
Dimensions				
Exterior				
Overall length, in./mm	182.9/4,646	182.9/4,646	182.9/4,646	182.9/4,64
Overall width, in./mm	70.9/1,801	70.9/1,801	70.9/1,801	70.9/1,801
Overall height, in./mm	57.1/1,450	57.1/1,450	57.1/1,450	57.1/1,450
Wheelbase, in./mm	105.3/2,675	105.3/2,675	105.3/2,675	105.3/2,67
Curb weight, 3,380–3,710 lbs. (1,535–1,695 kg)				
Max tow capacity, 3,500 lbs. (1,588 kg)				
Gross vehicle mass, 4,320–4,650 lbs. (1,960–2,110 kg)				
Cd value, 0.30				
Fuel tank capacity, gal./L	16.0/61	16.0/61	16.0/61	16.0/61
Front track, in./mm	60/1,524	60/1,524	60/1,524	60/1,524
Rear track, in./mm	59.3/1,506	59.3/1,506	59.3/1,506	59.3/1,506
Interior				
Headroom, front in./mm	38.9/988	38.9/988	38.9/988	38.9/988
Headroom, rear in./mm	37.0/940	37.0/940	37.0/940	37.0/940
Shoulder room, front in./mm	56.3/1,430	56.3/1,430	56.3/1,430	56.3/1,430
Shoulder room, rear in./mm	55.1/1,400	55.1/1,400	55.1/1,400	55.1/1,400
Leg room, front in./mm	42.3/1,074	42.3/1,074	42.3/1,074	42.3/1,074
Leg room, rear in./mm	35.1/892	35.1/892	35.1/892	35.1/892

Saab 9-3 Griffin SportCombi

S= Standard, O = Option, NC = No Charge option, P = Package, — = Not available

Model	FWD	9-3X
Engine		
2.0L 4-cylinder turbo, inline, aluminum block	S	S
and cylinder head, 220 hp @5,500 rpm	s	s
Transmission		
6-speed manual	S	NC
6-speed automatic with manual shift mode, Cross-Wheel Drive (XWD)	0	S
Chassis		
Suspension, front, MacPherson strut type with gas shock absorbers, anti-roll bar and hydroformed subframe	S	S
Suspension, rear independent, four-link with toe-link, coil springs, self-leveling shock absorbers, anti-roll bar, subframe and 'Re-Axs' passive rear-wheel steering system	S	S
Increased ride height chassis		S
Power-assisted rack-and-pinion steering	S	S
Four wheel disc brakes, ventilated front	S	
Four wheel disc brakes, ventilated front & rear		S
Body & Exterior		
Tinted, heat absorbent glass	S	S
Clamshell wrap-over hood design	S	S
Saab 3-port grille design	S	S
17"×7.0" 5-spoke twin alloy wheels	_	S
17"×7.5" 5-spoke turbine alloy wheels	S	_
All-season tires	S	S
Bi-Xenon cornering headlights	Р	Р
Halogen projector beam headlights	S	S
Front fog lamps	S	S
Rear fog lamp	S	S
Power tilt/slide moonroof	0	0
High-pressure headlight washers	S	S
Electric rear defogger	S	S
Rugged look front and rear fascias		S
Exposed twin exhaust tailpipes	_	S
Silver matte finish roof rails		S
Glacier Silver, metallic exterior color	0	0
Java, metallic exterior color	0	
Carbon Gray, metallic exterior color	0	0
Diamond Silver, metallic exterior color	0	0
Black, solid exterior color	NC	
Laser Red, solid exterior color	NC	NC
Arctic White, solid exterior color	NC	NC
Jet Black, metallic exterior color	0	0
Nocturne Blue, metallic exterior color	0	
Oak, metallic exterior color	0	0

Model	Turbo⁴ FWD	9-3X
Cabin & Interior styling		
Perforated leather-wrapped steering wheel	S	S
Driver-focused cockpit theme	S	S
Signature Saab mesh-style air outlets with joy-stick directional control	S	S
Black leather-appointed seats	NC	NC
Parchment leather-appointed seats	NC	NC
Titanium metallic interior trim	S	_
Graphite-fiber effect interior trim		S
Comfort & Convenience		
Cruise control	S	S
Retractable cargo cover	S	S
Universal remote garage door opener	P	Р
Rain-sensing windshield wipers	S	S
Driver information center with trip computer	S	S
Front seat storage pouch	S	S
Power driver seat	S	S
Power passenger seat	P	Р
Power front seats with driver side memory	P	Р
Heated front seats	S	S
Remote keyless entry	S	S
Center armrest w/storage bin	S	S
Power windows with express down, front	S	S
Dual-zone climate control system	S	S
Cooled glove box	S	S
Power, heated outside mirrors	S	S
Auto-dimming interior mirror with digital compass	Р	Р
Power folding, auto-dimming outside mirrors	Р	Р
Rear 60/40 split folding seat	S	S
Rear center armrest with storage & two cup holders and trunk pass-through	S	S
Two front seat passenger cup holders	S	S
Front & rear interior reading lamps	S	S
Door pocket storage areas	S	S
Front console with 12V outlet	S	S
Illuminated vanity mirrors	S	S
Express close and remote open front windows*	Р	Р
Express and remote open for moonroof*	Р	Р

Front & rear side curtain air bags Safety belt height adjustment, front Front side-impact thorax air bags Front passenger sensing system Front outboard safety belt pre-tensioners Front outboard safety belt force limiters Central locking remote control with panic alarm S Center rear armrest/load hatch with luggage intrusion protection Rear seat head restraints Child door lock system (rear doors) Anti-lock braking system (ABS) Electronic Stability Program (ESP®) Traction Control System (TCS) Break-away foot pedals Anti-pinch side windows Child seat LATCH system Tire pressure monitor Anti-theft alarm with engine immobilizer Halo lighting Visual & audible front safety belt reminder Infotainment & Technology AM/FM radio with CD player AM/FM radio with 6-CD changer Navigation radio with 8" touch screen (requires OnStar®) 0 0 Steering wheel mounted controls for audio system 7-speaker audio system 11-speaker Bose centerpoint surround sound audio system Auxiliary audio input OnStar® Directions & Connections with 6 months of service Bluetooth® hands-free phone system* $XM^{\tiny \scriptsize \mbox{\scriptsize 0}}$ Satellite radio with 3-month trial period Rear park assist *Included with OnStar®. **Option Packages** Comfort Package:* 0 Power passenger seat Universal Home Remote Inside rearview auto-dimming mirror with compass Convenience Package:* Power folding, auto-dimming outside mirrors Power front seats with driver side memory Rear park assist Bi-Xenon cornering headlights *Cannot combine Comfort and Convenience Packages.

Model

Safety & Security

SAHR (Saab Active Head Restraint), front

Dual stage driver & front passenger air bags

Turbo⁴ FWD

FEATURES & SPECIFICATIONS

9-3X	Model	Turbo⁴ FWD	9-3X
	Bose Package:	0	0
S	AM/FM radio with 6-CD changer		
S	11-speaker Bose centerpoint surround sound audio system		
S	0.15.1		
S	Specifications		
S	Engine	S	S
S	2.0L 4-cylinder turbo, inline, aluminum block and cylinder head, transverse		
S	Displacement, 121.9 cu. in. (1,998 cc)		
S	Bore & stroke, 3.4×3.4 in. (86 mm×86 mm)		
S	Compression ratio, 9.5:1		
S	Power, 220 hp @ 5,300 rpm		
S	Torque, 258 lb-ft (350 Nm) @ 2,500 rpm		
S	4-valves per cylinder		
S	Dual overhead camshafts with variable cam-phasing		
S	Twin-scroll turbocharger with intercooler		
S	E85-capable	S	
S	Fuel economy		
S	EPA-estimated, city/hwy, manual	TBD	TBD
S	EPA-estimated, city/hwy, automatic	TBD	TBD
S			
S	Dimensions		
S	Exterior		
S	Overall length, in./mm		184.6/4,689
	Overall width, in./mm	70.9/1,801	
	Overall height, in./mm	57.1/1,450	60.2/1,529
s	Wheelbase, in./mm	105.3/2,675	105.3/2,675
P	Curb weight, 3,380–3,710 lbs. (1,535–1,695 kg)		
0	Max tow capacity, 3,500 lbs. (1,588 kg)		
S	Gross vehicle mass, 4,320–4,650 lbs. (1,960–2,110 kg)		
S	Cd value, 0.33		
P	Fuel tank capacity, gal./L	16.0/61	16.0/61
S	Front track, in./mm	60/1,524	60/1,524
P	Rear track, in./mm	59.3/1,506	59.3/1,506
P	Interior		
S	Headroom, front in./mm	38.9/988	38.9/988
P	Headroom, rear in./mm	37.0/940	37.0/940
	Shoulder room, front in./mm	56.3/1,430	56.3/1,430
	Shoulder room, rear in./mm	55.1/1,400	55.1/1,400
0	Leg room, front in./mm	42.3/1,074	42.3/1,074
	Leg room, rear in./mm	35.1/892	35.1/892
	Cargo capacity, cu. ft./L	25.4/719	25.4/719
		20.1//1/	20// 1/

Prepared for anything.

With Saab Genuine Accessories, you can adapt your Saab 9-3 to suit your taste and your style. You can also enhance its functionality and convenience even further – at work, with family or at your favorite activity. To learn about the entire 9-3 accessory portfolio offering, visit saabusa.com/accessories.



Wind deflector.

For the Convertible. Reduces backdraft and enhances comfort when driving with the top down.

Interior and cargo mats Textile or rubber. Protect the carpeting from dirt, water and wear.



Smart Slot. An innovative storage system

that is neatly integrated in the center console. Can easily be customized with a range of exchangeable accessories such as a cup holder, ice scraper or CD storage case.



Bike holder with lift.

Insert the bike at door height and lift with the help of gas-filled struts. Lockable.

Surfboard holder.

Equipped with a mast holder.

Roof rack.

For the roof rails. Available in Black or as C-track profile in Aluminum.

Cargo management.

A wide range of nets, guards and holders for convenient cargo management available from Saab Genuine Accessories.

Alloy wheels.

Choose from a wide range of alloy wheels available from Saab Genuine Accessories. Read more at saabusa.com/accessories.





Interior colors and upholstery.



B63 Leather-appointed sport seats, Black (Saab 9-3 Sport Sedan, Optional).




L65 Leather-appointed accent sport seats, Parchment (Saab 9-3 Convertible, Optional).

Leather-appointed upholstery refers to leather seating surfaces. Sport seats have pronounced extra side and thigh support.



Wheels.







5-spoke 17×7½" (ALU 81)



V-spoke 17×7" (ALU 79) (XWD only)




5-spoke Aktiv 17×7" (ALU 82) (9-3X only)



10-spoke Double Bridge $18 \times 7\frac{1}{2}$ " (ALU 108) *

Exterior colors.





saabusa.com

US Art. No. 32015634 Printed in Sweden. Copyright Saab Automobile AB, Trollhättan, Sweden, 2011. This brochure is printed on chlorine-free, recyclable paper. Particulars and illustrations in this brochure are based on the information that was valid at the time of final editing (April, 2011). The model range, technical specifications, services and equipment may vary from one market to another and may be altered without prior notice. Pictures may show cars fitted with optional extra equipment.

Please consult your Saab dealer for the latest information.