

MOVING YOUR BUSINESS FORWARD.

THE NEW 2021 FUSO FE GAS TRUCK



A GAS ENGINE FOR DRIVING ECONOMY. DISCOUNT PRICES FOR IMMEDIATE SAVINGS. PARTS & SERVICE FOR LASTING CONFIDENCE.

Whether it's your first truck or an addition to your fleet, , there's never been a better time to buy a FUSO FE GAS truck. You'll find massive discounts across our entire inventory, including the models and cab/body configurations your business needs. All with generous capacity and comfort. Plenty of power. Simplified maintenance. Unbeatable engine and transmission warranties. And the undeniable convenience and economy of a gasoline engine.

Service you can count on, today and every day.

FUSO Parts and Service are here to stay. In fact, we've strengthened our customer service commitment to keep your truck running at peak performance. You'll have all the technical support, parts availability and warranty protection you could ask for. Delivered with all the FUSO value, expertise and professionalism your operation demands.

Act now for the best selection. Your timing is perfect for dramatic savings on FUSO trucks to move your business forward. And for the Parts & Service support you can depend on for years to come.





TRUCKS THAT WORK AS HARD AS YOU DO.

While each FE GAS model has its own resume, they all share some very impressive features. Such as a ladder-style frame that's lighter than the competition, yet 26% stronger. A 40-gallon, in-rail fuel tank—10 gallons more than the competition. And an engine that delivers 297 HP with 361 lb.-ft. of torque for effortless hauling, whether you're navigating city streets or suburban neighborhoods.

But the real story here is the selection. Choose from two Class 4 models or the industry's first Class 5 gas-powered low cab forward. Pick your body and payload capacity, up to 11,855 lbs. Select seating from three to seven. Whether you go for the FE140, FE160 or FE180, you'll definitely have the right specs for the job ahead.

2021 MY indicated above and on the cover page is exclusively CL5.









FUSO FE140


The urban operator. As the lightest and most agile model in our gas-powered lineup, the FE140 makes easy work of deliveries in any city situation.

FUSO FE160 & FE160 CREW CAB

With versatility for big jobs like construction and landscaping, the FE160 provides responsive steering and comfortable driving that makes any job easier. If you need more hands on deck, the four-door FE160 crew cab seats up to seven people with plenty of room for storage.

FUSO FE180

This heavy mover is in a class by itself. With a GVWR of 17,995 lbs. and a body and capability of 11,855 lbs., the FE180 delivers plenty of muscle without sacrificing agility and maneuverability. What can you do with all that extra capacity? More. Lots more.



POWER TEAM: <u>GM</u> ENGINE AND <u>ALLISON</u> TRANSMISSION.

A CHASSIS WITH ROOM TO GROW.

Tilt the single cab forward and you'll see we've streamlined component routing for durability and easier access. Sensitive fuel and wiring lines are out of harm's way, offering clean frame rails that provide additional space for toolboxes and side-mounted equipment. Note that we've kept our standard 33.5" frame width.

A V8 GAS ENGINE THAT OUTPERFORMS DIESEL.

The powertrain in our gas-powered models has been strategically designed to meet your needs for smooth power and lower operating costs. The PSI-GMPT 6-liter V8 engine has twice the displacement of our diesel option, giving you Upfitters will find the same wheelbases, box sizes and body attachment capability they've enjoyed with our diesel trucks. Technicians will appreciate the spacious layout for servicing and maintenance.

more horsepower and more torque. It outperforms typical diesel-powered trucks within the same class size, with the added advantage of less complex emissions and lower maintenance costs.





Going the extra mile: FUSO provides the extended Allison Transmission Warranty standard. You get 5-year/unlimited mileage coverage — and even more peace of mind.

10 FREE OIL CHANGES FOR THE FIRST 5 YEARS OR 75,000 MILES ON ALL FE GAS MODELS.

THE ALLISON 1000 SERIES": SMART SHIFTING MEETS FUEL ECONOMY.

With uninterrupted uptime in mind, we've equipped each model with the best-in-class Allison 1000 Series 6-speed automatic transmission. Renowned for its reliability and efficiency, Allison's patented torque converter multiplies engine torque and transfers it smoothly to the wheels. Designed for the start-and-stop demands of urban delivery, it's a transmission with excellent steep-grade startability and low-speed maneuverability.

The Allison also protects your bottom line with FuelSense 2.0[®] featuring DynActive™ Shifting, a standard for each FE GAS truck. Instead of shifting gears based on a data table of fixed shift points, DynActive technology

continually refines each shift using a proprietary learning algorithm. This provides the optimal balance between performance and fuel efficiency for each operator's specific duty cycle. The result is a 2% to 6% improvement in fuel economy, depending on the application. FuelSense 2.0 management includes a Neutral-at-Stop feature that further reduces fuel consumption.


And thanks to its commercial-grade design, the Allison 1000 has optional provisions for power takeoff (PTO) that can drive a wide range of vocational truck accessories like lift bodies and dispensing pumps.

AN INTERIOR DESIGNED FOR COMFORT, CONVENIENCE AND CONTROL.

At FUSO, we're big on comfort. That's why the spacious interior of our FE GAS models has been tailored to the driver's needs. The noise-insulated, well-suspended cab makes longer journeys just as pleasant as short trips. For frequent in and out, you'll appreciate the low entry step, adjustable steering wheel, and dash-mounted shifter.

AN INTERIOR THAT BLENDS ERGONOMIC DESIGN AND PRACTICAL STYLING.

The FE interior works hard to keep you comfortable. Instrument cluster colors have been revised for better visibility, and an LED cabin light keeps the cab functional during dawn or dusk trips. Distinctive red seat belts are a FUSO trademark that encourages everyone to buckle up. A panoramic windshield and a driver-to-ground line of sight of only 6 ft. ensure you stay focused on the task ahead.



There's room for three in the standard cab, with a heavy-duty driver's seat that offers adjustable lumbar support. We've added handy storage, including an overhead console, floor tray and sun visor pocket. Black seats and dark gray floor panels keep the interior décor fashionably functional, while silver trim adds a contemporary touch to the stereo frame, shifter panel and steering wheel emblem.





An infinitely adjustable steering wheel and dash-mounted shifter give drivers more control, while instruments and displays are always within easy reach or view. By moving the shifter off the floor, we create more leg room and easier access for passengers with full traversability from left or right for safer entry & exit.



Maintain a comfortable cab environment with a standard air-conditioning system. Superior insulation preserves heating and cooling, and helps keep road noise from reaching the cab interior.

SPECIFICATIONS THAT GET DOWN TO BUSINESS.

	FE 140 GAS	FE 160 GAS
/ODEL YEAR AVAILABLE	2020 and 2019	2020 and 2019
CAB CONFIGURATION	SINGLE	SINGLE & CREW
EHICLE WEIGHT CLASS	4	4
/EIGHT RATINGS		
VWR/GCWR - pounds	14,500 / 22,215	15,995 / 23,710
AWR (front/rear) - pounds	6,390 / 12,700	6,390 / 12,700
ODY / PAYLOAD CAPACITY		
Aximum (estimated) - pounds	8,800	10,295 (single) 9,715 (crew)
IMENSIONS		
/heelbase	133.9" (E) 151.6" (G) 169.3" (H) 187.0" (K)	133.9" (E) 151.6" (G) 169.3" (H) 187.0" (K)
verall length (cab/chassis)	228.5" 246.3" 264.0" 281.7"	228.5" 246.3" 264.0" 281.7"
)verall height, est.	89.0"	89.0" (single) 91.5" (crew)
Verall width (not including mirrors)	84.4"	
Isable cab to rear axle	104.9" 122.6" 140.3" 158.0"	104.9" 122.6" 140.3" 158.0" (single) 103.4" 121.1" (crew)
ody sizes accommodated	12' to 20' (22' with FUSO review)	12' to 20' (22' with FUSO review)(single)
ody sizes accommodated		12' to 18' (19' with FUSO review) (crew)
NGINE		
lodel	FUSO PSI-GMPT, V8, 6.0L gasoline	FUSO PSI-GMPT, V8, 6.0L gasoline
ype	Gasoline	Gasoline
isplacement	6.0L (365 in ³)	6.0L (365 in ³)
ngine power - hp	297	297
ngine torque - Ib-ft	361	<u>361</u>
ruise control	Standard	Standard
Iternative fuels	CNG and LPG capable in future models (option)	CNG and LPG capable in future models (option)
UEL TANK		
apacity - gallons/location	40 / In-rail aft-axle	40 / In-rail aft-axle
RANSMISSION		
rand & model	Allison 1000 Series™	Allison 1000 Series™
уре	6-speed automatic, torque converter with lockup clutch	6-speed automatic, torque converter with lockup clutch
ontrol system	Electronic, closed-loop with adaptive shift mapping	Electronic, closed-loop with adaptive shift mapping
TO provision	Torque converter turbine-driven spur gear (option)	Torque converter turbine-driven spur gear (option)
hift selector	Dash-mounted	Dash-mounted
uelSense [®] 2.0, with DynActive™	Standard	Standard
RAME		Standard
	C shappel straight	C shannal straight
ype	C-channel, straight	C-channel, straight
ection modulus, per rail - in ³	7.08	7.08
ield strength - psi	56,565	56,565
esistance bending moment, per rail - Ib-in	400,410	400,410
leight/width - inches	32.8 / 33.5	32.8 / 33.5
Powder-coated frame	Standard	Standard
remium anti-corrosion package*	Standard	Standard
XLE DATA		
atings (front/rear) - pounds	6,835 / 13,230	6,835 / 13,230
ype (rear)	Single-reduction hypoid	Single-reduction hypoid
atio (rear)	5.285	5.285
imited slip differential	Option	Option
USPENSION	Option	option
	Laminated loof apringa	Laminated loof apringa
/pe (front & rear)	Laminated leaf springs	Laminated leaf springs
IRES & WHEELS	Circle front duel soon	Circle front, duel and
onfiguration	Single front, dual rear	Single front, dual rear
ire size/type	215/75R17.5 12PR LR:F hwy front / traction rear	215/75R17.5 12PR LR:F hwy front / traction rear
'heel size - inches/type	17.5" x 6" /6-lug	17.5" x 6" /6-lug
RAKES		
ervice	Dual-caliper discs, vacuum/hydraulic	Dual-caliper discs, vacuum/hydraulic
arking	Drum/driveline, internal expanding shoe	Drum/driveline, internal expanding shoe
BS system	4-channel	4-channel
TEERING	Integral hydraulic boost	Integral hydraulic boost
TEERING ype	Integral hydraulic boost Tilt & telescoping	Integral hydraulic boost Tilt & telescoping
TEERING ype olumn adjustment	Tilt & telescoping	Tilt & telescoping
TEERING /pe olumn adjustment urning diameter (min. by WB) - feet		
TEERING /pe olumn adjustment urning diameter (min. by WB) - feet LECTRICAL	Tilt & telescoping 40.1, 44.8, 49.5, 54.2	Till & telescoping 40.1, 44.8, 49.5, 54.2 (single) 49.5, 54.2 (crew)
TEERING /pe olumn adjustment urning diameter (min. by WB) - feet LECTRICAL attery	Tilt & telescoping 40.1, 44.8, 49.5, 54.2 Maintenance-free / 1125 CCA	Tilt & telescoping 40.1, 44.8, 49.5, 54.2 (single) 49.5, 54.2 (crew) Maintenance-free / 1125 CCA
TEERING ype olumn adjustment urning diameter (min. by WB) - feet LECTRICAL attery Iternator - amps	Tilt & telescoping 40.1, 44.8, 49.5, 54.2	Till & telescoping 40.1, 44.8, 49.5, 54.2 (single) 49.5, 54.2 (crew)
TEERING ype olumn adjustment urning diameter (min. by WB) - feet LECTRICAL attery Iternator - amps NTERTAINMENT	Tilt & telescoping 40.1, 44.8, 49.5, 54.2 Maintenance-free / 1125 CCA 180	Tilt & telescoping 40.1, 44.8, 49.5, 54.2 (single) 49.5, 54.2 (crew) Maintenance-free / 1125 CCA 180
TEERING ype iolumn adjustment urning diameter (min. by WB) - feet LECTRICAL attery Iternator - amps NTERTAINMENT	Tilt & telescoping 40.1, 44.8, 49.5, 54.2 Maintenance-free / 1125 CCA	Tilt & telescoping 40.1, 44.8, 49.5, 54.2 (single) 49.5, 54.2 (crew) Maintenance-free / 1125 CCA
TEERING ype olumn adjustment urning diameter (min. by WB) - feet LECTRICAL attery Iternator - amps NTERTAINMENT M/FM/CD/USB, hands-free Bluetooth® radio	Tilt & telescoping 40.1, 44.8, 49.5, 54.2 Maintenance-free / 1125 CCA 180	Tilt & telescoping 40.1, 44.8, 49.5, 54.2 (single) 49.5, 54.2 (crew) Maintenance-free / 1125 CCA 180
TEERING ype olumn adjustment urning diameter (min. by WB) - feet LECTRICAL attery Iternator - amps NTERTAINMENT M/FM/CD/USB, hands-free Bluetooth® radio AFETY & CONVENIENCE	Tilt & telescoping 40.1, 44.8, 49.5, 54.2 Maintenance-free / 1125 CCA 180	Tilt & telescoping 40.1, 44.8, 49.5, 54.2 (single) 49.5, 54.2 (crew) Maintenance-free / 1125 CCA 180
TEERING ype iolumn adjustment urning diameter (min. by WB) - feet LECTRICAL attery Iternator - amps NTERTAINMENT M/FM/CD/USB, hands-free Bluetooth® radio AFETY & CONVENIENCE alogen headlamps	Tilt & telescoping 40.1, 44.8, 49.5, 54.2 Maintenance-free / 1125 CCA 180 Option Standard	Till & telescoping 40.1, 44.8, 49.5, 54.2 (single) 49.5, 54.2 (crew) Maintenance-free / 1125 CCA 180 Option Standard
TEERING ype olumn adjustment urning diameter (min. by WB) - feet LECTRICAL attery Iternator - amps NTERTAINMENT M/FM/CD/USB, hands-free Bluetooth® radio AFETY & CONVENIENCE alogen headlamps aytime running lights	Tilt & telescoping 40.1, 44.8, 49.5, 54.2 Maintenance-free / 1125 CCA 180 Option Standard Standard	Tilt & telescoping 40.1, 44.8, 49.5, 54.2 (single) 49.5, 54.2 (crew) Maintenance-free / 1125 CCA 180 Option Standard Standard
TEERING ype column adjustment urning diameter (min. by WB) - feet LECTRICAL kattery Jternator - amps INTERTAINMENT M/FM/CD/USB, hands-free Bluetooth® radio CAFETY & CONVENIENCE kalogen headlamps kaytime running lights ront power-operated**, One-touch up/down windows***	Tilt & telescoping 40.1, 44.8, 49.5, 54.2 Maintenance-free / 1125 CCA 180 Option Standard Standard Standard Standard	Tilt & telescoping 40.1, 44.8, 49.5, 54.2 (single) 49.5, 54.2 (crew) Maintenance-free / 1125 CCA 180 Option Standard Standard Standard Standard
TEERING ype folumn adjustment urning diameter (min. by WB) - feet LECTRICAL attery Iternator - amps NTERTAINMENT M/FM/CD/USB, hands-free Bluetooth® radio AFETY & CONVENIENCE alogen headlamps aytime running lights	Tilt & telescoping 40.1, 44.8, 49.5, 54.2 Maintenance-free / 1125 CCA 180 Option Standard Standard	Tilt & telescoping 40.1, 44.8, 49.5, 54.2 (single) 49.5, 54.2 (crew) Maintenance-free / 1125 CCA 180 Option Standard Standard

Your business deserves a truck tailored to its unique needs. That's why FUSO FE GAS trucks give you a broad range of specs and features to choose from. Available in various sizes and a range of interior trims, you'll find all the options you could ask for. Your local dealer will guide you in selecting the perfect truck for the job.

FE 180 GAS	
2021 and 2020	
SINGLE	_
5	
17,995 / 25,710	
6,390 / 12,700	
11,855	
133.9" (E) 151.6" (G) 169.3" (H) 187.0" (K)	
228.5" 246.3" 264.0" 281.7"	
92.8"	
85.2"	
104.9" 122.6" 140.3" 158.0"	

12' to 20' (22' with FUSO review)

FUSO PSI-GMPT, V8, 6.0L Gasoline
Gasoline
6.0L (365 in ³)
297
361
Standard
CNG and LPG capable in future models (option)

40 / In-rail aft-axle

Allison 1000 Series™

6-speed automatic, torque converter with lockup clutch
Electronic, closed-loop with adaptive shift mapping
Torque converter turbine-driven spur gear (option)
Dash-mounted
Standard

	C-channel, straight
	7.08
	56,565
	400,410
	35.8 / 33.5
	Standard
	Standard

6,835 / 13,230
Single-reduction hypoid
5.714
Option

Laminated leaf springs

Single front, dual rear 225/70R19.5 14PR LR:G hwy front / traction rear 19.5" x 6.75" /6-lug

Single-caliper discs, vacuum/hydraulic Drum/driveline, internal expanding shoe 4-Channel

Integral hydraulic boost Tilt & telescoping 42.6, 47.6, 52.6, 57.6

Maintenance-free / 1125 CCA 180

Option

	Standard
	Standard
	Standard
	Standard
	Standard
	Option

OPTIONS TO FIT YOUR IMAGE.

Image is important. So is a cab with a quality paint finish that's durable. Choose from six cab colors, all developed to deliver a polished, professional appearance that fits your business and applications.

CAB COLOR

NATURAL WHITE

Accuracy of indicated hues is limited by paper/electronic reproduction.

FABRIC STYLE

BLACK CLOTH WITH BLACK LEATHER EFFECTS ON DRIVER'S SEAT

OPTIONAL FEATURES:

- · Mobileye Collision Avoidance System
- · Clarion AM/FM Radio with hands-free Bluetooth®
- · Roof Air Deflector
- · Heated Mirrors

- · Chrome Trim Package
- · Floor Mats
- · Limited-Slip Differential (LSD)
- · PTO Capability for Allison Transmission
- · Wheel Simulators

SUPERIOR SERVICE. GUARANTEED FOR THE LIFE OF YOUR TRUCK.

Count on us for parts and support you need to keep your FUSO truck operating at peak performance. We'll be here for you, and that's a promise.

FUSOFIRST[™] MAKES YOUR UPTIME OUR PRIORITY.

Each FE GAS truck comes standard with our FUSOFirst comprehensive owner support program. It includes 24/7 roadside assistance, a web-friendly mobile app, plus access to owner/operator training and education.

WARRANTY COVERAGE THAT PROTECTS YOUR INVESTMENT.

FUSO protects your new FE investment with a generous warranty package[†]. This package combines 3-year/36,000 mile bumper-to-bumper, 5-year frame coverage, and 5-year/75,000-mile powertrain limited warranties into one strong standard warranty.

In addition, the package includes a 2-year extension to the standard 3-year Allison transmission^{††} warranty as a free standard. The truck's transmission is now covered by a 5-year/unlimited mileage warranty. See your local certified Allison Transmission Service Center for more details.

[†] Please see your local dealer for details and warranty limitations.

^{††} Allison Transmissions are warranted separately by Allison and work is performed by Allison's authorized sales and service locations.

Please note: Changes may have been made to the product since this publication went to press (08/2019). FUSO reserves the right to make changes to the information, design and specification without notice. The illustrations may show accessories and items of special equipment which are not part of standard specification. This brochure may contain models and services which are not available in certain countries. For the most current information, availability and pricing, please contact your nearest authorized FUSO truck dealership.

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE. Chassis-cab dimensions, weights are +/- 3%. * Frame and frame-mounted components **Driver and passenger side ***Driver side only



MITSUBISHI FUSO TRUCK OF AMERICA, INC.

2015 Center Square Road, Logan Township, NJ 08085

For the dealer nearest you, or for more information, visit our website at: $\ensuremath{\textbf{MIFUS0.COM}}$

© 2021 MITSUBISHI FUSO TRUCK OF AMERICA, INC. All rights reserved. Mitsubishi Fuso Truck of America, Inc., is a subsidiary of Mitsubishi Fuso Truck and Bus Corporation, Kawasaki, Japan, an integral part of the Daimler Trucks Division of Daimler AG.



