



Most accommodating: 4 doors and room for 7.







2006 MITSUBISHI FUSO





FE145 Crew Cab: One truck does the work of two.

The FE145 Crew Cab combines dramatic styling and ruggedly engineered cab and components with Mitsubishi Fuso's longstanding reputation for dependability. Its turbocharged 4-cylinder diesel engine is guiet and offers plenty of torgue. Its Aisin 6-speed automatic transmission offers excellent drivability, especially on hills. The 4-door cab is partially trimmed in vinyl and offers a second bench seat to carry up to 7 passengers with extra room behind the cab for equipment and payload. Inside, there's lots of head, leg, and elbow room, easy-to-read instrumentation, tilt/telescoping steering wheel, adjustable driver's seat, dash-mounted shifter and much, much more. Compare the FE145 Crew Cab. You'll see why it's the right truck for the job.





FUSO

- Covered, open-grate front steps stay cleaner
- Easy-to-read instrument panel
- Storage area under rear seats
- Oversized cup holder
- Dog house engine access under front seats
- Dash-mounted shifter maximizes legroom
- Tilt/telescoping steering wheel with one-touch quick release







Safety

Crush bar in front doors

Energy-absorbing steering wheel

Daytime running lights

Dual-caliper disc brakes with ABS, all wheels


High-visibility halogen headlamps

Covered, open-grate front entry steps

"Wet arm" 3-speed windshield wipers


Forward swing front doors for easy, safe entry

ſ	Body Colors	
	Natural White	
	Jupiter Green	
	Mars Red	
	Shannon Blue	
5	Fabric Style	
	Blue Vinyl	



Model	Mitsubishi 4M50		
Туре	DOHC 4-stroke cycle, water-cooled, turbo- charged, intercooled diesel with 4 valves per cylinder and dual balance shafts		
No. of cylinders	Four in-line		
Piston displacement	299.0 cu.in. (4.9 liter)		
Max. output (SAE, gross)	175 hp @ 2700 rpm		
Max. torque (SAE, gross)	391 lbft. @ 1600 rpm		
Air cleaner	Dry paper element with snorkel		
Starter	12-volt		
Alternator	12-volt, 100-amp		
Cold weather starting aid	Individual ceramic-tipped glow-plugs		












FE145 Crew Cab Specifications

Chassis			
Clutch	n/a		
Clutch size	n/a		
Transmission			
Standard transmission	Aisin Electronic 6-speed OD AT		
Optional transmission	n/a		
Estimated top speed (mph)	75		
Axles			
Front	Reverse Elliot, I-beam type, 5,510-lb. capacity		
Rear	Full floating type, 9,920-lb. capacity		
Final reduction gear	Single-reduction hypoid gear		
Ratio	5.285		
Curb weight base model	6,305 lb.		
Turning diameter (min. wheelbase)	48.2 ft.		
Tires (premium)	Single front, dual rear		
Size	215/85R16 10PR All-season all positions		
Disc wheel	16"x6"/6-lug		
Steering	Ball-nut-type with integral-type hydraulic power booster Tilt/telescoping steering column with steering lock		
Windows/door locks	Manual		
Suspension			
Front	Laminated leaf springs with shock absorbers and stabilizer bar		
Rear	Laminated leaf springs with shock absorbers and stabilizer bar		
Brakes			
Service	Dual-caliper disc, hydraulic-type w/ vacuum servo assist w/ ABS		
Parking	Drum/driveline, internal expanding shoe		
Exhaust	Vacuum actuated		
Frame			
Туре	Ladder/tapered		
Section modulus	8.45 cu.in.		
Yield strength	44,000 psi		
RBM per rail	371,800 lbin.		
Height/width	33.0"/29.6"		
Fuel tank	33-gallon side mount		
Electrical system	Two 12-volt, maintenance-free batteries – 799 CCA EA		
Vehicle safety	Energy-absorbing steering wheel, crush bar in front doors, daytime running lights and ABS standard		



Dimensions

Body size accommodated	14' 16'	
C. Overall length (end of frame)	255.3"	
B. Wheelbase	165.4"	
A. Usable cab to rear axle	103.4"	

Weight (lb.)*

GVWR (lb.)/GAWR (lb.)	14,500	Front 5,360	Rear 9,880
GCWR (lb.)	19,503		
Max. body-payload capacity (lb.)	8,195		

*Weight approximate. See dealer for details.



MITSUBISHI FUSO TRUCK OF AMERICA, Inc.

2015 Center Square Road Logan Twp., NJ 08085

For the dealer nearest you, or for more information, visit our web site at: www.mitfuso.com Vehicle specifications are subject to change without notice. Photos and descriptions included on this spec sheet may vary in comparison to actual vehicle models.

For warranty limitations and details, see your local dealer.

 PRINTED IN THE U.S.A. ON RECYCLED AND RECYCLABLE PAPER 5/05. ©2005 MITSUBISHI FUSO TRUCK OF AMERICA, Inc.