

# **FE**140

# Sleek styling, solid reliability.





The FE140 model combines dramatic styling, a ruggedly engineered cab, chassis, components and go-where-you-point-it responsiveness with Mitsubishi Fuso's longstanding reputation for dependability. Its turbocharged 4-cylinder diesel is quiet and offers plenty of torque.

Its 5-speed manual transmission shifts very smoothly. Available Aisin 6-speed automatic transmission offers excellent drivability, especially on hills. A wide stance ensures confident handling. Halogen headlamps offer superior visibility. Inside is a true driver's environment with lots of head, leg and elbow room, easy-to-read instrumentation, tilt/telescoping steering wheel, adjustable seating, dash-mounted shifter and much, much more. Feature for feature, dollar for dollar, the FE140 is the best vehicle in its class. And the right truck for the job.




## **FE** Features

- Easy-to-read instrument panel
- Dash-mounted shifter maximizes legroom
- Fold-down workstation, plus added storage area
- Tilt/telescoping steering wheel with one-touch quick release
- Forward swing doors open 70°, but feel like 90° wide







#### **Safety**

Crush bar in each door

Energy-absorbing steering wheel

Daytime running lights


Dual-caliper disc brakes with ABS, all wheels

High-visibility halogen headlamps


Covered, open-grate entry steps

"Wet arm" 3-speed windshield wipers

Forward swing doors for easy, safe entry



Aerodynamic mirrors with detented driving position



### **Engine**

Cloth fabric seats, fully adjustable driver's seat

Model	Mitsubishi 4M50
Туре	DOHC 4-stroke cycle, water-cooled, turbo- charged, intercooled diesel with 4 valves per cylinder and dual balance shafts
No. of cylinders	Four in-line
Piston displacement	299.0 cu.in. (4.9 liter)
Max. output (SAE, gross)	147 hp MT, 175 hp AT @ 2700 rpm
Max. torque (SAE, gross)	347 lbft. MT, 391 lbft. AT @ 1600 rpm
Air cleaner	Dry paper element with snorkel
Starter	12-volt
Alternator	12-volt, 100-amp
Cold weather starting aid	Individual ceramic-tipped glow-plugs







# **Body Colors**

Natural White

Arcadia Silver

Jupiter Green

Mars Red

Shannon Blue




Blue and Gray Cloth



## **FE140** Specifications

4-h	126	SIS
v	ıas	งอเอ

Clutch	Organic		
Clutch size	12.8"		
Transmission			
Standard transmission	Mitsubishi 5-speed OD MT		
Optional transmission	Aisin Electronic 6-speed OD AT		
Estimated top speed (mph)	72 MT/75 AT		
Axles			
Front	Reverse Elliot, I-beam type, 5,510-lb. capacity		
Rear	Full floating type, 9,920-lb. capacity		
Final reduction gear	Single-reduction hypoid gear		
Ratio	4.875 MT/5.285 AT		
Curb weight base model	5,732 lb.		
Turning diameter (min. wheelbase)	35.1 ft.		
Tires (premium)	Single front, dual rear		
Size	215/85R16 10PR All-season all positions		
Disc wheel	16" x 6"/5-lug		
Steering	Ball-nut-type with integral-type hydraulic power booster Tilt/telescoping steering column with steering lock		
Windows/door locks	Power		
Suspension			
Front	Laminated leaf springs with shock absorbers and stabilizer bar		
Rear	Laminated leaf springs with shock absorbers and stabilizer bar		
Brakes			
Service	Dual-caliper disc, hydraulic-type w/ vacuum servo assist w/ ABS		
Parking	Drum/driveline, internal expanding shoe		
Exhaust	Vacuum actuated		
Frame			
Туре	Ladder/straight		
Section modulus	8.11 cu.in.		
Yield strength	51,200 psi		
RBM per rail	415,232 lbin.		
Height/width	34.6"/33.1"		
Fuel tank	33-gallon side mount, or 30-gallon aft axle		
Electrical system	Two 12-volt, maintenance-free batteries – 799 CCA EA		
Vehicle safety	Energy-absorbing steering wheel, crush bars in doors, daytime running lights and ABS standard		



#### **Dimensions**

A. Usable cab to rear axle	89.4"	109.1"	127.2"
B. Wheelbase	114.6"	134.3"	152.4"
C. Overall length (end of frame)	228.2"	247.9"	266.0"
Body size accommodated	12' 14'	16'	

#### Weight (lb.)\*

110.9.11 (1.0.)			
GVWR/GAWR	14,050	Front 5,360	Rear 9,880
GCWR MT/AT	19,503		
Max. body-payload capacity	8,315		

<sup>\*</sup>Weight approximate. See dealer for details.



# MITSUBISHI FUSO TRUCK OF AMERICA, Inc.

2015 Center Square Road Logan Twp., NJ 08085

For the dealer nearest you, or for more information, visit our web site at:

www.mitfuso.com

Vehicle specifications are subject to change without notice. Photos and descriptions included on this spec sheet may vary in comparison to actual vehicle models.

For warranty limitations and details, see your local dealer.

☼ ₱ PRINTED IN THE U.S.A. ON RECYCLED AND RECYCLABLE PAPER 3/06. ©2006 MITSUBISHI FUSO TRUCK OF AMERICA, Inc.