



**Chevrolet Sales Album**

This Revision Guide contains important changes for your 1970 Chevrolet Sales Album and should be kept in the front of your album for quick reference. The following pages have been revised and replace those currently in your album:

Chevelle—pages 13, 14, 15 and 16

Wagons—pages 21 and 22

Custom Features—pages 13 and 14

Options—pages 15 through 29

Technical Details—pages 1 through 15

Special Features—pages 1 through 4

The new Camaro and Corvette pages are included and should be placed in their respective sections.

Changes affecting pages not reprinted are covered in the following Revision Summary . . .

## Revision Summary

### Chevrolet

page

- 2 *Chevrolet features.* "Fiberglass-belted tires and tire tread indicators" should read: "Bias belted ply tires with tire tread indicators."
- 19 *Chevrolet color and trim.* Vinyl roof cover color choices chart. White vinyl roof cover is now available with *all* exterior colors.

### Monte Carlo

page

- 2 *Monte Carlo features.* "Fiberglass-belted tires and tire tread indicators" should read: "Bias belted ply tires and tire tread indicators."
- 9 *Monte Carlo color and trim.* Vinyl roof cover color choices chart. White vinyl roof cover is now available with *all* exterior colors.
- 16 *Monte Carlo specifications.* Exterior dimensions chart. Change "Front tread 60.2" to: 60.3."

### Chevelle

page

- 1 *Chevelle models and index.* Under "\*\*\*SS 396 equipment available (RPO Z25)" add: "\*\*\*SS 454 equipment available (RPO Z15)."
- 2 *Chevelle features.* "Fiberglass-belted tires and tire tread indicators" should read: "Bias belted ply tires with tire tread indicators."
- 19 *Chevelle interior features.* Column headed: "SS 396" should read: "SS."
- 20 *Chevelle specifications.* Exterior dimension chart. "\*\*\*SS 396: 61.3"" should read: "\*\*\*SS: 61.3"." "\*\*\*SS 396: 60.3"" should read: "\*\*\*SS: 60.3"." Interior roominess chart. "Hip room—front" should be: 59.8"." "Shoulder room—front" should be: "58.2".
- 21 *Chevelle specifications.* Tire size and steering specifications chart. "\*\*\*SS 396—F70 x 14" should read: "\*\*\*SS—F70 x 14."

### Wagons

page

- 2 *Chevrolet Wagon features.* "Fiberglass-belted tires and tire tread indicators" should read: "Bias belted ply tires with tire tread indicators."

### Camaro

page

- 2 *New Camaro features for 1970.* "E78 x 14 bias belted ply tires" should read: "Bias belted ply tires."
- 20 *Camaro interior features.* Column headed "Special Interior Group RPO Z23" should read: "Interior Accent Group RPO Z23."
- 21 *Camaro interior features.* Column headed "Special Interior Group RPO Z23" should read: "Interior Accent Group RPO Z23."

### Chevy Nova

page

- 2 *Chevy Nova features.* "Fiberglass-belted tires and tire tread indicators" should read: "Bias belted ply tires with tire tread indicators."
- 13 *Nova color and trim.* Vinyl roof cover color choices chart. White vinyl roof cover is now available with *all* exterior colors.

Chevelle Sport Coupe



Chevelle 4-Door Sedan



A new standard quality series has been added to the 1970 Chevelle model line. No series name is used; the new models are simply designated "Chevelle." Two body styles are included—a Sport Coupe, and a 4-Door Sedan.

**Interior**—comparable to Malibu except as follows:

- Door sidewalls—equivalent to Greenbrier Station Wagon.
- Seats—equivalent to Greenbrier Station Wagon except cloth cushion and backrest inserts standard (pattern identical to Nova standard cloth—in Black, Medium Blue and Dark Green); Black all-vinyl interior, identical to Greenbrier, available at extra cost.

- Sunshades—padded narrow type (no provision for securing inboard end).
- Rearview mirror support—hookless type (no provision for securing inboard end of sunshades).
- Floor covering—color-keyed rubber.
- Steering wheel emblem (same as Greenbrier).
- Glove compartment light deleted.
- Luggage compartment mat deleted.

**Exterior**—comparable to Malibu except as follows:

- Bright moldings deleted: grille moldings, body sill moldings, body belt and fender peak moldings, and roof drip moldings.
- Nameplates and emblems deleted: grille emblem, front fender series nameplate, and standard V8 engine emblem.
- Windshield wipers—exposed in park position; bright windshield reveal molding with narrow lower section.
- Taillights—silver finish accents deleted.

## New Chevelle series

1970 Chevrolet		
Caprice	V8	6
Coupe	16647	
Sedan	16639	
Impala		
Custom Coupe	16447	
Sport Coupe	16437	16337
Sport Sedan	16439	
Convertible	16467	
4-Door Sedan	16469	16369
Bel Air		
4-Door Sedan	15669	15569
Biscayne		
4-Door Sedan	15469	15369

Index	
Chevrolet Features.....	2
Caprice Coupe.....	4
Caprice Sedan.....	5
Caprice Interiors.....	6
Impala Custom Coupe.....	8
Impala Sport Coupe.....	9
Impala Sport Sedan.....	10
Impala 4-Door Sedan.....	11
Impala Convertible.....	12
Impala Interiors.....	13
Bel Air 4-Door Sedan.....	14
Bel Air Interiors.....	15
Biscayne 4-Door Sedan.....	16
Biscayne Interiors.....	17
Color and Trim.....	18
Power Teams.....	20
Exterior Features.....	22
Interior Features.....	24
Specifications.....	26

All illustrations and specifications shown are based on latest product information available at time of publication approval. The right is reserved to make changes at any time without notice in prices, colors, materials, equipment, specifications, and models and also to discontinue models.



### **New Chevrolet features for 1970 . . .**

- New front styling with new grille, new hood, new front fenders, new headlight framing, and new front bumper
- New rear bumper styling with recessed vertical taillights
- New side marker lights front and rear
- Caprice exterior features include new color-accented wheel covers
- New interior trim styling
- New interior color choices
- New power choice with a new larger, more powerful standard V8 and four other V8 engines available ranging up to 390 horsepower, plus a standard six
- Three new big-inch V8 engines available
- New transmission-controlled spark advance contributes to smoother acceleration and improved exhaust emission control
- New slim-line spark plugs for six and Turbo-Jet V8 engines
- New lower profile fiberglass-belted tires and 15" wheels
- Power disc brakes (disc front) standard on Caprice Coupe, Caprice Sedan, and Impala Custom Coupe

- Variable-ratio power steering now available for all models

### **Safety and security features . . .**

#### Occupant Protection

- Seat belts with pushbutton buckles for all passenger positions
- Shoulder belts with pushbutton buckles—driver and right front passenger (except Convertible)
- Two front seat head restraints
- Energy-absorbing steering column
- Passenger-guard door locks with forward-mounted front door lock buttons
- Safety door latches and hinges
- Folding seat back latches
- Energy-absorbing instrument panel and front seat back tops
- Contoured windshield header (except Convertible)
- Thick-laminate windshield
- Padded sun visors
- Safety armrests
- Safety steering wheel
- Side-guard beam door structure
- Cargo-guard luggage compartment

#### Accident Prevention

- Side marker lights and reflectors
- Parking lights that illuminate with headlights
- Four-way hazard warning flasher
- Back-up lights
- Lane-change feature in direction signal control
- Windshield defroster, washers and dual-speed wipers
- Wide-view inside day-night mirror (vinyl-edged, shatter-resistant glass and deflecting support)
- Outside rearview mirror
- Fiberglass-belted tires and tire tread wear indicators
- Dual master cylinder brake system with warning light
- Starter safety switch
- Dual-action safety hood latches

#### Anti-Theft

- Anti-theft ignition key warning buzzer
- Anti-theft steering column lock

### **Traditional quality features . . .**

- Hide-A-Way wipers
- Full door-glass styling on all models

- Curved side windows
- Astro Ventilation system with large rectangular vent-ports on instrument panel
- Foot-operated parking brake
- Deep-twist carpet floor covering
- Efficient valve-in-head engine design
- Quiet hydraulic valve lifters
- Positive-shift starter
- Energizer-type battery
- Automatic choke on all engines
- Advanced accessory drive system on all V8 engines
- Delcotron generator
- 7-main bearing six-cylinder engine with fully counterweighted crankshaft
- Magic-Mirror acrylic lacquer finish
- Flush-and-dry rocker panels
- Built-in blended air heater and defroster system
- Keyless locking of all doors
- Inner fenders front and rear
- Full Coil suspension
- Separate perimeter-type frame
- Advanced body mounting system
- All-welded Body by Fisher
- Self-adjusting brakes
- Precise Ball-Race steering









4 / Caprice Coupe









6 / Caprice brocade cloth and vinyl interior





**Caprice custom knit cloth interior / 7**





**8 / Impala Custom Coupe**





**Impala Sport Coupe / 9**









**Impala 4-Door Sedan / 11**









Impala all-vinyl interior—standard on Convertible; available on all other models.



Impala standard pattern cloth and vinyl interior for all models except Convertible.










All-vinyl interior available for Bel Air.



Bel Air standard pattern cloth and vinyl interior.









**Biscayne all-vinyl interior / 17**

# Interior Trim

models	seat style	Black knit cloth vinyl			Blue knit cloth*			Gold		Dark Green knit cloth vinyl			Red vinyl	Saddle vinyl	Sandalwood cloth vinyl	Turquoise cloth
Caprice Sedan and Coupe	conventional	813			822			840		855					870	845
Impala Sport Coupe	conventional	805	806		820	821		837		860	861	866	830		828	844
Impala Custom Coupe	conventional	805	806		820	821		837	841	860	861			830	828	844
Impala Sport Sedan	conventional	805	806		820	821		837		860	861				828	844
Impala 4-Door Sedan	conventional	805	806		820	821		837		860	861				828	844
Impala Convertible	conventional		806								861	866	830			
Bel Air 4-Door Sedan	conventional	803	804		818	819		836		848						
Biscayne 4-Door Sedan	conventional		802		815			843								

\*Dark Blue

## Exterior Colors

	code								
Gobi Beige	50	*			*	*	*	*	
Tuxedo Black	19	*		*	*	*	*	*	*
Astro Blue	25	*		*				*	
Fathom Blue	28	*		*				*	
Black Cherry	78	*					*	*	*
Desert Sand	63	*					*	*	*
Champagne Gold	55	*			*	*	*	*	*
Autumn Gold	58	*			*	*	*	*	*
Green Mist	45	*			*	*	*	*	*
Forest Green	48	*			*	*	*	*	*
Cranberry Red	75	*			*	*	*	*	*
Cortez Silver	14	*		*			*	*	*
Shadow Gray	17	*		*			*	*	*
Misty Turquoise	34	*					*	*	*
Classic White	10	*		*	*	*	*	*	*

## Two-tone Combinations

lower color	code	upper color	code						
Astro Blue	25	Fathom Blue	28	*	*			*	
Astro Blue	25	Classic White	10	*	*			*	
Fathom Blue	28	Astro Blue	25	*	*			*	
Champagne Gold	55	Classic White	10	*	*	*	*	*	*
Autumn Gold	58	Classic White	10	*	*	*	*	*	*
Desert Sand	63	Classic White	10	*	*	*	*	*	*
Misty Turquoise	34	Classic White	10	*	*	*	*	*	*

# Vinyl Roof Cover Color Choices (RPO C08)

vinyl roof color	code	exterior color availability
White	AA	all exterior colors except Shadow Gray
Black	BB	all exterior colors
Dark Blue	CC	Astro Blue, Fathom Blue, Cortez Silver, Classic White
Dark Green	GG	Green Mist, Forest Green, Classic White
Dark Gold	HH	Champagne Gold, Autumn Gold, Gobi Beige

Note: Caprice Coupe and Impala Custom Coupe roof rear quarter belt moldings include matching vinyl insert when vinyl roof cover is ordered.

## Convertible Top Colors

Choice of white or black convertible top available with all exterior colors.

## Seat and Shoulder Belt Colors

interior trim color	standard style belts	custom deluxe belts*
Black	Black	Black
Blue	Dark Blue	Dark Blue
Gold	Medium Gold	Medium Gold
Green	Dark Green	Dark Green
Red	Black	Medium Red
Saddle	Black	Medium Saddle
Sandalwood	Black	Medium Sandalwood
Turquoise	Black	Dark Turquoise

\*Available at extra cost. Note: Standard seat and shoulder belt buckles color-keyed; custom deluxe buckles brush-finished.

## Body Side Molding Insert Colors—Caprice and Impala

exterior color	Caprice body side molding insert colors	Impala body side molding insert colors
Gobi Beige	Yellow-Beige	Dark Gold
Tuxedo Black	Black	Black
Astro Blue	Medium Blue	Dark Blue
Fathom Blue	Dark Blue	Dark Blue
Black Cherry	Maroon	Black
Desert Sand	Light Saddle	Black
Champagne Gold	Medium Gold	Dark Gold
Autumn Gold	Dark Gold	Dark Gold
Green Mist	Medium Green	Dark Green
Forest Green	Dark Green	Dark Green
Cranberry Red	Red	Red
Cortez Silver	Silver	Black
Shadow Gray	Gray	Black
Misty Turquoise	Turquoise	Black
Classic White	White	Black

## Engines, Transmissions and Axle Ratios

engines	transmissions and rear axle ratios			
	3-Speed (2.85:1 low)	3-Speed (2.54:1 low)	Powerglide	Turbo Hydra-matic
Standard six 155-hp Turbo-Thrift 250 Six†	3.08		3.08	2.73
Standard V8 250-hp Turbo-Fire 350 V8		3.08	2.73	2.56
(RPO L48) 300-hp Turbo-Fire 350 V8			3.08	2.73
(RPO LF6) 265-hp Turbo-Fire 400 V8				2.56
(RPO LS4) 345-hp Turbo-Jet 454 V8				2.56
(RPO LS5) 390-hp Turbo-Jet 454 V8				2.73

Note: Positraction rear axle available in all axle ratios.

†Not available on Caprice, Impala Custom Coupe, Sport Sedan, Convertible, or with air conditioning.

## Equipment Included With Optional\* V8 Engines

Important equipment is included with optional\* V8 engines, supplementing or replacing equipment included with the standard V8. Other specialized equipment is also available.

	300-hp 350	265-hp 400	345-hp 454	390-hp 454
Special front and rear springs	*	*	*	*
Heavier duty axle assembly with two upper control arms	*	*	*	*
Rear axle ring gear—8.875" dia.	*†	*	*	*
Single exhaust (2½-in. dia.)	*	*	*	*
Dual exhaust (2½-in. dia.)	*	*	*	*
Larger capacity radiator		*	*	*
Larger in-line fuel filter and vapor return line to fuel tank			*	*
Heavier duty battery	*	*	*	*
G78 x 15 tires	*			
H78 x 15 tires		*‡	*‡	*‡

\* Optional at extra cost.

† Turbo Hydra-matic only.

‡ Includes 15" x 6" wheels.

# Transmissions

	engine	transmission gear ratios (:1)				shift selector location
		1	2	3	R	
3-Speed Fully Synchronized (standard)	155-hp 6	2.85	1.68	1.00	2.95	column
	250-hp V8	2.54	1.50	1.00	2.63	
Powerglide (RPO M35)	155-hp 6	Drive (max.)—3.82:1 to 1:1 Low and Reverse—3.82:1 to 1.82:1				column
	250-hp V8 300-hp V8	Drive (max.)—3.70:1 to 1:1 Low and Reverse—3.70:1 to 1.76:1				
Turbo Hydra-matic (RPO M40)	155-hp 6 250-hp V8 265-hp V8 300-hp V8	Drive (max.)—5.29:1 to 1:1 Low 2—5.29:1 to 1.52:1 Low 1—5.29:1 to 2.52:1 Reverse—4.05:1 to 1.93:1				column
	345-hp V8 390-hp V8	Drive (max.)—5.21:1 to 1:1 Low 2—5.21:1 to 1.48:1 Low 1—5.21:1 to 2.48:1 Reverse—4.37:1 to 2.08:1				

## Clutches for Chevrolet 3-Speed Transmission Power Teams

	155-hp Turbo-Thrift 250 Six	250-hp Turbo-Fire 350 V8
Clutch Type	diaphragm spring with single dry disc	semi-centrifugal bent-finger diaphragm spring with single dry disc
Disc facing material	woven asbestos	premium grade woven asbestos
Disc facing outside diameter	9.12"	10.34"
Disc facing total area (sq. in.)	71.82	101.54
Spring effective plate load (lbs.)	1650-1850	2100-2300



*Caprice*  
BY CHEVROLET



*Impala*




*Bel Air*




*Biscayne*



Hub cap—standard on all models except Caprice




Caprice standard wheel cover



Full wheel cover (RPO PO1) available for Impala, Bel Air and Biscayne



Special Wheel Cover (RPO PO2) available for all models with 15 x 6 JK wheels



Rally Wheels (RPO ZJ7) available for all models

**Chevrolet Exterior Features**

	Caprice	Impala	Bel Air	Biscayne
Silver-finish upper and lower grille	(a)	(a)	*	*
Bright lower grille valance panel	*	*		
Body color lower grille valance panel			*	*
Amber lenses over parking/direction signal lights		*	*	*
White lenses over parking/direction signal lights	*			
Windshield molding	*	*	*	*
Hide-A-Way windshield wipers	*	*	*	*
Hood rear edge molding	*	*	*	*
Front fender engine emblems	*	*	*	*
Series nameplate on front fenders (except Impala Custom Coupe)		*	*	*
Series nameplates on roof rear quarter	*	(b)		
Full door-glass styling	*	*	*	*
Rectangular outside rearview mirror	*	*	*	*
Side marker lights—front and rear	*	*	*	*
Bright side window moldings (4-Door Sedan only)		*		
Bright roof drip moldings	*	(c)		
Body side moldings with protective color-accented vinyl insert		*		
Body side moldings (color-accented on Caprice)	*		*	
Body sill moldings	*	*		*
Wheel opening moldings	*	*		
Color-accented wheel covers	*			
Hub caps		*	*	*
Rear window molding	*	*	*	*
Series nameplate on deck lid	*			
Chevrolet nameplate on deck lid		*	*	*
Color-accented deck lid molding	*			
Black-accented roof rear quarter belt moldings (color-keyed when vinyl roof cover ordered)	*	(b)		
Triple-unit rear lights with bright accents	*			
Triple-unit rear lights with silver-finish accents		*		
Dual-unit rear lights			*	*

(a) With bright horizontal center bars in upper grille.


(b) Impala Custom Coupe only.

(c) Impala Custom Coupe, Sport Coupe and Sport Sedan only.

## Chevrolet Interior Features

	Caprice	Impala	Bel Air	Biscayne
Oval steering wheel with horn tabs and emblem	*	*	*	*
Simulated wood accents on instrument panel, steering wheel, and doors	*	*	*	*
Bright instrument cluster outline molding	*	*	*	*
Astro Ventilation vent-ports	*	*	*	*
Electric clock	*	*	*	*
Automatic ignition key alarm	*	*	*	*
Glove compartment light	*	*	*	*
Glove compartment lock	*	*	*	*
Illuminated heater control panel	*	*	*	*
Cigarette lighter	*	*	*	*
Oil pressure, temperature, and generator warning lights	*	*	*	*
Parking brake and brake system warning light	*	*	*	*
Color-keyed turn signal and shift lever knobs	*	*	*	*
Padded instrument panel and sun visors	*	*	*	*
Instrument panel series nameplate	*	*	*	*

\*Optional at extra cost



## Chevrolet Interior Features

	Caprice	Impala	Bel Air	Biscayne
Convenient T-handle parking brake release	*	*	*	*
Courtesy lights under instrument panel	*	(a)		
Bright pedal trim	*			
Day-night rearview mirror	*	*	*	*
Foot-operated parking brake	*	*	*	*
Forward-mounted front door lock buttons	*	*	*	*
Armrests front and rear with bright accents	*			
Scuff-resistant plastic cowl side panels	*	*	*	*
Armrests front and rear			*	*
Bright-accented window regulator handles	*	*	*	*
Automatic interior light switches in front doors (Caprice front and rear)	*	*	*	*
Bright front seat end panels	*			
Brocade cloth and vinyl interior or custom knit nylon	*			
Pattern cloth and vinyl trim for closed models. All-vinyl standard on Convertible—available on other models		*		
Pattern cloth and vinyl interior standard. Optional all-vinyl interior available			*	
All-vinyl interior standard				*
Fold-down center armrest on sedan front seat	*			
Foam-cushioned front and rear seats—extra-thick in front	*	*		
Foam-cushioned front seat			*	*
Color-keyed deep-twist carpeting	*	*	*	*
Center dome light	*	(b)	*	*
Vinyl-coated luggage compartment mat	*	*		
Automatic luggage compartment light	*	*		

(a) Convertible only

(b) Except Convertible

## Exterior Dimensions

	Caprice		Custom Coupe	Sport Coupe	Impala Sport Sedan	Convertible	4-Door Sedan	Bel Air 4-Door Sedan	Biscayne 4-Door Sedan
	Coupe	Sedan							
Wheelbase	119.0	119.0	119.0	119.0	119.0	119.0	119.0	119.0	119.0
Length (overall)	216.0	216.0	216.0	216.0	216.0	216.0	216.0	216.0	216.0
Width (overall)	79.8	79.8	79.8	79.8	79.8	79.8	79.8	79.8	79.8
Height (loaded)	54.2	54.5	54.2	54.7	54.5	54.6	55.5	55.5	55.5
Front tread	63.4	63.4	63.4	63.4	63.4	63.4	63.4	63.4	63.4
Rear tread	63.3	63.3	63.3	63.3	63.3	63.3	63.3	63.3	63.3

## Interior Roominess

Head room—front	37.7	38.0	37.7	38.3	38.0	38.5	38.8	38.8	38.8
Head room—rear (2nd seat)	37.5	37.6	37.5	37.8	37.6	37.9	37.8	37.8	37.8
Leg room—front seat	42.3	42.3	42.3	42.3	42.3	42.3	42.4	42.4	42.4
Leg room—rear seat (2nd seat)	33.9	37.6	33.9	33.9	37.6	33.9	38.3	38.3	38.3
Hip room—front	63.6	63.7	63.6	63.6	63.7	63.6	63.6	63.6	63.6
Hip room—rear (2nd seat)	55.5	62.9	55.5	55.5	62.9	55.5	62.8	62.8	62.8
Shoulder room—front	61.8	62.3	61.8	61.8	62.3	61.8	62.3	62.3	62.3
Shoulder room—rear (2nd seat)	60.9	61.3	60.9	60.9	61.3	62.4	61.3	61.3	61.3
Front entrance height	29.7	29.8	29.7	29.7	29.8	30.8	30.4	30.4	30.4
Rear entrance height	—	29.8	—	—	29.8	—	30.0	30.0	30.0

## Luggage Compartment

	Caprice		Custom Coupe	Sport Coupe	Impala Sport Sedan	Convertible	4-Door Sedan	Bel Air 4-Door Sedan	Biscayne 4-Door Sedan
	Coupe	Sedan							
Maximum opening width	55.5	55.5	55.5	55.5	55.5	55.5	55.5	55.5	55.5
Loading height	26.6	26.8	26.6	26.6	26.8	26.5	27.2	27.2	27.2
Interior length (max.)	64.3	64.3	64.3	64.3	64.3	64.3	64.3	64.3	64.3
Interior width (max.)	74.0	74.0	74.0	74.0	74.0	74.0	74.0	74.0	74.0
Interior height (max.)	21.0	21.0	21.0	21.0	21.0	21.0	21.0	21.0	21.0
Total volume (cu. ft.)	28.7	28.7	28.7	28.7	28.7	28.7	28.7	28.7	28.7
Usable luggage space (cu. ft.)	18.6	18.5	18.6	18.1	18.5	17.5	18.5	18.5	18.5

## Glass Area

Windshield glass area (sq. in.)	1354.4		1354.4				1396.2	1396.2	1396.2
Rear window glass area (sq. in.)	933.2	1334.9	933.2	1029.1	1334.9	767.3	1230.4	1230.4	1230.4
Total glass area (sq. in.)	3637.2	4143.9	3637.2	3929.5	4143.9	3453.3	4038.8	4038.8	4038.8

## Tire Size & Steering Specifications

Standard tire size	G78 x 15	G78 x 15		F78 x 15	F78 x 15
Turning circle—curb-to-curb (ft.)	42.5	42.5		42.5	42.5
Turning circle—wall to wall (ft.)	45.6	45.6		45.6	45.6
Steering ratio—std. (overall)	30.8:1	30.8:1		30.8:1	30.8:1
Steering ratio—power (overall)	19.3:1 to 15.5:1				

## Fuel Capacity & Weight

Rated fuel tank capacity (gallons)	24		24				24	24	
Curb weight—Six (lbs.)	—	—	—	3770	—	—	3785	3735	3730
Curb weight—V8 (lbs.)	3950	4035	3930	3915	4000	3975	3930	3890	3890
Shipping weight—Six (lbs.)	—	—	—	3640	—	—	3655	3605	3600
Shipping weight—V8 (lbs.)	3820	3905	3800	3790	3870	3845	3800	3765	3760



Coupe V8  
13857\*  
\*Monte Carlo SS equipment available  
(RPO Z20)

Index

Monte Carlo Features.....	2
Monte Carlo Coupe.....	4
Monte Carlo SS.....	5
Monte Carlo Coupe Interiors.....	6
Color and Trim.....	8
Power Teams.....	10
Exterior Features.....	12
Interior Features.....	14
Specifications.....	16

### **New Monte Carlo features . . .**

- Elegant prestige car styling characterized by smooth, flowing lines and subtle sculptured surfaces—dramatically emphasized by the longest hood ever produced by Chevrolet
- Formal coupe roof styling
- Rich front end look with bright precision-cast grille, exclusive new high-output single headlights mounted in square frames, and large parking/turn signal lights
- Bright wheel opening moldings
- Full wheel covers standard equipment
- Back-up lights built into rear bumper
- Premium-quality interior trim and appointments
- Rich simulated wood burl accents on instrument panel and steering wheel
- Electric clock standard equipment
- Deep-twist carpeting on floors, lower door trim panels, and lower edge of front seat back
- Two-spoke steering wheel with dual horn tabs
- Vinyl assist grips on doors
- Armrests front and rear
- Extra-thick foam cushioned seats
- Bright door lock buttons

- Wide power choice with a large standard V8 and three other available V8 engines, plus 360-hp V8 for Monte Carlo SS
- Powerful standard V8 (250-hp Turbo-Fire 350) with two-barrel carburetion operates on regular fuel
- Big-inch V8 option (265-hp Turbo-Fire 400) designed for regular fuel
- Transmission-controlled spark advance
- Slim-line spark plugs for Turbo-Jet V8 engines
- Turbo Hydra-matic available with all engines
- Fiberglass-belted tires and 15" wheels standard equipment
- Power disc brakes (disc front) standard equipment
- Finned rear brake drums
- Variable-ratio power steering available

### **Safety and security features . . .**

#### Occupant Protection Features

- Seat belts with pushbutton buckles for all passenger positions
- Shoulder belts with pushbutton buckles—driver and right front passenger
- Two front seat head restraints
- Energy-absorbing steering column
- Passenger-guard door locks with forward-mounted lock buttons
- Safety door latches and hinges
- Folding seat back latches

- Energy-absorbing padded instrument panel and front seat back tops
- Contoured windshield header
- Thick-laminate windshield
- Padded sun visors
- Safety armrests
- Safety steering wheel
- Side-guard beam door structure
- Cargo-guard luggage compartment

#### Accident Prevention Features

- Side marker lights and reflectors
- Parking lights that illuminate with headlights
- Four-way hazard warning flasher
- Back-up lights
- Lane-change feature in direction signal control
- Windshield defroster, washers and dual-speed wipers
- Wide-view inside day-night mirror (vinyl-edged, shatter-resistant glass and deflecting support)
- Outside rearview mirror
- Fiberglass-belted tires and tire tread wear indicators
- Dual master cylinder brake system with warning light
- Starter safety switch
- Dual-action safety hood latches

#### Anti-Theft Features

- Anti-theft ignition key warning buzzer
- Anti-theft steering column lock

### **Traditional Chevrolet quality features . . .**

- Astro Ventilation system with vent-ports on instrument panel
- Full door-glass styling
- Suspended accelerator pedal
- Efficient valve-in-head engine design
- Quiet hydraulic valve lifters
- Positive-shift starter
- Automatic choke on all engines
- Advanced accessory drive system
- Delcotron generator
- Long-life exhaust system
- Hide-A-Way windshield wipers
- Flush-and-dry rocker panels
- Magic-Mirror acrylic lacquer finish
- Curved side windows
- Flush-mounted windshield and rear window bonded to body
- Built-in blended air heater and defroster system
- Inner fenders front and rear
- Full Coil suspension with computer-selected springs
- Separate perimeter-type frame
- Advanced body mounting system
- Precise Ball-Race steering
- Self-adjusting brakes
- Foot-operated parking brake









**4 / Monte Carlo Coupe**






Monte Carlo SS / 5





**6 / Monte Carlo custom knit cloth and vinyl interior**





Monte Carlo Coupe pattern cloth and vinyl interior.



Monte Carlo Strato-bucket seats (RPO A51) in all-vinyl; custom knit cloth and vinyl choice also offered. Available with or without console (RPO D55).



## Interior Trim

model	seat style	Black		Blue	Dark Blue	Gold	Dark Green		Saddle	Sandalwood
		knit cloth	vinyl	cloth	knit cloth	cloth	knit cloth	vinyl	vinyl	cloth
Coupe	conventional	748		758	767	774	780			792
	Strato-bucket (RPOA51)	749	757					784	769	

## Exterior Colors

	code							
Gobi Beige	50	•			•	•	•	•
Tuxedo Black	19	•		•	•	•	•	•
Astro Blue	25	•		•				•
Fathom Blue	28	•		•				•
Black Cherry	78	•					•	•
Desert Sand	63	•					•	•
Champagne Gold	55	•			•	•	•	•
Autumn Gold	58	•			•	•	•	•
Green Mist	45	•				•	•	•
Forest Green	48	•			•	•	•	•
Cranberry Red	75	•					•	•
Cortez Silver	14	•		•		•	•	•
Shadow Gray	17	•		•		•	•	•
Misty Turquoise	34	•						•
Classic White	10	•		•	•	•	•	•

## Two-tone Combinations

lower color	code	upper color	code						
Astro Blue	25	Fathom Blue	28	•	•				•
Astro Blue	25	Classic White	10	•	•				•
Fathom Blue	28	Astro Blue	25	•	•				•
Champagne Gold	55	Classic White	10	•		•	•	•	•
Autumn Gold	58	Classic White	10	•		•	•	•	•
Desert Sand	63	Classic White	10	•				•	•
Misty Turquoise	34	Classic White	10	•			•		•

### Vinyl Roof Cover Color Choices (RPO C08)

vinyl roof color	code	exterior color availability
White	AA	all exterior colors except Shadow Gray
Black	BB	all exterior colors
Dark Blue	CC	Astro Blue, Fathom Blue, Cortez Silver, Classic White
Dark Green	GG	Green Mist, Forest Green, Classic White
Dark Gold	HH	Champagne Gold, Autumn Gold, Gobi Beige

Note: Roof and rear quarter belt molding inside surfaces match vinyl roof color.

### Seat and Shoulder Belt Colors

interior trim color	standard style belts	custom deluxe belts*
Black	Black	Black
Blue	Dark Blue	Dark Blue
Gold	Medium Gold	Medium Gold
Green	Dark Green	Dark Green
Saddle	Black	Medium Saddle
Sandalwood	Black	Medium Sandalwood

\*Available at extra cost. Note: Standard seat and shoulder belt buckles color-keyed; Custom Deluxe buckles brush-finished.



## Engines, Transmissions and Axle Ratios

engines	transmissions and rear axle ratios				
	3-Speed (2.54:1 low)	4-Speed (2.54:1 low)	4-Speed (2.52:1 low)	Powerglide	Turbo Hydra-matic
Standard V8 250-hp Turbo-Fire 350 V8	3.08	3.36		3.08	2.73
(RPO L48) 300-hp Turbo-Fire 350 V8			3.31	2.73	2.73
(RPO LF6) 265-hp Turbo-Fire 400 V8			3.31		2.73
(RPO LS3) 330-hp Turbo-Jet 400 V8			3.31		3.31
360-hp Turbo-Jet 454 V8 (Included with Monte Carlo SS RPO Z20)					3.31

Note: Positraction rear axle available in all axle ratios.

## Equipment Included With Optional\* V8 Engines

Important equipment is included with optional\* V8 engines, supplementing or replacing equipment included with the standard V8. Other specialized equipment is also available.

	300-hp 350	265-hp 400	330-hp 400	360-hp 454**
Special front and rear springs	•	•	•	•
Heavier duty front shock absorbers				•
Heavier duty axle assembly with two upper control arms	•†	•	•	•
Rear axle ring gear—8.875" dia.	•†	•	•	•
Single exhaust (2½-in. dia.)	•	•		
Dual exhaust (2½-in. dia.)			•	•
Larger capacity radiator		•	•	•
Larger in-line fuel filter and vapor return line to fuel tank			•	•
Heavier duty battery	•	•	•	•
15" x 7" wheels				•
Automatic Level Control				•

\*Optional at extra cost. \*\*Included with Monte Carlo SS equipment (RPO Z20).

† Except Powerglide.



## Transmissions

	engine	transmission gear ratios (:1)					shift selector locations		
		1	2	3	4	R	column	floor	console*
3-Speed Fully Synchronized (standard)	250-hp V8	2.54	1.50	1.00		2.63	•		
4-Speed Fully Synchronized (RPO M20)	250-hp V8	2.54	1.80	1.44	1.00	2.54		•	•
	300-hp V8	2.52	1.88	1.46	1.00	2.59			
	265-hp V8 330-hp V8								
Powerglide (RPO M35)	250-hp V8 300-hp V8	Drive (max.)—3.70:1 to 1:1 Low and Reverse—3.70:1 to 1.76:1					•		•
Turbo Hydra-matic (RPO M40)	250-hp V8 265-hp V8 300-hp V8	Drive (max.)—5.29:1 to 1:1 Low 2—5.29:1 to 1.52:1 Low 1—5.29:1 to 2.52:1 Reverse—4.05:1 to 1.93:1					•		•
	330-hp V8 360-hp V8	Drive (max.)—5.21:1 to 1:1 Low 2—5.21:1 to 1.48:1 Low 1—5.21:1 to 2.48:1 Reverse—4.37:1 to 2.08:1							

\*Optional at extra cost

## Clutches for Monte Carlo 3- and 4-Speed Transmission Power Teams

	250-hp 350 V8	300-hp 350 V8	265-hp 400 V8	330-hp 400 V8	360-hp 454 V8
Clutch type	Semi-centrifugal bent-finger design diaphragm spring with single dry disc				
Disc facing material	Premium grade woven asbestos				
Disc facing outside diameter	10.34"	11.00"			
Disc facing total area (sq. in.)	101.54	127.30			
Spring effective plate load (lbs.)	2100-2300	2450-2750			





*Monte Carlo*

Monte Carlo Coupe



**SS454**

Monte Carlo SS



Monte Carlo standard wheel cover Special Wheel Cover (RPO PA3)

Rally Wheel (RPO ZJ7)



## Monte Carlo Exterior Features

	Monte Carlo Coupe	Monte Carlo SS
Bright precision-cast grille with center crest	•	•
High-output single headlights with square, bright frames	•	•
Circular parking/direction signal lights built into front bumper	•	•
Hood windsplit molding	•	•
Windshield molding	•	•
Hide-A-Way windshield wipers	•	•
Hood rear edge molding	•	•
Full door-glass styling	•	•
Monte Carlo roof rear quarter nameplate	•	•
SS 454 nameplate in front fender lower molding		•
Rectangular outside rearview mirror	•	•
Bright roof drip moldings	•	•
Bright door and rear quarter belt moldings	EC	EC
Side marker lights—front and rear	•	•
Black-accented lower body, body sill and fender moldings	•	•
Bright wheel opening moldings	•	•
Full wheel covers	•	
Rear window molding	•	•
Bright rear molding	•	•
Single-unit vertical taillights with bright accents	•	•
Rectangular back-up lights built in rear bumper	•	•
Bright twin tailpipe extensions		•

EC—Extra cost



## Monte Carlo Interior Features

	Coupe	SS
Oval steering wheel with horn tabs and emblem	•	•
Simulated wood burl accents on instrument panel and steering wheel	•	•
Simulated wood instrument cluster surface	•	•
Astro Ventilation vent-ports	•	•
Electric clock	•	•
Automatic ignition key alarm	•	•
Glove compartment lock and light	•	•
Illuminated heater control panel	•	•
Cigarette lighter	•	•
Oil pressure, temperature, and generator warning light	•	•
Parking brake and brake system warning light	•	•
Color-keyed turn signal and shift lever knobs	•	•
Padded instrument panel and sun visors	•	•





## Monte Carlo Interior Features

	Coupe	SS
Convenient T-handle parking brake release	•	•
Wide day-night rearview mirror	•	•
Foot-operated parking brake	•	•
Suspended accelerator pedal	•	•
Bright forward-mounted door lock buttons	•	•
Color-accented window regulator handles	•	•
Padded front door armrests with bright accents	•	•
Rear seat armrests with built-in ashtrays	•	•
Scuff-resistant plastic cowl side panels	•	•
Vinyl assist grips on doors	•	•
Pattern cloth and vinyl or luxurious custom knit nylon and vinyl	•	•
Extra-thick foam cushioned front and rear seats	•	•
Deep-twist carpeting on floor, lower door trim panel, and lower edge of front seat back	•	•
Vinyl-coated perforated headlining	•	•
Center dome light with bright bezel	•	•
Vinyl-coated luggage compartment mat	•	•



### Exterior Dimensions

	Coupe
Wheelbase	116.0
Length (overall)	205.8
Width (overall)	75.6
Height (loaded)	52.9
Front tread	60.2
Rear tread	59.3

### Interior Roominess

Head room—front	37.6
Head room—rear	36.3
Leg room—front	42.8
Leg room—rear	32.3
Hip room—front	59.4
Hip room—rear	58.3
Shoulder room—front	58.0
Shoulder room—rear	56.6
Front entrance height	29.5

### Luggage Compartment

	Coupe
Maximum opening width	48.5
Loading height	25.7
Interior length (max.)	49.0
Interior width (max.)	72.0
Interior height (max.)	18.0
Usable luggage space (cu. ft.)	14.6

### Glass Area

Windshield glass area (sq. in.)	1208.7
Rear window glass area (sq. in.)	1059.4
Total glass area (sq. in.)	3493.5

### Tire Size & Steering Specifications

Standard tire size	G78 x 15
Turning circle—curb-to-curb (ft.)	42.2
Turning circle—wall-to-wall (ft.)	45.3
Steering ratio—power (overall)	18.8 to 14.5

### Fuel Capacity & Weight

Rated fuel tank capacity (gallons)	20
Curb weight—(lbs.)	3565
Shipping weight—(lbs.)	3460



## **1970 Chevelle**

---

<b>Malibu</b>	<b>V8</b>	<b>6</b>
<b>Sport Coupe</b>	<b>13637*</b>	<b>13537</b>
<b>Sport Sedan</b>	<b>13639</b>	<b>13539</b>
<b>Convertible</b>	<b>13667*</b>	<b>13567</b>
<b>4-Door Sedan</b>	<b>13669</b>	<b>13569</b>

**\*SS 396 equipment available (RPO Z25)**

## **Index**

---

<b>Malibu Features.....</b>	<b>2</b>
<b>Malibu Sport Coupe.....</b>	<b>4</b>
<b>SS 396 Sport Coupe.....</b>	<b>5</b>
<b>Malibu Sport Sedan.....</b>	<b>6</b>
<b>Malibu 4-Door Sedan.....</b>	<b>7</b>
<b>Malibu Convertible.....</b>	<b>8</b>
<b>SS 396 Convertible.....</b>	<b>9</b>
<b>Malibu Interiors.....</b>	<b>10</b>
<b>Color and Trim.....</b>	<b>12</b>
<b>Power Teams.....</b>	<b>14</b>
<b>Exterior Features.....</b>	<b>16</b>
<b>Interior Features.....</b>	<b>18</b>
<b>Specifications.....</b>	<b>20</b>



## New Chevelle features for 1970 . . .

- New front styling with new grille, hood, and fenders
- New outer body panels
- New rear styling with taillights and back-up lights built into rear bumper
- New front and rear bumpers
- New side marker lights front and rear
- New interior trim styling
- New interior color choices
- New instrument panel and instrument cluster design
- New side-guard beam door structure
- New larger, more powerful standard six
- New big-inch V8 available for Malibu models (330-hp Turbo-Jet 400)
- New higher-output engine included with SS 396 equipment
- New transmission-controlled spark advance contributes to smoother acceleration and improved exhaust emission control
- New slim-line spark plugs for six and Turbo-Jet V8 engines
- New Cowl Induction Hood available for SS 396
- New Sport Stripes available for SS 396 hood and rear deck
- New lower profile fiberglass-belted tires with 14" wheels standard equipment (F70 x 14 design retained with SS 396)

- New oval-shaped rear suspension lower control arm rubber bushing (except SS 396) contributes to a smoother, quieter ride
- Variable-ratio power steering now available for all models
- New finned rear brake drums for improved brake cooling (finned front drums continued except with disc brakes)

## Safety and security features . . .

### Occupant Protection Features

- Seat belts with pushbutton buckles for all passenger positions
- Shoulder belts with pushbutton buckles—driver and right front passenger (except Convertible)
- Two front seat head restraints
- Energy-absorbing steering column
- Passenger-guard door locks with forward-mounted front door lock buttons
- Safety door latches and hinges
- Folding seat back latches
- Energy-absorbing padded instrument panel and front seat back tops
- Contoured windshield header (except Convertible)
- Thick-laminate windshield
- Padded sun visors
- Safety armrests
- Safety steering wheel

- Side-guard beam door structure
- Cargo-guard luggage compartment

### Accident Prevention Features

- Side marker lights and reflectors
- Parking lights that illuminate with headlights
- Four-way hazard warning flasher
- Back-up lights
- Lane-change feature in direction signal control
- Windshield defroster, washers and dual-speed wipers
- Wide-view inside day-night mirror (vinyl-edged, shatter-resistant glass and deflecting support)
- Outside rearview mirror
- Fiberglass-belted tires and tire tread wear indicators
- Dual master cylinder brake system with warning light
- Starter safety switch
- Dual-action safety hood latches

### Anti-Theft Features

- Anti-theft ignition key warning buzzer
- Anti-theft steering column lock

## Traditional quality features . . .

- Astro Ventilation system (Sport Coupe and Convertible models) with vent-ports on instrument panel and full door-glass styling

- Foot-operated parking brake
- Suspended accelerator pedal
- Efficient valve-in-head engine design
- Quiet hydraulic valve lifters
- Positive-shift starter
- Energizer-type battery
- Automatic choke on all engines
- Advanced accessory drive system on all V8 engines
- Delcotron generator
- 7-main bearing six-cylinder engine with fully counterweighted crankshaft
- Magic-Mirror acrylic lacquer finish
- Hide-A-Way windshield wipers
- Flush-and-dry rocker panels
- Curved side windows
- Built-in blended air heater and defroster system
- Inner fenders front and rear
- 112" wheelbase for Sport Coupe and Convertible—116" wheelbase for Sedans
- Full Coil suspension with computer-selected springs
- Separate perimeter-type frame
- Advanced body mounting system
- Self-adjusting brakes
- Precise Ball-Race steering













**SS 396 Sport Coupe / 5**





6 / Malibu Sport Sedan





**Malibu 4-Door Sedan / 7**









**SS 396 Convertible / 9**









Malibu all-vinyl interior—standard on Convertible; available on all other models.



All-vinyl Strato-bucket seats (RPO A51)—available for Sport Coupe and Convertible only. Available with or without console (RPO D55).



## Interior Trim

models	seat style	Black		Blue		Gold		Green		Ivory	Red	Saddle	Turquoise
		cloth	vinyl	cloth	vinyl	cloth	vinyl	cloth	vinyl	vinyl	vinyl	vinyl	cloth
Malibu Sport Coupe	conventional	753	755	762		776		782	795	790	787	770	
	Strato-bucket (RPO A51)		756						796	791	788	771	
Malibu Sport Sedan	conventional	753	755	762		776	777	782	795				779
Malibu 4-Door Sedan	conventional	753	755	762		776		782					779
Malibu Convertible	conventional		755		764					790	787	770	
	Strato-bucket (RPO A51)		756		765					791	788	771	

## Exterior Colors

	code								
Gobi Beige	50	•		•	•	•	•	•	
Tuxedo Black	19	•	•	•	•	•	•	•	•
Astro Blue	25	•	•			•			
Fathom Blue	28	•	•			•			
Black Cherry	78	•				•	•	•	
Desert Sand	63	•				•		•	
Champagne Gold	55	•		•	•	•		•	
Autumn Gold	58	•		•	•	•		•	
Green Mist	45	•			•	•		•	
Forest Green	48	•		•	•	•		•	
Cranberry Red	75	•				•	•	•	
Cortez Silver	14	•	•		•	•	•	•	•
Shadow Gray	17	•	•		•	•	•	•	
Misty Turquoise	34	•				•			•
Classic White	10	•	•	•	•	•	•	•	•

## Two-tone Combinations

lower color	code	upper color	code							
Astro Blue	25	Fathom Blue	28	•	•			•		
Astro Blue	25	Classic White	10	•	•			•		
Fathom Blue	28	Astro Blue	25	•	•			•		
Champagne Gold	55	Classic White	10	•		•	•	•	•	
Autumn Gold	58	Classic White	10	•		•	•	•	•	
Desert Sand	63	Classic White	10	•				•	•	
Misty Turquoise	34	Classic White	10	•				•		•



### Vinyl Roof Cover Color Choices (RPO C08)

vinyl roof color	code	exterior color availability
White	AA	all exterior colors
Black	BB	all exterior colors
Dark Blue	CC	Astro Blue, Fathom Blue, Cortez Silver, Classic White
Dark Green	GG	Green Mist, Forest Green, Classic White
Dark Gold	HH	Champagne Gold, Autumn Gold, Gobi Beige

### Convertible Top Colors

Choice of white or black convertible top available with all exterior colors.

### Seat and Shoulder Belt Colors

interior trim color	standard style belts	custom deluxe belts*
Black	Black	Black
Blue	Dark Blue	Dark Blue
Gold	Medium Gold	Medium Gold
Green	Dark Green	Dark Green
Ivory	Black	Black
Red	Black	Medium Red
Saddle	Black	Medium Saddle
Turquoise	Black	Dark Turquoise

\*Available at extra cost. Note: Standard seat and shoulder belt buckles color-keyed; custom deluxe buckles brush-finished.

### Sport Stripes Colors (RPO D88)—SS only

	SS Coupe without vinyl roof cover	SS Coupe with vinyl roof cover					SS Convertible	
exterior color		White	Black	Dark Green	Dark Blue	Dark Gold	White top	Black top
Gobi Beige	Black	White	Black	—	—	Black	White	Black
Tuxedo Black	White	White	White	—	—	—	White	White
Astro Blue	Black	White	Black	—	Black	—	White	Black
Fathom Blue	White	White	White	—	White	—	White	White
Black Cherry	White	White	White	—	—	—	White	White
Desert Sand	Black	White	Black	—	—	—	White	Black
Champagne Gold	Black	White	Black	—	—	Black	White	Black
Autumn Gold	Black	White	Black	—	—	Black	White	Black
Green Mist	Black	White	Black	Black	—	—	White	Black
Forest Green	White	White	White	White	—	—	White	White
Cranberry Red	Black	White	Black	—	—	—	White	Black
Cortez Silver	Black	White	Black	—	Black	—	White	Black
Shadow Gray	Black	—	Black	—	—	—	—	Black
Misty Turquoise	Black	White	Black	—	—	—	White	Black
Classic White	Black	White	Black	Black	Black	—	Black	Black

Note: Two-tone models have white stripes except Astro Blue (lower) and Fathom Blue (upper) combination which has black stripes



## Engines, Transmissions and Axle Ratios

engines	transmissions and rear axle ratios							
	3-Speed (2.85:1 low)	3-Speed (2.54:1 low)	4-Speed (2.85:1 low)	4-Speed (2.54:1 low)	4-Speed (2.52:1 low)	4-Speed (2.20:1 low)	Powerglide	Turbo Hydra-matic
Standard six 155-hp Turbo-Thrift 250 Six	3.08						3.08	2.73
Standard V8 200-hp Turbo-Fire 307 V8	3.08		3.36				3.08	2.73
(RPO L65) 250-hp Turbo-Fire 350 V8		3.08		3.36			2.73	2.56
(RPO L48) 300-hp Turbo-Fire 350 V8					3.31		2.73	2.73
(RPO LS3) 330-hp Turbo-Jet 400 V8					3.31			3.31
350-hp Turbo-Jet 396 V8 (Included with SS 396 RPO Z25)					3.31	3.31		3.31
360-hp Turbo-Jet 454 V8 (Included with SS 454 RPO Z15)					3.31	3.31		3.31

Note: Positraction rear axle available in all axle ratios.

## Equipment Included With Optional\* V8 Engines

Important equipment is included with optional\* V8 engines, supplementing or replacing equipment included with the standard V8. Other specialized equipment is also available.

	250-hp 350	300-hp 350	330-hp 400	350-hp 396	360-hp 454
Special front and rear springs	•	•	•	•	•
Heavier duty front and rear shock absorbers				•	•
Heavier front stabilizer bar				•	•
Rear suspension frame reinforcement				•	•
Ring gear—8.875" dia.		•†	•	•	•
Single exhaust (2½-in. dia.)	•	•			
Dual exhaust (2½-in. dia.)	•	•	•	•	•
Heavier duty clutch	•	•	•	•	•
F78 x 14 tires	•(a)	•(a)	•(a)		
Wide-oval F70 x 14 white lettered tires with 14" x 7" wheels				•	•
61-ampere-hour battery	•	•	•	•	•
High-flow air cleaner				•	•
Higher performance starting motor	•	•	•	•	•
Special chrome accents on engine*				•	•
Deep cover fuel pump and vapor return line to fuel tank				•	•

(a)F78 x 14 tires standard on Malibu Sport Sedan and Convertible models. \*Optional at extra cost.

†Except Powerglide. •Chrome-finish air cleaner, valve rocker covers and oil filler cap.



## Transmissions

	engine	transmission gear ratios (:1)					shift selector locations		
		1	2	3	4	R	column	floor	console*
3-Speed Fully Synchronized (Standard)	155-hp Six 200-hp V8	2.85	1.68	1.00		2.95	•		
	250-hp V8	2.54	1.50	1.00		2.63			
4-Speed Fully Synchronized (RPO M20)	200-hp V8	2.85	2.02	1.35	1.00	2.85		•	•
	250-hp V8	2.54	1.80	1.44	1.00	2.54			
	300-hp V8 330-hp V8 350-hp V8 360-hp V8	2.52	1.88	1.46	1.00	2.59			
4-Speed Fully Synchronized (RPO M21)	350-hp V8 360-hp V8	2.20	1.64	1.27	1.00	2.26		•	•
Powerglide (RPO M35)	155-hp Six 200-hp V8	Drive (maximum)—3.83:1 to 1:1 Low and reverse—3.82:1 to 1.82:1					•		•
	250-hp V8 300-hp V8	Drive (maximum)—3.70:1 to 1:1 Low and reverse—3.70:1 to 1.76:1							
Turbo Hydra-matic (RPO M40)	155-hp Six 200-hp V8 250-hp V8 300-hp V8	Drive (maximum)—5.29:1 to 1:1 Low 2—5.29:1 to 1.52:1 Low 1—5.29:1 to 2.52:1 Reverse—4.05:1 to 1.93:1					•		•
	330-hp V8 350-hp V8 360-hp V8	Drive (maximum)—5.21:1 to 1:1 Low 2—5.21:1 to 1.48:1 Low 1—5.21:1 to 2.48:1 Reverse—4.37:1 to 2.08:1							

\*Optional at extra cost

## Clutches for Chevelle 3- and 4-Speed Transmission Power Teams

	155-hp Six	200-hp V8	250-hp V8	300-hp V8	330-hp V8	350- & 360-hp V8
	3-Speed	3-Speed 4-Speed	3- & 4-Speed	4-Speed	4-Speed	4-Speed
Clutch Type	diaphragm spring, with single dry disc	semi-centrifugal bent-finger diaphragm spring with single dry disc				
Disc facing material	woven asbestos	premium grade woven asbestos				
Disc facing outside diameter	9.12"	10.34"			11.00"	
Disc facing total area (sq. in.)	71.82	101.54			123.70	
Spring effective plate load (lbs.)	1650-1850	1900-2200*	2100-2300		2450-2750	

\*2100-2300 with 4-speed




MALIBU




SS  
396




SS  
454




Malibu standard  
hub cap




Full Wheel  
Cover (RPO PO1)—  
not available with SS



Special Wheel  
Cover (RPO PO2)—  
not available with SS



Wheel Trim  
Ring (RPO PO6) for  
use with standard hub  
cap—not available with SS



Rally Wheel  
(RPO ZJ7)—not available  
with SS



Sport Wheel—  
included with SS  
equipment



## Chevelle Exterior Features

	Malibu	SS
Silver-finish grille with bright center bar	•	
Black-accented grille with SS emblem		•
Special domed hood		•
Bright grille outline moldings	•	•
Windshield molding	•	•
Hood rear edge molding	•	•
Hide-A-Way windshield wipers	•	•
Amber lenses over parking/direction signal lights	•	
White lenses over parking/direction signal lights		•
Front fender engine emblem—V8 only	•	
Front fender nameplates—Malibu or SS	•	•
Full door-glass styling (Sport Coupe and Convertible only)	•	•
Rectangular outside rearview mirror	•	•
Bright roof drip moldings (except Convertible)	•	•
Side marker lights front and rear	•	•
Front fender peak and body belt moldings	•	
Wide body sill moldings	•	
Front and rear wheel opening moldings		•
Hub caps	•	
Sport wheels		•
Wide-oval white-lettered tires		•
Rear window molding (except Convertible)	•	•
Chevelle nameplate on deck lid	•	•
Bumper-mounted taillights with silver-finish accents	•	•
Black resilient rear bumper panel with SS emblem		•
Bright twin tailpipe extensions		•



## Chevelle Interior Features

	Malibu	SS
Oval steering wheel with horn tabs and Malibu nameplate	•	
Black steering wheel and column with SS emblem		•
Bright instrument cluster outline molding	•	•
Special black-finish instrument panel and cluster		•
Astro Ventilation vent-ports	(a)	•
Automatic ignition key alarm	•	•
Illuminated heater control panel	•	•
Glove compartment lock and light	•	•
Cigarette lighter	•	•
Oil pressure, temperature, and generator warning lights	•	•
Parking brake and brake system warning light	•	•
Color-keyed turn signal and shift lever knobs	•	•
Padded instrument panel and sun visors	•	•

(a) Sport Coupe and Convertible only





## Chevelle Interior Features

	Malibu	SS 396
Convenient T-handle parking brake release	•	•
Courtesy lights under instrument panel (Convertible only)	•	•
Suspended accelerator pedal	•	•
Foot-operated parking brake	•	•
Day-night rearview mirror	•	•
Scuff-resistant plastic cowl side panels	•	•
Color-accented window control handles	•	•
Armrests front and rear	•	•
Forward-mounted front door lock buttons	•	•
Pattern cloth and vinyl interior trim (except Convertible)	•	•
All-vinyl interior trim (standard on Convertible)	EC	EC
All-vinyl Strato-bucket seats (Sport Coupe and Convertible only)	EC	EC
Foam-cushioned front and rear seats—extra-thick in front	•	•
Color-keyed deep-twist carpeting	•	•
Center dome light (except Convertible)	•	•
Vinyl-coated luggage compartment mat	•	•

EC—Extra cost



## Exterior Dimensions

	Malibu			
	Sport Sedan	Sport Coupe	Convertible	4-Door Sedan
Wheelbase	116.0	112.0	112.0	116.0
Length (overall)	201.2	197.2	197.2	201.2
Width (overall)	75.4	75.4	75.4	75.4
Height (loaded)	53.5	52.8	53.2	53.5
Front tread	59.8	59.8*	59.8*	59.8
Rear tread	59.8	59.8**	59.8**	59.8

\*SS 396: 61.3    \*\*SS 396: 60.3

## Interior Roominess

Head room—front	38.1	37.5	38.3	38.4
Head room—rear	37.1	36.3	36.9	37.2
Leg room—front	42.8	42.8	42.8	42.8
Leg room—rear	34.9	32.3	32.3	35.0
Hip room—front	59.5	59.8	59.7	59.8
Hip room—rear	59.2	58.5	50.4	59.3
Shoulder room—front	58.4	58.2	58.2	58.2
Shoulder room—rear	57.2	56.9	47.9	57.4
Front entrance height	30.3	29.5	29.5	30.1
Rear entrance height	29.9	—	—	29.5

## Luggage Compartment

Maximum opening width	48.5	48.5	48.5	48.5
Loading height	26.0	25.7	25.7	26.3
Interior length (max.)	49.0	49.0	49.0	49.0
Interior width (max.)	72.0	72.0	72.0	72.0
Interior height (max.)	18.0	18.0	18.0	18.0
Usable luggage space (cu. ft.)	14.6	14.6	8.5	14.6



## Glass Area

	Malibu			
	Sport Sedan	Sport Coupe	Convertible	4-Door Sedan
Windshield glass area (sq. in.)	1249.6	1208.7	1211.8	1249.6
Rear window glass area (sq. in.)	1032.5	1059.4	539.7	1032.2
Total glass area (sq. in.)	3631.5	3602.1	3011.9	3472.8

## Tire Size & Steering Specifications

Standard tire size—V8 —Six	F78 x 14* E78 x 14			
Turning circle—curb-to-curb (ft.)	42.2	42.2	42.2	42.2
Turning circle—wall-to-wall (ft.)	45.3	45.3	45.3	45.3
Steering ratio—std. (overall)	28.7:1			
Steering ratio—power (overall)	18.8:1 to 14.5:1			

\*SS 396—F70 x 14

## Fuel Capacity & Weight

Rated fuel tank capacity (gallons)	20			
Curb weight—Six (lbs.)	3405	3305	3345	3325
Curb weight—V8 (lbs.)	3515	3410	3455	3435
Shipping weight—Six (lbs.)	3300	3195	3245	3220
Shipping weight—V8 (lbs.)	3410	3305	3350	3330



## 1970 Chevrolet Wagons

### 119" Wheelbase Wagons v8

Kingswood Estate (2-Seat)	16636	
(3-Seat)	16646	
Kingswood (2-Seat)	16436	
(3-Seat)	16446	
Townsmen (2-Seat)	15636	
(3-Seat)	15646	
Brookwood (2-Seat)	15436	

### 116" Wheelbase Wagons v8 6

Concours Estate (2-Seat)	13836	
(3-Seat)	13846	
Concours (2-Seat)	13636	13536
(3-Seat)	13646	
Greenbrier (2-Seat)	13436	13336
(3-Seat)	13446	
Nomad (2-Seat)	13236	13136

### Index

Chevrolet Wagon Features.....	2
Kingswood Estate.....	4
Kingswood Estate Interior.....	5
Kingswood.....	6
Kingswood Interior.....	7
Townsmen.....	8
Townsmen Interior.....	9
Brookwood.....	10
Brookwood Interior.....	11
Concours Estate.....	12
Concours Estate Interior.....	13
Concours.....	14
Concours Interior.....	15
Greenbrier.....	16
Greenbrier Interior.....	17
Nomad.....	18
Nomad Interior.....	19
Color and Trim.....	20
119"-wb Wagon Power Teams.....	22
116"-wb Wagon Power Teams.....	24
119"-wb Wagon Exterior Features.....	26
119"-wb Wagon Interior Features.....	28
116"-wb Wagon Exterior Features.....	30
116"-wb Wagon Interior Features.....	32
Specifications.....	34



### **New Wagon features for 1970...**

- New front styling with new grille, hood, fenders, and bumper
- Built-in rear bumper reflectors (119" wb)
- New interior trim styling
- New interior color choices
- New power choice with a new standard V8 and four other V8 engines ranging up to 390 horsepower (119" wb)
- New larger, more powerful standard V8 (250-hp Turbo-Fire 350) with two-barrel carburetion operates on regular fuel (119" wb)
- Three new big-inch V8 engines—265-hp 400 for regular fuel, plus a 345- and 390-hp 454 (119" wb)
- New transmission-controlled spark advance contributes to smoother acceleration and improved exhaust emission control
- New slim-line spark plugs for six and Turbo-Jet V8 engines
- New lower profile H78 x 15 fiberglass-belted tires and 15 x 6 wheels standard equipment on all models (119" wb)
- Power disc brakes (disc front) standard on Kingswood Estate—available on other models (119" wb)
- New front side marker lights
- New instrument panel design (116" wb)

- New larger, more powerful standard six (116" wb)
- Choice of three V8 engines including a new 330-hp Turbo-Jet 400 (116" wb)
- New lower profile G78 x 14 fiberglass-belted tires and 14 x 5 wheels standard equipment on all models (116" wb)
- Power disc brakes (disc front) standard on all V8 models except Nomad (116" wb)

### **Safety and security features...**

#### Occupant Protection Features

- Seat belts with pushbutton buckles for all passenger positions
- Shoulder belts with pushbutton buckles—driver and right front passenger
- Two front seat head restraints
- Energy-absorbing steering column
- Passenger-guard door locks with forward-mounted front door lock buttons
- Safety door latches and hinges
- Folding seat back latches
- Energy-absorbing padded instrument panel and front and intermediate seat back tops
- Contoured windshield header
- Thick-laminate windshield
- Padded sun visors
- Safety armrests
- Safety steering wheel
- Side-guard beam door structure

#### Accident Prevention Features

- Side marker lights and reflectors
- Parking lights that illuminate with headlights
- Four-way hazard warning flasher
- Back-up lights
- Lane-change feature in direction signal control
- Windshield defroster, washers and dual-speed wipers
- Wide-view inside day-night mirror (vinyl-edged, shatter-resistant glass and deflecting support)
- Outside rearview mirror
- Fiberglass-belted tires and tire tread wear indicators
- Dual master cylinder brake system with warning light
- Starter safety switch
- Dual-action safety hood latches

#### Anti-Theft Features


- Anti-theft ignition key warning buzzer
- Anti-theft steering column lock

### **Traditional quality features...**

- Astro Ventilation system with large rectangular vent-ports on instrument panel—119" wb models

- Full door-glass styling—119" wb models
- Foot-operated parking brake
- All-vinyl interiors standard
- Efficient valve-in-head engine design
- Quiet hydraulic valve lifters
- Positive-shift starter
- Energizer-type battery
- Automatic choke on all engines
- Advanced accessory drive system on all V8 engines
- Delcotron generator
- 7-main bearing six-cylinder engine with fully counterweighted crankshaft—116" wb models only
- Magic-Mirror acrylic lacquer finish
- Dual-action tailgate standard
- Flush-and-dry rocker panels
- Curved side windows
- Built-in blended air heater and defroster system
- Inner fenders front and rear
- Full Coil suspension with computer-selected springs
- Separate perimeter-type frame
- Advanced body mounting system
- Self-adjusting brakes
- Precise Ball-Race steering









4 / Kingswood Estate Wagon





**Kingswood Estate Wagon all-vinyl interior / 5**





6 / Kingswood Station Wagon





**Kingswood Station Wagon all-vinyl interior / 7**






**8 / Townsman Station Wagon**









**Brookwood Station Wagon all-vinyl interior / 11**









Concours Estate Wagon all-vinyl interior / 13





**14 / Concorso Station Wagon**





Concoct Station Wagon all-vinyl interior / 15









**Greenbrier Station Wagon all-vinyl interior / 17**









**Nomad Station Wagon all-vinyl interior / 19**



## Interior Trim

models	seat style	Black vinyl	Blue vinyl	Gold vinyl	Green vinyl	Saddle vinyl
Kingswood Estate Wagon	conventional	806	821	841	861	830
Kingswood Station Wagon	conventional	806	821	841	861	830
Townsmen Station Wagon	conventional	804	819	839		838
Brookwood Station Wagon	conventional	802	815			831
Concours Estate Wagon	conventional	755	764			770
Concours Station Wagon	conventional	755	764			770
Greenbrier Station Wagon	conventional	752	761			773
Nomad Station Wagon	conventional	750	759			772

## Exterior Colors

	code					
Gobi Beige	50	•		•	•	•
Tuxedo Black	19	•	•	•	•	•
Astro Blue	25	•	•			
Fathom Blue	28	•	•			
Black Cherry	78	•				•
Desert Sand	63	•				•
Champagne Gold	55	•		•	•	•
Autumn Gold	58	•		•	•	•
Green Mist	45	•			•	•
Forest Green	48	•		•	•	•
Cranberry Red	75	•				•
Cortez Silver	14	•	•		•	•
Shadow Gray	17	•	•		•	•
Misty Turquoise	34	•				
Classic White	10	•	•	•	•	•

## Two-tone Combinations\*

lower color	code	upper color	code					
Astro Blue	25	Fathom Blue	28	•	•			
Astro Blue	25	Classic White	10	•	•			
Fathom Blue	28	Astro Blue	25	•	•			
Champagne Gold	55	Classic White	10	•		•	•	•
Autumn Gold	58	Classic White	10	•		•	•	•
Desert Sand	63	Classic White	10	•			•	•
Misty Turquoise	34	Classic White	10	•				

\* Two-tone exterior not available on Kingswood Estate, Concours Estate, Concours, Greenbrier or Nomad models.



# Vinyl Roof Cover Color Choices (RPO C08)—(Kingswood Estate, Kingswood, Townsman and Brookwood only)

vinyl roof color	code	exterior color availability
White	AA	all exterior colors
Black	BB	all exterior colors
Dark Blue	CC	Astro Blue, Fathom Blue, Cortez Silver, Classic White
Dark Green	GG	Green Mist, Forest Green, Classic White
Dark Gold	HH	Champagne Gold, Autumn Gold, Gobi Beige

## Seat and Shoulder Belt Colors

interior trim color	standard style belts	custom deluxe belts*
Black	Black	Black
Blue	Dark Blue	Dark Blue
Gold**	Medium Gold	Medium Gold
Green**	Dark Green	Dark Green
Saddle	Black	Medium Saddle

\*Available at extra cost. \*\*119"-wb wagon interior trim colors only.

Note: Standard seat and shoulder belt buckles color-keyed; custom deluxe buckles brush-finished.

## Body Side Color Accents—Kingswood and Concours

exterior color	Kingswood body side molding insert colors (standard)	Concours body side accent striping colors (standard)
Gobi Beige	Dark Gold	Black
Tuxedo Black	Black	White
Astro Blue	Dark Blue	Black
Fathom Blue	Dark Blue	White
Black Cherry	Black	White
Desert Sand	Black	Black
Champagne Gold	Dark Gold	Black
Autumn Gold	Dark Gold	Black
Green Mist	Dark Green	Black
Forest Green	Dark Green	White
Cranberry Red	Red	Black
Cortez Silver	Black	Black
Shadow Gray	Black	Black
Misty Turquoise	Black	Black
Classic White	Black	Black



## Engines, Transmissions and Axle Ratios

engines	transmissions and rear axle ratios		
	3-Speed (2.54:1 low)	Powerglide	Turbo Hydra-matic
Standard V8 250-hp Turbo-Fire 350 V8	3.36	3.36	2.73
(RPO L48) 300-hp Turbo-Fire 350 V8		3.07	2.73
(RPO LF6) 265-hp Turbo-Fire 400 V8			2.56
(RPO LS4) 345-hp Turbo-Jet 454 V8			2.56
(RPO LS5) 390-hp Turbo-Jet 454 V8			2.73

Note: Positraction rear axle available in all axle ratios.

## Equipment Included With Optional\* V8 Engines

Important equipment is included with optional\* V8 engines, supplementing or replacing equipment included with the standard V8. Other specialized equipment is also available.

	300-hp 350	265-hp 400	345-hp 454	390-hp 454
Special front and rear springs	•	•	•	•
Rear axle ring gear—8.875" dia.	•	•	•	•
Single exhaust (2½-in. dia.)	•	•	•	
Dual exhaust (2½-in. dia.)	*	*	*	•
Larger capacity radiator		•	•	•
Larger in-line fuel filter and vapor return line to fuel tank			•	•

\*Optional at extra cost.



## Transmissions

	engine	transmission gear ratios (:1)				shift selector location
		1	2	3	R	
3-Speed Fully Synchronized (standard)	250-hp V8	2.54	1.50	1.00	2.63	column
Powerglide (RPO M35)	250-hp V8 300-hp V8	Drive (max.)—3.70:1 to 1.1 Low and Reverse—3.70:1 to 1.76:1				
Turbo Hydra-matic (RPO M40)	250-hp V8 265-hp V8 300-hp V8	Drive (max.)—5.29:1 to 1:1 Low 2—5.29:1 to 1.52:1 Low 1—5.29:1 to 2.52:1 Reverse—4.05:1 to 1.93:1				
	345-hp V8 390-hp V8	Drive (max.)—5.21:1 to 1:1 Low 2—5.21:1 to 1.48:1 Low 1—5.21:1 to 2.48:1 Reverse—4.37:1 to 2.08:1				

## Clutch for 119"-wb Wagon 3-Speed Transmission Power Team

	250-hp Turbo-Fire 350 V8
Clutch type	semi-centrifugal bent-finger diaphragm spring with single dry disc
Disc facing material	premium grade woven asbestos
Disc facing outside diameter	10.34"
Disc facing total area (sq. in.)	101.54
Spring effective plate load (lbs.)	2100-2300



## Engines, Transmissions and Axle Ratios

engines	transmissions and rear axle ratios						
	3-Speed (2.85:1 low)	3-Speed (2.54:1 low)	4-Speed (2.85:1 low)	4-Speed (2.54:1 low)	4-Speed (2.52:1 low)	Powerglide	Turbo Hydra-matic
Standard Six 155-hp Turbo-Thrift 250 Six	3.36					3.36	3.08
Standard V8 200-hp Turbo-Fire 307 V8	3.36		3.36			3.36	3.08
(RPO L65) 250-hp Turbo-Fire 350 V8		3.08		3.36		2.73	2.56
(RPO L48) 300-hp Turbo-Fire 350 V8					3.31	2.73	2.73
(RPO LS3) 330-hp Turbo-Jet 400 V8					3.31		3.31

Note: Positraction rear axle available in all axle ratios.

## Equipment Included With Optional\* V8 Engines

Important equipment is included with optional\* V8 engines, supplementing or replacing equipment included with the standard V8. Other specialized equipment is also available.

	250-hp 350	300-hp 350	330-hp 400
Special front and rear springs	•	•	•
Ring gear—8.875" dia.		•†	•
Single exhaust (2½-in. dia.)	•	•	
Dual exhaust (2½-in. dia.)	*	*	•
Heavier duty clutch	•	•	•
61-ampere-hour battery	•	•	•
Higher performance starting motor	•	•	•

†Except Powerglide. \*Optional at extra cost.



## Transmissions

	engine	transmission gear ratios (:1)					shift selector location	
		1	2	3	4	R	column	floor
3-Speed Fully Synchronized (Standard)	155-hp Six 200-hp V8	2.85	1.68	1.00		2.95	•	
	250-hp V8	2.54	1.50	1.00		2.63		
4-Speed Fully Synchronized (RPO M20)	200-hp V8	2.85	2.02	1.35	1.00	2.85		•
	250-hp V8	2.54	1.80	1.44	1.00	2.54		
	300-hp V8	2.52	1.88	1.46	1.00	2.59		
	330-hp V8							
Powerglide (RPO M35)	155-hp Six 200-hp V8	Drive (maximum)—3.82:1 to 1:1 Low and reverse—3.82:1 to 1.82:1					•	
	250-hp V8 300-hp V8	Drive (maximum)—3.70:1 to 1:1 Low and reverse—3.70:1 to 1.76:1						
Turbo Hydra-matic (RPO M40)	155-hp Six 200-hp V8 250-hp V8 300-hp V8	Drive (maximum)—5.29:1 to 1:1 Low 2—5.29:1 to 1.52:1 Low 1—5.29:1 to 2.52:1 Reverse—4.05:1 to 1.93:1					•	
	330-hp V8	Drive (maximum)—5.21:1 to 1:1 Low 2—5.21:1 to 1.48:1 Low 1—5.21:1 to 2.48:1 Reverse—4.37:1 to 2.08:1						

## Clutches for 116"-wb Wagon 3- and 4-Speed Transmission Power Teams

	155-hp Six	200-hp V8		250-hp V8	300-hp V8	330-hp V8
	3-Speed	3-Speed	4-Speed	3- & 4-Speed	4-Speed	4-Speed
Clutch type	diaphragm spring with single dry disc		semi-centrifugal bent-finger diaphragm spring with single dry disc			
Disc facing material	woven asbestos		premium grade woven asbestos			
Disc facing outside diameter	9.12"	10.34"			11.00"	
Disc facing total area (sq. in.)	71.82	101.54			123.70	
Spring effective plate load (lbs.)	1650-1850	1900-2200	2100-2300		2450-2750	



*Kingswood Estate*



*Kingswood*



*Townsmen*




*Brockwood*



Hub cap—standard on all models except Kingswood Estate



Full Wheel Cover (RPO PO1)  
standard on Kingswood Estate;  
available for all other models



Special Wheel Cover (RPO PO2)  
available for all models



# Chevrolet 119"-wb Wagon Exterior Features

	Kingswood Estate	Kingswood	Townsmen	Brookwood
Silver-finish upper and lower grille	(a)	(a)	•	•
Bright lower grille valance panel	•	•		
Body color lower grille valance panel			•	•
Amber lenses over parking/direction signal lights		•	•	•
White lenses over parking/direction signal lights	•			
Windshield molding	•	•	•	•
Hide-A-Way windshield wipers	•	•	•	•
Hood rear edge molding	•	•	•	•
Front fender engine emblems	•	•	•	•
Series nameplate on rear fenders	•	•	•	•
Full door-glass styling	•	•	•	•
Rectangular outside rearview mirror	•	•	•	•
Side marker lights—front and rear	•	•	•	•
Body side moldings with protective vinyl insert		•		
Body side moldings			•	
Body sill moldings		•		•
Bright side window and pillar moldings	•	•		
Bright roof drip moldings	•			
Wheel opening moldings	•	•		
Full wheel covers	•			
Hub caps		•	•	•
Wood-grained body side and tailgate panels	•			
Dual-action tailgate	•	•	•	•
Wood-grained tailgate upper and lower moldings	•			
Bright tailgate upper and lower moldings		•		
Bright tailgate window upper reveal molding	•	•	•	•
Bright tailgate window lower reveal molding	•	•		
Triple-unit rear lights	•	•		
Dual-unit rear lights			•	•
Built-in rear bumper reflectors	•	•	•	•


(a) With bright horizontal center bars in upper grille.



## 119"-wb Wagon Interior Features

	Kingswood Estate	Kingswood	Townsmen	Brookwood
Oval steering wheel with horn tabs and emblem	•	•	•	•
Simulated wood accents on instrument panel, steering wheel, and doors	•	•		
Bright instrument cluster outline molding	•	•	•	•
Astro Ventilation vent-ports	•	•	•	•
Electric clock	•	*	*	*
Automatic ignition key alarm	•	•	•	•
Glove compartment light	•	•	•	
Glove compartment lock	•	•	•	•
Illuminated heater control panel	•	•	•	•
Cigarette lighter	•	•	•	•
Oil pressure, temperature, and generator warning lights	•	•	•	•
Power tailgate window control standard on 3-seat—optional* on 2-seat	•	•	•	•
Parking brake and brake system warning light	•	•	•	•
Color-keyed turn signal and shift lever knobs	•	•	•	•
Padded instrument panel and sun visors	•	•	•	•
Instrument panel series nameplate	•	•	•	•

\*Optional at extra cost





## Chevrolet 119"-wb Wagon Interior Features

	Kingswood Estate	Kingswood	Townsmen	Brookwood
Convenient T-handle parking brake release	•	•	•	•
Courtesy lights under instrument panel	•			
Bright pedal trim	•			
Day-night rearview mirror	•	•	•	•
Foot-operated parking brake	•	•	•	•
Forward-mounted front door lock buttons	•	•	•	•
Armrests front and rear with bright accents	•			
Scuff resistant plastic cowl side panels	•	•	•	•
Armrests front and rear		•	•	•
Bright-accented window regulator handles	•	•	•	•
Bright door lock buttons	•	•	•	•
Padded front door armrests	•	•	•	•
Automatic interior light switches in front doors (Kingswood Estate front and rear)	•	•	•	•
All-vinyl interior	•	•	•	•
Foam-cushioned front seat	•	•	•	•
Foam-cushioned second seat	•	•		
Foam-cushioned third seat (3-seat wagon only)	•	•	•	
Bright front seat end panels	•			
Color-keyed deep-twist floor carpeting	•	•	•	•
Center dome light	•	•	•	•
Vinyl-coated textured metal cargo floor	•	•	•	•
Concealed stowage compartment mat	•	•	•	•
Third seat courtesy light	•	•	•	•



*Concours Estate*







*Concours*



*Greenbrier*



*Nomad*



Hub cap—standard on all models

Full Wheel Cover  
(RPO PO1) available for all models

Special Wheel Cover  
(RPO PO2) available for all models

Wheel Trim Ring  
(RPO PO6) available for all models  
with standard hub cap



# **Chevrolet 116"-wb Wagon Exterior Features**

	Concours Estate	Concours	Greenbrier	Nomad
Silver-finish grille with bright horizontal center bar	•	•	•	•
Bright grille outline moldings	(a)	(a)	•	•
Windshield molding	•	•	•	•
Hood rear edge molding	•	•	•	•
Hide-A-Way windshield wipers	•	•		
Front fender engine emblems—V8 only	•	•	•	•
Rectangular outside rearview mirror	•	•	•	•
Bright roof drip moldings	•	•	•	
Side marker lights—front and rear	•	•	•	•
Bright rear quarter window moldings	•	•	•	
Body side accent striping		•		
Wheel opening moldings	•	•		
Hub caps	•	•	•	•
Wood-grained body side and tailgate panels	•			
Rear fender series nameplates	•	•	•	•
Body sill moldings		•	•	
Dual-action tailgate	•	•	•	•
Wood-grained tailgate upper and lower moldings	•			
Black-accented tailgate upper and lower moldings		•		
Bright tailgate window reveal molding	•	•	•	•
Single-unit taillights with bright bezel	(b)	(b)	•	•
Back-up lights in tailgate	•	•	•	•


(a) With bright vertical center bars. (b) Black-accented bright bezel.



## 116"-wb Wagon Interior Features

	Concours Estate	Concours	Greenbrier	Nomad
Oval steering wheel with horn tabs and emblem	•	•	•	•
Simulated wood accents on steering wheel	•			
Bright instrument cluster outline molding	•	•	•	•
Automatic ignition key alarm	•	•	•	•
Glove Compartment light	•	•		
Glove compartment lock	•	•	•	•
Illuminated heater control panel	•	•	•	•
Cigarette lighter	•	•	•	•
Oil pressure, temperature, and generator warning light	•	•	•	•
Power tailgate window control standard on 3-seat—optional* on 2-seat	•	•	•	•
Parking brake and brake system warning light	•	•	•	•
Color-keyed turn signal and shift lever knobs	•	•	•	•
Padded instrument panel and sun visors	•	•	•	•

\*Optional at extra cost





# Chevrolet 116"-wb Wagon Interior Features

	Concours Estate	Concours	Greenbrier	Nomad
Convenient T-handle parking brake release	•	•	•	•
Day-night rearview mirror	•	•	•	•
Foot-operated parking brake	•	•	•	•
Forward-mounted front door lock buttons	•	•	•	•
Scuff-resistant plastic cowl side panels	•	•	•	•
Color-accented window control handles	•	•	•	•
Padded front door armrests	•	•	•	•
Padded rear door armrests with built-in ashtrays	•	•	•	
Attractive all-vinyl interior	•	•	•	•
Foam-cushioned front seat	•	•	•	•
Foam-cushioned second seat	•	•		
Foam-cushioned third seat (3-seat wagon only)	•	•	•	
Color-keyed deep-twist floor carpeting	•	•		
Center dome light	•	•	•	•
Vinyl-painted textured metal cargo floor	•	•	•	•
Vinyl-coated rubber passenger compartment floor covering			•	•
Vinyl-coated rubber cargo floor mat				•
Vinyl-trimmed cargo area sidewalls	•	•		
Concealed stowage compartment and floor mat	•	•	•	
Third seat courtesy light	•	•	•	



## Exterior Dimensions

	119" Wheelbase Wagons							116" Wheelbase Wagons						
	Kingswood Estate 2-Seat 3-Seat		Kingswood 2-Seat 3-Seat		Townsmen 2-Seat 3-Seat		Brookwood 2-Seat	Concours Estate 2-Seat 3-Seat		Concours 2-Seat 3-Seat		Greenbrier 2-Seat 3-Seat		Nomad 2-Seat
Wheelbase	119.0	119.0	119.0	119.0	119.0	119.0	119.0	116.0	116.0	116.0	116.0	116.0	116.0	116.0
Length (overall)	216.7	216.7	216.7	216.7	216.7	216.7	216.7	206.5	206.5	206.5	206.5	206.5	206.5	206.5
Width (overall)	79.8	79.8	79.8	79.8	79.8	79.8	79.8	75.4	75.4	75.4	75.4	75.4	75.4	75.4
Height (loaded)	56.2	56.2	56.2	56.2	56.2	56.2	56.2	54.4	54.4	54.4	54.4	54.4	54.4	54.4
Front tread	63.5	63.5	63.5	63.5	63.5	63.5	63.5	60.2	60.2	59.3	60.2	59.3	60.2	59.3
Rear tread	63.4	63.4	63.4	63.4	63.4	63.4	63.4	59.2	59.2	59.2	59.2	59.2	59.2	59.2

## Interior Roominess

Head room—front	39.2	39.2	39.2	39.2	39.2	39.2	39.2	38.3	38.3	38.3	38.3	38.3	38.3	38.3
Head room—rear (2nd seat)	38.9	38.9	38.9	38.9	38.9	38.9	38.9	38.6	38.6	38.6	38.6	38.6	38.6	38.6
Head room—3rd seat	—	36.3	—	36.3	—	36.3	—	—	35.9	—	35.9	—	35.9	—
Leg room—front seat	41.4	41.4	41.4	41.4	41.4	41.4	41.4	42.8	42.8	42.8	42.8	42.8	42.8	42.8
Leg room—rear seat (2nd seat)	37.2	37.2	37.2	37.2	37.2	37.2	37.2	34.8	34.8	34.8	34.8	34.8	34.8	34.8
Leg room—3rd seat	—	33.3	—	33.3	—	33.3	—	—	30.6	—	30.6	—	30.6	—
Hip room—front	63.6	63.6	63.6	63.6	63.6	63.6	63.6	59.5	59.5	59.5	59.5	59.5	59.5	59.5
Hip room—rear (2nd seat)	62.7	62.7	62.7	62.7	62.7	62.7	62.7	59.3	59.3	59.3	59.3	59.3	59.3	59.3
Hip room—3rd seat	—	49.2	—	49.2	—	49.2	—	—	44.3	—	44.3	—	44.3	—
Shoulder room—front	62.3	62.3	62.3	62.3	62.3	62.3	62.3	58.3	58.3	58.3	58.3	58.3	58.3	58.3
Shoulder room—rear (2nd seat)	61.4	61.4	61.4	61.4	61.4	61.4	61.4	57.4	57.4	57.4	57.4	57.4	57.4	57.4
Shoulder room—3rd seat	—	49.7	—	49.7	—	49.7	—	—	44.3	—	44.3	—	44.3	—
Front entrance height	30.2	30.2	30.2	30.2	30.2	30.2	30.2	30.1	30.1	30.1	30.1	30.1	30.1	30.1
Rear entrance height	29.7	29.7	29.7	29.7	29.7	29.7	29.7	29.7	29.7	29.7	29.7	29.7	29.7	29.7



## Cargo Compartment

	119"-Wheelbase Wagons							116"-Wheelbase Wagons						
	Kingswood Estate 2-Seat 3-Seat		Kingswood 2-Seat 3-Seat		Townsmen 2-Seat 3-Seat		Brookwood 2-Seat	Concours Estate 2-Seat 3-Seat		Concours 2-Seat 3-Seat		Greenbrier 2-Seat 3-Seat		Nomad 2-Seat
Floor length—front seat to tailgate	96.0*	96.0*	96.0*	96.0*	96.0*	96.0*	96.0*	90.9**	90.9**	90.9**	90.9**	90.9**	90.9**	90.9**
Floor length—2nd seat to tailgate	61.7†	61.7†	61.7†	61.7†	61.7†	61.7†	61.7†	59.1	59.1	59.1	59.1	59.1	59.1	59.1
Width between wheelhouses	49.7	49.7	49.7	49.7	49.7	49.7	49.7	44.5	44.5	44.5	44.5	44.5	44.5	44.5
Height—floor to roof (max.)	30.7	30.7	30.7	30.7	30.7	30.7	30.7	31.6	31.6	31.6	31.6	31.6	31.6	31.6
Tailgate loading height	24.1	24.1	24.1	24.1	24.1	24.1	24.1	22.0	22.0	22.0	22.0	22.0	22.0	22.0
Tailgate opening height	28.8	28.8	28.8	28.8	28.8	28.8	28.8	28.6	28.6	28.6	28.6	28.6	28.6	28.6
Tailgate opening width at floor	52.4	52.4	52.4	52.4	52.4	52.4	52.4	50.1	50.1	50.1	50.1	50.1	50.1	50.1
Tailgate opening width at belt	52.4	52.4	52.4	52.4	52.4	52.4	52.4	49.6	49.6	49.6	49.6	49.6	49.6	49.6
Total cargo volume (cu. ft.)	106.1*	101.3†	106.1*	101.3†	106.1*	101.3†	106.1*	94.0•	89.6§	94.0•	89.6§	94.0•	89.6§	84.0

## Glass Area

Windshield glass area (sq. in.)	1396.2	1249.6
Rear window glass area	923.4	757.0
Total glass area (sq. in.)	4944.8	4422.8

## Tire Size & Steering Specifications

Standard tire size	H78 x 15				G78 x 14			
Turning circle—curb-to-curb (ft.)	42.5	42.5	42.5	42.5	42.2	42.2	42.2	42.2
Turning circle—wall to wall (ft.)	45.6	45.6	45.6	45.6	45.3	45.3	45.3	45.3
Steering ratio—std. (overall)	30.8:1	30.8:1	30.8:1	30.8:1	28.7:1	28.7:1	28.7:1	28.7:1
Steering ratio—power (overall)	21.2:1	21.2:1	21.2:1	21.2:1	21.6:1	21.6:1	21.6:1	21.6:1

## Fuel Capacity & Weight

Rated fuel tank capacity (gallons)	24		24		24		24	20		20		20		20
Curb weight—Six (lbs.)	—	—	—	—	—	—	—	—	—	3790	—	3750	—	3720
Curb weight—V8 (lbs.)	4425	4490	4400	4450	4335	4390	4335	3925	3985	3900	3940	3850	3900	3820
Shipping weight—Six (lbs.)	—	—	—	—	—	—	—	—	—	3685	—	3645	—	3615
Shipping weight—V8 (lbs.)	4295	4360	4270	4320	4210	4265	4205	3820	3880	3795	3835	3750	3795	3720

\*Tailgate open—122.8  
†Tailgate open— 88.6

\*Includes 12.0 cu. ft. concealed stowage compartment  
†Includes 7.2 cu. ft. concealed stowage compartment

\*\*Tailgate open—116.8"  
•Includes 10.0 cu. ft. concealed stowage compartment  
§Includes 5.6 cu. ft. concealed stowage compartment



## 1970 Camaro

---

	V8*	6
Sport Coupe	12487	12387

\*Camaro SS (RPO Z27), Rally Sport (RPO Z22) and Z28 (RPO Z28) equipment available.

## Index

---

Camaro Features.....	2
Camaro Z28.....	4
Camaro SS.....	5
Camaro Rally Sport.....	6
Camaro SS with Rally Sport.....	7
Camaro with Style Trim Group.....	8
Camaro.....	9
Camaro All-Vinyl Custom Interior.....	10
Camaro Interiors.....	11
Camaro Color and Trim.....	12
Camaro Power Teams.....	14
Camaro Exterior Features.....	16
Camaro Interior Features.....	20
Camaro Specifications.....	22



## NEW CAMARO FEATURES FOR 1970...

- New long hood styling
- New front end design features slender full-width front bumper, silver-finish grille in large grid pattern, license plate mounting centered between front bumper guards, and wide parking lights below bumper
- Headlights are large diameter and feature high-output design
- New wide body sill moldings
- New wider doors extend farther rearward for easier entrance to rear seat
- New flush-mounted door handles lift to open door
- New swept-back roof and rear deck styling
- New rear bumper and taillight styling
- New styling for hub caps and optional wheel covers
- 15 Magic-Mirror acrylic colors (11 new) including four exclusively for Camaro
- Rich new interior styling
- New interior color choices
- New instrument panel and cluster design
- New recessed door handles (pull-type)
- New, more deeply contoured Strato-bucket front seats with low-profile head restraints
- New bucket-styled rear seats with individual cushions and contoured full-width backrest

- New steering wheel design
- New rearview mirror bonded to windshield glass
- Power teams range from a larger standard six (155-hp Turbo-Thrift 250) to a 360-hp 350 V8 for Camaro Z28
- Turbo Hydra-matic available with Z28 equipment
- Disc brakes standard on front wheels
- Advanced-design front suspension with forward-mounted steering linkage
- New rear suspension refinements
- New transverse muffler mounting behind rear axle
- Larger, heavier front frame unit contributes to increased overall car weight
- E 78 x 14 bias belted ply tires

### Occupant Protection Features

- Seat belts with pushbutton buckles for all passenger positions
- Shoulder belts with pushbutton buckles—driver and right front passenger
- Two front seat head restraints
- Energy-absorbing steering column
- Passenger-guard door locks with forward-mounted lock buttons
- Safety door latches and hinges
- Folding seat back latches
- Energy-absorbing instrument panel and front seat back tops
- Thick-laminate windshield

- Padded sun visors
- Safety armrests
- Safety steering wheel
- Side-guard beam door structure
- Cargo-guard luggage compartment

### Accident Prevention Features

- Side marker lights and reflectors
- Parking lights that illuminate with headlights
- Four-way hazard warning flasher
- Back-up lights
- Lane-change feature in direction signal control
- Windshield defroster, washers and dual-speed wipers
- Wide-view inside day-night mirror (vinyl-edged, shatter-resistant glass)
- Outside rearview mirror
- Bias belted ply tires and tire tread wear indicators
- Dual-action safety hood latches
- Dual master cylinder brake system with warning light
- Starter safety switch

### Anti-Theft Features

- Anti-theft ignition key warning buzzer
- Anti-theft steering column lock
- Anti-theft door lock buttons

### Traditional quality features . . .

- Astro Ventilation system with vent-ports on instrument panel

- Full door-glass styling
- Forward-mounted door lock buttons
- Magic-Mirror acrylic lacquer finish
- Flush-and-dry rocker panels
- Curved side windows
- Flush-mounted windshield and rear window bonded to body
- Dual-speed electric windshield wipers
- Built-in blended air heater and defroster system
- Inner fenders front and rear
- Strato-bucket seats standard equipment
- Foot-operated parking brake
- Deep-twist carpet floor covering
- Automatic ignition key alarm
- Suspended accelerator pedal
- Efficient valve-in-head design
- Positive-shift starter
- Energizer-type battery
- Automatic choke on all engines
- Advanced accessory drive system on all V8 engines
- Delcotron generator
- 7-main-bearing six-cylinder engine with fully counterweighted crankshaft
- Separate front frame unit
- Wide front and rear tread
- Bias-mounted rear shock absorbers (curb side unit mounted ahead of axle, other mounted behind) for excellent suspension control
- Precise Ball-Race steering
- Self-adjusting brakes













**Camaro SS / 5**









**Camaro SS with Rally Sport / 7**













**10 / Camaro all-vinyl custom interior**





Camaro all-vinyl standard interior



Camaro cloth and vinyl custom interior



## Interior Trim

	seat style	Black	Blue	Green	Saddle	Sandalwood	Black/Blue	Black/Green	Black/White
Sport Coupe with standard vinyl interior	Strato-Bucket	711	715	723	726	710			
Sport Coupe with Cloth Custom Interior (RPO Z87)	Strato-Bucket	725					714	720	713
Sport Coupe with Vinyl Custom Interior (RPO Z87)	Strato-Bucket	712	716	724	727	730			

## Exterior Colors

	code								
Astro Blue	25	•				•			•
Mulsanne Blue	26	•	•		•	•	•		•
Classic Copper	67	•			•	•			•
Autumn Gold	58	•		•	•	•		•	•
Camaro Gold	53	•				•			•
Shadow Gray	17	•		•	•	•		•	•
Citrus Green	43	•		•		•		•	•
Forest Green	48	•		•	•	•		•	•
Green Mist	45	•		•	•	•		•	•
Hugger Orange	65	•				•			•
Cranberry Red	75	•			•	•			•
Desert Sand	63	•		•	•	•		•	•
Cortez Silver	14	•	•	•	•	•	•	•	•
Classic White	10	•	•	•	•	•	•	•	•
Daytona Yellow	51	•		•				•	•



### Vinyl Roof Cover Color Choices (RPO CO8)

vinyl roof color	code	exterior color availability
White	AA	all exterior colors
Black	BB	all exterior colors
Dark Green	GG	Green Mist, Forest Green, Classic White

### Seat and Shoulder Belt Colors

interior trim color	standard style belts	custom deluxe belts*
Black	Black	Black
Blue	Blue	Blue
Green	Green	Green
Saddle	Black	Saddle
Sandalwood	Black	Sandalwood
Black/Blue	Blue	Blue
Black/Green	Green	Green
Black/White	Black	Black

\*Available at extra cost. Note: Standard seat and shoulder belt buckles color-keyed; custom deluxe buckles brush-finished.

### Camaro Z28 Sport Striping Colors—Included with Special Performance Option (RPO Z28)

exterior color	without vinyl roof cover	with vinyl roof cover		roof cover color
		White	Black	
Astro Blue	Black	White	Black	Dark Green
Mulsanne Blue	Black	White	Black	
Classic Copper	White	White	White	
Autumn Gold	White	White	White	
Camaro Gold	Black	White	Black	
Shadow Gray	Black	White	Black	
Citrus Green	Black	White	Black	
Forest Green	White	White	White	White
Green Mist	Black	White	Black	Black
Hugger Orange	White	White	Black	
Cranberry Red	Black	White	Black	
Desert Sand	Black	White	Black	
Cortez Silver	Black	Black	Black	
Classic White	Black	Black	Black	Black
Daytona Yellow	Black	Black	Black	



## Engines, Transmissions and Axle Ratios

engines	transmissions and rear axle ratios						
	3-Speed (2.85:1 low)	4-Speed (2.54:1 low)	4-Speed (2.52:1 low)	4-Speed (2.20:1 low)	Heavy Duty 4-Speed (2.20:1 low)	Powerglide	Turbo Hydra-matic
Standard 6-cyl. 155-hp Turbo-Thrift 250	3.08					2.73	
Standard V8 200-hp Turbo-Fire 307 V8	3.08					2.73	2.73*
(RPO L65) 250-hp Turbo-Fire 350 V8		3.36					2.73
300-hp Turbo-Fire 350 V8 Included with Camaro SS (RPO Z27)			3.31				3.07
(RPO L34) 350-hp Turbo-Jet 396 V8 Optional for Camaro SS (RPO Z27) only			3.31	3.31			3.31
360-hp Turbo-Fire 350 V8 Included with Camaro Z28 (RPO Z28)			3.73**	3.73**	3.73**		3.73**

\* Trailer ratio: 3.31      \*\*Performance ratio: 4.10

Note: Positraction required for 3.73 and 4.10 ratios; optional for all others.

## Equipment Included With Optional\* V8 Engines

Important equipment is included with optional\* V8 engines, supplementing or replacing equipment included with the standard V8. Other specialized equipment is also available.

Important equipment is included with optional\* 350- and 396-cu.-in. V8 engines, supplementing or replacing equipment included with the standard 200-hp 307-cu.-in. V8 engine.

Other specialized equipment is also available (see Options section).

	250-hp Turbo-Fire 350	300-hp Turbo-Fire 350	360-hp Turbo-Fire 350	350 hp-Turbo-Jet 396
Special front springs	•	•	•	•
Special shock absorbers			•	•
Special lower ball joints in front suspension			•	•
Special multiple-leaf rear springs	•**	•	•	•
Heavier duty drive shaft universal joints	•**	•**	•	•
Larger capacity radiator	•	•	•	•
Heavier duty engine mounts			•	•
Dual exhaust (2¼-in. dia.)		•	•	•
Heavier duty clutch	•	•	•	•
Wide-oval F70 x 14 tires with 14" x 7" wheels		•	•	•
Special F60 x 15 tires and 15" x 7" wheels			•	
Higher performance starting motor	•	•	•	•
Finned aluminum valve rocker covers		•		
Special chrome accents on engine*		•	•	•
Large in-line fuel filter and vapor return line to fuel tank		•*	•	•

\*Vapor return line and deep cover fuel pump.      \*\*With manual transmission only.

•Chrome-finish air cleaner cover and oil filler cap; rocker covers also chrome-finish on 350-hp V8.



## Transmissions

	engine	transmission gear ratios (:1)					shift selector locations		
		1	2	3	4	R	column	floor	console*
3-Speed Fully Synchronized (Standard)	155-hp Six 200-hp V8	2.85	1.68	1.00		2.95		•	•
4-Speed Fully Synchronized (RPO M20)	250-hp V8	2.54	1.80	1.44	1.00	2.54		•	•
	300-hp V8 350-hp V8	2.52	1.88	1.46	1.00	2.59		•	•
4-Speed Fully Synchronized (RPO M21)	350-hp V8	2.20	1.64	1.27	1.00	2.26		•	•
Powerglide (RPO M35)	155-hp Six 200-hp V8	Drive (maximum)—3.82:1 to 1:1 Low and reverse—3.82:1 to 1.82:1					•		•
	300-hp V8	Drive (maximum)—3.70:1 to 1:1 Low and reverse—3.70:1 to 1.76:1							
Turbo Hydra-matic (RPO M40)	200-hp V8 250-hp V8 300-hp V8	Drive (maximum)—5.29:1 to 1:1 Low 2—5.29:1 to 1.52:1 Low 1—5.29:1 to 2.52:1 Reverse—4.05:1 to 1.93:1					•		•
	350-hp V8 360-hp V8	Drive (maximum)—5.21:1 to 1:1 Low 1—5.21:1 to 2.48:1 Reverse—4.37:1 to 2.08:1							



\*Optional at extra cost

## Clutches for Camaro 3- and 4-Speed Transmission Power Teams

	155-hp Six	200-hp V8	250-hp V8	300-hp V8	350-hp V8	360-hp V8
	3-Speed	3-Speed	3- & 4-Speed	4-Speed	4-Speed	4-Speed
Clutch Type	diaphragm spring, with single dry disc		semi-centrifugal bent-finger diaphragm spring with single dry disc			
Disc facing material	woven asbestos		premium grade woven asbestos			
Disc facing outside diameter	9.12"	10.34"		11.00"		
Disc facing total area (sq. in.)	71.82	101.54		123.70		
Spring effective plate load (lbs.)	1650-1850	1900-2200	2100-2300	2450-2750		




*Camaro*




Camaro with Style Trim Group (RPO Z21)

**RALLY SPORT**




Camaro with Rally Sport (RPO Z22)




Camaro standard hub cap




Full Wheel Cover (RPO PO1)



Special Wheel Cover (RPO PO2)



Rally Wheel (RPO ZJ7)




Special 15 x 7 Wheel Included  
with RPO Z28 Equipment







Camaro SS (RPO Z27)




Camaro SS (RPO Z27)  
with Style Trim Group (RPO Z21)




Camaro SS (RPO Z27)  
with Rally Sport (RPO Z22)



Z28 (RPO Z28)



Z28 (RPO Z28)  
with Style Trim Group (RPO Z21)



Z28 (RPO Z28) with Rally Sport (RPO Z22)





## Camaro Exterior Features

	Camaro	Camaro with Style Trim Group (RPO Z21)*	Camaro with Rally Sport (RPO Z22)*
Full-width front bumper	•	•	
Black and argent grille with resilient vertical center bar			•
Silver finish grille	•	•	
Resilient grille frame			•
License plate mounting centered between front bumper guards	•	•	
Front bumperettes			•
Front bumper guards	•	•	
License plate mounting below right bumperette			•
Wide parking lights below bumper	•	•	
Roadlight-styled parking lights			•
Single unit headlights recessed in bright frames	•	•	•
Large diameter, high-output Power Beam headlights	•	•	•
Windshield molding	•	•	•
Hide-A-Way windshield wipers			•
Bright molding on rear edge of hood		•	•
Wide rocker panel molding	•	•	
Bright side window moldings (partial)	•		
Bright side window moldings (full)		•	•
Flush mounted door handles	•	•	•
Color-accented door handles		•	•
Full door-glass styling	•	•	•
Rally Sport front fender nameplates			•
Side marker lights front and rear	•	•	•
Hub caps	•	•	•
Bright rear window molding	•	•	•
Bright-accented taillights	•	•	•
Bright-accented back-up lights	•	•	•

\*Optional at extra cost



## Camaro Exterior Features

	Camaro SS (RPO Z27)**	Camaro SS with Style Trim Group (RPO Z21)**	Camaro SS with Rally Sport (RPO Z22)**	Z28 (RPO Z28)**	Z28 with Style Trim Group (RPO Z21)**	Z28 with Rally Sport (RPO Z22)**
Full-width front bumper	•	•		•	•	
Black grille with bright outline	•	•		•	•	
Black and argent grille with resilient vertical center bar			•			•
Resilient grille frame			•			•
License plate mounting centered between front bumper guards	•	•		•	•	
License plate mounting below right bumperette			•			•
Front bumperettes			•			•
Front bumper guards	•	•		•	•	
Wide parking lights below bumper	•	•		•	•	
Roadlight-styled parking lights			•			•
Single unit headlights recessed in bright frames	•	•	•	•	•	•
Large diameter, high-output Power Beam headlights	•	•	•	•	•	•
SS emblem on grille	•	•				
Z28 emblem on grille				•	•	•
Special stripes on hood				•	•	•
Windshield molding	•	•	•	•	•	•
Hide-A-Way windshield wipers	•	•	•			•
Bright molding on rear edge of hood and fender		•	•		•	•
Wide rocker panel molding	•	•	•	•	•	•
Bright side window moldings (partial)	•			•		
Bright side window moldings (full)		•	•		•	•
Flush mounted door handles	•	•	•	•	•	•
Color-accented door handles		•	•		•	•
Full door-glass styling	•	•	•	•	•	•
SS emblem on fenders	•	•	•			
Z28 emblem on fenders				•	•	•
Side marker lights front and rear	•	•	•	•	•	•
Hub caps	•	•	•			
F70 x 14 bias belted ply white lettered tires	•	•	•			
F60 x 15 bias belted ply white lettered tires				•	•	•
14 x 7 wheels	•	•	•			
Special 15 x 7 wheels with bright wheel nuts				•	•	•
Bright rear window molding	•	•	•	•	•	•
Black rear panel*	•	•	•			
Air spoiler on rear deck				•	•	•
Z28 emblem on rear deck spoiler				•	•	•
Special stripes on rear deck				•	•	•
Bright-accented taillights		•	•		•	•
Bright-accented back-up lights		•	•		•	•
Bright dual exhaust outlets	•	•	•	•	•	•

\*396- or 454-cu.-in. engine equipped models only.

\*\*Optional at extra cost.



## Camaro Interior Features

	Camaro	Special Interior Group RPO Z23*	Custom Interior RPO Z87*
Black steering column and wheel with emblem	•	•	•
Wood-grain accents on steering wheel and instrument panel		•	•
Bright instrument cluster outline molding	•	•	•
Black-accented instrument panel control knobs	•	•	•
Bright Astro Ventilation control knobs	•	•	•
Speedometer, odometer and fuel gauge	•	•	•
Oil pressure, temperature, and generator warning lights	•	•	•
Parking brake and brake system warning light	•	•	•
Automatic ignition key alarm	•	•	•
Illuminated heater control panel	•	•	•
Black-accented turn signal and shift lever knobs	•	•	•
Padded glare-resistant instrument panel and sun visors	•	•	•
Four-way hazard warning flasher control	•	•	•
Instrument panel nameplate	•	•	•
Cigarette lighter	•	•	•
Glove compartment light			•
Glove compartment lock	•	•	•

\*Optional at extra cost





## Camaro Interior Features

	Camaro	Special Interior Group RPO Z23*	Custom Interior RPO Z87*
All-vinyl bucket seat interior	•	•	
Choice of deluxe all-vinyl or luxury cloth and vinyl bucket seat trim			•
Molded foam Strato-bucket front seats	•	•	•
Dual-cushion rear seat with full-width backrest	•	•	•
Padded door armrests	•	•	•
Astro Ventilation system	•	•	•
Wide day-night rearview mirror bonded to windshield	•	•	•
Color-keyed deep-twist carpet floor covering	•	•	•
Scuff-resistant plastic cowl side panels	•	•	•
Recessed pull-type door handles	•	•	•
Color-accented window control handles	•	•	•
Center dome light with bright bezel	•	•	•
Automatic light switches for both doors	•	•	•
Built-in rear armrests with ashtrays	•	•	•
Anti-theft forward-mounted door lock buttons	•	•	•
Luggage compartment floor mat			•
Steering column ignition switch and lock	•	•	•
Perforated vinyl-coated headlining	•	•	•
Suspended accelerator pedal	•	•	•
Foot-operated parking brake	•	•	•
Convenient T-handle parking brake release	•	•	•
Seat and shoulder belt anchor covers	•	•	•
Bright seat adjustment handles	•	•	•
Folding seat back latches	•	•	•
Full-molded hood insulation			
Special hood and body insulation			•
Simulated wood grain accents on door panels			•

\*Optional at extra cost



### Exterior Dimensions

	Sport Coupe
Wheelbase	108.0
Length (overall)	188.0
Width (overall)	74.4
Height (loaded)	50.5
Front Tread	61.3
Rear Tread	60.0

### Interior Roominess

Head room—front	37.4
Head room—rear	36.1
Leg room—front	43.8
Leg room—rear	29.6
Hip room—front	56.7
Hip room—rear	47.3
Shoulder room—front	56.7
Shoulder room—rear	54.4
Front entrance height	29.6

### Luggage Compartment

Maximum opening width	40.5
Loading height	27.8
Interior length (max.)	65.8
Interior width (max.)	42.6
Interior height (max.)	17.7
Usable luggage space (cu. ft.)	7.3

### Glass Area

	Sport Coupe
Windshield glass area (sq. in.)	1137.6
Rear window glass area (sq. in.)	1099.2
Total glass area (sq. in.)	3326.2

### Tire Size & Steering Specifications

Standard tire size	E78 x 14*
Turning circle—curb-to-curb (ft.)	38.86
Turning circle—wall-to-wall (ft.)	41.06
Steering ratio—std. (overall)	**
Steering ratio—power (overall)	15:1

### Fuel Capacity & Weight

Rated fuel tank capacity (gallons)	19 (approx.)
Curb weight—Six (lbs.)	3165
Curb weight—V8 (lbs.)	3279
Shipping weight—Six (lbs.)	3058
Shipping weight—V8 (lbs.)	3172

\*Camaro SS equipped with F70 x 14 bias belted ply white-lettered wide-oval tires. Z28 option includes F60 x 15 bias belted ply white-lettered tires.

\*\*With 6 cylinder engine—28.3:1; V8 engine (except Z28)—32.99:1; Z28—18.76:1



## 1970 Chevy Nova

---

	V8	6	4
Coupe	11427*	11327	11127
4-Door Sedan	11469	11369	11169

\*Nova SS equipment available (RPO Z26)

### Index

---

Nova Features.....	2
Nova SS Coupe with Exterior Decor....	4
Nova SS Coupe with Custom Exterior...	5
Nova Coupe.....	6
Nova Coupe with Custom Exterior.....	7
Nova Sedan with Exterior Decor.....	8
Nova Sedan with Custom Exterior.....	9
Nova Interiors.....	10
Color and Trim.....	12
Power Teams.....	14
Exterior Features.....	16
Interior Features.....	20
Specifications.....	22



### **New Nova features for 1970 . . .**

- New grille and refined exterior details
- New taillights with integral back-up lights
- New side marker lights
- New standard interior trim styling
- New interior color choices
- New transmission-controlled spark advance contributes to smoother acceleration and improved exhaust emission control (except 4-cyl.)
- New slim-line spark plugs for six-cylinder engines
- New lower profile fiberglass-belted tires with 14" wheels standard equipment (E70 x 14 design retained with Nova SS equipment)
- Variable-ratio power steering now available
- Refined rear shock absorber valving and spring mounting for improved ride and handling

### **Safety and security features . . .**

#### Occupant Protection Features

- Seat belts with pushbutton buckles for all passenger positions
- Shoulder belts with pushbutton buckles—driver and right front passenger
- Two front seat head restraints
- Energy-absorbing steering column
- Passenger-guard door locks with forward-mounted front door lock buttons
- Safety door latches and hinges
- Folding seat back latches
- Energy-absorbing padded instrument panel and front seat back tops
- Contoured windshield header
- Thick-laminate windshield
- Padded sun visors
- Safety armrests
- Safety steering wheel
- Cargo-guard luggage compartment

#### Accident Prevention Features

- Side marker lights and reflectors
- Parking lights that illuminate with headlights

- Four-way hazard warning flasher
- Back-up lights
- Lane-change feature in direction signal control
- Windshield defroster, washers and dual-speed wipers
- Wide-view inside day-night mirror (vinyl-edged, shatter-resistant glass and deflecting support)
- Outside rearview mirror
- Fiberglass-belted tires and tire tread wear indicators
- Dual master cylinder brake system with warning light
- Starter safety switch
- Dual-action safety hood latches

#### Anti-Theft Features

- Anti-theft ignition key warning buzzer
- Anti-theft steering column lock

### **Traditional quality features . . .**

- Efficient valve-in-head engine design
- Positive-shift starter
- Quiet hydraulic valve lifters

- Energizer-type battery
- Automatic choke on all engines
- Delcotron generator
- 7-main bearing six-cylinder engines
- Fully counterweighted crankshaft on 250-cu.-in. six
- Magic-Mirror acrylic lacquer finish
- Flush-and-dry rocker panels
- Curved side windows
- Built-in blended air heater and defroster system
- Inner fenders front and rear
- Separate front frame unit, cushion-mounted to body and front end
- Wide front and rear tread
- Computer-selected front and rear springs
- Independent coil front suspension
- Bias-mounted rear shock absorbers for excellent suspension control
- Finned front brake drums
- Tire safety rim
- Energizer-type battery
- Precise Ball-Race steering
- Self-adjusting brakes
- Foot-operated parking brake



• SANDWICHES • FRIES • MALTS •







**4 / Nova SS Coupe with exterior decor**





**Nova SS Coupe with custom exterior / 5**









**Nova Coupe with custom exterior / 7**









Nova Sedan with custom exterior / 9











All-vinyl interior available for Coupe and Sedan.



Nova Custom Interior (RPO ZJ1) available in cloth and vinyl or all-vinyl for both Coupe and Sedan.



All-vinyl Strato-bucket seat Custom Interior (RPO A51) for Coupe only. Available with or without center console (RPO D55).



## Interior Trim

models	seat style	Black vinyl	Blue cloth	Gold		Green cloth	Sandalwood vinyl
				cloth	vinyl		
Nova Sedan and Coupe with standard interior	conventional	731	735	740		745	
Nova Sedan and Coupe with custom interior (RPO ZJ1)	conventional	732	736	741		744	747
Nova Coupe only with custom interior (RPO A51)	Strato-bucket	733			742		746

## Exterior Colors

	code					
Gobi Beige	50	•		•	•	•
Tuxedo Black	19	•	•	•	•	•
Astro Blue	25	•	•			•
Fathom Blue	28	•	•			•
Black Cherry	78	•				•
Desert Sand	63	•				•
Champagne Gold	55	•		•	•	•
Autumn Gold	58	•		•	•	•
Green Mist	45	•			•	•
Forest Green	48	•		•	•	•
Cranberry Red	75	•				•
Cortez Silver	14	•	•		•	•
Shadow Gray	17	•	•		•	•
Misty Turquoise	34	•				•
Classic White	10	•	•	•	•	•

## Two-tone Combinations

lower color	code	upper color	code				
Astro Blue	25	Fathom Blue	28	•	•		•
Astro Blue	25	Classic White	10	•	•		•
Fathom Blue	28	Astro Blue	25	•	•		•
Champagne Gold	55	Classic White	10	•		•	•
Autumn Gold	58	Classic White	10	•		•	•
Desert Sand	63	Classic White	10	•			•
Misty Turquoise	34	Classic White	10	•			•



# Vinyl Roof Cover\* Color Choices (RPO C08)

vinyl roof color	code	exterior color availability
White	AA	all exterior colors except Shadow Gray
Black	BB	all exterior colors
Dark Blue	CC	Astro Blue, Fathom Blue, Cortez Silver, Classic White
Dark Green	GG	Green Mist, Forest Green, Classic White
Dark Gold	HH	Champagne Gold, Autumn Gold, Gobi Beige

\*Available on six or V8 Coupe and Sedan only.

## Seat and Shoulder Belt Colors

interior trim color	standard style belts	custom deluxe belts *
Black	Black	Black
Blue	Dark Blue	Dark Blue
Gold	Medium Gold	Medium Gold
Green	Dark Green	Dark Green
Sandalwood	Black	Medium Sandalwood

Note: Standard seat and shoulder belt buckles color-keyed; custom deluxe buckles brush-finished.

## Body Side Accent Striping Colors—Included on Nova Coupe with Custom Exterior (RPO ZJ2)

\*Available at extra cost.

exterior color	without vinyl roof cover	with vinyl roof cover				
		White	Black	Dark Blue	Dark Green	Dark Gold
Gobi Beige	Black	White	Black	—	—	Black
Tuxedo Black	White	White	White	—	—	—
Astro Blue	Black	White	Black	Black	—	—
Fathom Blue	White	White	White	White	—	—
Black Cherry	White	White	White	—	—	—
Desert Sand	Black	White	Black	—	—	—
Champagne Gold	Black	White	Black	—	—	Black
Autumn Gold	Black	White	Black	—	—	Black
Green Mist	Black	White	Black	—	Black	—
Forest Green	White	White	White	—	White	—
Cranberry Red	Black	White	Black	—	—	—
Cortez Silver	Black	White	Black	Black	—	—
Shadow Gray	Black	—	Black	—	—	—
Misty Turquoise	Black	White	Black	—	—	—
Classic White	Black	Black	Black	Black	Black	—



## Engines, Transmissions and Axle Ratios

engines	transmissions and rear axle ratios						
	3-Speed (2.85:1 low)	3-Speed (2.54:1 low)	4-Speed (2.54:1 low)	4-Speed (2.52:1 low)	Torque-Drive	Powerglide	Turbo Hydra-matic
Standard 4-cyl. 90-hp Super-Thrift 153 Four	3.08				3.08		
Standard 6-cyl. 140-hp Turbo-Thrift 230 Six	3.08				2.73	2.73	2.56
Standard V8 200-hp Turbo-Fire 307 V8	3.08					2.73	2.56
(RPO L22) 155-hp Turbo-Thrift 250 Six	3.08				2.73	2.73	2.56
(RPO L65) 250-hp Turbo-Fire 350 V8		3.08	3.08			2.56	2.56
300-hp Turbo-Fire 350 V8 (Included with Nova SS RPO Z26)				3.31		3.08	3.07

Note: Positraction rear axle available in all axle ratios.

## Equipment Included With Optional\* V8 Engines

Important equipment is included with optional\* V8 engines, supplementing or replacing equipment included with the standard V8. Other specialized equipment is also available.

	250-hp Turbo-Fire 350	300-hp Turbo-Fire 350
Special front springs		•
Special multiple-leaf rear springs	•	•
Heavier duty shaft universal joints		•**
Rear axle ring gear—8.875" dia.		•**
Larger capacity radiator	•	•
Dual exhaust (2¼-in. dia.)	•	•
Heavier duty clutch	•	•
Wide-oval E70 x 14 white stripe tires with 14" x 7" wheels		•
Special underhood insulation		•
Higher performance starting motor	•	•
61-ampere-hour battery	•	•
Finned aluminum valve rocker covers		•
Large in-line fuel filter and vapor return line to fuel tank		•
Heavier duty rear shock absorbers	•	•

\*Optional at extra cost.

\*\*Except Powerglide.

†Chrome-finish air cleaner cover and oil filler cap.



## Transmissions

	engine	transmission gear ratios (:1)					shift selector locations		
		1	2	3	4	R	column	floor	console*
3-Speed Fully Synchronized (standard)	90-hp Four	2.85	1.68	1.00		2.95	•		
	140-hp Six 155-hp Six 200-hp V8	2.85	1.68	1.00		2.95	•	•†	•
	250-hp V8	2.54	1.50	1.00		2.63			
4-Speed Fully Synchronized (RPO M20)	250-hp V8	2.54	1.80	1.44	1.00	2.54		•	•
	300-hp V8	2.52	1.88	1.46	1.00	2.59			
Torque-Drive (RPO MB1)	90-hp Four	Hi (maximum)—2.4:1 to 1:1 1st and Reverse—4.37:1 to 1.82:1					•		
	140-hp Six 155-hp Six	Hi (maximum)—2.1:1 to 1:1 1st and Reverse—3.82:1 to 1.82:1							
Powerglide (RPO M35)	140-hp Six 155-hp Six 200-hp V8	Drive (max.)—3.82:1 to 1:1 Low and reverse—3.82:1 to 1.82:1					•		
	250-hp V8 300-hp V8	Drive (max.)—3.70:1 to 1:1 Low and reverse—3.70:1 to 1.76:1							
Turbo Hydra-matic (RPO M40)	140-hp Six 155-hp Six 200-hp V8 250-hp V8 300-hp V8	Drive (max.)—5.29:1 to 1:1 Low 2—5.29:1 to 1.52:1 Low 1—5.29:1 to 2.52:1 Reverse—4.05:1 to 1.93:1					•		•

\*Optional at extra cost.

†Optional floor-mounted shift lever (RPO M11)


## Clutches for Nova 3- and 4-Speed Transmission Power Teams

	90-hp 4 3-Speed	140-hp 6 3-Speed	155-hp 6 3-Speed	200-hp 307 V8 3-Speed	250-hp 350 V8 3- & 4-Speed	300-hp 350 V8 4-Speed
type	diaphragm spring with single dry disc				semi-centrifugal bent-finger design diaphragm spring with single dry disc	
Disc facing material	woven asbestos				premium grade woven asbestos	
Disc facing outside diameter	9.12"			10.34"		11.00"
Disc facing total area (sq. in.)	71.82			101.54		123.70
Spring effective plate load (lbs.)	1350-1450	1650-1850		1900-2200	2100-2200	2450-2750



# Nova SS


Nova SS Coupe




Nova SS Coupe with Exterior Decor (RPO ZJ5)




Nova SS Coupe with Custom Exterior (RPO ZJ2)




Nova standard hub cap




Full Wheel Cover  
(RPO P01)—available for  
all models




Special Wheel  
Cover (RPO P02)—  
available for all models



Wheel Trim Ring  
(RPO P06)—available with  
standard hub caps



Rally Wheel  
(RPO ZJ7)—available  
for all models



Sport Wheel  
(RPO N66)—available on  
Nova SS Coupe only



Nova

Nova Coupe



Nova Coupe with Exterior Decor (RPO ZJ5)



Nova Coupe with Custom Exterior (RPO ZJ2)



Nova Sedan



Nova Sedan with Exterior Decor (RPO ZJ5)



Nova Sedan with Custom Exterior (RPO ZJ2)





## Nova SS Exterior Features

	Nova SS	With Exterior Decor RPO ZJ5	With Custom Exterior RPO ZJ2
Black-accented grille with SS emblem	•	•	•
Bright grille and fender outline moldings	•	•	•
Simulated air intakes on hood	•	•	•
Windshield molding	•	•	•
Round outside rearview mirror	•	•	•
Front fender engine emblems	•	•	•
Nova front fender nameplates	•	•	•
Simulated front fender louvers with bright accents	•	•	•
Side marker lights—front and rear	•	•	•
Bright side window moldings		•	•
Accent striping			•
Body side molding with black vinyl insert		•	
Body side lower moldings			•
Black lower body accent band			(a), (b)
Body sill and rear fender moldings			•
Black accent band below body sill and rear fender moldings			(b)
White stripe wide-oval tires	•	•	•
Hub caps	•	•	•
Rear window molding	•	•	•
Bright-accented taillights with built-in back-up lights	•	•	•
Black rear panel with SS emblem	•	•	
Black ribbed rear panel trim plate with SS emblem			•

(a) Between lower side moldings and sill and rear fender moldings.

(b) Except with Fathom Blue, Black Cherry, and Forest Green exterior colors.



## Nova Exterior Features

	Nova	With Exterior Decor RPO ZJ5	With Custom Exterior RPO ZJ2
Silver-finish grille	•	•	•
Bright grille and fender outline moldings	•	•	•
Windshield molding	•	•	•
Round outside rearview mirror	•	•	•
Front fender engine emblems (except standard 4- and 6-cyl. engines)	•	•	•
Nova front fender nameplates	•	•	•
Simulated front fender louvers (bright accented with Custom Exterior)		•	•
Side marker lights—front and rear	•	•	•
Bright drip moldings (Sedan only)		•	
Bright side window moldings (Coupe only)		•	•
Body side moldings with black vinyl insert (Sedan only with Custom Exterior)		•	•
Accent striping (Coupe only)			•
Body side lower moldings (Coupe only)			•
Black lower body accent band (Coupe only)			(a), (b)
Body sill and rear fender moldings			•
Black accent band below body sill and rear fender moldings			(b)
Hub caps	•	•	•
Rear window molding	•	•	•
Bright-accented taillights with built-in back-up lights	•	•	•
Bright ribbed rear panel trim plate			•


(a) Between lower side moldings and sill and rear fender moldings. (b) Except with Fathom Blue, Black Cherry, and Forest Green exterior colors



Chevy Nova Interior Features

	Nova	Nova SS RPO Z26*	Special Interior RPO ZJ3*	Custom Interior RPO ZJ1*
Oval steering wheel with horn tabs and emblem	•		•	•
Black steering wheel and column with SS emblem		•	†	†
Bright instrument cluster outline molding	•	•	•	•
Bright instrument cluster framing			•	•
Automatic ignition key alarm	•	•	•	•
Glove compartment lock	•	•	•	•
Glove compartment light			•	•
Illuminated heater control panel	•	•	•	•
Cigarette lighter	•	•	•	•
Oil pressure, temperature, and generator warning lights	•	•	•	•
Parking brake and brake system warning light	•	•	•	•
Color-keyed turn signal and shift lever knobs	•	•	•	•
Padded instrument panel and sun visors	•	•	•	•
Instrument panel nameplate	•	•	•	•

\*Optional at extra cost      †With Nova SS only





## Chevy Nova Interior Features

	Nova	Nova SS RPO Z26*	Special Interior RPO ZJ3*	Custom Interior RPO ZJ1*
Convenient T-handle parking brake release	•	•	•	•
Foot-operated parking brake	•	•	•	•
Bright pedal trim			•	•
Wide day-night rearview mirror	•	•	•	•
Scuff-resistant plastic cowl side panels	•	•	•	•
Color-accented window control handles	•	•	•	•
Padded front door armrests	•	•	•	•
Rear armrests and ashtrays				•
Forward-mounted front door lock buttons	•	•	•	•
Automatic interior light switches for both front doors			•	•
Pattern cloth and vinyl interior (all-vinyl available)	•	•	•	
Luxurious pattern cloth and vinyl interior (all-vinyl available)				•
Foam-cushioned front seat	•	•	•	
Foam-cushioned front and rear seats (extra-thick in front)				•
Color-keyed vinyl-coated rubber floor mat	•	•	•	
Color-keyed deep-twist carpeting				•
Center dome light	•	•	•	•
Bright front seat adjustment handle	•	•	•	•
Special hood insulation		•		
Bright dome light bezel			•	•
Luggage compartment mat				•
Special body and hood insulation				•

\*Optional at extra cost



## Exterior Dimensions

	Nova Coupe	Nova Sedan
Wheelbase	111.0	111.0
Length (overall)	189.4	189.4
Width (overall)	72.4	72.4
Height (loaded)	52.5	53.9
Front tread	59.0	59.0
Rear tread	58.9	58.9

## Interior Roominess

Head room—front	37.6	38.8
Head room—rear	36.5	37.3
Leg room—front	41.0	41.0
Leg room—rear	32.6	35.7
Hip room—front	56.3	56.3
Hip room—rear	55.3	56.4
Shoulder room—front	56.5	56.5
Shoulder room—rear	55.3	56.6
Front entrance height	28.7	29.8
Rear entrance height	—	29.0

## Luggage Compartment

Maximum opening width	53.0	53.0
Loading height	27.6	27.7
Interior length (max.)	47.0	47.0
Interior width (max.)	68.0	68.0
Interior height (max.)	18.0	18.0
Usable luggage space (cu. ft.)	14.6	13.7

## Glass Area

	Nova Coupe	Nova Sedan
Windshield glass area (sq. in.)	1119.2	1112.0
Rear window glass area (sq. in.)	1144.2	1005.7
Total glass area (sq. in.)	3486.0	3360.3

## Tire Size & Steering Specifications

Standard tire size	E78 x 14*	E78 x 14
Turning circle—curb-to-curb (ft.)	40.4	40.4
Turning circle—wall-to-wall (ft.)	42.5	42.5
Steering ratio—std. (overall)	28.3:1	28.3:1
Steering ratio—power (overall)	19.4:1 to 14.9:1	19.4:1 to 14.9:1

## Fuel Capacity & Weight

Rated fuel tank capacity (gallons)	18	18
Curb weight—Four (lbs.)	2915	2935
Curb weight—Six (lbs.)	3015	3035
Curb weight—V8 (lbs.)	3145	3165
Shipping weight—Four (lbs.)	2820	2845
Shipping weight—Six (lbs.)	2920	2940
Shipping weight—V8 (lbs.)	3050	3070

\*E70 x 14 white stripe wide-oval tires and 14" x 7" wheels included with SS equipment.



## 1970 Corvette

---

	V8
Coupe	19437
Convertible	19467

## Index

---

Corvette Features.....	2
Corvette Coupe.....	4
Corvette Convertible.....	5
Corvette Interior.....	6
Color and Trim.....	8
Power Teams.....	10
Exterior Features.....	12
Interior Features.....	14
Dimensions.....	16



## NEW CORVETTE FEATURES FOR 1970 . . .

- New bright precision-cast grille with new larger parking/turn signal lights
- New body sill moldings
- New bright outlined front fender louvers
- New wider flared wheel openings front and rear
- New rectangular exhaust outlets with bright accents
- New side marker lights front and rear
- New taillight and back-up light styling
- New interior trim styling and colors
- New high-backed slim-tapered bucket seat styling with integral head restraints
- New unitized seat and shoulder belt buckle design
- New Custom Interior option
- Tinted glass now standard in all windows
- New 370-horsepower 350-cu.-in. V8 option
- New large displacement 454-cu.-in. V8 option rated 390 horsepower with quiet hydraulic valve lifters and 10.25:1 compression ratio
- New top-output 460-hp includes aluminum cylinder heads, special camshaft with mechanical lifters, and 11.0:1 compression ratio
- 4-Speed fully synchronized transmission standard equipment
- Positraction rear axle standard with choice of ratios available
- Special high-domed hood included with 370-, 390- and 460-hp engines
- New improved windshield wiper cowl panel operation
- Faster headlight positioning control
- New improved hood locking system
- Improved door latching system for Convertible
- Side-terminal energizer battery

## Safety and security features . . .

### Occupant Protection Features

- Seat belts and shoulder belts (except Convertible) with pushbutton buckles and retractors—driver and passenger
- Built-in head restraints
- Energy-absorbing steering column
- Passenger-guard door locks
- Safety door latches
- Energy-absorbing padded instrument panel
- Thick-laminate windshield
- Padded sun visors
- Safety armrests
- Safety steering wheel

### Accident Prevention Features

- Side marker lights and reflectors
- Parking lights that illuminate with headlights
- Four-way hazard warning flasher
- Back-up lights
- Lane-change feature in direction signal control
- Windshield defroster, washers and dual-speed wipers
- Wide-view inside day-night mirror (vinyl-edged, shatter-resistant glass and deflecting support)
- Outside rearview mirror
- Tire tread wear indicators
- Dual master cylinder brake system with warning light
- Starter safety switch

### Anti-Theft Features

- Anti-theft ignition key warning buzzer
- Anti-theft steering column lock

## Traditional quality features . . .

- Dramatic aerodynamic styling with long sloping hood and short rear deck with flared air spoiler

- Power-operated retractable dual head-lights with built-in headlight washers
- High-rise fenders with functional louvers
- Unique Coupe roof styling with removable roof panel sections and rear window
- Removable hardtop styling for Convertible
- Concealed outside door handles
- Full door-glass styling without ventipanes
- Flush-mounted windshield wipers hidden beneath power-operated cowl panel
- Twin rear deck air exhaust grilles
- Bright license plate frames
- Wheel trim rings and center caps
- Instrument panel and console with aircraft-type instrumentation
- Astro Ventilation with adjustable vent-ports in instrument panel
- Console-mounted parking brake control
- Deep-twist floor carpeting
- All-vinyl interior trim
- Special sport-styled steering wheel
- Tachometer
- Separate trip odometer
- Rally-type electric clock
- Ammeter, oil pressure, fuel and temperature gauges
- Vinyl-covered molded headlinining on Coupe
- Courtesy light with automatic door switches
- Light monitoring system standard with indicators built into console
- Rear compartment stowage wells
- Warning lights for seat belt and door ajar
- Armrests designed to shield door handles and lock buttons
- Efficient valve-in-head engine design
- Positive-shift starter
- Automatic choke

- Controlled pressure lubrication system with full-flow oil filter
- Full dual exhaust system
- Exhaust emission control system standard on all engines
- Suspended accelerator pedal with cable-type linkage
- High-output Delcotron generator
- High-capacity energizer-type battery
- Magic-Mirror acrylic lacquer finish
- Steel-reinforced fiberglass body
- Curved side windows
- Built-in blended-air heater and defroster system
- Carpeted luggage compartment behind front seats
- Color-matched seat belts
- Keyless door locking
- Concealed Convertible top stowage
- Separate spare tire stowage with key lock
- Front lower air spoiler
- Rear deck air spoiler
- Full independent suspension system
- Disc brakes at all four wheels
- Rugged all-welded ladder-type frame
- Wide 15" x 8" wheels
- F70 x 15 wide-oval tires
- Precise Ball-Race steering
- Tire safety rim
- Built-in control of acceleration and braking forces
- Rayon-reinforced front and rear brake hoses
- 6000-mile or four-month chassis lubrication
- Rubber-mounted front stabilizer bar













**Corvette Convertible**



**Corvette Convertible shown with removable hardtop / 5**





**6 / Corvette all-vinyl standard interior**





**Corvette leather-and-vinyl custom interior / 7**



Interior Trim

models	seat style	Black		Blue vinyl	Brown vinyl	Green vinyl	Red vinyl	Saddle	
		vinyl	leather					vinyl	leather
Coupe & Convertible	bucket	400	403	411	414	422	407	418	424

Exterior Colors

	code						
Mulsanne Blue	26	•	•				
Bridgehampton Blue	27	•	•				
Donnybrooke Green	44	•		•	•		•
Laguna Gray	15	•	•	•	•	•	•
Marlboro Maroon	77	•		•			•
Ontario Orange	62	•					
Monza Red	72	•		•		•	•
Cortez Silver	14	•	•	•	•	•	•
Classic White	10	•	•	•	•	•	•
Daytona Yellow	51	•			•		



**Vinyl Roof Cover Color Choice (RPO C08)**  
Available for removable hardtop (RPO C07) in black only with all exterior colors.

**Convertible Top Colors**  
Choice of white, black or sandalwood convertible top available with all exterior colors.

**Seat and Shoulder Belt Colors**

interior trim color	belt colors
Black	Black
Blue	Dark Blue
Green	Green
Red	Red
Brown	Dark Brown
Saddle	Saddle



## Engines, Transmissions and Axle Ratios

engines	transmissions and positraction rear axle ratios											
	std.	4-speed (2.52:1 low) econ.*	perf.*	spec.*	std.	4-speed (2.20:1 low) econ.*	perf.*	spec.*	std.	Turbo Hydra-matic econ.*	perf.*	spec.*
Standard V8 300-hp Turbo-Fire 350 V8	3.36	3.08							3.08		3.36	
(RPO L46) 350-hp Turbo-Fire 350 V8	3.36		3.55		3.70		4.11					
(RPO LT1) 370-hp Turbo-Fire 350 V8	3.55	3.36	3.70		3.70	3.55	4.11					
(RPO LS5) 390-hp Turbo-Jet 454 V8	3.08		3.36		3.36	3.08	3.55	3.70	3.08	2.73		
(RPO LS7) 460-hp Turbo-Jet 454 V8					3.36	3.08	3.55		3.08	3.36		

\*Optional at extra cost.

## Equipment Included With Optional\* V8 Engines

Important equipment is included with optional\* V8 engines, supplementing or replacing equipment included with the standard V8. Other specialized equipment is also available.

	350-hp Turbo-Fire 350	370-hp Turbo-Fire 350	390-hp Turbo-Jet 454	460-hp Turbo-Jet 454
Special high-domed hood		•	•	•
Heavier duty front springs		•	•	•
Heavier duty front stabilizer bar		•	•	•
Heavier duty rear wheel spindle support arms		•	•	•
Rear suspension stabilizer bar		•	•	•
Heavier duty clutch				•
Larger capacity radiator		•	•	•
Dual water pump and fan pulleys	•	•	•	•
Finned aluminum valve rocker covers	•	•		
Full-transistor ignition system		•		•
Chrome-finish valve rocker covers			•	•
Higher performance starting motor		•	•	•
Aluminum cylinder heads				•
Heavier duty battery			•	•

\*Optional at extra cost.



## Transmissions

	engine	transmission gear ratios (:1)					shift selector location
		1	2	3	4	R	console
4-Speed Fully Synchronized (Standard)	300-hp V8 350-hp V8 370-hp V8 390-hp V8	2.52	1.88	1.46	1.00	2.59	•
4-Speed Fully Synchronized (RPO M21)	350-hp V8 370-hp V8 390-hp V8 460-hp V8	2.20	1.64	1.27	1.00	2.26	•
Turbo Hydra-matic (RPO M40)	300-hp V8 390-hp V8 460-hp V8	Drive (maximum)—5.21:1 to 1:1 Low 2—5.21:1 to 1.48:1 Low 1—5.21:1 to 2.48:1 Reverse—4.37:1 to 2.08:1					•


## Clutches for Corvette 4-Speed Transmission Power Teams

type	300- & 350-hp	370- & 390-hp	460-hp
	Semi-centrifugal bent-finger-design diaphragm spring with single dry disc—pearlitic or nodular iron pressure plate		
Disc Facing Material	Premium grade woven asbestos		
Disc Facing Outside Diameter	11.00		
Disc Facing Total Area (sq. in.)	123.70		
Spring Effective Plate Load (lbs.)	2450-2750		2600-2800




*Stingray*



Corvette Coupe




Corvette Convertible



Corvette Convertible  
with optional removable hardtop (RPO C07)



Corvette standard wheel trim  
ring with center cap



Optional Corvette  
full wheel cover (RPO P02)



## Corvette Exterior Features

	Coupe	Convertible
Precision-cast bright grille	•	•
Concealed headlights with washers	•	•
Front bumper guards	•	•
White lenses over amber parking/direction signal lights	•	•
Bright license plate frames	•	•
Functional front fender louvers	•	•
Windshield molding	•	•
Hide-A-Way windshield wipers with built-in washers	•	•
Full door-glass styling	•	•
Rectangular outside rearview mirror	•	•
Wide-oval F70 x 15 tires and 15 x 8 wheels	•	•
Body sill moldings	•	•
Wheel trim rings and center caps	•	•
Side marker lights—front and rear	•	•
Bright roof drip and rear window molding	•	
Flush-mounted door handles	•	•
Removable roof panels and rear window	•	
Astro Ventilation outlet grilles on rear deck	•	•
Twin-unit taillights/back-up lights with bright bezels	•	•
Bright exhaust outlet extensions and frames	•	•
Wraparound rear bumper with built-in guards	•	•
Bright outlined front fender louvers	•	•



Corvette Interior Features

	Coupe	Convertible
Sports-styled steering wheel with black rim	•	•
Bright-accented Corvette horn button emblem	•	•
Adjustable Astro Ventilation vent-ports	•	•
Convenient aircraft-type center console	•	•
7000-rpm tachometer	•	•
Anti-theft steering column lock	•	•
Illuminated heater control panel	•	•
Separate trip odometer	•	•
Ammeter, temperature, fuel and oil pressure gauges	•	•
Light monitoring system alert panels	•	•
Seat belt, door ajar and headlight position indicators	•	•
Electric clock with sweep second hand	•	•
Cigarette lighter in console ashtray	•	•
Console-mounted parking brake control	•	•
Headlight high-beam indicator	•	•



## Corvette Interior Features

	Coupe	Convertible
Luxurious all-vinyl interior styling	•	•
High-backed slim-tapered bucket seats	•	•
Unitized seat and shoulder belt buckle design	•	•
Tinted glass in all windows	•	•
Molded door panels with built-in armrests	•	•
Full door-glass styling and Astro Ventilation	•	•
Folding seat back latches	•	•
Custom Deluxe color-matched seat belts	•	•
Handy map and storage pockets	•	•
Glare-resistant padded instrument panel and sun visors	•	•
Parking brake and brake system warning light	•	•
Seat belt retractors	•	•
Deep-twist color-keyed floor carpeting	•	•
Vinyl-covered molded headlining	•	
Courtesy lights with automatic door switches	•	•
Suspended accelerator pedal	•	•
Carpeted rear compartment storage wells	•	•
Day-night inside rearview mirror	•	•
Door pull handles	•	•
Black-accented hood release handle	•	•
Special bright pedal trim	•	•
Removable roof panels and rear window	•	
Bright seat adjustment handle	•	•
Vinyl plastic rear window		•



Exterior Dimensions

	Sport Coupe	Convertible
Wheelbase	98.0	98.0
Length (overall)	182.5	182.5
Width (overall)	69.0	69.0
Height (loaded)	47.8	47.9
Front Tread	58.7	58.7
Rear Tread	59.4	59.4

Interior Roominess

Head room	37.2	38.3*
Leg room	43.0	43.0
Hip room	48.8	48.8
Shoulder room	46.9	46.9
Entrance height	29.0	29.0

Luggage Compartment

Usable luggage space (cu. ft.)	6.1	5.0
--------------------------------	-----	-----

\*With removable hardtop—37.1

Glass Area

	Sport Coupe	Convertible
Windshield glass area (sq. in.)	977.4	977.4
Rear window glass area (sq. in.)	392.5	418.0
Total glass area (sq. in.)	2170.7	2196.2

Tire Size & Steering Specifications

Standard tire size	F70 x 15	F70 x 15
Turning circle—curb-to-curb (ft.)	37.0	37.0
Turning circle—wall-to-wall (ft.)	39.0	39.0
Steering ratio—std. (overall)	20.2:1	20.2:1
Steering ratio—power (overall)	17.6:1	17.6:1

Fuel Capacity & Weight

Rated fuel tank capacity (gallons)	20	20
Curb weight—standard V8 (lbs.)	3290	3304
Shipping weight—standard V8 (lbs.)	3184	3196



## 1970 Optional\* Features

### Index

#### Dealer-Installed Custom Features

Chevrolet.....	2
Monte Carlo.....	3
Chevelle.....	4
Wagons.....	5
Chevy Nova.....	8
GM Child Safety Seat.....	9
Wheel Covers.....	9
Vanity Visor Mirror.....	9
Highway Emergency Kit.....	9
Full Width Front Rubber Floor Mat.....	9
Trailer Hitch.....	10
Ski Rack.....	10
Outside Right Hand Rearview Mirror.....	10
Cruise-Master Speed Control.....	10
Ventshades.....	11
Station Wagon Rooftop Carrier.....	11
GM Infant Seat Carrier.....	11
Auto Compass.....	11
Front and Rear Bumper Guards.....	11
Tissue Dispenser and Litter Container.....	12
Rear Window Defogger.....	12
Litter Container.....	12
GM Chevrolet Air Conditioner.....	12
Electric Clock.....	12
Tape Cartridge Holder.....	13
Stereo Tape Player.....	13
Rear Seat Speaker.....	13
AM-FM Radio.....	13

#### Optional Equipment Installed by

Chevrolet.....	15
----------------	----

\*Factory- or Dealer-Installed at Extra Cost





**2 / Chevrolet custom features**






























GM Child Safety Seat



Simulated Magnesium Wheel Cover—Simulated Wire Wheel Cover—Chevelle Wheel Cover



Vanity Visor Mirror



Highway Emergency Kit



Full Width Front Rubber Floor Mat






Trailer Hitch




Ski Rack



Outside Body Mount Right Hand Rearview Mirror



Cruise-Master Speed Control



Equalizer Trailer Hitch







Ventshades



Station Wagon Adjustable Rooftop Luggage Carrier



GM Infant Safety Carrier



Auto Compass




Front and Rear Bumper Guards







Tissue Dispenser and Litter Container




Rear Window Defogger



Saddle-Type Litter Container



GM Chevrolet Air Conditioner



Electric Clock





Tape Cartridge Holder



Stereo Tape Player




Rear Seat Speaker



AM-FM Radio





**14/ Custom features**



Refer to the following publications  
for complete details of Chevrolet's  
wide choice of Dealer-installed  
Custom Feature Accessories...

**Salesman's Accessories**

Data Catalog.....RS-26

**Chevrolet Accessories**

Consumer Catalog.....RS-27

**Chevrolet Truck Accessories**

Consumer Catalog.....RS-28

**Chevelle, Monte Carlo,  
and Nova Accessories**

Consumer Catalog.....RS-38

**Camaro and Corvette Accessories**

Consumer Catalog.....RS-64



**Optional Equipment  
Installed by Chevrolet**

---

**Index**

---

Chevrolet.....	16
Monte Carlo.....	18
Chevelle.....	20
Wagons.....	22
Camaro.....	24
Chevy Nova.....	26
Corvette.....	29



## Feature Groups (Any item contained in a feature group may be ordered separately)

description	RPO number
Appearance guard group includes:	
(A) Front bumper guards	V31
(B) Rear bumper guards	V32
(C) Door edge guards, Coupe and Convertible	B93
(C) Door edge guards, Sedan	B93
(D) Color-keyed floor mats—2 Front, 2 Rear	B37
(E) Visor, vanity mirror	D34
A, B, C, D & E, for Coupe and Convertible	ZP5
A, B, C, D & E, for Sedan	ZP5
Operating convenience group includes:	
(A) Electric clock (Standard on Caprice)	U35
(B) Rear window defroster: Coupe and Sedan	C50
(B) Rear window defroster: Convertible	C50
(C) Headlight delay system: (with delayed-action switch and warning buzzer)	T81
(D) L.H. outside remote-control rearview mirror	D33
B, C, & D, for Caprice Coupe and Sedan	ZQ2
A, B, C & D, for Impala Coupe and Sedan, Bel Air and Biscayne	ZQ2
A, B, C & D, for Impala Convertible	ZQ2

## Power Teams

engines:	RPO number
300-hp Turbo-Fire 350 V8; available only when G78 x 15, G70 x 15 or H78 x 15 tires are specified	L48
265-hp Turbo-Fire 400 V8 (for regular grade fuel); available only when G78 x 15, G70 x 15 or H78 x 15 tires are specified	LF6
345-hp Turbo-Jet 454 V8; available only when H78 x 15 or H70 x 15 tires and HD battery are specified	LS4
390-hp Turbo-Jet 454 V8; available only when H78 x 15 or H70 x 15 tires and HD battery are specified	LS5
transmissions:	
Powerglide; 6-cyl. models V8 models	M35 M35
Turbo Hydra-matic; 6-cyl. models V8 models with 250-hp or 300-hp engine with 265-hp, 345-hp or 390-hp engine	M40 M40 M40
Axle, Positraction rear	G80
Axle ratio: trailering ratio; (V8 models only) available only when special suspension and Turbo Hydra-matic transmission are ordered	YD1

## Power Assists

description	RPO number
Brakes, power: with drum-type brakes; not available on Impala Custom Coupe and Caprice	J50
Brakes, power disc: (disc front) standard on Impala Custom Coupe and Caprice	JL2
Door lock system, power: 2-door models	AU3
Door lock system, power: 4-door models	AU3
Seat, power: 6-way control; front seat. Not available on Biscayne	A42
Seat back latch, automatic: Coupe and Convertible models only. Available only when power door lock system is ordered	AQ2
Steering power: variable ratio	N40
Trunk opener, power	A90
Windows, power: not available on Biscayne	A31

## Other Options

description	RPO number
Air conditioning, Four-Season: V8 models only. Includes 61-amp Delcotron. Also includes HD radiator when 345- or 390-hp engine is specified	C60
Air conditioning, Comforton: automatic temperature control. V8 models only. Includes 61-amp Delcotron. Also includes HD radiator when 345- or 390-hp engine is specified	C60/C75
Battery, heavy-duty: 80-amp-hr.	T60
Belts, seat and shoulder: in addition to or replacing standard belts. Custom Deluxe Belts: (replacing standard number of belts) Coupe and Sedan—6 seat and 2 shoulder Convertible—6 seat Shoulder belts—2 rear: (Convertible requires use of front shoulder belt option). For use when Custom Deluxe Belts are ordered Shoulder belts—2 front: Convertible only. For use when Custom Deluxe Belts are ordered	AK1 A39 AS4 A85
Defroster, Electro-Clear rear window: Impala Custom Coupe and Caprice Coupe with 63-amp generator only. Includes switch and monitor lights mounted on instrument panel	C49
Exhaust, dual: V8 models with 265-hp, 300-hp or 345-hp engine only. Included when 390-hp engine is ordered	N10
Generator: 63-amp Delcotron without air conditioning with air conditioning	K85 K85
Glass, Soft-Ray tinted: all windows	A01
Heater, engine block	K05
Light Monitoring System	U46
Lighting, auxiliary: (A) Courtesy lights (B) Glove compartment light (C) Luggage compartment light (D) Mirror map light (E) Monitor light, windshield washer fluid (F) Underhood light	



## Other Options (continued)

description	RPO number
Lighting, auxiliary (continued):	
(G) Warning lights (low fuel, check door and seat belt)	
Caprice models—includes D, E, F & G	ZJ9
Impala Convertible—includes D, E, F & G	ZJ9
Impala Sport Coupe, Custom Coupe and Sedan models—includes A, D, E, F & G	ZJ9
Bel Air—includes A, C, D, E, F & G	ZJ9
Biscayne—includes A, B, C, D, E, F & G	ZJ9
Mats, heavy-duty floor: Biscayne and Bel Air models only	
Front	B34
Rear	B35
Moldings, windows: Biscayne and Bel Air models only	B90
Radiator, heavy-duty: included when 345-hp or 390-hp engine is ordered with air conditioning; 6-cylinder models	V01
V8 models (includes extra HD cooling)	V01
Radio equipment: radios, pushbutton—includes concealed windshield antenna	
AM Radio	U63
AM/FM Radio	U69
AM/FM/Stereo Radio	U79
Stereo Tape System with AM Radio	UM1
Stereo Tape System with AM/FM/Stereo Radio	UM2
Speaker, rear seat—not available when stereo is ordered	U80
Roof cover, vinyl: includes bright metal outline moldings	
Black	BB
Dark Blue	CC
Dark Gold	HH
Dark Green	GG
White	AA
Seat cushion, extra-thick foam: front only. Biscayne and Bel Air models only	B55
Seats, heavy-duty: Biscayne and Bel Air models only	
Front (low-profile). Not available when power seat is ordered	A75
Rear	A76
Shock absorbers, rear:	
Superlift	G66
Superlift—automatic level control	G67
Skirts, rear fender	T58
Speed control: (Cruise-Master) V8 models only. Available only when automatic transmission is ordered. Not available when automatic level control is ordered	K30
Steering wheel, Comfortilt: available only when automatic transmission is ordered	N33
Steering wheel, cushioned rim	NK1
Suspension, special front and rear: Includes special front stabilizer, special duty rear axle upper control arms and bushings for front stabilizer and rear axle tie rod, increased capacity front and rear springs and matching shock absorbers	F40

## Other Options (continued)

description	RPO number
Trim, Interior:	
Brocade cloth; Caprice models only	...
All-vinyl; Impala Coupe, Impala Sedan and Bel Air Sedan models only	...
Tops, convertible: available with all solid exterior colors	
Black	BB
White	AA
Two-tone finish: includes bright metal outline moldings	...
Wheels, 15 x 6JK: set of (5). Included when 345-hp or 390-hp engine or rally wheels are ordered	P49
Wheel covers, full: not available on Caprice models	P01
Wheel covers, special: available only when 345-hp or 390-hp engine or 15 x 6 wheels are ordered	
Caprice models only	P02
Impala, Bel Air and Biscayne models only	P02
Wheels, Rally: includes special 15 x 6 wheels, special hub caps and trim rings	
Caprice models only	ZJ7
Impala, Bel Air and Biscayne models only	ZJ7

## Factory-Installed Regular Production Tires

description	RPO number
Replaces (5) F78 x 15 bias belted ply blackwall when standard, 265-hp or 300-hp engine is specified	
(5) F78 x 15 bias belted ply white stripe	PV4
(5) G78 x 15 bias belted ply blackwall	PU7
(5) G78 x 15 bias belted ply white stripe	PU8
†(5) G70 x 15 bias belted ply white stripe	P90
†(5) H78 x 15 bias belted ply blackwall	PV5
†(5) H78 x 15 bias belted ply white stripe	PV6
Replaces (5) G78 x 15 bias belted ply blackwall when 345-hp or 390-hp engine is specified	
(5) H78 x 15 bias belted ply blackwall	PV5
(5) H78 x 15 bias belted ply white stripe	PV6
(5) H70 x 15 bias belted ply white stripe	Q01
Replaces (5) G78 x 15 bias belted ply blackwall when standard, 265-hp or 300-hp engine is specified	
(5) G78 x 15 bias belted ply white stripe	PU8
†(5) G70 x 15 bias belted ply white stripe	P90
†(5) H78 x 15 bias belted ply blackwall	PV5
†(5) H78 x 15 bias belted ply white stripe	PV6
Replaces (5) H78 x 15 bias belted ply blackwall when 345-hp or 390-hp engine is specified	
(5) H78 x 15 bias belted ply blackwall	PV5
(5) H78 x 15 bias belted ply white stripe	PV6
(5) H70 x 15 bias belted ply white stripe	Q01

†Available only when 15 x 6 wheels are specified.



## Model Option

description	RPO number
Monte Carlo SS: available only when Turbo Hydra-matic transmission is ordered. Includes 360-hp Turbo-Jet 454 engine; automatic level control; dual exhaust system; G70 x 15 white stripe tires 15 x 7 wheels and emblems on body sill moldings	Z20

## Feature Groups (Any item contained in a feature group may be ordered separately)

description	RPO number
Appearance guard group includes: (A) Front bumper guards (B) Rear bumper guards (C) Door edge guards (D) Color-keyed floor mats: 2 front, 2 rear (E) Visor vanity mirror	ZP5 V31 V32 B93 B37 D34
Operating convenience group includes: (A) Rear window defroster (B) L.H. outside remote-control rearview mirror	ZQ2 C50 D33

## Power Teams

engines:	RPO number
300-hp Turbo-Fire 350 V8	L48
265-hp Turbo-Fire 400 V8 (for regular grade fuel)	LF6
330-hp Turbo-Jet 400 V8	LS3
transmissions:	
Powerglide	M35
Turbo Hydra-matic; with 250- or 300-hp engine with 265-, 330- or 360-hp engine	M40 M40
4-Speed (wide-range)	M20
Axle, positraction rear	G80

## Power Assists

description	RPO number
Door lock system, power	AU3
Seat back latch, automatic: available only when power door lock system is ordered	AQ2
Seat, power: 4-way control; with conventional seat with bucket seats	A41 A46
Steering, power: variable-ratio	N40
Trunk opener, power	A90
Windows, power	A31



## Other Options

description	RPO number
Air conditioning, Four-Season: includes 61-amp Delcotron and HD radiator	C60
Battery, heavy-duty: 80-amp-hr.	T60
Belts, seat and shoulder: in addition to or replacing standard belts Custom Deluxe Belts: (replacing standard number of belts) With conventional seat—6 seat and 2 shoulder With bucket seats—5 seat and 2 shoulder Shoulder belts—2 rear; for use when Custom Deluxe Belts are ordered	AK1 AK1 AS4
Console: available only when bucket seats and optional transmission are ordered. Includes rear seat courtesy light and compartment. Shift lever mounted on console	D55
Exhaust, dual: with standard, 265-hp or 300-hp engine only. Included when 330- or 360-hp engine is ordered	N10
Generator: 63-amp Delcotron with air conditioning without air conditioning	K85 K85
Glass, Soft-Ray tinted: all windows	A01
Heater, engine block	K05
Instrumentation, special: includes tachometer, ammeter, and temperature gauge mounted in instrument panel	U14
Light monitoring system:	U46
Lighting, auxiliary: (A) Ashtray light (B) Courtesy lights (C) Luggage compartment light (D) Mirror map light (E) Monitor light, windshield washer fluid (F) Underhood light	ZJ9
Moldings, belt	B85
Radiator, heavy-duty: included when air conditioning is ordered	V01

## Other Options (continued)

description	RPO number
Radio equipment: radios, pushbutton—includes concealed windshield antenna AM Radio AM/FM Radio AM/FM/Stereo Radio Stereo Tape System with AM Radio Stereo Tape System with AM/FM/Stereo Radio	U63 U69 U79 UM1 UM2
Speaker, rear seat—not available when Stereo is ordered	U80
Roof cover, vinyl: includes bright metal outline moldings Black Dark Blue Dark Gold Dark Green White	BB CC HH GG AA
Shock absorbers, rear: Superlift—automatic level control. Included when Monte Carlo SS is ordered	G67
Skirts, rear fender: not available when 15 x 7 wheels are ordered	T58
Steering wheel, Comfortilt: available only when optional transmission is ordered	N33
Steering wheel, Cushioned Rim	NK1
Trim, interior Strato-Bucket seats; custom knit cloth vinyl	A51 A51
Two-tone finish: includes bright metal outline moldings	...
Wheel covers, color keyed: includes body color accents	PA3
Wheels, 15 x 7JK: included when Monte Carlo SS is ordered	PH1
Wheels, rally: includes special wheel, special hub cap and trim ring	ZJ7

## Factory Installed Regular Production Tires

description	RPO number
Replaces (5) G78 x 15 bias belted ply blackwall (5) G78 x 15 bias belted ply white stripe: not available with Monte Carlo SS (5) G70 x 15 bias belted ply white stripe: available only when 15 x 7 wheels are ordered. Included with Monte Carlo SS	PU8 P90



## Model Options

description	RPO number
SS Equipment: V8 Sport Coupe and Convertible models with 4-speed or Turbo Hydra-matic transmission only. Includes bright engine accents; power disc brakes (disc front); dual exhaust system with bright tips; black painted grille; wheel opening moldings; special rear bumper with black insert; special domed hood; SS emblem on grille, fenders, rear bumper, steering wheel and door trim panels; 14 x 7 sport wheels and F70 x 14 white lettered tires. (Body sill and belt line moldings deleted)	
SS 396. Includes 350-hp Turbo-Jet 396 V8	Z25
SS 454. Includes 360-hp Turbo-Jet 454 V8. Available only with heavy-duty radiator.	Z15

## Feature Groups (Any item contained in a feature group may be ordered separately)

description	RPO number
Appearance guard group includes:	
(A) Front bumper guards	V31
(B) Rear bumper guards: not available when SS is ordered	V32
(C) Door edge guards: Sport Coupe, Convertible and Sedan	B93
(D) Color-keyed floor mats: 2 front, 2 rear	B37
(E) Visor vanity mirror	D34
Sport Coupe and Convertible	
without SS—includes A, B, C, D & E	ZP5
with SS—includes A, C, D & E	ZP5
Sedan and Sport Sedan—includes A, B, C, D & E	ZP5
Operating convenience group includes:	
(A) Electric clock: included when special instrumentation is ordered	U35
(B) Rear window defroster	C50
(C) L.H. outside remote-control rearview mirror	D33
Sedan and Sport Sedan—includes A, B & C	ZQ2
Sport Coupe:	
without special instrumentation—includes A, B & C	ZQ2
with special instrumentation—includes B & C	ZQ2
Convertible:	
without special instrumentation—includes A, B & C	ZQ2
with special instrumentation—includes B & C	ZQ2

## Power Teams

engines:	RPO number
250-hp Turbo-Fire 350 V8 (for regular grade fuel)	L65
300-hp Turbo-Fire 350 V8	L48
330-hp Turbo-Jet 400 V8	LS3
transmissions:	
Powerglide;	
6-cyl. models	M35
V8 models	M35
Turbo Hydra-matic;	
6-cyl. models	M40
V8 models	
with standard, 250-hp or 300-hp engine	M40
with 330-hp or 350-hp SS engine	M40
4-speed (wide-range)	M20
4-speed (close-ratio)	M21
Special 4-speed (close ratio)	M22
Axle, Positraction rear:	G80
Axle ratio: trailering ratio available only when special suspension and Turbo Hydra-matic transmission is ordered	YD1

## Power Assists

description	RPO number
Brakes, power:	
with drum-type brakes. Not available when SS is ordered	J50
Brakes, power disc: (disc front). Included when SS is ordered	JL2
Door lock system, power:	
Sport Coupe and Convertible	AU3
Sedan	AU3
Seat back latch, automatic: Sport Coupe and Convertible only. Available only when power door lock system is ordered	AQ2
Steering, power: variable ratio	N40
Top, power	C06
Windows, power	A31



## Other Options

description	RPO number
Air conditioning, Four-Season: V8 models only. Includes 61-amp Delcotron and HD radiator	C60
Battery, heavy-duty: 80-amp-hr.	T60
Belts, seat and shoulder: in addition to or replacing standard belts Custom Deluxe Belts: (replacing standard number of belts) Coupe and Sedan with conventional seats—6 seat and 2 shoulder Coupe with bucket seats—5 seat and 2 shoulder Convertible with conventional seat—6 seat Convertible with bucket seats—5 seat Shoulder belts—2 rear: (Convertible requires use of front shoulder belt option). For use when Custom Deluxe Belts are ordered Shoulder belts—2 front: Convertible only. For use when Custom Deluxe Belts are ordered	AK1 AK1 A39 A39 AS4 A85
Console: available only when bucket seats and optional transmission are ordered. Includes rear seat courtesy light and compartment. Shift lever is mounted on console	D55
Exhaust, dual: available only when 250-hp or 300-hp engine is ordered. Included when 330-hp engine or SS is ordered	N10
Generator: 63-amp Delcotron with air conditioning without air conditioning	K85 K85
Glass, Soft-Ray tinted: all windows	A01
Heater, engine block	K05
Hood, "Cowl Induction". Available only when SS is ordered. Includes sport stripes on hood and rear deck, hood locking pins, air intake valve at rear of hood and hood to air cleaner duct	ZL2
Instrumentation, special: available on V8 Sport Coupe and Convertible models only. Includes clock, tachometer, ammeter and temperature gauge mounted in instrument panel	U14
Light monitoring system	U46
Lighting, auxiliary: (A) Ashtray light (B) Courtesy lights (C) Luggage compartment light (D) Mirror map light (E) Windshield washer fluid monitor light (F) Underhood light Convertible—includes A, C, D, E & F Sedan and Sport Coupe—includes A, B, C, D, E & F	ZJ9 ZJ9
Moldings, windows: Sedan only	B90
Radiator, heavy-duty: included when air conditioning is ordered	V01
Radio equipment: radios, pushbutton—includes concealed windshield antenna AM Radio AM/FM Radio AM/FM/Stereo Radio Stereo Tape System with AM Radio Stereo Tape System with AM/FM/Stereo Radio	U63 U69 U79 UM1 UM2

## Other Options (continued)

description	RPO number
Speaker, rear seat—not available when stereo is ordered	U80
Roof cover, vinyl: includes bright metal outline moldings Black Dark Blue Dark Gold Dark Green White	BB CC HH GG AA
Steering wheel, Comfortilt: available only when optional transmission is ordered	N33
Steering wheel, cushioned rim	NK1
Stripes, sport: available only when SS with standard hood is ordered. Included when cowl induction hood is ordered	D88
Suspension, special front and rear: includes special front and rear springs and matching shock absorbers. Not available when SS is ordered	F40
Tops, Convertible: manual. Available with all exterior solid colors Black White	BB AA
Trim, interior: all-vinyl seats; Sport Coupe and Sport Sedan only Seats, Strato-Bucket: Sport Coupe and Convertible only	... A51
Two-tone finish: includes bright metal outline moldings	...
Wheel covers, full: not available when SS is ordered	P01
Wheel covers, special: not available when SS is ordered	P02
Wheel trim rings: for use with standard hub caps only. Not available when SS is ordered	P06
Wheels, rally: includes special 14 x 6 wheel, special hub cap and trim ring. Not available when SS is ordered	ZJ7

## Factory Installed Regular Production Tubeless Tires

description	RPO number
Replaces (5) E78 x 14 bias belted ply blackwall (6-cyl. models) (5) E78 x 14 bias belted ply white stripe (5) F78 x 14 bias belted ply blackwall (5) F78 x 14 bias belted ply white stripe (5) F70 x 14 bias belted ply white stripe (5) F70 x 14 bias belted ply white lettered	PL3 PX5 PX6 PY4 PL4
Replaces (5) F78 x 14 bias belted ply blackwall (V8 models without SS) (5) F78 x 14 bias belted ply white stripe (5) F70 x 14 bias belted ply white stripe (5) F70 x 14 bias belted ply white lettered	PX6 PY4 PL4
Replaces (5) F70 x 14 bias belted ply white lettered blackwall (SS option) (5) F70 x 14 bias belted ply white stripe	PY4



## Feature Groups (Any item contained in a feature group may be ordered separately)

description	RPO number
Appearance guard group includes:	
(A) Front bumper guards	V31
(B) Door edge guards: all models except Estate Wagons	B93
(C) Color-keyed floor mats: 2 front, 2 rear	B37
(D) Visor vanity mirror	D34
Kingswood Estate and Concours Estate—includes A, C & D	ZP5
Brookwood, Townsman, Kingswood, Nomad, Greenbrier and Concours—includes A, B, C & D	ZP5
Operating convenience group includes:	
(A) Electric clock: standard on Kingswood Estate	U35
(B) Rear window defroster	C50
(C) Headlight delay system: (with delayed action switch and warning buzzer); Brookwood, Townsman, Kingswood and Kingswood Estate only	T81
(D) L.H. outside remote-control rearview mirror	D33
Kingswood Estate—includes B, C & D	ZQ2
Brookwood, Townsman and Kingswood—includes A, B, C & D	ZQ2
Nomad, Greenbrier, Concours and Concours Estate—includes A, B & D	ZQ2

## Power Teams

engines:	RPO number
Brookwood, Townsman, Kingswood and Kingswood Estate	
300-hp Turbo-Fire 350 V8	L48
265-hp Turbo-Fire 400 V8 (for regular grade fuel)	LF6
345-hp Turbo-Jet 454 V8; available only with HD battery	LS4
390-hp Turbo-Jet 454 V8; available only with HD battery	LS5
Nomad, Greenbrier, Concours and Concours Estate	
250-hp Turbo-Fire 350 (for regular grade fuel)	L65
Greenbrier, Concours and Concours Estate	
Nomad (available only when power disc brakes are ordered)	L65
300-hp Turbo-Fire 350	
Greenbrier, Concours and Concours Estate	L48
Nomad (available only when power disc brakes are ordered)	L48
330-hp Turbo-Jet 400	
Greenbrier, Concours and Concours Estate	LS3
Nomad (available only when power disc brakes are ordered)	LS3
transmissions:	
Powerglide; 6-cyl. models	M35
V8 models	M35

## Power Teams (continued)

description	RPO number
Turbo Hydra-matic; 6-cyl. models	M40
V8 models;	
with 200-, 250- or 300-hp engine	M40
with 265-, 330-, 345- or 390-hp engine	M40
4-speed (wide-range); V8 Nomad, Greenbrier, Concours and Concours Estate models only	M20
Axle, Positraction rear	G80
Axle ratio: trailering ratio available only when Turbo Hydra-matic transmission is ordered	YD1

## Power Assists

description	RPO number
Brakes, power: with drum-type brakes; not available on V8 Kingswood Estate, Greenbrier, Concours and Concours Estate models	J50
Brakes, power disc: (disc front); standard on Kingswood Estate, Greenbrier, Concours and Concours Estate V8 models	
Brookwood, Townsman and Kingswood	JL2
6-Cyl. Nomad, Greenbrier, Concours and V8 Nomad	JL2
Door lock system, power:	AU3
Seat, power: 6-way control; front seat. Townsman, Kingswood and Kingswood Estate only	A42
Steering, power	N40
Windows, power: Not available on Brookwood, Nomad or Greenbrier	A31
Window, power tailgate: 2-seat models only	A33

## Other Options

description	RPO number
Air conditioning, Four-Season: V8 models only. Includes 61-amp Delcotron	
Brookwood, Townsman, Kingswood and Kingswood Estate.	C60
Also includes HD radiator when 345- or 390-hp engine is ordered	C60
Greenbrier, Concours and Concours Estate. Also includes HD radiator	C60
Nomad (available only when power disc brakes are ordered). Also includes HD radiator	C60
Air conditioning, Comforton: automatic temperature control	
Brookwood, Townsman, Kingswood and Kingswood Estate only. Includes 61-amp Delcotron. Also includes HD radiator when 345-hp or 390-hp is ordered	C60/C75
Air deflector, rear window	C51
Battery, heavy-duty: 80-amp-hr.	T60



## Other Options (continued)

description	RPO number
Belts, seat and shoulder: In addition to or replacing standard belts Custom Deluxe Belts: (replacing standard number of belts) 2-seat models—6 seat and 2 shoulder 3-seat models—8 seat and 2 shoulder Shoulder belts—2 rear: for use when Custom Deluxe belts are ordered	AK1 AK1 AS4
Carpet, load floor: Kingswood and Kingswood Estate only	B39
Carrier, roof: includes adjustable end rail and wood-grained accents	V55
Exhaust, dual: available only when 265-hp, 300-hp or 345-hp engine is ordered on Brookwood, Townsman, Kingswood or Kingswood Estate or when 250-hp or 300-hp engine is ordered on Nomad, Greenbrier, Concours or Concours Estate. Included when 330-hp or 390-hp engine is ordered	N10
Generator: 63-amp Delcotron without air conditioning with air conditioning	K85 K85
Glass, Soft-Ray tinted: all windows Brookwood, Townsman, Kingswood and Kingswood Estate Nomad, Greenbrier, Concours and Concours Estate	A01 A01
Heater, engine block	K05
Light monitoring system	U46
Lighting, auxiliary: (A) Ashtray light (B) Courtesy lights (C) Glove compartment light (D) Mirror map light (E) Windshield washer fluid monitor light (F) Underhood light (G) Warning lights (low fuel, check door and seat belts) Kingswood Estate—includes D, E, F & G Townsman and Kingswood—includes B, D, E, F & G Brookwood—includes B, C, D, E, F & G Concours and Concours Estate—includes A, B, D & F Nomad and Greenbrier—includes A, B, C, D & F	ZJ9 ZJ9 ZJ9 ZJ9 ZJ9 ZJ9
Lock, rear compartment: Brookwood, Townsman, Kingswood and Kingswood Estate 2-seat models only	A96
Mats, heavy-duty floor: Brookwood and Townsman only front rear	B34 B35
Moldings, Window: Brookwood, Townsman, Concours and Concours Estate Nomad and Greenbrier	B90 B90
Radiator, heavy-duty: included when air conditioning is ordered on 116"-wb models; with air conditioning and 345-hp or 390-hp V8 engines on 119"-wb models Nomad, Greenbrier, Concours and Concours Estate models Brookwood, Townsman, Kingswood and Kingswood Estate models; includes extra HD cooling	V01 V01

## Other Options (continued)

description	RPO number
Radio equipment: radios, pushbutton—includes concealed windshield antenna AM Radio AM/FM Radio AM/FM/Stereo Radio Stereo Tape System with AM Radio Stereo Tape System with AM/FM/Stereo Radio	U63 U69 U79 UM1 UM2
Speaker, rear seat—not available when Stereo is ordered	U80
Roof cover vinyl: 119"-wb wagons only Black Dark Blue Dark Gold Dark Green White	BB CC HH GG AA
Seat cushion, extra-thick foam: front only. Brookwood and Townsman only	B55
Seats, heavy-duty: front (low-profile). Brookwood and Townsman only. Not available when power seat is ordered	A75
Shock absorbers, rear: Brookwood, Townsman, Kingswood and Kingswood Estate only Superlift Superlift—automatic level control	G66 G67
Speed Control: (Cruise-Master) Brookwood, Townsman, Kingswood and Kingswood Estate models with automatic transmission only. Not available when automatic level control is ordered	K30
Steering wheel, Comfortilt: available only when optional transmission is ordered	N33
Steering wheel, Cushioned Rim	NK1
Two-tone finish. Brookwood, Townsman and Kingswood only. Includes bright metal outline moldings	...
Wheel covers, full: not available on Kingswood Estate	P01
Wheel covers, special: Kingswood Estate only All models except Kingswood Estate	P02 P02
Wheel trim rings: for use with standard hub caps only. Not available on Brookwood, Townsman, Kingswood and Kingswood Estate	P06
Wheels, Rally	ZJ7

## Factory Installed Regular Production Tires

description	RPO number
Replaces (5) H78 x 15 bias belted ply blackwall Brookwood, Townsman, Kingswood and Kingswood Estate only (5) H78 x 15 bias belted ply white stripe	PV8
Replaces (5) G78 x 14 bias belted ply blackwall Nomad, Greenbrier, Concours and Concours Estate only (5) G78 x 14 bias belted ply white stripe	PK2
(5) G78 x 14 bias belted ply blackwall	PM5
(5) G78 x 14 bias belted ply white stripe	PM6



## Model Options

description	RPO number
Camaro SS includes: 300-hp Turbo-Fire 350 (included) or 350-hp Turbo-Jet 396 V8 (RPO Z27/L34). Black grille with bright outline. Hide-A-Way windshield wipers. Bright molding on rear edge of hood. SS emblem on steering wheel, grille and fenders. Special ornamentation. Special hood insulation. Power brakes. Bright engine accents. 14 x 7 wheels. White lettered F70 x 14 bias belted ply tires. Dual exhaust system with bright outlets. Black rear panel and special front and rear suspension included with 350-hp Turbo-Jet 396 V8 option.	Z27
Custom interior: includes deluxe seat and sidewall trim; glove compartment light; wood-grained accents on instrument cluster, steering wheel and door trim panels; luggage compartment mat plus special engine compartment, hood and interior insulation with cloth seats with vinyl seats	Z87 Z87
Interior accent group: included in Custom Interior option. Includes wood-grained accents on instrument cluster and steering wheel	Z23
Rally Sport: available only with F78 x 14 or F70 x 14 tires, or when special performance package is ordered. Includes special black grille with argent accents, resilient vertical center bar, and bright outline. Resilient grille frame. Separate left and right front bumperettes. License plate mounting below right bumperette. Roadlight-styled parking lights beside headlights. Hide-A-Way windshield wipers. Bright molding on rear edge of hood. Bright window moldings. Color-accented door handles. Bright accents on parking lights and taillights. RS emblem on steering wheel. Rally Sport front fender nameplates.	Z22
Style Trim Group: includes bright molding on rear edge of hood. Bright window moldings. Color-accented door handles. Bright accents on parking lights and taillights.	Z21
Special performance package: includes special 360-hp 350-cu.-in. V8 engine. Black grille with bright outline. Special stripes on hood and rear deck. Air spoiler on rear deck. Z28 emblem on grille, front fenders and rear deck spoiler. Rear bumper guards. Special 15 x 7 wheels with bright wheel nuts. White lettered F60 x 15 bias belted ply tires. Special front and rear suspension. Special hood insulation. Bright engine accents. Heavy-duty radiator. Dual exhaust system with bright outlets.	Z28
Option Combinations—Camaro SS or Z28 may be ordered with Style Trim or Rally Sport equipment to include the special features of both options. SS or Z28 identification replaces RS emblems.	

## Feature Groups (Any item contained in a feature group may be ordered separately)

description	RPO number
Appearance guard group includes: (A) Guards, door edge (B) Mats, color-keyed floor: 2 front, 2 rear (C) Mirror, visor vanity For all models—includes A, B & C	B93 B37 D34 ZP5
Operating convenience group includes: (A) Clock, electric: included when special instrumentation is ordered (B) Defroster, rear window For Sport Coupe with special instrumentation—includes B For Sport Coupe without special instrumentation—includes A & B	U35 C50 ZQ2 ZQ2

## Power Teams

engines:	RPO number
Engine: V8 model only 250-hp Turbo-Fire 350: available only when F78 or F70 x 14 tires are ordered	L65
transmissions:	
Powerglide; 6-cyl. model V8 model Turbo Hydra-matic; V8 model only with standard, 250-hp or 300-hp Camaro SS engine with 350-hp Camaro SS engine with special performance package	M35 M35 M40 M40 M40
4-Speed Wide-Range	M20
4-Speed Close-Ratio	M21
Special 4-Speed Close-Ratio	M22
Axle, Positraction rear	G80
Axle ratios: Trailering	YD1

## Power Assists

description	RPO number
Brakes, power: for use with standard manual disc-type front brakes. Included when Camaro SS is ordered	J50
Steering, power: variable-ratio (power brakes recommended)	N40



## Other Options

description	RPO number
Air conditioning, Four-Season: V8 model only. (Power steering recommended). Not available when special performance package is ordered. Includes HD radiator	C60
Air spoiler: rear deck. Included when special performance package is ordered	D80
Battery, heavy-duty: 80 amp-hr	T60
Belts, seat and shoulder: in addition to or replacing standard belts Custom Deluxe Belts; 5 seat and 2 front shoulder. (Replacing standard number of belts) Shoulder belts—2 rear; For use when Custom Deluxe Belts are ordered	AK1 AS4
Bumpers, deluxe front and rear: includes rubber bumper inserts and rear bumper guards without special performance package with special performance package	VF3 VF3
Console: includes floor-mounted shift lever when automatic transmission is ordered, compartment and ashtray	D55
Glass, Soft-Ray tinted: all windows	AO1
Instrumentation, special: V8 model only. Includes tachometer, ammeter, and temperature gauges plus electric clock mounted in instrument panel cluster	U14
Lighting, Auxiliary: includes ashtray, courtesy, luggage compartment and underhood lights with Custom Interior without Custom Interior—also includes glove compartment light	ZJ9 ZJ9
Mirrors, sport: includes right side mirror and remote-control LH mirror	D35
Radiator, heavy-duty: V8 models only, included when air conditioning is ordered. Not available when special performance package is ordered.	V01
Radio equipment: Pushbutton—includes concealed windshield antenna AM Radio AM/FM Radio	U63 U69
Speaker, Rear Seat	U80

## Other Options (continued)

description	RPO number
Roof cover, vinyl: Includes bright metal roof outline moldings Black Dark Green White	BB GG AA
Steering wheel, Comfortilt	N33
Suspension, special purpose front and rear: V8 model only. Included when 350-hp Camaro SS engine or special performance package is ordered. Includes rear stabilizer, special front and rear springs and matching shock absorbers	F41
Wheel covers, bright metal: not available when special performance package is ordered	P01
Wheel covers, special: not available when special performance package is ordered	P02
Wheels, rally: includes special wheel, special hub cap and trim ring. Available only when F70 x 14 tires are ordered	ZJ7
Windshield wipers, Hide-A-Way: included when Rally Sport or Camaro SS is ordered. Includes articulated left hand blade	C24

## Factory Installed Regular Production Tubeless Tires

description	RPO number
Replaces (5) E78 x 14 bias belted ply blackwall (5) E78 x 14 bias belted ply white stripe. Not available when Camaro SS or special performance package is ordered (5) F78 x 14 bias belted ply blackwall. Not available when Camaro SS or special performance package is ordered (5) F78 x 14 bias belted ply white stripe. Not available when Camaro SS or special performance package is ordered (5) F70 x 14 bias belted ply white stripe. Not available when special performance package is ordered. Includes 14 x 7 wheels without Camaro SS with Camaro SS (5) F70 x 14 bias belted ply white lettered blackwall. Not available when special performance package is ordered. Included when Camaro SS is ordered. Includes 14 x 7 wheels	PL3 PX5 PX6 PY4 PY4 PL4



## Model Options (6-cyl. and V8 models only)

description	RPO number
<b>Nova SS: V8 Coupe with 4-speed or automatic transmission only.</b> Includes 300-hp Turbo-Fire 350 engine, dual exhausts, power front disc brakes, simulated air intake on hood, simulated front fender louvers with bright accents, black accented grille and rear panel, SS emblems on grille, rear panel and steering wheel, E70 x14 white stripe tires, 14 x 7 wheels, special suspension and hood insulation.	Z26
<b>Custom Interior:</b> includes luxury seat and sidewall trim with bright accents; simulated wood accent panels on door trim; ashtrays in rear armrests; carpet floor covering; bright rearview mirror support, dome light bezel and pedal trim; right front door light switch; glove compartment light; luggage compartment mat; special floor and hood insulation. with cloth conventional seat with vinyl Strato-bucket seats; Coupe only	ZJ1 A51
<b>Special Interior Group:</b> (included in custom interior option) includes bright instrument cluster, pedal trim, mirror support and dome light bezel; right front door light switch and glove compartment light	ZJ3
<b>Custom Exterior:</b> includes simulated front fender louvers with bright accents; rear panel trim panel, body sill and rear fender moldings; black body sill and lower rear fender. Black painted accents not included when Fathom Blue, Black Cherry or Forest Green exterior color is specified. Coupe: also includes accent striping, bright side window and lower body moldings plus black lower body accent band Sedan: also includes body side molding with black vinyl insert	ZJ2 ZJ2
<b>Exterior Decor Package:</b> includes simulated front fender louvers and body side molding with black vinyl insert; not available with Custom Exterior Coupe: also includes bright window frame moldings Sedan: also includes bright roof drip moldings	ZJ5 ZJ5

## Feature Groups (Any item contained in a feature group may be ordered separately)

description	RPO number
<b>Appearance guard group</b> (A) Front bumper guards (B) Rear bumper guards (C) Door edge guards Coupe Sedan (D) Color-keyed floor mats—2 front, 2 rear (E) Visor vanity mirror Coupe—includes A, B, C, D & E Sedan—includes A, B, C, D & E	V31 V32  B93 B93 B37 D34 ZP5 ZP5
<b>Operating convenience group</b> (A) Electric clock: included when special instrumentation is ordered (B) Rear window defroster (C) L.H. outside remote-control rearview mirror All models with special instrumentation—includes B & C All models without special instrumentation—includes A, B & C	U35 C50 D33 ZQ2 ZQ2



## Power Teams

engines:	RPO number
155-hp Turbo-Thrift 250 6-cyl.	L22
250-hp Turbo-Fire 350 V8 (regular grade fuel)	L65
transmissions:	
Torque-Drive (4- and 6-cyl. models only)	MB1
Powerglide: 6-cyl. models V8 models	M35 M35
Turbo Hydra-matic: 6-cyl. models V8 models: with standard, 250-hp or 300-hp engine	M40 M40
4-Speed (wide-range)	M20
4-Speed (close-ratio)	M21
Axle, Positraction rear	G80
Axle ratio: trailering ratio available only when special suspension and Turbo Hydra-matic transmission are ordered	YD1

## Power Assists

description	RPO number
Brakes, power (6-cyl. or V8 models only) with drum-type brakes; not available when Nova SS is ordered	J50
Brakes, power disc: (disc front) included when Nova SS is ordered	JL2
Steering, power: 6-cyl. or V8 models only.	N40

## Other Options

description	RPO number
Air conditioning, Four-Season: V8 models only. Includes HD radiator	C60
Battery, heavy-duty: 80-amp-hr.	T60
Belts, seat and shoulder: in addition to or replacing standard belts Custom Deluxe Belts: (replacing standard) Coupe and Sedan with conventional seat—6 seat and 2 shoulder Coupe with bucket seats—5 seat and 2 shoulder Shoulder belts—2 rear: for use when Custom Deluxe Belts are ordered	AK1 AK1 AS4
Console: 6-cyl. or V8 coupe with bucket seats only. Includes floor-mounted shift lever. Not available when Torque-Drive or Powerglide transmission is ordered	D55
Exhaust, dual: V8 models with standard or 250-hp engine only. Included when Nova SS is ordered	N10
Glass, Soft-Ray tinted: all windows	A01
Heater, engine block: available on 6-cyl. or V8 models only	K05
Instrumentation, special: V8 Coupe with console only. Includes tachometer, clock and low fuel indicator located in instrument panel plus temperature, fuel and ammeter gauges located on floor console	U17



## Other Options (continued)

description	RPO number
Lighting, auxiliary: (A) Ashtray light (B) Courtesy lights (C) Glove compartment light (D) Luggage compartment light (E) Windshield washer fluid, monitor light (F) Underhood light all models with custom or special interior—includes A, B, D, E & F all models without custom or special interior—includes A, B, C, D, E & F	ZJ9 ZJ9
Moldings, body side; included in exterior decor package and on Sedan models with custom exterior. Not available when custom exterior is ordered on Coupe	B84
Moldings, window: 6-cyl. or V8 Sedan only	B90
Radiator, heavy-duty: included when air conditioning is ordered. 4-cyl. models; included when Torque-Drive transmission is ordered 6-cyl. or V8 models	V01 V01
Radio equipment: radios, pushbutton—includes concealed windshield antenna AM Radio AM/FM Radio AM/FM/Stereo Radio Stereo Tape System with AM Radio Stereo Tape System with AM/FM/Stereo Radio	U63 U69 U79 UM1 UM2
Speaker, rear seat—not available when stereo is ordered	U80
Roof cover, vinyl: 6-cyl. or V8 models only. Includes bright metal outline and roof drip moldings Black Dark Blue Dark Gold Dark Green White	BB CC HH GG AA

## Other Options (continued)

description	RPO number
Shift lever, floor-mounted: available only when standard 3-speed transmission is ordered. Includes rubber boot on shift lever	M11
Suspension, special front and rear: not available when Nova SS is ordered. Includes front stabilizer shaft (6-cyl. models only), special front and rear springs and matching shock absorbers	F40
Trim, interior: Custom Interior with cloth conventional seat. (See Model Options)	...
Custom Interior with vinyl Strato-Bucket seats. (See Model Options)	...
All-vinyl conventional seats for use with custom interior. Available only when Custom Interior option is ordered	...
All-vinyl conventional seats for use with standard interior	...
Two-tone finish: includes bright metal outline moldings	...
Wheel covers, full	P01
Wheel covers, special	P02
Wheel trim rings: for use with standard hub caps	P06
Wheels, rally: includes special wheel, special hub cap and trim ring	ZJ7
Wheels, sport: available only when Nova SS is ordered	N66

## Factory Installed Regular Production Tires

description	RPO number
Replaces (5) E78 x 14 bias belted ply blackwall (5) E78 x 14 bias belted ply white stripe. Not available when Nova SS is ordered	PL3
(5) E70 x 14 bias belted ply white stripe. Available only when power disc brakes are ordered. Included when Nova SS is ordered	PL1



## Power Teams

engines:	RPO number
350-hp Turbo-Fire 350; available only when 4-speed wide-range or 4-speed close-ratio transmission is ordered	L46
370-hp Turbo-Fire 350; available only when 4-speed wide-range or 4-speed close-ratio transmission is ordered. Includes full-transistor ignition system	LT1
390-hp Turbo-Jet 454	LS5
460-hp Turbo-Jet 454; available only when 4-speed close-ratio or Turbo Hydra-matic transmission is ordered. Includes full-transistor ignition system, aluminum cylinder heads, special hood and ornamentation	LS7
transmissions:	
Replacing standard 4-speed Wide-Range transmission Turbo Hydra-matic; with 300-hp or 390-hp engine with 460-hp engine	M40 M40
4-Speed Close-Ratio	M21
Axle ratio, rear: replacing standard positraction rear axle ratio Economy ratio Performance ratio 3.70 ratio 4.11 ratio 4.56 ratio	ZQ8 ZQ9 YE1 YE2 YE3

## Power Assists

description	RPO number
Brakes, power: included when special purpose engine is ordered	J50
Steering, power: (power brakes recommended) not available when 370-hp, 460-hp engine is ordered	N40
Windows, power: not available when 460-hp engine is ordered	A31

## Other Options

description	RPO number
Air conditioning, Four-Season: available only when 4-speed wide-range transmission with standard, 350-hp or 390-hp engine or Turbo Hydra-matic transmission with standard or 390-hp engine is ordered	C60
Alarm system, audio	UA6
Belts, shoulder Custom Deluxe: Convertible model only. Driver and passenger	A85
Defroster, rear window	C50
Radio equipment: pushbutton—includes 30" fixed height rear antenna. Not available when 460-hp engine is ordered. AM/FM Radio AM/FM/Stereo Radio	U69 U69/U79
Roof cover, vinyl: black; convertible model with auxiliary top only	C08
Steering wheel, tilt-telescopic	N37
Top, auxiliary: hard top; convertible model only. In addition to folding top	C07
Top, folding: manually operated. Convertible model only. All tops available with all exterior colors Black Sandalwood White	BB EE AA
Trim, custom: includes leather seat trim, special cut pile carpeting, door trim panels with wood-grained accents and lower carpeting plus console with wood-grained accents	...
Wheel covers, special	P02

## Factory Installed Regular Production Tubeless Tires

description	RPO number
Replaces (5) F70 x 15 Special Nylon Blackwall (5) F70 x 15 Special Nylon White Lettered Blackwall (5) F70 x 15 Special Nylon White Stripe	PU9 PT7



1970 Technical Details

---

Engine Specifications..... 2  
Body Features..... 6  
Chassis Features .....10  
Chassis Specifications .....15



## General Specifications

	90-hp Super- Thrift 153	140-hp Turbo- Thrift 230	155-hp Turbo- Thrift 250	200-hp Turbo- Fire 307	250-hp Turbo- Fire 350	300-hp Turbo- Fire 350	265-hp Turbo- Fire 400	350-hp Turbo- Jet 396	330-hp Turbo- Jet 400	345-hp Turbo- Jet 454	360-hp Turbo- Jet 454	390-hp Turbo- Jet 454
Displacement (nominal)	153 cu. in.	230 cu. in.	250 cu. in.	307 cu. in.	350 cu. in.		400 cu. in.	396 cu. in.	400 cu. in.	454 cu. in.		
Bore and stroke	3.875" x 3.25"		3.875" x 3.53"	3.875" x 3.25"	4.00" x 3.48"		4.125" x 3.75"	4.094" x 3.76"	4.126" x 3.76"	4.251" x 4.00"		
HP @ RPM	90 @ 4000	140 @ 4400	155 @ 4200	200 @ 4600	250 @ 4800	300 @ 4800	265 @ 4800	350 @ 5200	330 @ 4800	345 @ 4600	360 @ 4800	390 @ 5200
Torque @ RPM (lbs.-ft.)	152 @ 2400	220 @ 1600	235 @ 1600	300 @ 2400	345 @ 2800	380 @ 3200	400 @ 2800	415 @ 3400	410 @ 3200	500 @ 2800	500 @ 3200	
Compression ratio	8.5:1			9.0:1		10.25:1	9.0:1	10.25:1				
Carburetion	single-barrel			2-barrel		4-barrel	2-barrel	4-barrel				
Fuel requirement	regular			regular*		premium	regular*	premium				
Camshaft type	economy-contoured			general performance				high performance	general performance		high performance	
Valve lifters	hydraulic											
Exhaust	single					dual	single	dual		single	dual	

## Basic Design

Engine type		4-cyl.— valve- in-head	6-cyl.—valve-in-head	V8—valve-in-head			
Exhaust emission control		air injection reactor system	controlled combustion system <sup>▲</sup>				
Cylinder block		cast alloy iron		cast alloy iron**			
Cylinder heads		cast alloy iron with precision-cast wedge-type combustion chambers			cast alloy iron***		
Crankshaft		cast nodular iron†			forged alloy steel†	cast nodular iron†	forged alloy steel†
Main bearings		5—steel-backed replaceable insert type	7—steel-backed replaceable insert type	5—steel-backed replaceable insert type‡			
Pistons		cast aluminum alloy					
Piston Rings	Top	chrome-plated			molybdenum-inlay		
	Second	wear-resistant coated			chrome-plated		
	Oil control	three-piece (two rails and one spacer-expander)					
Connecting rods		forged alloy steel					
Flywheel		machined cast alloy iron with manual transmissions, pressed steel with automatic transmission					

## Fuel System

Intake manifold	cast alloy iron#				
Carburetor type	single-barrel	2-barrel	4-barrel	2-barrel	4-barrel
Choke	automatic				
Air cleaner	oil-wetted paper element				
Fuel pump	camshaft-driven mechanical pulsator-type				
Fuel filters	dual filtration system—paper filter in carburetor, fine-mesh fuel strainer in tank††				

\*Regular grade fuel recommended except in areas where octane ratings of regular gasolines are below minimum engine requirements.

\*\*Extra-thick bulkheads for greater strength and more rigid crankshaft support.

\*\*\*With alternately spaced inlet and exhaust valve ports and precision-formed modified-wedge combustion chambers.

†Fully counterweighted on 155-hp six and on all V8s.

††Triple filtration system plus vapor return line to fuel tank on 300-, 350-, 360- and 390-hp V8s. Includes large in-line fuel filter in addition to carburetor and fuel tank filters.

#4-cyl.—2-port rectangular section; Sixes—3-port rectangular section; V8s—8-port double deck.

‡Special wide-base main bearing caps on 300-hp 350-cu.-in. V8 and on 396-, 400- and 454-cu.-in. V8s.

\*Air injector reactor system with 350-hp 396-cu.-in. V8 and manual transmission.

# 2 / Engine specifications



## Valve System

	90-hp Super- Thrift 153	140-hp Turbo- Thrift 230	155-hp Turbo- Thrift 250	200-hp Turbo- Fire 307	250-hp Turbo- Fire 350	300-hp Turbo- Fire 350	265-hp Turbo- Fire 400	350-hp Turbo- Jet 396	330-hp Turbo- Jet 400	345-hp Turbo- Jet 454	360-hp Turbo- Jet 454	390-hp Turbo- Jet 454
Type	valve-in-head with independent operating mechanism for each valve											
Valve guides/seats	machined in cylinder heads (cast alloy iron valve guide inserts on 396-, 400- and 454-cu.-in. V8s)											
Inlet valves	alloy steel	alloy steel with aluminized face		alloy steel			alloy steel with aluminized face					
Exhaust valves	high alloy steel with aluminized face							high alloy steel with aluminized face and head				
Rocker arms	pressed steel with ball and socket mounting											
Push rods	tubular steel with hardened ends											
Camshaft material	wear-resistant-coated cast alloy iron											
Camshaft bearings	three‡	four‡		five‡								
Camshaft drive	gear-driven from crankshaft			chain-driven from crankshaft								

## Exhaust System

Type	single 2.0" system	single 2.0" system*	single 2.5" system*▲	dual 2.5" system	single 2.5" system*	dual 2.5" system
Exhaust manifold/s	cast alloy iron 4-port design: sixes—center downtake; V8s—dual 4-port, rear downtake					
Muffler design and construction	oval reverse-flow type, rolled lock seam construction					
	(A)		(A) (B)	(A)	(A) (B)	(A) (B)
Resonators	none			†	†	stainless steel

## Electrical System

Battery	12-volt, 45-ampere-hour energizer type			12-volt, 61-ampere-hour energizer type			
Generator	37-ampere Delcotron diode-rectifying type						
Starter	positive-engagement type			positive-engagement high-torque type			
Distributor	single-breaker type with combination centrifugal and vacuum advance						
Ignition coil	12-volt, hermetically sealed						
Ignition wiring	non-metallic high-tension cable; neoprene insulated						
Spark plugs	ACR 46N	ACR 46T	ACR 45	ACR 44		ACR 44T	ACR 43T

## Cooling System

Type	pressurized liquid system with tube-and-center type radiator and 15-lb. pressure cap					
Radiator frontal area	229 sq. in.	353 sq. in.		429 sq. in.	480 sq. in.	429 sq. in.
Water pump	centrifugal type with sealed double-row bearing					
Water pump capacity	63 gal./min.	60 gal./min.	54 gal./min.	57 gal./min.	82 gal./min.	
Thermostat†	pellet type					
Fan	4-blade, 17.62" diameter					
Water pump/fan drive	single-belt drive from crankshaft pulley					

## Lubrication System

Type	controlled full-pressure system	
Oil filter	full-flow throwaway canister type	
Oil pump	gear type with fixed intake	
Oil pressure (normal)	50-65 p.s.i. @ 2000 rpm	50-75 p.s.i. @ 2000 rpm
Refill capacity (qts.)	4 quarts (5 with filter replacement)	
Crankcase ventilation	closed—positive type	

\*Dual 2.5" system optional at extra cost.

▲Dual 2.25" system included with Nova SS 300-hp V8

†Resonators on Chevelle models only.

‡Steel-backed babbitt

(A) Extended durability features include: aluminized heads and outer cover, asbestos-wrapped zinc-coated body, zinc-coated interior baffles.

(B) Right side muffler body, heads and interior baffles stainless steel for greater durability.



## General Specifications—Camaro Z28 and Corvette V8 Engines

	300-hp Turbo-Fire 350	350-hp Turbo-Fire 350	360-hp Turbo-Fire 350	370-hp Turbo-Fire 350	390-hp Turbo-Jet 454	460-hp Turbo-Jet 454
Displacement (nominal)	350 cu. in.				454 cu. in.	
Bore and stroke	4.00" x 3.48"				4.251" x 4.00"	
HP @ RPM	300 @ 4800	350 @ 5600	360 @ 6000	370 @ 6000	390 @ 4800	460 @ 5600
Torque @ RPM (lbs.-ft.)	380 @ 3200	380 @ 3600	380 @ 4000	380 @ 4000	500 @ 3400	490 @ 3600
Compression ratio	10.25:1	11.0:1			10.25:1	11.25:1
Carburetion	4-barrel					
Fuel requirement	premium					
Camshaft type	general performance	high performance		special performance	high performance	special performance
Valve lifters	hydraulic			mechanical	hydraulic	mechanical
Exhaust	dual					

## Basic Design

Engine type		V8—valve-in-head				
Exhaust emission control		controlled combustion system	air injector reactor system		controlled combustion system	air injector reactor system
Cylinder block		cast alloy iron*				
Cylinder heads		cast alloy iron			cast alloy iron**	aluminum
Crankshaft		cast nodular iron	forged alloy steel†			
Main bearings		steel-backed replaceable insert type (premium aluminum on all except 300-hp V8)				
Pistons		cast aluminum alloy	impact-extruded aluminum alloy		cast aluminum alloy	impact-extruded aluminum alloy
Piston Rings	Top	chrome-plated	molybdenum-inlay			
	Second	wear-resistant coated	chrome-plated			
	Oil control	three-piece (two chromed rails and one spacer-expander)				
Connecting rods		forged alloy steel				forged high-alloy steel
Flywheel		machined cast alloy iron with manual transmissions, pressed steel with automatic				

## Fuel System

Intake manifold	cast alloy iron††	aluminum	cast alloy iron††	cast alloy aluminum††
Carburetor type	4-barrel			
Choke	automatic			
Air cleaner	oil-wetted paper element			
Fuel pump	camshaft-driven mechanical pulsator-type			
Fuel filters	dual filtration system—paper filter in carburetor, fine-mesh fuel strainer in tank‡			

\*Extra-thick bulkheads for greater strength and more rigid crankshaft support.

\*\*With alternately spaced inlet and exhaust valve ports and precision-formed modified-wedge combustion chambers.

†Specially hardened main and connecting rod journals on 360-, 370- and 460-hp V8.

††8-port design; extra large ports on all but 300-hp engine.

‡Vapor return line to fuel tank on 300-, 350-, 390- and 460-hp V8s with new deep cover fuel pump.



## Valve System—Camaro Z28 and Corvette V8 Engines

	300-hp Turbo-Fire 350	350-hp Turbo-Fire 350	360-hp Turbo-Fire 350	370-hp Turbo-Fire 350	390-hp Turbo-Jet 454	460-hp Turbo-Jet 454
Type	valve-in-head with independent operating mechanism for each valve					
Valve guides/seats	machined in cylinder heads				pressed-in valve guides; seats machined in heads	valve guide and seat inserts
Inlet valves	alloy steel		alloy steel with aluminized face and head			
Exhaust valves	high alloy steel with aluminized face				high alloy steel with aluminized face and head	
Rocker arms	pressed steel with ball and socket mounting					
Push rods	hardened tubular steel	tubular steel with hardened ends and inserts at upper end			tubular steel with hardened steel insert	
Camshaft material	wear-resistant-coated cast alloy iron					
Camshaft bearings	5—steel-backed babbitt					
Camshaft drive	chain-driven from crankshaft					

## Exhaust System

Type	dual 2" system	dual 2.25" system	dual 2.5" system
Exhaust manifold/s	cast alloy iron 4-port design		
Muffler design and construction	oval reverse-flow type, rolled lock seam construction		
	(A)		
Resonators	none		

## Electrical System

Battery	12-volt, 63-ampere-hour sealed terminal type		12-volt, 80-ampere-hour sealed terminal type	
Generator	42-ampere Delcotron diode rectifying type with integral micro-switch regulator (37-ampere Delcotron with conventional regulator when 360-hp engine is specified)			
Starter	positive-engagement high-torque type			
Distributor	single-breaker type with combination centrifugal and vacuum advance		full-transistor ignition system	
Ignition coil	12-volt, hermetically sealed			
Ignition wiring	non-metallic high-tension cable, neoprene insulated			
Spark plugs	ACR 44	ACR 43	ACR 43T	ACR 43XL

## Cooling System

Type	pressurized liquid system with full-length water jackets surrounding cylinder barrels*				
Radiator frontal area	315 sq. in.	441 sq. in.	446 sq. in.	441 sq. in.	467 sq. in.
Water pump	centrifugal type with sealed double-row bearing				
Water pump capacity	23 gal./min. @ 2000 rpm				25 gal./min. @ 2000 rpm
Thermostat	pellet type				
Fan	temperature-controlled, 5-blade <sup>(1)</sup> , 17.5" diameter with thermo-modulated clutch drive				
Water pump/fan drive	double-belt drive		single-belt drive	double-belt drive from crankshaft pulley	

## Lubrication System

Type	controlled full-pressure system			
Oil filter	full-flow throwaway canister type			
Oil pump	gear type with fixed intake			
Oil pressure (normal)	30-45 p.s.i. @ 1500 r.p.m.			50-75 p.s.i. @ 2000 r.p.m.
Refill capacity (qts.)	4 quarts (4.5 with filter replacement)			5 quarts (5.5 with filter replacement)
Crankcase ventilation	closed-positive type			


(A) Right side muffler: stainless steel heads and body with aluminized cover.

Left side muffler: aluminized heads, interior components and cover except with 360-hp engine. 360-hp engine transverse muffler completely aluminized.

\*Aluminum cross-flow type with 350-cu.-in. V8s; copper-brass with 454-cu.-in. V8s.

<sup>(1)</sup>18" diameter with 7-blades when 360-hp engine is specified.






Chevrolet Sport Sedan body structure.

Extra-rugged Chevrolet body features include: all-welded heavy-gauge steel construction with high-strength box-section design roof rails, windshield and rear window headers, door and roof panels, high-strength double-walled cowl unit-welded to instrument panel, floor and dash panel; deeply ribbed and contoured floor panels with underbody reinforcing structural members; plus double-panel door, hood and deck lid or tailgate construction.


Structural components and body panels are protected from corrosion by primer coatings, zinc coatings, and anti-rust compounds. Selected structural members are heavily zinc-coated, while specific structural undersurfaces are protected by spray-on undercoating.

Chevrolet, Camaro and Nova body structures shown are typical. Construction features for other models are basically similar except for roof or other specific structure.


Unique Corvette body features include: corrosion-proof fiberglass body; lightweight, high-strength fiberglass construction with fabricated-in steel structural members; integrally bonded cowl structure formed of air ventilation plenum chambers, dash panel and one-piece underbody structure; steel-reinforced body sills, door hinge pillars and lock pillars, plus lateral steel crossmember integrating front pillars. Coupe roof structure features supporting members to enclose the passenger compartment with protective steel framing.



Nova Coupe body structure.



Camaro Coupe body structure.



Corvette body structure



## Body Structure

	Chevrolet	Monte Carlo	Chevelle	119"-wb Wagons	116"-wb Wagons	Camaro	Nova	Corvette
All-welded heavy-gauge steel body	•	•	•	•	•	•	•	
Double-panel doors, hood and deck lid or tailgate	•	•	•	•	•	•	•	•
Counterbalanced hood and deck lid	•	•	•	•	•	•	•	•
Counterbalanced dual-action tailgate				•	•			
Front and rear inner fenders for improved corrosion protection	•	•	•	•	•	•	•	
Side-guard beam door structure	•	•	•	•	•	•		
Cargo-guard all-steel luggage compartment bulkhead	•	•	•			•	•	
Flush-and-dry rocker panels	•	•	•	•	•	•	•	
Double panel roof						•		
Steel reinforced fiberglass body								•

## Body Insulation

Double-cushioned rubber body mounts	•	•	•	•	•	•	•	•
Body to frame rubber insulating pads (except Convertible)	•	•	•	•	•			•
Rubber-cushioned front sheet metal	•	•	•	•	•	•		
Asphalt-impregnated felt roof insulation	•	(a)	•	•	•		•	
Fiber board rear bulkhead insulation	•	(b)	•				•	
Jute pad floor insulation	•	•	•	•	•	•	•	•
Roof rear quarter area mastic insulation	•	•	•	•		•	•	
Fibrous blanket cowl kick panel insulation	•	•	•		•	•	•	•
Asphalt-impregnated board rear seat back insulation	•	•	•			•	•	•

(a) Mylar-coated fibrous blanket for Monte Carlo

(b) Mastic for Monte Carlo

## Body Sealing

Windshield and rear window bonded to body for positive sealing	•	•	•	(a)	(a)	•	•	•
Rear quarter window bonded to body for positive sealing				•				
Double-sealing rubber door or tailgate seals	•	•	•	•	•		•	
Formed rubber deck lid seal	•	•	•			•	•	
Weather-tight solid rubber window sill seals	•	•	•	•	•	•	•	•

## Body Features

Thick-laminate windshield	•	•	•	•	•	•	•	•
Dual-speed electric windshield wipers and windshield washers	•	•	•	•	•	•	•	•
Hide-A-Way windshield wipers	•	•	•	•	(b)			•
High-level ventilation system	•	•	•	•	•	•	•	•
Built-in blended-air heater and defroster system	•	•	•	•	•	•	•	•
Magic-Mirror acrylic lacquer finish	•	•	•	•	•	•	•	•
Curved solid tempered plate glass side and rear windows	•	•	•	•	•	•	•	(e)
Tempered solid plate glass convertible rear window	•		•					
Two-key lock system with keyless locking of all doors	•	•	•	•	•	•	•	
Weather-shielded key locks	•	•	•	•	•	•	•	•
Scuff-resistant plastic cowl side panels	•	•	•	•	•	•	•	•
Astro Ventilation system and full door-glass styling	•	•	(c)	•		•		•
Power-operated tailgate window on 3-seat models				•	•			
Concealed rear compartment stowage space				•	(d)			•

(a) Windshield only.




(b) Except Greenbrier and Nomad.

(c) Sport Coupe and Convertible models only.

(d) Except Nomad.

(e) Coupe only.





1. Protective inner panels at both front and rear wheel openings on all models except Corvette help prevent corrosion damage to front fender and rear quarter sheet metal. Front fender panel illustrated.

2. Cargo-guard luggage compartment bulkhead . . . featured on all models except Wagons and Corvette. All-steel welded-in barrier isolates passenger area from luggage compartment, and also contributes to greater structural rigidity of the body.

3. Corvette power-operated retractable headlights—controlled by headlight switch on instrument panel—feature built-in washers for convenient cleaning.

4. Corvette concealed outside door latches.


5. Camaro double panel roof structure features a complete inner panel with built-in header and roof rails. Acoustically engineered perforations in the steel inner panel as well as vinyl head lining aid in lowering interior sound level.

6. Flush-and-dry rocker panels utilize air and water entering the high-level ventilation system cowl air intake to improve corrosion resistance. Water entering the intake flushes the rocker panels while a constant flow of air removes moisture. Special outlet drains at the rear of the rocker panels allow the free flow of air and water. Standard on all models except Corvette.


7. Side-guard beam door structure contributes to improved side impact protection. Rugged steel beam extends into the rear quarter area on 2-door models. Standard on all models except Chevy Nova and Corvette.








1



4



2




5



3

1. Astro Ventilation system . . . standard on all models except 116"-wb Wagons, Malibu Sport Sedan, Malibu 4-Door Sedan, and Nova models . . . contributes to a quieter ride and greater passenger comfort with improved ventilation and air distribution. Pressurized outside air enters the passenger compartment through vent-ports on the instrument panel and low-level cowl side vents. Outlets can be adjusted individually to regulate air flow. Interior air flow is exhausted through special pressure relief valves except on 119"-wb Wagons.
2. Hide-A-Way windshield wipers concealed by hood up-sweep. Standard on all models except Greenbrier and Nomad Wagons, Camaro, and Chevy Nova. Articulated left blade sweeps closer to windshield pillar on driver's side for better visibility.
3. Convenient folding seats quickly convert a Chevrolet Wagon for hauling. Exceptionally roomy cargo area features a wide flat load floor and low loading height for easy access.
4. Dual-action tailgate is standard on all Wagons for more convenient access and loading. Built-in bumper step and forward sloping roof pillars contribute to easy walk-in entrance on both 2- and 3-Seat Wagons.
5. Corvette spare tire stowage compartment with key lock located in underside of body.
6. Corvette Coupe removable roof panels.



6





Rugged chassis design for 119"-wb Chevrolet and Wagon models features Full Coil suspension and torque-box design perimeter-type frame of exceptional strength and torsional rigidity.



Monte Carlo 116"-wb chassis with Full Coil suspension and rigid perimeter-type frame. Chevelle and 116"-wb Wagon chassis similar (112" wheelbase for Chevelle Sport Coupe and Convertible; 116" for Sedans).

All chassis and suspension systems used on Chevrolet-built cars and wagons, though similar in many respects, are engineered specifically to meet individual ride, handling and load requirements. Front suspension, steering systems, and other chassis components are designed for minimum maintenance—rear suspensions do not require periodic servicing. See Owner's Guides for recommended servicing intervals and requirements.



Chevy Nova 111"-wb chassis features separate ladder-type front frame section, independent coil spring front suspension, and Mono-Plate single-leaf spring rear suspension.



## Full Coil Suspension

Chevrolet, Monte Carlo, Chevelle and Wagons. Systems are similar, but differ in design details because of variances required to achieve ride and handling characteristics consistent with differences in sizes and weight. With Full Coil suspension, a coil spring at each wheel serves only to cushion the ride. Lateral and longitudinal forces imposed by braking, acceleration, and cornering are absorbed by the suspension control members. Springs are chrome alloy steel with deflection rates computer-selected for model and equipment.

**Front Suspension:** Independent suspension system for each front wheel combines long and short control arms with low-friction spherical joints and coil springs. Double-acting hydraulic shock absorbers concentrically located within springs. Stabilizer bar on all Monte Carlo, Chevelle and Wagon models, and on all Chevrolets except 6-cylinder Bel Air and Biscayne Sedans, links lower control arms to stabilize ride.

**Rear Suspension:** Principal rear suspension components include coil springs, diagonally mounted shock absorbers and upper and lower control arms. Two lower control arms, one upper control arm (two with optional V8 engines and all 119"-wb Wagons), and a control bar are used on Chevrolet; two lower control arms and two diagonally mounted upper control arms on Monte Carlo, Chevelle and 116"-wb Wagons. Lower arms transmit wheel movement to the springs; upper members control axle torque reaction. Both transmit acceleration and braking forces to the frame.

## Camaro Suspension

Coil spring spherical joint front suspension similar to other Chevrolets, and multi-leaf spring rear suspension. Heavy rubber suspension bushings isolate components from direct metal-to-metal contact and contribute to a smooth, quiet well-controlled ride. Front and rear spring deflection rates computer selected for equipment.

**Front Suspension:** Independent front suspension with short and long control arms, low-friction spherical joints, chrome alloy steel coil springs, double-acting hydraulic shock absorbers, and stabilizer bar on all V8 models.

**Rear Suspension:** Hotchkiss-type with multi-leaf

spring at each wheel. Direct double-acting hydraulic shock absorbers are bias-mounted for improved suspension control (curb side unit mounted ahead of axle, other mounted behind axle).

## Nova Suspension

Coil spring spherical joint front suspension similar to other Chevrolets, and Mono-Plate single-leaf spring rear suspension (multiple-leaf rear springs with optional V8 and Nova SS). Heavy rubber suspension bushings isolate components from direct metal-to-metal contact and contribute to a smooth, quiet, well-controlled ride. Front and rear spring deflection rates computer-selected for model and equipment.

**Front Suspension:** Independent front suspension with short and long control arms, low-friction spherical joints, chrome alloy steel coil springs, double-acting hydraulic shock absorbers, and stabilizer bar on all V8 models.

**Rear Suspension:** Hotchkiss type with Mono-Plate single-leaf spring at each wheel. Springs are made of special chrome carbon steel formed in an almost continuously variable thickness and width over their full length. Direct double-acting hydraulic shock absorbers are bias-mounted for improved suspension control (curb side unit mounted ahead of axle, other mounted behind axle).

## Corvette Suspension

**Front Suspension:** Independent coil spring spherical joint suspension with concentric springs and shock absorbers between frame and lower control arms. Built-in anti-dive control and rubber-bushed link-type stabilizer bar. Spherical joints protected by special positive-sealing formed-rubber boots.

**Rear Suspension:** Independent rear suspension with frame-mounted differential unit, double universal jointed tubular axles, and transverse multi-leaf spring. Differential carrier is mounted to frame by rubber-isolated crossmember. Nine-element transverse leaf spring with hardened and tempered chrome carbon steel leaves bolts solidly to differential carrier and attaches to radius arms with rubber-isolated floating rods. Suspension design permits spring to function as springing member only. Lateral and longitudinal forces imposed by braking, acceleration, and cornering are controlled by radius rods attached to frame-mounted

differential and suspension control arms.

**Shock Absorbers:** Direct, double-acting, sealed-unit hydraulic shock absorbers with special aeration-preventing freon bag in fluid reservoir. Front shock absorbers concentrically located within coil springs and attached to lower control arms and frame crossmember. Rear shock absorbers mounted between wheel spindle supports and frame.

## Safety-Master Self-Adjusting Brakes

Safety-Master drum-and shoe-type brakes are standard on most models and include finned drums on some models for greater fade resistance. Dual master cylinder design with separate brake circuits for front and rear wheels includes warning light on instrument panel actuated by sensor switch that monitors hydraulic pressure balance when brakes are applied. Should one circuit lose hydraulic pressure, stopping power is maintained in the other. Self-adjusting feature eliminates need for periodic adjustment and maintains more consistent pedal response.

## Disc Brakes


Standard on some models; available for all other models. Used in conjunction with regular Safety-Master drum-and shoe-type rear brakes on all models except Corvette, which has 4-wheel disc brakes. Power assist included except with Camaro and Corvette (available at extra cost). Caliper-type self-adjusting brake design features include ventilated disc and a fixed caliper unit actuated by a single hydraulic piston. Linings in constant light contact with revolving disc help keep disc surface clean and dry and grip like a vise when the brakes are applied.

## Steering System


Balanced relay-type linkage systems designed for easier, more precise steering control, and minimum maintenance on all models. Low-friction Ball-Race steering gear design with anti-friction ball bearings contributes to easier steering. Bearings roll in a closed circuit to move the ball nut up or down on the steering shaft as the steering wheel is turned. Teeth on the ball nut engage teeth on the pitman arm sector which turns the pitman arm shaft and moves the steering linkage left or right.

See Chassis Features and Specifications charts for specific chassis details for all car lines.





1



2



3

1. Nova rear suspension with Mono-Plate single-leaf rear springs and bias-mounted shock absorbers for improved suspension control. Multi-leaf rear springs included with optional V8 and Nova SS.


2. Typical Safety-Master drum and shoe type brake. Self-adjusting feature automatically maintains correct brake shoe adjustment when brakes are applied while backing up.

3. Typical power disc brake. Single-piston caliper-type design with ventilated rotor contributes to smooth, sure stopping with exceptional fade resistance.


4. Finned brake drum; included on some models for more rapid heat dissipation and improved fade resistance.

5. Low-friction Ball-Race steering gear contributes to easier steering and better overall handling.


6. Balanced relay-type linkage steering system designs contribute to easier, more precise steering control on all models (Chevrolet shown).



4




5




6






1



2



3

1. Drive shaft damper—included on Caprice, Monte Carlo, Kingswood Estate Wagon and Concours Estate Wagon models with automatic transmission helps minimize driveline vibration for a smoother, quieter ride.

2. Chevrolet and 119"-wb Wagon independent coil spring spherical joint front suspension with built-in anti-dive control. Rubber-mounted stabilizer bar on all models—except 6-cyl. Bel Air and Biscayne—for smoother, more level cornering.


3. Chevrolet and 119"-wb Wagon coil spring rear suspension with built-in leveling control of acceleration and braking forces. Dual upper and lower control arms and lateral control bar for all V8 Chevrolets and 119" wb Wagons. Single upper control arm on 6-cyl. Chevrolet models.

4. Monte Carlo-, Chevelle-type independent coil spring spherical joint front suspension with rubber-mounted stabilizer bar and built-in anti-dive control.


5. Special frame reinforcements included with Chevelle SS equipment.

6. Nova independent front suspension with coil springs, low-friction spherical joints.

See Chassis Features and Specifications charts for special chassis details for all car lines.



4



5



6



## Chassis Features

	Chevrolet	Monte Carlo	Chevelle	119"-wb Wagons	116"-wb Wagons	Camaro	Nova	Corvette
All-welded perimeter-type frame	•	•	•	•	•			
All-welded ladder-type frame								•
All-welded ladder-type front frame section						•	•	
Independent coil spring spherical joint front suspension with built-in anti-dive control	•	•	•	•	•	•	•	•
Coil spring rear suspension	•	•	•	•	•			
Mono-Plate single-leaf spring rear suspension (standard engines only)							•	
Multi-leaf rear springs						•		
Transverse multi-leaf spring								•
Direct, double-acting, sealed-unit hydraulic shock absorbers	•	•	•	•	•	•	•	•
Rubber-mounted front stabilizer bar	(a)	•	•	•	•	•	(b)	•
Relay-type steering system with Ball-Race gear	•	•	•	•	•	•	•	•
Balanced one-piece welded tubular steel drive shaft	•	•	•	•	•	•	•	•
Drive shaft damper with automatic transmission	(c)	•		(c)	(c)			
Semi-floating hypoid gear rear axle	•	•	•	•	•	•	•	•
Self-adjusting power disc brakes (disc front; drum-type rear)	(d)	•	(e)	(f)	(g)	(i)	(e)	(j)
Self-adjusting Safety-Master drum-type brakes(h)	•		•	•	•	(k)	•	
Welded steel wheels with brake cooling slots	•	•	•	•	•	•	•	•
Variable-ratio power steering	EC	EC	EC			EC	EC	
Constant-ratio power steering				EC	EC	•		EC
Dual master cylinder brake system with warning light	•	•	•	•	•	•	•	•
Foot-operated parking brake	•	•	•	•	•	•	•	(l)
Finned front brake drums (except with power disc brakes)			•		•		•	
Finned rear brake drums		•	•		•	•		

EC—Optional at extra cost.

(a) Except Bel Air and Biscayne 6-cyl. models.

(b) V8 models only.

(c) Caprice, Kingswood Estate and Concours Estate models only.

(d) Standard on Caprice Coupe, Caprice Sedan, and Impala Custom Coupe—available at extra cost for all other models.

(e) Included with SS equipment—available at extra cost for all other models.

(f) Standard on Kingswood Estate Wagons—available at extra cost for all other 119"-wb Wagons.

(g) Standard on all V8 models except Nomad—available at extra cost for all other 116"-wb Wagons.

(h) Standard rear brakes on all models except Corvette; standard front brakes on models not equipped with Power Disc Brakes.

(i) Disc front, drum type rear standard. Power assist optional extra cost.

(j) 4-wheel disc brakes standard. Power assist optional at extra cost.

(k) Standard rear brakes.

(l) Console-mounted, hand-operated.

See individual Power Teams sections for special chassis equipment included with optional V8 engines.



## Safety-Master Brakes

	Chevrolet	Monte Carlo	Chevelle	119"-wb Wagons	116"-wb Wagons	Camaro	Nova	Corvette
Drum-type brake diameter (inches)	11.0	—	9.5	11.0	9.5	—	9.5	—
Total lining area (sq. inches)	198.4	—	168.9	198.4	168.9	—	168.9	—
Lining width—front (inches)	2.75	—	2.50	2.75	2.50	—	2.50	—
Lining width—rear (inches)	2.00	2.00	2.00	2.00	2.00	2.00	2.00	—
Lining material	molded asbestos							—
Method of attachment	bonded							—

## Power Disc Brakes†

Disc-type brake size (inches)	11.75 x 1.25	11.00 x 1.00	11.00 x 1.00	11.75 x 1.25	11.00 x 1.00	11.00 x 1.00	11.00 x 1.00	11.75 x 1.25
Total lining area (sq. inches)	124.3	118.1	118.1	124.3	118.1	118.1	118.1	86.3
Lining material	molded asbestos							woven asbestos
Method of attachment	riveted							

†Disc front—drum and shoe rear on all models except Corvette. Disc front and rear standard on Corvette. Standard on Caprice Coupe and Sedan, Impala Custom Coupe, Monte Carlo, Kingswood Estate Wagon, all 116"-wb V8 Wagons except Nomad, and Camaro; included with Chevelle and Nova SS equipment.

## Tire Size

## Wheel Size

E78 x 14	14" x 5"			6-cyl.			• (d)	•	
E70 x 14	14" x 7"							SS	
F70 x 14	14" x 7"			SS			SS		
F60 x 15	15" x 7"						Z28		
F70 x 15	15" x 8"								•
F78 x 14	14" x 5"			V8 (14" x 6" with LS3 engine)			V8 (e)		
F78 x 15	15" x 5"	6-cyl. (a)							
G78 x 14	14" x 6"					•			
G78 x 15	15" x 5"	V8 (b)	• (d)						
G70 x 15	15" x 7"		SS						
H78 x 15	15" x 6"	Opt. V8 (c)			• (d)				

(a) Plus Biscayne and Bel Air standard V8. (b) RPO L48 V8 engine also. (c) All with 454. (d) 6" wide rims. (e) Required option with RPO L65 engine or Z22 Rally Sport.

## Steering System

Standard overall ratio (:1)	30.8	28.7	28.7	30.8	28.7	*	28.3	20.2
Variable-ratio power steering ratio (:1)	19.3 to 15.5	18.8 to 14.5	18.8 to 14.5	—	—	14.99 to 10.7	19.4 to 14.9	—
Constant-ratio power steering ratio (:1)	—	—	—	21.2	21.6	—	—	17.6
Turning diameter (curb to curb—feet)	42.5	42.2	42.2	42.5	42.2	38.8	40.4	37.0
Turning diameter (wall to wall—feet)	45.6	45.3	45.3	45.6	45.3	41.0	42.5	39.0

\*6-cylinder—28.3; V8—32.9; SS and Z28—18.7.



## 1970 Special Features

---

Delco Side-terminal Design Energizer Battery.....	2
Corvette Special High-Domed Hood.....	2
Corvette Unitized Seat and Shoulder Belt Design.....	2
Stereo Tape System.....	2
Cowl Induction Hood.....	2
Hide-A-Way Antenna.....	2
Camaro Special Instrumentation.....	3
Power Beam Headlight.....	3
Chevelle Rear Suspension Bushing.....	3
Finger-tip Windshield Wiper Control....	3
Power Door Lock System.....	3
Automatic Seat Back Latch.....	3
Windshield Washer Fluid Monitor Light..	4
Headlight Delay System.....	4
Bias Belted Ply Tires.....	4
Power Trunk Opener.....	4
Camaro Sport Mirrors.....	4
Camaro Rear View Mirror.....	4






1



2



3

1. Delco side-terminal design energizer battery—standard on Camaro and Corvette; heavy-duty version (RPO T60) available for all other models. Special sealed terminals are recessed in the side of the battery to eliminate the corrosion buildup that can cause power loss and hard starting on conventional batteries with terminals on top. Filler caps (with "Delco Eye") remain on top of the new battery design. In addition to more dependable battery performance and neater, cleaner appearance, the new side terminal battery features include special sealed terminals attached by threaded bolts of different sizes to prevent reversed connections which could damage the electrical system.

2. New compact Stereo Tape System available on all models with AM or AM/FM/Stereo radios. Tape cartridge is inserted through flip-up radio dial face. Serrated edges on the cartridge case facilitate easy removal.

3. Cowl Induction Hood (RPO ZL2) for Chevelle SS. Special air induction system features accelerator-actuated solenoid-controlled inlet door that automatically opens to permit ducting of cooler outside air to carburetor for improved performance at higher throttle settings. System also includes a vacuum-controlled inlet door at hood rear.


4. New Hide-A-Way antenna included with factory-installed radios on all 1970 Chevrolet models except Corvette (also included when tinted glass is ordered). Built into the windshield, antenna improves appearance and is less susceptible to breakage and corrosion.

5. Corvette unitized seat and shoulder belt buckle.

6. Corvette special high-domed hood which is included when the 370-, 390- or 460-hp engine is ordered.



4




5



6






1. New oval-shaped lower control arm rubber rear bushing for Chevelle models (except SS) contributes to a smoother, quieter ride.



2. New Finger-tip Windshield Wiper Control (RPO CD3) for more convenient wiper and washer operation from turn signal lever. A miniature cowl-mounted computer programs the type of operation signaled by the driver. Cycles range from a single dry wipe to continuous high speed wash and wipe action. For a single sweep of the blades and return to the "park" position, the button is depressed to the first position and then released (increased spring pressure indicates first position). Button is fully depressed and released for a full "wash and wipe" cycle. Continuous "wash and wipe" action is obtained by holding the button in a fully depressed position. Whenever the button is released, the wiper blades automatically return to the "park" position. When continuous wiper action is desired, the standard instrument panel-mounted switch is used. Available for Chevrolet, Monte Carlo, Chevelle and all Wagon models except Greenbrier and Nomad.





3. New Power Door Lock system—electrically operated for greater reliability—permits finger-tip control of all door lock buttons. At a touch of a button, front and rear doors can be simultaneously locked or unlocked. Available (RPO AU3) for all Chevrolet, Monte Carlo, Chevelle, and Wagon models.

4. New electrically powered Automatic Seat Back Latch (RPO AQ2) for 2-door models with Power Door Lock system conveniently unlocks folding front seat backs whenever a door is opened. Latch design also retains manual control feature.

5. Camaro Special Instrumentation (RPO U14) for V8 models only. Option includes tachometer, ammeter, temperature gauge, fuel gauge plus electric clock mounted in instrument panel cluster.

6. Power Beam headlight. Standard on Monte Carlo and Camaro. Headlights are 7-inch units and feature high-output beam design.








1



2



3

1. New Windshield Washer Fluid Monitor Light (included in Auxiliary Lighting package—RPO ZJ9) signals when fluid level has reached a "time to refill" point. Available for all models except Camaro and Corvette.


2. Headlight Delay System (RPO T81—also included in Operating Convenience Group) available for all regular Chevrolet and 119" wb Wagon models. New system includes delayed-action switch that permits headlights to stay on approximately two minutes (before turning off automatically) for extra security when leaving a parked car. Warning buzzer sounds automatically when driver's door is opened with headlights or parking lights on.

3. Lower profile bias belted ply tires standard on 1970 Chevrolet models (except Corvette) offer longer tread life in addition to improved stopping and roadability.

4. New electrically operated Power Trunk Opener (RPO A90) replaces vacuum-powered system for greater reliability and permits opening trunk without leaving the car. Available on all regular Chevrolet models.

5. Camaro sport mirrors (RPO D35). The dual mirrors are painted to match the exterior color of the car. The left hand mirror is remote controlled for driver convenience.


6. The new Camaro rearview mirror is bonded to windshield glass to minimize vibration.



4



5



6



**Exterior colors**

**Fabrics**



**Camaro** See Camaro color and trim chart for specific application.

Blue (715)



Saddle (726)



Green (723)



Sandalwood (710)



Black (711)



Blue (716)



Saddle (727)



Green (724)



Sandalwood (730)



Black (712)



Blue (714)



Green (720)




Black (725)



Black and White (713)

**vinyl roof covers**

Black (BB)



White (AA)



Dark Blue (CC)




Dark Green (GG)



Dark Gold (HH)

**convertible tops**

Sandalwood (EE)



Black (BB)



White (AA)



Camaro  
also vinyl roof covers  
and convertible tops

**Kingswood Estate & Kingswood** See Wagon color and trim chart for specific application.



Blue (821)



Saddle (830)



Dark Green (861)




Gold (841)



Black (806)

**Townsmen, Brookwood & Greenbrier**




Blue (819) (815)



Saddle (838) (831)



Black (804) (802)



Gold (839)

**Concours Estate & Concours**



Blue (764) (765)



Saddle (770) (771)



Black (755) (756)


**Nomad**

**Chevy Nova standard interior**

See Chevy Nova color and trim chart for specific application.




Blue (759)



Saddle (772)



Black (750)



Blue (735)



Gold (740)



Dark Green (745)



Black (731)

**Chevy Nova custom interior**




Blue (736)



Gold (741)



Dark Green (744)



Gold (742)



Sandalwood (747) (746)



Black (732) (733)



Wagons  
Chevy Nova

**Monte Carlo** See Monte Carlo color and trim chart for specific application.



Blue (758)



Gold (774)




Sandalwood (792)



Dark Blue (767)



Dark Green (780)



Black (748) (749)



Dark Green (784)




Saddle (769)



Black (757)

**Chevelle** See Chevelle color and trim chart for specific application.



Blue (762)



Gold (776)



Dark Green (782)



Turquoise (779)




Black (753)



Blue (764) (765)



Gold (777)



Red (787) (788)



Ivory (790) (791)



Dark Green (795) (796)



Saddle (770) (771)




Black (755) (756)




Monte Carlo  
Chevelle


**Caprice** See Chevrolet color and trim chart for specific application.



Blue (822)




Gold (840)



Turquoise (845)



Sandalwood (870)



Dark Blue (826)



Dark Green (855)



Black (813)

**Impala**



Blue (820)



Gold (837)



Turquoise (844)



Dark Green (860)



Black (805)



Blue (821)



Gold (841)

**Bel Air**



Red (866)



Saddle (830)



Dark Green (861)



Sandalwood (828)



Black (806)



Blue (818)



Gold (836)

**Biscayne**



Dark Green (848)




Black (803)



Blue (819)



Black (804)



Blue (815)



Gold (843)



Black (802)



## Chevrolet

This fabric selector is designed to be used in conjunction with the exterior color samples, and also with the color and trim charts within each section in the album. All exterior and interior trims are individually identified by code numbers. Once a color or fabric has been selected, refer to the color and trim section of the car line involved for model availability, seat styling and specific code number applications.



Tuxedo Black (19)

Tuxedo Black (19)



Classic White (10)

Classic White (10)



Cortez Silver (14)

Cortez Silver (14)



Shadow Gray (17)

Shadow Gray (17)



Cranberry Red (75)

Cranberry Red (75)



Black Cherry'(78)

Black Cherry (78)



Gobi Beige (50)

Gobi Beige (50)



Desert Sand (63)

Desert Sand (63)



Champagne Gold (55)

Champagne Gold (55)



Autumn Gold (58)

Autumn Gold (58)



Green Mist (45)


Green Mist (45)



Misty Turquoise (34)

Misty Turquoise (34)





A photograph of a spiral-bound notebook with two forest green covers. The notebook is open, showing the spiral binding in the center. The left cover has the text "Forest Green (48)" printed on it. The right cover is blank, except for a small white tab at the bottom right corner.

Forest Green (48)

Forest Green (48)



Astro Blue (25)

Astro Blue (25)



Fathom Blue (28)

Fathom Blue (28)



Available in these  
Chevrolet colors:

Shadow Gray (17)  
Classic White (10)  
Cortez Silver (14)  
Cranberry Red (75)  
Autumn Gold (58)  
Desert Sand (63)  
Green Mist (45)  
Forest Green (48)  
Astro Blue (25)

and 6 special colors:



Mulsanne Blue (26)



Citrus Green (43)



Daytona Yellow (51)



Hugger Orange (65)



Camaro Gold (53)



Classic Copper (67)

**Camaro**





Cortez Silver (14)



Classic White (10)



Laguna Gray (15)



Monza Red (72)



Ontario Orange (62)



Marlboro Maroon (77)



Mulsanne Blue (26)



Bridgehampton Blue (27)



Daytona Yellow (51)



Donnybrooke Green (44)