

# BULT FOR THE HEROES.

Your job has never been tougher. Rest assured, from F-350 to F-600, F-Series Super Duty® Chassis Cab trucks will be right there with you. Robust engine choices include available 6.2L or 7.3L V8 gas, as well as our available 6.7L Power Stroke® V8 Turbo Diesel. Each is paired with a 10-speed TorqShift® automatic calibrated for heavy-duty work. Available Ford Co-Pilot360™ Technology¹ helps supplement your driving skills, while FordPass™ Connect² with Wi-Fi hotspot capability³ helps keep you — and the crew — in touch.

As America's best-selling trucks for 44 years,<sup>4</sup> Ford F-Series is in it for the long haul. For the pride of a job well done. For the heroes who never stop.







F-600

IN A CLASS 5 PACKAGE F-600

MAX. AVAILABLE GCWR 43,000 LBS.

F-600 WITH AVAILABLE 6.7L POWER STROKE DIESEL ENGINE 7,500 LBS.

600, AND F-450/F-550 WITH AVAILABLE EXTRA-HEAVY-DUTY FRONT-END SUSPENSION PACKAGE MAX. AVAILABLE 5TH-WHEEL TOWING 34,500 LBS.

F-600 4x2 60" CA WITH AVAILABLE 6.7L POWER STROKE DIESEL ENGINE<sup>5</sup> 15,090 LBS.

F-600 4x2 60" CA WITH 7.3L V8 GAS ENGINE

1. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. It does not replace safe driving. See owner's manual for details and limitations. 2. FordPass Connect, the FordPass App, and complimentary Connected Service are required for remote features (see FordPass Terms for details). Connected service and features depend on compatible AT&T network availability. Evolving technology/cellular networks/vehicle capability may limit functionality and prevent operation of connected features. Connected service excludes Wi-Fi hotspot. 3. Wi-Fi hotspot includes complimentary wireless data trial that begins upon AT&T activation and expires at the end of 3 months or when 3GB of data is used, whichever comes first, but cannot extend beyond the complimentary subscription period for remote features. To activate, go to www.att.com/ford. 4. Best-selling trucks for 44 years based on 1977-2020 CY total sales. 5. Maximum capability configuration vehicles not shown.

F-600 XL REGULAR CAB 4x4. Agate Black Metallic. Available and aftermarket upfit equipment. (Max. Payload 14,030 lbs., Max. Towing 34,200 lbs., Max. GCWR 43,000 lbs. when properly configured with 60" CA, 4x4, and 6.7L Power Stroke diesel engine.)

NOTE: Maximum payload and towing capabilities shown throughout this brochure are for properly equipped base vehicles with required equipment and a 150-lb. driver and vary based on cargo, vehicle configuration, accessories, upfits and number of passengers. See label on door jamb for carrying capacity of a specific vehicle. Payload and towing are independent attributes and may not be achieved simultaneously.

Vehicle imagery throughout this brochure may be computer-generated and may include available and aftermarket upfit equipment.



7.3L 2-VALVE V8 GAS

350 MAX. HORSEPOWER | 468 LB.-FT. MAX. TORQUE

Built from the ground up as a dedicated truck engine, this beast is the largest displacement V8 engine in the class. To help maintain optimum engine performance, its stout design features: cast-iron engine block construction; a forged-steel crankshaft; carbon-nitrided needle bearings in the valvetrain; robust pistons and ring packs with anti-wear coatings; piston cooling jets; and a variable-displacement oil pump located in the pan. Tough lives here.

1. Class 3–5 Chassis Cabs. Horsepower and torque are independent attributes

and may not be achieved simultaneously.

6.7L POWER STROKE V8 TURBO DIESEL


330 MAX. HORSEPOWER | 825 LB.-FT. MAX. TORQUE

A 36,000-psi fuel-injection system helps it optimize combustion and provide excellent throttle response. Forged-steel pistons provide high firing pressure capability and less friction for improved durability. A turbocharger with fully electronic vane actuator helps cold-weather performance, while the grille design ensures plenty of airflow to help keep things cool. Which this diesel has done for years — stay calm under pressure.

## 6.2L 2-VALVE V8 GAS

385 MAX. HORSEPOWER | 430 LB.-FT. MAX. TORQUE

By supplying working power throughout the rpm range, the 6.2L V8 delivers an exceptional combination of driveability, hauling and towing performance. Dual-equal variable cam timing phases the intake- and exhaust-valve opening and closing events simultaneously to help optimize low-end torque and peak horsepower. And Flex-Fuel (FFV) capability allows the 6.2L to operate on E85 fuel, unleaded gasoline or any combination of the two in the same fuel tank.



## **TORQSHIFT® 10-SPEED AUTOMATIC TRANSMISSION**

In the unforgiving landscapes where Super Duty® Chassis Cab trucks excel, smooth and efficient power delivery provides the strength and capability to get the job done. Our robust TorqShift 10-speed automatic, standard with all 3 engines, is engineered for durability and calibrated specifically for heavy-duty work. With a tall 4.615 1st-gear ratio producing outstanding starting torque, the 10-speed also offers a wide range of overdrive gears. A state-of-the-art hydraulic control system supplies smooth, fast shifts and exceptional gear selection. Five Selectable Drive Modes allow drivers to optimize how Chassis Cab truck performs in a given driving condition (Tow/Haul, Deep Snow/Sand, Slippery, Normal and Eco).

## LIVE-DRIVE POWER TAKEOFF (PTO) PROVISION

With stationary- and mobile-mode operations, the available PTO provision allows Chassis Cab truck to power lift buckets, sprayer pumps, generators, snow plows and more. Directly linked to the engine crankshaft, the PTO output gear delivers power anytime the engine is running — whether the vehicle is moving or not. The available diesel powertrain includes split-shaft capability, which allows operation of multiple accessories at the same time when the truck is stopped. A sturdy 10-bolt architecture helps keep your PTO securely in place.





**F-600 XL REGULAR CAB 4x4.** Oxford White. 6.7L Power Stroke diesel engine. Available and aftermarket upfit equipment. (Max. 5th-Wheel Towing of 34,200 lbs., Max. Conventional Towing of 18,500 lbs., Max. Payload of 14,030 lbs., Max. GVWR of 22,000 lbs., and Max. GCWR of 43,000 lbs., when properly configured with 60" CA, 4x4, and 6.7L Power Stroke diesel engine.)

1. Stationary-mode PTO max. torque ratings: 300 lb.-ft. on diesel, 250 lb.-ft. on gas. Mobile-mode PTO max. torque ratings: 200 lb.-ft. on diesel, 125 lb.-ft. on 7.3L gas, and 115 lb.-ft. on 6.2L gas.



HIGH-STRENGTH-STEEL FRAME is extremely stiff to

handle upfits ranging from flatbeds and dump boxes to

wrecker, service and delivery bodies. Fully boxed under the

cab and forward, it features between 7 and 10 crossmembers

to enhance strength, with select crossmembers through-

welded to increase stiffness.

**RUGGED DRIVELINE COMPONENTS** include a choice of strong and capable available rear axles. Available ratios: 3.73 to 4.88. Choices:

non-limited-slip, available limited-slip and available electronic-locking.

Gear and bearing designs: engineered and optimized by weight for

extreme capability. Driveshafts, transfer cases and U-joints: built to

handle the massive torque output of all 3 engines.

ADVANCETRAC® WITH RSC® (ROLL STABILITY CONTROL™)<sup>2</sup> enhances stability on varying road surfaces by selectively applying the brakes and modifying engine power to help keep all wheels firmly planted.

A HEAVY-DUTY FRONT AXLE and optimized front coil springs in the Extra-Heavy-Duty Front-End Suspension Package provide a Front Gross Axle Weight Rating (FGAWR) of 7,500 lbs. to carry tall utility buckets, cranes, big snow plows, and more. Standard on F-600. Available on F-450/F-550.




## MASSIVE BRAKES

A large brake pad usable area on F-450, F-550 and F-600 helps increase both pad and rotor life, while a large master cylinder with plenty of volume helps reduce the risk of thermal brake fade under extreme braking conditions.



## AVAILABLE PROGRAMMABLE UPFITTER INTERFACE MODULE

Gives upfitters a way to properly connect their electrical equipment to the Controller Area Network (CAN) test bus or ports. This allows for integration of needed upgrades, as well as a programmable logic interface to control devices using a laptop.



## AVAILABLE AFT-OF-AXLE FRAME EXTENSIONS

Provide 42.4" of extension with the 145" WB/60" CA and 32.4" of extension with the 169" WB/84" CA on F-450/F-550 and F-600 Regular Cab models. By allowing upfitted bodies to accommodate additional equipment, these extensions give upfitters outstanding configuration flexibility.

6000-series aluminum alloy.
 Remember that even advanced technology cannot overcome the laws of physics. It's always possible to lose control of a vehicle due to inappropriate driver input for the conditions.



XLT 4x4. Medium Light Camel cloth seats. Available equipment.

Don't drive while distracted. Use voice-operated systems when possible; don't use handheld devices while driving,

1. Wi-Fi hotspot includes complimentary wireless data trial that begins upon AT&T activation and expires at the end of 3 months or when 3GB of data is used, whichever comes first, but cannot extend beyond the complimentary subscription period for remote features. To activate, go to www.att.com/ford. 2. Some features may be locked out while the vehicle is in gear. Not all features are compatible with all phones. 3. Remote start and remote lock/unlock require power door locks. 4. FordPass Connect, the FordPass App,

and complimentary Connected Service are required for remote features (see FordPass Terms for details). Connected service and features depend on compatible AT&T network availability. Evolving technology/cellular networks/vehicle capability may limit functionality and prevent operation of connected features. Connected service excludes Wi-Fi hotspot. FordPass App, compatible with select smartphone platforms, is available via download. Message and data rates may apply. 5. Commands may vary by phone and AppLink software. 6. Requires phone with active data service and compatible software. SYNC 3 does not control 3rd-party products while in use. 3rd parties are solely responsible for their respective functionality. 7. Requires active SiriusXM® services subscription. 8. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. It does not replace safe driving. See owner's manual for details and limitations.



## THE CORNERSTONE

Featuring a black grille and front bumper, plus heavy-duty vinyl seating, XL is a no-nonsense work truck that's the bedrock of the Chassis Cab truck lineup. All the capability and standard features to get you comfortably through the work week are here, including your choice of 3 powerful engines and a TorqShift® 10-speed SelectShift® automatic transmission calibrated specifically for heavy-duty work.

1. FordPass Connect, the FordPass App, and complimentary Connected Service are required for remote features (see FordPass Terms for details). Connected service and features depend on compatible AT&T network availability. Evolving technology/cellular networks/vehicle capability may limit functionality and prevent operation of connected features. Connected service excludes Wi-Fi hotspot. At purchase, the FordPass Connect modern is connected and sending vehicle data (e.g., diagnostics) to Ford. To disable, or for more information, see in-vehicle connectivity settings. Learn more at FordConnected.com. 2. Wi-Fi hotspot includes complimentary wireless data trial that begins upon AT&T activation and expires at the end of 3 months or when 3GB of data is used, whichever comes first, but cannot extend beyond the complimentary subscription period for remote features. To activate, go to www.att.com/ford.




6.2L 2-VALVE GAS V8 FFV Standard: F-350

7.3L 2-VALVE GAS V8

Standard: F-450, F-550, F-600 Available: F-350

6.7L POWER STROKE® V8 **TURBO DIESEL** Available: F-350, F-450, F-550, F-600



F-350 SRW 60" CA F-350 DRW 60" CA/84" CA F-450 DRW 60" CA/84" CA/108" CA/120" CA 60" CA/84" CA F-550 DRW 60" CA/84" CA/108" CA/120" CA 60" CA/84" CA

**REGULAR CAB** 

**SUPERCAB** 

F-350 SRW

60"CA

F-350 DRW

60"CA

F-450 DRW

F-550 DRW

**CREW CAB** 

F-350 SRW

60" CA

F-350 DRW

60" CA

F-450 DRW

60" CA/84" CA

F-550 DRW

60" CA/84" CA

F-600 DRW 60" CA/84" CA/108" CA/120" CA



FRONT 40/20/40 SPLIT BENCH SEAT Standard

FRONT BUCKET SEATS WITH MINI-CONSOLE Available



## THE UTILITY PLAYER

XLT includes great XL equipment, plus the right level of refinement from its substantial list of standard features: chrome grille and front bumper; cloth seating and carpeted flooring; power windows and door locks; SYNC 3, trailer brake controller, and SiriusXM.®1 An incredibly versatile Chassis Cab truck, XLT does just about everything well.


1. Trial length and service availability may vary by model, model year or trim. All SiriusXM services require a subscription, each sold separately by SiriusXM after the trial period. Service will automatically stop at the end of your trial unless a subscription is purchased. See the SiriusXM Customer Agreement at www.siriusxm.com for complete terms. Some services and features are subject to device capabilities and location availability. All fees, content and features are subject to change.



6.2L 2-VALVE GAS V8 FFV Standard: F-350

7.3L 2-VALVE GAS V8 Standard: F-450, F-550, F-600 Available: F-350

6.7L POWER STROKE® V8 **TURBO DIESEL** 



**REGULAR CAB SUPERCAB CREW CAB** F-350 SRW F-350 SRW F-350 SRW 60" CA 60"CA 60" CA F-350 DRW F-350 DRW F-350 DRW 60" CA/84" CA 60"CA 60" CA F-450 DRW F-450 DRW F-450 DRW 60" CA/84" CA/108" CA/120" CA 60" CA/84" CA 60" CA/84" CA F-550 DRW F-550 DRW F-550 DRW 60" CA/84" CA/108" CA/120" CA 60"CA/84"CA 60" CA/84" CA

F-600 DRW

60" CA/84" CA/108" CA/120" CA



FRONT 40/20/40 SPLIT BENCH SEAT Standard

FRONT BUCKET SEATS WITH CENTER CONSOLE



## **CAPABLE COMFORT**


You're ready to tackle any day in LARIAT. A leather-trimmed, 10-way poweradjustable front bucket driver's seat and power-adjustable pedals help you feel right at home. An 8" LCD productivity screen puts vital vehicle information front and center, while the remarkable 10-speaker B&O Sound System handles the tunes. Choose the available LARIAT Value Package to add heated and ventilated front seats, memory for the power-adjustable pedals and power sideview mirrors, and more. LARIAT is a welcome mix of capability and comfort.



6.2L 2-VALVE GAS V8 FFV Standard: F-350

7.3L 2-VALVE GAS V8 Standard: F-450, F-550 Available: F-350

6.7L POWER STROKE® V8 **TURBO DIESEL** Available: F-350, F-450, F-550



SUPERCAB™

F-350 SRW 60" CA F-350 DRW 60" CA F-450 DRW 60" CA/84" CA

F-550 DRW 60" CA/84" CA

F-450 DRW 60" CA/84" CA

CREW CAB

F-350 SRW 60" CA

F-350 DRW 60" CA

F-550 DRW 60" CA/84" CA

FRONT BUCKET SEATS WITH CENTER CONSOLE Standard

> FRONT 40/20/40 **SPLIT BENCH SEAT**

## STANDARD FEATURES

## **MECHANICAL & FUNCTIONAL**

4-wheel disc brakes with Anti-Lock Brake System (ABS)

7-wire trailer tow wiring harness with relays, blunt cut and labeled

40-gallon aft-of-axle fuel tank

Axle - Narrow-track front (F-350)

Axle - Wide-track front (F-450/F-550/F-600; includes black front fenders)

Electronic shift-on-the-fly (ESOF) transfer case with manual locking hubs (4x4)

Heavy-duty gas shock absorbers

Hydraulic power-assisted steering

Intelligent Oil-Life Monitor® (diesel engine)

Leaf-spring rear suspension with auxiliary springs and stabilizer bar

Oil-life minder (gas engine)

Power takeoff (PTO) provision with live-drive mobile and stationary modes, and split-shaft capability (diesel engine; PTO port located on driver's side; max. torque output of 300 lb.-ft. in stationary mode)

Stationary Elevated Idle Control (SEIC)1

Steering damper

TorgShift® 10-speed SelectShift® automatic transmission with Selectable Drive Modes

Twin-coil monobeam front suspension with stabilizer bar

(F-350 4x4/F-450/F-550/F-600)

Twin-I-Beam coil spring front suspension with stabilizer bar (F-350 4x2)

Upfitter switches, 6 located in overhead console

(four 25-amp and two 40-amp; 40-amp are hot-at-all-times capable)

## FORD CO-PILOT360™ TECHNOLOGY

Autolamp (Automatic On/Off Headlamps)

Hill Start Assist

Trailer Sway Control

## **CONNECTIVITY & ENTERTAINMENT**

12V powerpoint in instrument panel

FordPass™ Connect2 with 4G LTE Wi-Fi hotspot capability3

## EXTERIOR

Front tow hooks

Configurable daytime running lamps

Front splash guards (F-450/F-550/F-600)

LED roof marker/clearance lamps

Underhood service lamp

Variable-intermittent windshield wipers with washers

## SAFETY & SECURITY

AdvanceTrac® with RSC® (Roll Stability Control™)

Driver and right-front-passenger front airbags.4 front-seat side airbags.4 and Safety Canopy® System with side-curtain airbags4 and rollover sensor

Front-passenger airbag deactivation switch

Individual Tire Pressure Monitoring System

(F-350; optional spare tire does not include sensor)

SOS Post-Crash Alert System™

1. Final-stage manufacturer must supply control switches. 2. FordPass Connect, the FordPass App, and complimentary Connected Service are required for remote features (see FordPass Terms for details). Connected service and features depend on compatible AT&T network availability. Evolving technology/cellular networks/vehicle capability may limit functionality and prevent operation of connected features. Connected service excludes Wi-Fi hotspot. FordPass App. compatible with select smartphone platforms, is available via download. Message and data rates may apply. 3. Wi-Fi hotspot includes complimentary wireless data trial that begins upon AT&T activation and expires at the end of 3 months or when 3GB of data is used, whichever comes first, but cannot extend beyond the complimentary subscription period for remote features. To activate, go to www.att.com/ford. 4. Always wear your safety belt and follow airbag warning label instructions. 5. Restrictions may apply. See your dealer for details. 6. Trial length and service availability may vary by model, model year or trim. All SiriusXM services require a subscription, each sold separately by SiriusXM after the trial period. Service will automatically stop at the end of your trial unless a subscription is purchased. See the SiriusXM Customer Agreement at www.siriusxm.com for complete terms. Some services and features are subject to device capabilities and location availability. All fees, content and features are subject to change. 7. Ford Licensed Accessory. 8. See dealer for springs/front Gross Axle Weight Rating (GAWR) of specific vehicle configurations.

	M F	H				AT	
-	VEI	LA K	<b>S</b> : Standard <b>0</b> : Optional <b>P</b> : packaged	×	XLT	LARIAT	
			ENGINES				INTERIOR
9	S	S	<b>6.2L 2-valve gas V8 FFV engine</b> (F-350)	S			2.3" LCD productivity screen in instrument cluster
	S	S	<b>7.3L 2-valve gas V8 engine</b> (F-450/F-550/F-600)	S	S		Fixed rear window
(	0 0	0	<b>7.3L 2-valve gas V8 engine</b> (F-350)	S	S		Single-zone manual climate control
(	0 0	0	6.7L Power Stroke® V8 Turbo Diesel engine with manual push-button	S	0	0	Flooring - Black vinyl/carpet delete
			engine exhaust braking	S	S	S	Manual-tilt/-telescoping steering column
			MECHANICAL & FUNCTIONAL	0	S	S	Cruise control (Fleet only on XL)
			650-CCA, 72-amp-hr single battery (6.2L gas)	0	S	S	Rear privacy glass
	2 6		750-CCA, 72-amp-in Single battery (6.2L gas)		S	S	Flooring - Carpet with carpeted floor mats
	_	-		P	S	S	Accessory delay for power features
	/0 3/	/0	750-CCA, 78-amp-hr dual batteries (standard diesel; standard on XLT and LARIAT with 7.3L gas)	P	S	S	Power door locks
		-	Fuel tank – 40-gallon aft-of-axle	P	S	S	Power windows with front one-touch-up/-down feature
	/o (	_	Power takeoff (PTO) provision with live-drive mobile and stationary modes <sup>5</sup>		S		4.2" LCD productivity screen in instrument cluster
			(gas engines; standard on F-600; PTO port located on driver's side; max. torque	0	0	S	Power-sliding rear window with defroster <sup>5</sup> (SuperCab/Crew Cab)
			output of 250 lbft. in stationary mode)		0		Power-adjustable pedals
S	5	S	Trailer brake controller with Smart Trailer Tow Connector⁵			_	8" LCD productivity screen in instrument cluster
)			Aft-of-axle frame extension <sup>5</sup>			S	Auto-dimming rearview mirror
			(F-450/F-550/F-600 Regular Cab 145" and 169" wheelbases)				Dual-zone electronic automatic temperature control
)			Engine idle shutdown (5-, 10-, 15- or 20-minute)			_	Leather-wrapped steering wheel
)	(	0	Fuel tank – 26.5-gallon mid-ship <sup>5</sup> (replaces standard tank)	0	0		Fixed rear window with defroster
)	Г		Fuel tanks – Dual diesel with 40-gallon aft-of-axle and 26.5-gallon mid-ship	0			Rapid-heat supplemental cab heater (diesel engine)
			(DRW diesel engine)		0		Flooring - Floor liners (SuperCab/Crew Cab)
)			Individual Tire Pressure Monitoring System delete (F-350 SRW; Fleet only)		0		Vehicle safe <sup>5,7</sup>
)		T	Operator-commanded exhaust filter regeneration with active regeneration		U	0	Verificite Saile
			inhibit (diesel engine)				EXTERIOR
)			Speed limitation (65-mph or 75-mph governed top speed; Fleet only)	S			Black grille, front bumper, mirror caps, and door handles
)	(	0	Engine block heater	S			Manually telescoping trailer tow mirrors with 2-way fold and manual glass
)	(	0	Front license plate bracket (standard where required)	S	S	S	Quad-beam jewel-effect halogen headlamps
)	(		Jack (2-ton mechanical for SRW; 4-ton hydraulic for F-350 DRW; 6-ton hydraulic for F-450/F-550/F-600)	0	S		Manually telescoping trailer tow mirrors with 2-way fold, power/heated glass, heated manual spotter mirrors, and integrated clearance lamps/turn signal
)	(	0	Programmable Upfitter Interface Module				indicators (XL requires Power Equipment Group)
)	(	-	Spare wheel, tire and jack (excludes carrier)		S		Chrome grille and front bumper; black mirror caps and door handles
				P	S	S	Remote Keyless Entry System
			FORD CO-PILOT360 TECHNOLOGY	0		_	Halogen fog lamps⁵
	_	-	Audible Lane Departure Warning <sup>5</sup>	0	0	_	LED sideview mirror spotlights <sup>5</sup>
			Pre-Collision Assist with Automatic Emergency Braking (AEB) and Auto High-Beam Headlamps <sup>5</sup>		0	S	PowerScope® power-telescoping/-folding trailer tow mirrors with power/ heated glass, heated manual spotter mirrors, autofold, high-intensity LED security approach lamps, and LED sideview mirror spotlights
)	9	0	Voice-Activated Touchscreen Navigation System with HD Radio™ Technology, and integrated SiriusXM® Traffic and Travel Link® with 5-year subscription®			c	Chrome grille, and front bumper; body-color mirror caps and door handles
	١,	-	, ,	0		3	
		T	Rain-Sensing Windshield Wipers  SEATING	0	_		Chrome grille (Fleet only)  Manually telescoping trailer tow mirrors with 2-way fold, power/heated glass, heated manual spotter mirrors, and integrated clearance lamps/turn signal
S	5	S	60/40 split flip-up rear seat (SuperCab™/Crew Cab)				indicators (102" width; Regular Cab DRW)
		T	40/20/40 split front bench seat with driver's side manual lumbar, and folding	0	0		Non-configurable daytime running lamps
			armrest with cupholders				(replaces standard configurable daytime running lamps; Fleet only)
			Heavy-duty vinyl seats	0	0	0	Black molded hood deflector
S			Cloth seats	0	0	0	Cab steps – Black platform running boards
5	(		40/20/40 split front bench seat with driver's side manual lumbar, and center under-seat lockable storage with 12V powerpoint, and folding armrest with	0			Camera – Rear View Camera and prep kit (includes pre-installed body and frame wiring, loose camera with mounting bracket, and 20' jumper wire)
	L	-	cupholders and storage	0		-	Center high-mounted stop lamp (CHMSL)
	-	-	Leather-trimmed front seating	0		0	Exterior backup alarm <sup>7</sup>
		-	Fold-down rear-seat center armrest with dual integrated cupholders (Crew Cab)	0			LED warning strobes <sup>5,7</sup> (amber or amber/white)
	15		Front bucket seats and flow-through center console with storage, rear-facing	0		_	Remote Start System⁵
	L	-	12V powerpoint and 110V/400W AC power outlet	0		-	Skid plate for transfer case (4x4)
	-	-	Power front seats (10-way driver; 8-way passenger)	0		0	Splash guards, molded, front (F-350)
		-	Premium vinyl (SuperCab) or leather-trimmed (Crew Cab) rear seating	0	0	0	Wheel-well liners, front
	-	-	Rear under-seat fold-flat, lockable and partitionable storage (Crew Cab)				CONNECTIVITY & ENTERTAINMENT
	3	-	Rear under-seat storage (SuperCab)	s			SYNC® Voice Recognition Communications and Entertainment System with
	L	_	Front bucket seats with mini-console and driver's side manual lumbar	3			4.2" LCD screen, 911 Assist, AppLink, and 1 smart-charging USB port
0			Front bucket seats and flow-through center console with storage, rear-facing	S	S		AM/FM stereo with MP3 capability
	L	-	12V powerpoint and 110V/400W AC power outlet (SuperCab/Crew Cab)	0	-	_	110V/400W AC power outlet in instrument panel <sup>5</sup>
0	-	-	Heated driver's seat <sup>5</sup> (SuperCab/Crew Cab)	0			SiriusXM <sup>5</sup> with 3-month All Access trial subscription <sup>6</sup>
	(	0	Heated rear outboard seats⁵ (Crew Cab)	0	S		SYNC 3 <sup>5</sup> with 8" LCD capacitive touchscreen in center stack, 911 Assist, AppLink, Apple CarPlay® compatibility, Android Auto™ compatibility, and
							2 smart-charging USB ports  B&O Sound System with MP3 capability, and 10 speakers including a subwoofer

## SAFFTY & SECURITY S Advanced Security Pack with inclination/intrusion sensors MyKey® technology to help encourage responsible driving SecuriLock® Passive Anti-Theft System P S SecuriCode™ keyless entry keypad

## FUNCTIONAL PACKAGES

XLT LARIAT

Trailer Tow Package<sup>5</sup> (F-350/F-450/F-550): aftermarket trailer brake wiring kit (trailer brake controller not included)

7.3L CNG/Propane Gaseous Engine Prep Package (F-450/F-550/F-600): hardened engine intake valves and valve seats

**Ambulance Prep Package**<sup>5</sup> (Fleet only): 397-amp alternator, 7,000-lb. max. front springs/GAWR rating for configuration selected, operator-commanded exhaust filter regeneration (diesel engine), and wide-track rear axle (F-350 DRW with diesel engine)

**Ambulance Prep Package with EPA Special Emissions**<sup>5</sup> (Fleet only; requires diesel engine): 397-amp alternator, 7,000-lb. max. front springs/GAWR rating for configuration selected, operator-commanded exhaust filter regeneration. wide-track axle (F-350 DRW), and federal emissions

Fire/Rescue Prep Package with EPA Special Emissions<sup>5</sup> (Fleet only; requires diesel engine): 397-amp alternator, 7,000-lb. max. front springs/GAWR rating for configuration selected, operator-commanded exhaust filter regeneration, and federal emissions

Payload Upgrade Package<sup>5</sup> (F-550 60" CA 7.3L gas engine): upgraded frame, upgraded rear axle, and 19,000-lb. GVWF Wrecker Package<sup>5</sup> (F-450 Regular Cab 60" CA): 7,000-lb. max. front springs,

19,500-lb. max. rear springs, 2" rear spacer blocks (4x2) 0 0 6.2L CNG/Propane Gaseous Engine Prep Package (F-350): hardened engine intake valves and valve seats, and bi-fuel manifold

0 0 16.000-LB. GVWR Package (F-450)

0 0 Aerial Lift/Severe Duty Prep Package<sup>5</sup> (F-550; Fleet only): additional frame reinforcements (recommended for vehicles that will permanently utilize aftermarket equipment such as aerial bucket lifts and heavy lift cranes) 0 0 Extra-Heavy-Duty Front-End Suspension Package<sup>5</sup> (optional on F-450/F-550;

standard on F-600): upgraded front axle and 7,500-lb. front springs/GAWR rating 0 0 Extra-Heavy-Service Front Suspension Package<sup>5</sup> (F-350/F-450/F-550): front springs upgrade8 (unless maximum springs have been computer-selected as

included equipment) 0 0 Heavy-Service Front Suspension Package<sup>5</sup> (F-350/F-450/F-550) front springs upgrade8 (unless maximum springs have been computer-selected as included equipment)

0 High-Capacity Trailer Tow Package<sup>5</sup> (F-450/F-550 diesel engine): trailer brake wiring kit, upgraded rear axle, and GCWR of 35,000 lbs. on F-450 and 40,000 lbs. on F-550 (trailer brake controller not included)

0 0 Low Deflection Package<sup>5</sup> (F-450/F-550/F-600): 2" spacer blocks (recommended for rear-biased loading) 0 0 Payload Downgrade Package<sup>5</sup> (F-350/F-450/F-550): 9,800-lb. GVWR and

26.5-gallon mid-ship fuel tank on F-350 SRW with 17" wheels: 10.000-lb. GVWR and 26.5-gallon mid-ship fuel tank on F-350 SRW with 18" wheels; 15,000-lb. GVWR on F-450; and 17,500-lb. GVWR on F-550

0 0 Payload Plus Upgrade Package<sup>5</sup> (F-550 with 4.88 rear axle): upgraded frame, upgraded rear axle, low-deflection/high-capacity rear springs, 14,706-lb. max. rear GAWR, and 19,500-lb. GVWR

0 Snow Plow Prep Package<sup>5</sup> (4x4): computer-selected front springs for snow plow application8

## /AILABLE TRIM PACKAGES


**ower Equipment Group:** accessory delay for power features; trailer tow mirrors with 2-way ld, power/heated glass, and heated manual spotter mirrors; Advanced Security Pack th SecuriLock Passive Anti-Theft System and inclination/intrusion sensors; power door cks; power windows with front one-touch-up/-down feature; upgraded door-trim panels; yKey®; and Remote Keyless Entry System with 2 integrated keyhead transmitter remotes

. Decor Group (Fleet only): bright center caps on wheels (SRW only), and chrome front bumper . Value Package: chrome front bumper, bright center caps on wheels (SRW only), nd cruise control

LT Value Package: SecuriCode keyless entry keypad, 8-way power driver's seat, and rear nder-seat fold-flat storage (SuperCab/Crew Cab; Crew Cab storage is lockable and partitionable)

ARIAT Value Package: Remote Start System, heated and ventilated front seats, asy-entry/-exit driver's seat with memory, and memory feature for sideview mirrors and power-adjustable pedals

WHEELS




ХL	XLT	LARIAT"	S: STANDARD O: OPTIONAL
	^	_	F-350 SRW WHEELS/TIRES
S			A. 18" Argent-Painted Steel with Painted Center Cap
0	0		B. 17" Argent-Painted Steel with Painted Center Cap
0	S		C. 18" Cast-Aluminum with Bright Center Cap
	3	S	D. 18" Bright-Machined Cast-Aluminum with Bright Center Cap
S	S	S	LT275/65Rx18E BSW all-season tires
0	0		LT245/75Rx17E BSW all-season tires <sup>1</sup>
0	0		LT245/75Rx17E BSW all-terrain tires <sup>1</sup>
0	0		LT265/70Rx17E OWL all-terrain tires <sup>1</sup>
0	0	0	LT275/70Rx18E BSW all-terrain tires (4x4)
	0		LT275/70Rx18E OWL all-terrain tires (4x4)
			F-350 DRW WHEELS/TIRES
S	S		E. 17" Argent-Painted Steel without Center Cap
0	0		F. 17" Stainless Steel Covers, Front and Rear¹ (requires steel wheels)
0	0	S	G. 17" Polished Forged-Aluminum <sup>2</sup> with Bright Center Cap
S	S	S	LT245/75Rx17E BSW all-season tires
0	0	0	LT245/75Rx17E BSW all-terrain tires
	0	0	LT245/75Rx17E OWL all-terrain tires (BSW rear inner tires)
			F-450/F-550 WHEELS/TIRES
S	S		H. 19.5" Argent-Painted Steel without Center Cap (19.5" x 6")
0	0		I. 19.5" Stainless Steel Covers, Front and Rear¹ (requires steel wheels)
	0	S	J. 19.5" Polished Forged-Aluminum <sup>2</sup> with Bright Center Cap
S	S	S	225/70Rx19.5G BSW all-position tires
0	0	0	$225/70 Rx 19.5 G~BSW~traction ^1~(includes~2~all-position~tires~on~front~and~4~traction~tires~on~rear)\\$
0	0	0	225/70Rx19.5G BSW traction (4x4; includes 2 traction tires on front and 4 traction tires on rear)
	0		225/70Rx19.5G BSW traction (Regular Cab 4x2; includes 2 all-position tires on front and 4 traction tires on rear)
			F-600 WHEELS/TIRES
S	S		<b>K.</b> 19.5" Argent-Painted Steel without Center Cap (19.5" x 6.75")
	0		<b>L.</b> 19.5" Polished Forged-Aluminum <sup>2</sup> with Bright Center Cap (19.5" x 6.75")
S	S		245/70Rx19.5G BSW all-position tires
0	0		245/70Rx19.5G BSW traction tires (includes 2 all-position tires on front and 4 traction tires on rear)
0	0		245/70Rx19.5G BSW traction tires (includes 6 traction tires)

1. Restrictions may apply. See your dealer for details. 2. Inner rear wheels are steel.

## EXTERIOR





	Agate Black Metallic	Iconic Silver Metallic	Oxford White	Carbonized Gray Metallic	Race Red	Stone Gray Metallic	Antimatter™ Blue Metallic	Velocity Blue Metallic	Lithium Gray Metallic	Rapid Red Metallic Tinted Clearcoat <sup>1</sup>	Star White Metallic Tri-coat <sup>1</sup>
XL	1 2	1 2	1 2	1 2	1 2	1 2	1 2				
XLT	3 4	3 4	3 4	3	3 4	3 4	3 4	3 4	4	3 4	
LARIAT™	5 6	5 6	5 6	5	5 6	5 6	5 6	5 6	5 6	5 6	5 6

## DIMENSIONS/WEIGHTS

	REGULAR	CAB													
	F-350 SRW 4x2/4x4	F-350 DRW <sup>2</sup> 4x2/4x4	F-350 DRW <sup>2</sup> 4x2/4x4	F-450 DRW 4x2/4x4	F-450 DRW 4x2/4x4	F-450 DRW 4x2/4x4	F-450 DRW 4x2/4x4	F-550 DRW 4x2/4x4	F-550 DRW 4x2/4x4	F-550 DRW 4x2/4x4	F-550 DRW 4x2/4x4	F-600 DRW 4x2/4x4	F-600 DRW 4x2/4x4	F-600 DRW 4x2/4x4	F-600 DRW 4x2/4x4
Wheelbase Cab-to-axle	145.3" 60"	145.3" 60"	169.3" 84"	145.3" 60"	169.3" 84"	193.3" 108"	205.3" 120"	145.3" 60"	169.3" 84"	193.3" 108"	205.3" 120"	145.3" 60"	169.3" 84"	193.3" 108"	205.3" 120"
EXTERIOR (in.)															
Height Top of cab to ground Top of frame to ground	79.1/ 81.9 32.7/ 34.9	79.3/ 82.2 33.0/ 34.8	79.2/ 82.0 32.7/ 34.4	82.6/ 82.4 35.4/ 35.5	82.4/ 82.2 35.0	82.3 34.8	82.3 34.8	82.6 35.4	82.4 35.0	82.5/ 82.4 34.8	82.4 34.7	83.5/ 83.4 34.8	83.3/ 83.1 34.5	83.1/ 83.0 33.4/ 33.5	83.1/ 82.9 33.4
Width between frame rails	34.1	34.1	34.1	34.2	34.2	34.2	34.2	34.2	34.2	34.2	34.2	34.2	34.2	34.2	34.2
Axle clearance	9.0/8.9	8.4/8.3	8.4	8.5	8.6	8.6	8.6	8.5	8.6	8.6	8.6	9.1	9.1	9.1	9.1
Front track	68.3	69.1	69.1	74.8	74.8	74.8	74.8	74.8	74.8	74.8	74.8	74.8	74.8	74.8	74.8
Rear tire outside width	79.6	92.2	92.2	93.9	93.9	93.9	93.9	93.9	93.9	93.9	93.9	95.2	95.2	95.2	95.2
Overall length	230.7	230.7	254.8	230.7	254.8	278.8	290.7	230.7	254.8	278.8	290.7	230.7	254.8	278.8	290.7
Weights (lbs.) Max. GVWR <sup>3</sup> Max. payload <sup>3</sup>	11,000/ 11,500 4,870/	14,000	14,000	16,500 9,850/	16,500 9,790/	16,500 9,610/	16,500 9,550/	19,000 12,310/	19,500 12,750/	19,500 12,570/	19,500 12,510/	22,000 15,090/	22,000 15,020/	22,000 14,840/	22,000 14,790/
	4,860	7,550	7,500	9,540	9,450	9,300	9,230	12,000	12,410	12,260	12,190	14,780	14,690	14,540	14,470

	SUPERCABT	м					CREW CAB					
	F-350 SRW 4x2/4x4	F-350 DRW <sup>2</sup> 4x2/4x4	F-450 DRW 4x2/4x4	F-450 DRW 4x2/4x4	F-550 DRW 4x2/4x4	F-550 DRW 4x2/4x4	F-350 SRW 4x2/4x4	F-350 DRW <sup>2</sup> 4x2/4x4	F-450 DRW 4x2/4x4	F-450 DRW 4x2/4x4	F-550 DRW 4x2/4x4	F-550 DRW 4x2/4x4
Wheelbase Cab-to-axle	167.9" 60"	167.9" 60"	167.9" 60"	191.9" 84"	167.9" 60"	191.9" 84"	179.8" 60"	179.8" 60"	179.8" 60"	203.8" 84"	179.8" 60"	203.8" 84"
EXTERIOR (in.)			·	·			'					
Height Top of cab to ground Top of frame to ground	79.3/82.0 32.3/34.2	79.6/82.2 32.6/34.4	82.5 35.0	82.5/82.4 34.8	82.7/82.5 34.9/35.0	82.5 34.8	79.4/82.1 32.1/34.0	79.7/82.3 32.5/34.3	82.8/82.6 34.8/34.9	82.6/82.5 34.7/34.8	82.8 34.8	82.6 34.8/34.7
Width between frame rails	34.1	34.1	34.2	34.2	34.2	34.2	34.1	34.1	34.2	34.2	34.2	34.2
Axle clearance	9.0	8.4	8.6	8.6	8.6	8.6	9.0/8.9	8.4	8.6	8.6	8.6	8.6
Front track	68.3	69.1	74.8	74.8	74.8	74.8	68.3	69.1	74.8	74.8	74.8	74.8
Rear tire outside width	79.6	92.2	93.9	93.9	93.9	93.9	79.6	92.2	93.9	93.9	93.9	93.9
Overall length	253.3	253.3	253.3	277.4	253.3	277.4	265.2	265.2	265.2	289.2	265.2	289.2
Weights (lbs.) Max. GVWR <sup>3</sup> Max. payload <sup>3</sup>	11,500 4,970/ 4,940	14,000 7,600/ 7,200	16,500 9,550/ 9,190	16,500 9,360/ 9,030	19,500 12,510/ 12,150	19,500 12,320/ 11,990	11,500 4,830/ 4,820	14,000 7,460/ 7,040	16,500 9,380/ 9,070	16,500 9,230/ 8,940	19,500 12,340/ 12,030	19,500 12,190/ 11,900

INTERIOR (in.; front/rear)	REGULAR CAB	SUPERCAB	CREW CAB
Head room	40.8/-	40.8/40.3	40.8/40.4
Leg room (max.)	43.9/—	43.9/33.5	43.9/43.6
Hip room	62.5/—	62.5/64.7	62.5/64.7
Shoulder room	66.7/—	66.7/65.8	66.7/65.9
Total passenger volume (cu. ft.)	64.6	116.0	131.8
Cargo volume behind 1st row (cu. ft.)	11.6	31.6	52.1

SRW = Single Rear Wheel DRW = Dual Rear Wheel GVWR = Gross Vehicle Weight Rating

<sup>2.</sup> F-350 DRW with diesel engine and available Ambulance Prep Package with wide-track rear axle: rear tire outside width is 95.2." 3. When properly configured.

## 5TH-WHEEL/GOOSENECK TOWING

GCWR & Maximum Loaded Trailer Weight Ratings (lbs.)1 - SAE J2807 Compliant

Engine	Axle Ratio	GCWR	F-350 SRW 4x2	F-350 SRW 4x4	F-350 DRW 4x2	F-350 DRW 4x4	F-450 DRW 4x2	F-450 DRW 4x4	F-550 DRW 4x2	F-550 DRW 4x4	F-600 DRW 4x2	F-600 DRW 4x4
REGULAR CAB												
6.2L 2-valve Gas V8 FFV	3.73	19,500	13,100	12,700								
		20,000			13,000	12,600						
	4.30	23,000	16,600	16,200								
		23,500			16,500	16,100						
7.3L 2-valve Gas V8	3.73	22,500			15,500	15,100						
	4.30	26,000	19,600	19,200	19,000	18,600						
	4.88	28,000					20,400	20,100	20,400	20,100		
		30,000									22,200	21,900
6.7L Diesel V8	3.73	30,000	22,700	22,200								
		31,500			23,700	23,300						
	4.10	32,500			24,700	24,300	24,100	23,800	24,100	23,800		
	4.30	35,000					26,600	26,300				
		37,000							28,600	28,300		
	4.88	32,500 <sup>2</sup>							24,100 <sup>2</sup>	23,800 <sup>2</sup>		
		40,000 <sup>2</sup>							31,600 <sup>2</sup>	31,300 <sup>2</sup>		
		43,000								· ·	34,500	34,200
SUPERCAB™		7,7,7,7									,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	, ,
6.2L 2-valve Gas V8 FFV	3.73	19,500	12,800	12,400								
		20,000	,	,	12,600	12,200						
	4.30	23,000	16,300	15,900	,	,						
		23,500	,	,	16,100	15,700						
7.3L 2-valve Gas V8	3.73	22,500			15,100	14,700						
	4.30	26,000	19.300	18,800	18,600	18,200						
	4.88	28,000	10,000	10,000	10,000	10,200	20,100	19,700	20,100	19,700		
6.7L Diesel V8	3.73	30,000	22,300	21,900			20,100	10,100	20,100	10,700		
0.7 E DIGGGI VO	3.73	31,500	22,000	21,300	23,400	23,000						
	4.10	32,500			24,400	24,000	23,800	23,500	23,800	23,500		
	4.30	35,000			24,400	24,000	26,300	26,000	23,000	23,300		
	4.50	37,000					20,300	20,000	28,300	28,000		
	4.88	32,500 <sup>2</sup>							23,800 <sup>2</sup>	23,400 <sup>2</sup>		
	4.00	40,000 <sup>2</sup>							31,300 <sup>2</sup>	30,900 <sup>2</sup>		
CREW CAB		40,000							31,300-	30,900		
6.2L 2-valve Gas V8 FFV	3.73	19,500	12,600	12,200								
0.2L 2-Valve das vo 11 v	3.73	20,000	12,000	12,200	12,500	12,100						
	4.30	23,000	16,100	15,700	12,300	12,100						
	4.30	23,500	10,100	15,700	16,000	15,600						
7.3L 2-valve Gas V8	2.72	22,500			15,000	14,600						
1.3L 2-Valve Gas vo	3.73 4.30	26,000	19,100	18,500	18,500							
			19,100	16,300	16,300	18,100	10.000	10.000	10.000	10.000		
6.71 Dissal VO	4.88	28,000	22.100	21 200			19,900	19,600	19,900	19,600		
6.7L Diesel V8	3.73	30,000	22,100	21,300	00.000	22.022						
	4.40	31,500			23,200	22,800	00.700	00.400	00.700	00.400		
	4.10	32,500			24,200	23,800	23,700	23,400	23,700	23,400		
	4.30	35,000					26,200	25,900	00.555	07.000		
		37,000							28,200	27,900		
	4.88	32,500²							23,600²	23,300²		
		40,000 <sup>2</sup>							31,100 <sup>2</sup>	30,800 <sup>2</sup>		

## 5th-Wheel Towing Notes: Trailer weights shown assume 400 lbs.-800 lbs. second-unit body weight. Be sure combined weight of vehicle and trailer does not exceed listed GCWR. Trailer tongue (trailer king pin for 5th-wheel towing) load weight should be 10% (15% for 5th-wheel towing) of total loaded trailer weight. Make sure that the vehicle payload (reduced by option weight) will accommodate trailer tongue (trailer king pin for 5th-wheel towing) load weight and the weight of passengers and cargo added to the towing vehicle. The addition of trailer tongue (trailer king pin for 5th-wheel towing) load weight, and the weight of passengers and cargo, cannot cause vehicle weights to exceed the rear GAWR (Gross Axle Weight Rating) or GVWR (Gross Vehicle Weight Rating). These ratings can be found on the vehicle's Safety Compliance Certification Label. See your Ford Dealer for conventional trailer weights.

## ENGINES

	6.2L 2-Valve Gas V8 FFV	7.3L 2-Valve Gas V8	6.7L Power Stroke® V8 Turbo Diesel
Configuration	SOHC	OHV	OHV (32-valve)
Compression ratio	9.8:1	10.5:1	15.8:1
Horsepower@rpm	385 @ 5,750 <sup>3</sup>	350@3,900	330@2,600
Torque lbft. @ rpm	430@3,800³	468@3,900	825@2,000
Recommended fuel	Regular unleaded or E85	Regular unleaded	Ultra-low sulfur diesel or B20 (containing 20% or less biodiesel)
PTO provision availability	Available	Available	Standard

## STANDARD GROSS AXLE WEIGHT RATINGS (GAWR)4 (lbs.)

	Max. Front	Max. Rear
	Wax. Hone	IVIAX. IXEAI
F-350 SRW 4x2	5,250	7,230
F-350 SRW 4x4	5,600	7,230
F-350 DRW 4x2	5,250	10,040
F-350 DRW 4x4	5,600	10.040
F 4F0 DDW	,	10,000
F-450 DRW	6,500	12,880
F-550 DRW	7,000	14,706
F-600 DRW	7.500	15.500
1 000 DIW	1,500	10,000

## MECHANICAL

Shock Absorbers	1.38" gas type	
Brakes	Rotor diameter (in.; front/rear)	Lining area (sq. in.; front/rear)
F-350	14.29/14.29	50.9/39.6
F-450/F-550/F-600	15.39/15.75	68.8/64.8
Wheels	Number of studs	Bolt-circle diameter (in.)
F-350 SRW	8	6.69 (170-mm)
F-350 DRW	8	7.87 (200-mm)
F-450/F-550/F-600	10	8.85 (225-mm)

## REAR AXLES

	Engine	Standard	Available
-350 SRW	6.2L Gas	3.73 non-limited-slip	3.73 electronic-locking 4.30 electronic-locking
	7.3L Gas	4.30 electronic-locking	
	6.7L Diesel	3.73 non-limited-slip	3.73 electronic-locking
-350 DRW	6.2L Gas	3.73 non-limited-slip	4.30 limited-slip
	7.3L Gas	3.73 non-limited-slip	4.30 limited-slip
	6.7L Diesel	3.73 non-limited-slip	4.10 limited-slip
-450 DRW	7.3L Gas	4.88 non-limited-slip	4.88 limited-slip
	6.7L Diesel	4.10 non-limited-slip	4.10 limited-slip 4.30 limited-slip <sup>5</sup>
-550 DRW	7.3L Gas	4.88 non-limited-slip	4.88 limited-slip
	6.7L Diesel	4.10 non-limited-slip	4.10 limited-slip 4.30 limited-slip⁵ 4.88 limited-slip⁵
-600 DRW	7.3L Gas	4.88 limited-slip	
	6.7L Diesel	4.88 limited-slip	

## ALTERNATORS

	Engine	Standard	Available
XL/XLT	6.2L Gas	200-amp	240-amp
	7.3L Gas	240-amp	397-amp
	6.7L Diesel	240-amp	332-amp 397-amp
LARIAT™	6.2L Gas	240-amp	
	7.3L Gas	397-amp	
	6.7L Diesel	332-amp	397-amp

## FRAMES

Number of Crossmembers

7 (145.3" WB)

8 (167.9" WB, 169.3" WB, 179.8" WB) 9 (191.9" WB, 203.8" WB, 193.3" WB) 10 (205.3" WB)

Max. Side Rail Section<sup>6</sup> (height x width x thickness) 7.50" x 2.74" x 0.28"

(F-350) 7.50" x 2.74" x 0.32" (F-450/F-550 145.3" WB, 169.3" WB, 167.9" WB,

179.8" WB, 203.8" WB)

7.50" x 2.74" x 0.60"
(F-450/F-550 191.9" WB, 193.3" WB, 205.3" WB;
F-550 with the Payload Plus Upgrade Package; F-600)

Section Modulus<sup>7</sup> 12.7 cu. in.

12.7 Cu. III.

Frame Rail Yield Strength 50,000 psi

 $SRW = Single \; Rear \; Wheel \quad DRW = Dual \; Rear \; Wheel \quad GCWR = Gross \; Combination \; Weight \; Rating \quad WB = Wheelbase$ 

1. F-350 DRW/F-450/F-550 weights shown are for 145.3" wheelbase Regular Cab, 167.9" wheelbase SuperCab or 179.8" wheelbase Crew Cab models. For 169.3," 191.9," 193.3," 203.8" and 205.3" wheelbase models, weights may be somewhat less (usually not more than 200 lbs., or 400 lbs. with 205.3" wheelbase). 2. Requires available High-Capacity Trailer Tow Package. 3. Certified to SAE J1349.° 4. Rating shown does not include additional suspension upgrade packages. See your dealer for ratings for vehicles with suspension upgrade packages. 5. Restrictions may apply. See your dealer for details. 6. Measured to inside of metal. 7. Cross-sectional modulus calculated at back of cab.



110V/400W AC POWER OUTLET ON CENTER CONSOLE REAR (SuperCab™/Crew Cab) Standard on LARIAT™: Available on XLT



LED WARNING STROBES<sup>1</sup> Available on ALL TRIMS



REAR VIEW CAMERA AND PREP KIT Available on ALL TRIMS

## **New Vehicle Limited Warranty.** We

want your Ford F-Series Super Duty® truck ownership experience to be the best it can be. Under this warranty, your new vehicle may be only a phone call away should you auto insurance. Ford Insure works with comes with 3-year/36,000-mile bumper- run out of fuel, lock yourself out of the to-bumper coverage, 5-year/60,000-mile Powertrain Warranty coverage, 5-year/ 60,000-mile safety restraint coverage, and 5-year/unlimited-mile corrosion coverage – all with no deductible. The Ford 6.7L Power Stroke® diesel engine gets 5-year/100,000-mile warranty coverage. Please ask your Ford Dealer for a copy of this limited warranty.

Ford Credit. Get the ride you want. Whether you plan to lease or buy, Ford Credit has the option that's right for you. Ask your Ford Dealer for details or visit us online at ford.com/finance.

Roadside Assistance. Covers your vehicle for 5 years or 60,000 miles, so you have the security of knowing that help vehicle or need a winch back to a paved road, a battery jump start or towing. Your Ford Dealer can provide complete details on all of these advantages.

Ford Protect™ Extended Service Plans. Whether you purchase or lease your Ford vehicle, insist on genuine Ford Protect extended service plans. Ford peace-of-mind protection whether you want vehicle component or maintenance to underwriting guidelines, review and coverage. Plus, they are fully backed by Ford and honored at all Ford dealerships in the U.S., Canada and Mexico. When you visit your dealer, insist on genuine Ford Protect extended service plans.

**Ford Insure.** Insurance that lets you earn discounts for safe driving, offering a maximum discount of 40% off your your 2021 Super Duty to gauge driving habits and calculate a discount based on how you drive. Visit www.fordinsure.com to learn more.

FLOOR LINERS

Available on XLT and LARIAT

(SuperCab/Crew Cab)

American Road Services Company LLC is the licensed insurance agency offering Ford Insure and is underwritten by Nationwide Mutual Insurance Company and affiliates. Home Office: Columbus. Protect has a variety of plans to give you OH. Ford Motor and Ford Credit are not insurance companies or agents. Subject approval. Details and availability varies: program criteria differ in California. Discounts do not apply to all coverage elements; actual savings vary by state, coverage selections, rating factors and policy changes.

Ford Original Accessories. They're warranted for whichever provides you the greatest benefit: 24 months/unlimited mileage, or the remainder of your Bumperto-Bumper 3-year/36,000-mile New Vehicle Limited Warranty.

## Ford Licensed Accessories (FLA)

are warranted by the accessory manufacturer's warranty. FLA are designed and developed by the accessory manufacturer and have not been designed or tested to Ford Motor Company engineering requirements. Contact your Ford Dealer for details and/or a copy of all limited warranties.

## **BACKED BY 600+ FORD** COMMERCIAL VEHICLE CENTERS.





## YOUR BUSINESS. YOUR EDGE.

To get help optimizing your fleet, choose available Ford Telematics™ fleet management software from Ford. From each journey, fleet vehicles produce informative data. Driven through Ford Telematics, this data helps you optimize your fleet by understanding where your vehicles go, how they're used and how they're running – giving you time to focus on the rest of your business. You can also use available Ford Data Services™ to access vehicle data with other fleet systems or telematics service providers. Either way, we'll help get you the data you need.

Learn more at www.commercialsolutions.ford.com.

Learn more at www.fordcommercialvehiclecenter.com.

## 1. Ford Licensed Accessory.

Ford and Oval Device, 911 Assist, Active Motion, AdvanceTrac, Antimatter, AppLink, BLIS, Built Ford Proud, Built Ford Tough, F-Series, Ford Co-Pilot360, Ford Credit, Ford Data Services, Ford Protect, Ford Telematics, FordPass, Intelligent Oil-Life Monitor, LARIAT, MyKey, Power Stroke, PowerScope, Roll Stability Control, RSC, Safety Canopy, SecuriCode, SecuriLock, SelectShift, SOS Post-Crash Alert System, Super Duty, SuperCab, SYNC, TorqShift, and related marks are trademarks of Ford Motor Company.

Apple, Apple CarPlay and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries. BANG & OLUFSEN and B&O are registered trademarks of Bang & Olufsen Group. Licensed by Harman Becker Automotive Systems Manufacturing Kft. All rights reserved. Google, Android, Android Auto and Google Play are trademarks of Google LLC. Requires the Android Auto app on Google Play and an Android compatible smartphone running Android<sup>™</sup> 5.0 or higher. HD Radio is a proprietary trademark of iBiquity Digital Corporation. SiriusXM and all related marks and logos are trademarks of Sirius XM Radio Inc.

Comparisons based on competitive models (Class 3-5 Chassis Cabs for F-350/F-450/F-550; Class 6-7 Chassis Cabs for F-600), publicly available information and Ford certification data at time of release. Vehicles may be shown with optional and aftermarket upfit equipment. Features may be offered only in combination with other options or subject to additional ordering requirements/limitations. Dimensions and capacity ratings shown may vary due to optional features and/or production variability. Information is provided on an "as is" basis and could include technical, typographical or other errors. Ford makes no warranties, representations, or guarantees of any kind, express or implied, including but not limited to, accuracy, currency, or completeness, the operation of the information, materials, content, availability, and products. Ford reserves the right to change product specifications, pricing and equipment at any time without incurring obligations. Your Ford Dealer is the best source of the most up-to-date information on Ford vehicles. Body manufacturers are responsible for compliance certification of the completed vehicle. The Ford New Vehicle Limited Warranty and any government certification made by Ford shall cover only the vehicle as manufactured by Ford and shall not extend to any addition, modification or change of or to the vehicle by the Ford Authorized Pool Account.



From day one, we had the future in mind. And over 117 years later, we continue that tradition of innovation with Ford Co-Pilot360,™ helping push us closer to autonomous driving, the latest generation of SYNC® to communicate untethered and our first fully electric vehicle – Ford Mustang Mach-E.®

We've always had our mind on the future. Now we're building it.

21FCOPDF © 2020 Ford Motor Company

## The FordPass™ App

Meet FordPass. The app that puts your ownership

experience in the palm of your hand.



Access complimentary remote features like start/stop, lock/unlock, schedule a start, locate vehicle and vehicle status check when your vehicle is equipped with FordPass Connect<sup>2</sup>



With FordPass Rewards, earn Points to use toward complimentary maintenance<sup>3</sup> or accessories when you buy or lease a new Ford vehicle



Earn 10 FordPass Rewards Points for every \$1 spent on vehicle service and maintenance



Get help on the road with 24/7 Roadside Assistance<sup>4</sup>

## Download the FordPass App today.

1. Remote start and remote lock/unlock require power door locks. 2. FordPass Connect, the FordPass App, and and features depend on compatible AT&T network availability. Evolving technology/cellular networks/vehicle capability may limit functionality and prevent operation of connected features. Connected service excludes Wi-Fi hotspot. FordPass App, compatible with select smartphone platforms, is available via download. Message and data rates may apply. 3. Modern must be activated withis 60 days of supplementary that for a features are available via download. Message and data rates may apply. 3. Modern must be activated withis 60 days of supplementary that for a feature and supplementary that feature and supplementary that feature and supplementary that feature are supplementary that feature are supplementary that feature are supplementary that feature and supplementary that feature are supplementary that feature be activated within 60 days of purchase through the FordPass App on a smartphone and remain active for at least 6 months after activation. Buyers of non-modem-equipped vehicles will also receive Points for complimentary maintenance after enrollment. Visit a participating dealer for details or go to FordPassRewards.com. 4. Roadside assistance is included for certain owners and available to everyone for a per-service fee.



