²⁰¹² **RAV4**



Limited shown in Classic Silver Metallic with available Premium Plus Value Package.

Limited interior shown in Ash leather trim with available 4WD and Navigation Value Package.

Want to know what RAV4 stands for? The answer is "capable." It can get you to plenty of camping spots, but the real story is that it will fit into nearly any parking spot. It's available with seating for up to seven people, but it won't require them to chip in for gas. It has remarkable cargo capacity, an available V6 and pavement-gripping 4WD. Best of all, despite its compact size, RAV4 is big on safety features. Easy to drive. Easy on gas. And hard to beat. **2012 Toyota RAV4.** Moving Forward.



TOP STANDARD AND AVAILABLE FEATURES¹

28 highway mpg rating² 73 cu. ft. of cargo capacity³ Bluetooth^{®4} wireless technology Available Display Audio with Navigation⁵ and Entune™⁶ Available 50/50 Split & Stow 3rd Row™ seat

1. Features listed not available on all model grades. 2. 2012 EPA-estimated mileage for RAV4 4-cyl. 2WD models. Actual mileage will vary. 3. See footnote 7 in Disclaimers section. 4. See footnote 17 in Disclaimers section. 5. See footnote 18 in Disclaimers section.

Combinations

INTERIOR COLOR CHOICES

FABRIC RAV4



EXTERIOR/INTERIOR COLOR COMBINATIONS


PREMIUM FABRIC

SPORT AND LIMITED (standard) AND RAV4 (available)



LEATHER TRIM SPORT AND LIMITED (available)





WHEELS

- 1 RAV4 4-cylinder standard 16-in. steel wheel with wheel cover
- 2 RAV4 4-cylinder available/RAV4 V6 standard 17-in. 5-spoke styled steel wheel
- $\textbf{3} \hspace{0.1 cm} \text{RAV4 available 17-in. 5-spoke alloy wheel} \\$
- 4 Sport standard 18-in. 5-spoke alloy wheel
- 5 Limited standard 17-in. 6-spoke alloy wheel











Specifications

| ENGNE Unitable Unitable <t< th=""><th>MECHANICAL AND PERFORMANCE</th><th>RAV4</th><th>SPORT</th><th>LIMITED</th></t<> | MECHANICAL AND PERFORMANCE | RAV4 | SPORT | LIMITED |
|--|--|----------------|---------------------------|------------------------|
| 3.x-Liar VD CMP 2.44/alow Mth Datal VVPL 2.89 hp @ 8200 pm. 2.46 inrt. @ 4.700 rpmAnaliable Analiable Markar CAnaliable Analiable Markar CBietoron, with Toyota Direct Ignition (TD)Bindrard OStandard OBIASION FUTCOMStandard OStandard OUtin 1.000 Firstison White it ILLEX-M1 Discontion Standards on Ministigance (ECT-h)AnaliableAnaliableAnaliable Development of Transmasson with Intelligence (ECT-h)AnaliableAnaliableAnaliableAnaliable Development of Markar Disconting Transmasson with Intelligence (ECT-h)AnaliableAnaliableAnaliableDRIVETRAMIntelligence (ECT-h)AnaliableAnaliableAnaliableAnaliableDRIVETRAMIntelligence (ECT-h)AnaliableAnaliableAnaliableAnaliableDRIVETRAMIntelligence (ECT-h)AnaliableAnaliableAnaliableAnaliableDRIVETRAMIntelligence (ECT-h)StandardStandardStandardStandardDRIVETRAMUtilized analized Standards (ECT-h)StandardStandardStandardDrive Markar Distribution standard (Printing Transmasson With Intelligence (ECT-h)StandardStandardStandardD | ENGINE | | | |
| 3.5.Lie Wit Dicht 24-Valles wir Dual VCH2 268 hp @ 8200 pm, 246 libft. @ 4700 pmAnaliable Analiable Market BurderAnaliable Analiable BurderElectronic, win Tryota Direct Ignition (TD)BandardStandardStandardElectronic, win Tryota Direct Ignition (TD)StandardStandardStandardDIRSISTON FUTCHTransmission with intelligence (ECT-I)AnaliableAnaliableAnaliableAspead Electronically Controlid automatic Transmission with intelligence (ECT-I)AnaliableAnaliableAnaliablePart Mark Mick (TD)StandardStandardStandardStandardElectronically Controlid automatic Transmission with intelligence (ECT-I)AnaliableAnaliableAnaliableDRIVETRAMTransmission with intelligence (ECT-I)AnaliableAnaliableAnaliableDRIVETRAMStandardStandardStandardStandardElectronic (D-Demand 4WD)StandardStandardStandardElectronic (D-Demand 4WD)StandardStandardStandardElectronic (D-Demand 4WD)StandardStandardStandardUnit col algority internation with statilizer bar and hytopalli schook absorber (scholle-wischondel)StandardStandardElectronic (DET)StandardStandardStandardStandardDirectic Gaussitation with statilizer bar and hytopalli schook absorber (scholle-wischondel)StandardStandardColle damards, Curb to curb () (16-h. and 15-h. wheel)StandardStandardStandardColle damards, Curb to curb () (16-h. and 15-h. whee | | Standard | Standard | Standard |
| Exercise Standard Standard Standard Standard Standard Unset Low Envision Annua Standard Standard Standard Standard Varia Low Envision Vehicle II (VLEX-III) Standard Standard Standard Standard 4-speed Electronically Controlled automatic Transmission with intelligence (ECT-I) Standard Standard Standard Standard FORVERTAIN Available Available Available Available Available Electronically Controlled automatic Transmission with intelligence (ECT-I) Standard | | | | |
| Emission Native Standard Standard Standard TRANSBOM Standard Standard Standard Separd Electronically Controlide automatic Transmission with intelligence (ECT-) Standard Standard Standard Standard Separd Electronically Controlide automatic Transmission with intelligence (ECT-) Standard Standard Standard Standard Separd Electronically Controlide automatic Transmission with intelligence (ECT-) Available | IGNITION SYSTEM | | | |
| Emission Native Standard Standard Standard TRANSBOM Standard Standard Standard Separd Electronically Controlide automatic Transmission with intelligence (ECT-) Standard Standard Standard Standard Separd Electronically Controlide automatic Transmission with intelligence (ECT-) Standard Standard Standard Standard Separd Electronically Controlide automatic Transmission with intelligence (ECT-) Available | Electronic, with Toyota Direct (anition (TDI) | Standard | Standard | Standard |
| Unit a twensited vehicle II (ULF-H)) Standard Standard Standard Aspaced Electronically Controlled automatic Transmission with intelligence (ECF-) Navalable Available | | | | |
| TRANEWSION Standard Standard Standard Standard Sepeed Electronically Controlet automatic Transmission with intelligence (ECFi) Available | | Standard | Standard | Standard |
| 4 speed Electronically Controlled Justice and analysis of the section of the sectin of the secti | | otandala | Otalidard | olandara |
| 5-geed Electronically Controlled automatic Transmission with Intelligence (ECT-i) DEVETTAINAvailable AvailableAvailable AvailableEDVETTAINStandardStandardStandardElectronic CN-Demand AUVO SUPPENSIONAvailable AvailableAvailable AvailableAvailable AvailableElectronic CN-Demand AUVO SUPPENSIONStandardStandardStandardElectronic CN-Demand AUVO SUPPENSIONStandardStandardStandardElectronic CN-Demand AUVO SUPPENSIONStandardStandardStandardElectronic CN-Demand AUVO SUPPENSIONStandardStandardStandardElectronic CN-Demand AUVO SUPPENSIONStandardStandardStandardElectronic CN-Demand AUVO SUPPENSIONStandardStandardStandardElectronic CN-Demand AUVO Suppension AUVI (16-in, and 17-in, wheels/18-in, wheels)StandardStandardStandardElectronic CN-Demand Star SuppensionStandardStandardStandardStandardElectronic CN-Demand Star SuppensionStandardStandardS | | Standard | Standard | Standard |
| DRIVETANN Standard Standard Standard Standard Fort Whead Drok (POD) with Automatic Limited Sip Differential (Auto LSD) Standard Analable Available BODY CONSTRUCTION Standard Standard Standard Standard SUSPENSION Standard Standard Standard Standard SUSPENSION Standard Standard Standard Standard Streption Struct fort suspension with stabilizer bar and hydraulic shock absorbers (poor - huned shocks and springs on Sport models) Standard Standard Standard Streption Struct fort suspension with stabilizer bar and hydraulic shock absorbers (poor - huned shocks and springs on Sport models) Standard Standard Standard Trining circle diameter, curb to turb (R.) (16:n: and 17:n: wheels/18-in: | | | | |
| Front -Wheal Drive (FWD) with Automatic Limited-Slip Differential (Auto LSD) Standard Stand | | / Wallabio | , wallable | , wallablo |
| Electronic On-Demand 4WD Available Available Available Available DOV CONSTRUCTION Standard Standard Standard SUSPENSION Standard Standard Standard Initiated body Standard Standard Standard STEERING Standard Standard Standard STEERING Standard Standard Standard Timing circle diameter, curb to curb, in wheels/16-In, wheels | | Standard | Standard | Standard |
| BOPC ONSTRUCTION Standard Standard Unitiate body Standard Standard Standard Supprension Standard Standard Standard Independent MacPherson stuff fort suspension with stalizer bar and hydraulie shock absorbers (gob/ts-wishbone resuspension) Standard Standard Standard Stenets Steering (EPS): power-assisted rack-and-pinion Standard Standard Standard Electric Power Steering (EPS): power-assisted rack-and-pinion Standard Standard Standard Comment Steering (EPS): power-assisted rack-and-pinion Standard Standard Standard Comment Steering (EPS): power-assisted ventiles of tork is policies and Star Safety System TM Standard Standard Standard Comment Steering (PS): power-assisted ventiles of tork is policies and Star Safety System TM Standard Standard Standard Comment Steering (PS): power-assisted ventiles of tork is policies and Star Safety System TM Standard Standard Standard Comment Steering (PS): power-assisted ventiles of tork is policies and Star Safety System TM Standard Standard Standard Comment Steering (PS): power-assisted ventiles of tork is policies and Star Saf | | | | |
| Untilized body Standard Standard Standard Standard SUSPENSION Indegendent MacPherson strut front suspension with stabilizer bar and hydraulic shock absorbers; double-wishbone rear suspension with cell springs, trailing arms, stabilizer bar and hydraulic shock absorbers; double-wishbone rear suspension with cell springs, trailing arms, stabilizer bar and hydraulic shock absorbers; double-wishbone rear suspension with cell springs, trailing arms, stabilizer bar and hydraulic shock absorbers; double-wishbone rear suspension with cell springs, trailing arms, stabilizer bar and hydraulic shock absorbers; double-wishbone rear suspension with cell springs, trailing arms, stabilizer bar and hydraulic shock absorbers; double-wishbone rear suspension with cell springs, trailing arms, stabilizer bar and hydraulic shock absorbers; double-wishbone rear suspension with cell springs, trailing arms, stabilizer bar and hydraulic shock absorbers; double-wishbone rear suspension with cell springs, trailing arms, stabilizer bar and hydraulic shock absorbers; double-wishbone rear suspension with cell springs, trailing arms, stabilizer bar and hydraulic shock absorbers; double-wishbone rear suspension with cell springs, trailing arms, stabilizer bar and hydraulic shock absorbers; double-wishbone rear suspension with cell springs, trailing arms, stabilizer bar and hydraulic shock absorbers; double-wishbone rear suspension with cells and ard Standard Standard Standard Standard BRAKES Dever absorber (full form, and T2-in, wheels; bar and Star Safety System TM Standard Standard N4/68.7 With reader dow within dront dow barkes and Star Safety System TM Standard | | / Waliabio | / Wallabio | , wallablo |
| SUSPENSION Standard Standard Standard Standard Independent Micro Supervision With a subplices bar and hydraulic shock absorbers (sport-tuned shocks and springs on Sport models) Standard Standard Standard Effective Overe Steering (EPS): power-assisted rack-and-pinion Standard Standard Standard Standard Effective Overe Steering (EPS): power-assisted rack-and-pinion Standard Standard Standard Standard Effective Overe Steering (EPS): power-assisted rack-and-pinion Standard Standard Standard Effective Overe Steering (EPS): power-assisted rack-and-pinion Standard Standard Standard Effective Overe Steering (EPS): power-assisted rack-and-pinion Standard Standard Standard Effective Overe Steering (EPS): power-assisted rack-and-pinion Standard Standard Standard Effective Overe Steering (EPS): power-assisted rack-and-pinion Standard Standard Standard Effective Overe Steering (EPS): power-assisted ventiles base stands star Stafety System ^{1/M} Standard Standard Standard Overall with available third-ow staft Standard Standard Standard < | | Standard | Standard | Standard |
| Independent MacPherson strut formt suspension with stabilizer bar and hydraulic shock absorbers; double-wishbors per ar suspension with coll springs, stabilizer bar and hydraulic shock absorbers; double-wishbors per ar suspension with coll springs, stabilizer bar and hydraulic shock absorbers; double-wishbors per ar suspension STEERING Electric Power Steering (EPS); power-assisted rack-and-pinion Tiuming circle diameter, curb to curb (t) (16-In. and 17-In. wheels/18-II. wheels/18-III. wheels/18-II. wheels/18-III. wheel | * | Stanuaru | Stanuaru | Standard |
| with ci springs, trailing prins, stabilizer bar and hydraulic shock absorber's (sport-tuned shocks and springs on Sport models) Standard Standard Standard Standard Standard Standard Turning orice diameter, cut to cut b (tt) (16-in, and 17-in, wheels/18-in, wheels) 34.8/NA NA'36.8 34.8/NA NA'36.8 34.8/NA Standard Sta | | | | |
| STEENING Standard Standard Standard Standard Electric Power Steining (EPS); power-assilsted rack-and-pinion 34.8/NA NA/36.8 34.8/NA Timing circle diameter, curb to curb ((1) (16-n, and 17-in, wheels) 34.8/NA NA/36.8 Standard EXENCE Vertainstein curb to curb (int) (16-n, and 17-in, wheels) Standard Standard EXTERIOR DIMENSIONS (m.) Vertainstein curb (1) (16-n, and 17-in, wheels) Standard Standard EVENCE Standard Standard Standard Standard Overall weight (whott/with roof rack) 66.3/88.7 66.3/88.7 NA NA/68.7 Verall weight (whott/with roof rack) 66.3/88.7 NA NA/68.7 NA/68.1 Overall length 161.9 181.9 181.9 181.9 181.9 Neealbase 161.4/61.4 61.4/61.4 61.4/61.4 63.4/82.7 63.3/82.7 Need room without moorroof 89.6/93.7/37.2 49.6/93.7/37.2 95.6/93.7/NA 89.6/93.7/37.2 Stondard room 51.6/63.6/85.6 57.1/65.6/765.6 57.1/65.0/NA 87.1/65.0/762.6/65< | | Standard | Standard | Standard |
| Electric Power Steering (EPS); power-assisted rack-and-pinion Standard Standard Standard Standard Standard Standard Dever assisted vertilated front disc brakes; solid rear disc brakes and Star Safety System ¹⁷⁴ Standard Standard Standard Standard Standard Standard Dever assisted vertilated front disc brakes; solid rear disc brakes and Star Safety System ¹⁷⁴ Standard Standard <td< td=""><td></td><td></td><td></td><td></td></td<> | | | | |
| Turning iorile diameter, curb to curb (rt.) (16-in. and 17-in. wheels/18-in. wheels) 34.8/NA NA36.8 34.8/NA BRAKES Standard Standard Standard Standard Proven-assited ventilated front disc brakes; solid rear disc brakes and Star Safety System TM Standard Standard Standard Correll height (whibout/with roof rack) 66.3/88.7 66.3/88.7 NA 68.7 NA 68.7 Overall weight (whibout/with roof rack) 66.3/88.7 NA 68.7 NA 68.7 NA 68.7 Overall weight (whibout/with roof rack) 71.5 73.0 (with overfender) 73.0 (with overfender) Overall weight (whibout/with roof rack) 181.9 181.9 181.9 181.9 MineBbase 61.4/61.4 61.4/61.4 (Wei 61.8/61.8) 16.4/67.4 INTERIO DIMENSIONS (m) (fortwseend-row/third-row seats) 40.8/39.7/37.2 39.5/39.7/37.2 39.5/39.7/37.2 INTERIO Dimensions (m) 53.6/52.4/37.4 53.8/52.4/34.3 53.8/52.4/34.3 53.8/52.4/33.3 Is grown 53.8/52.4/34.3 53.8/52.4/34.3 53.8/52.4/33.3 53.8/52.4/33.3 Is grown 7.5 | | Standard | Standard | Standard |
| BRAKES Standard Standard Standard Standard Prover-assisted ventilated front disc brakes; solid rear disc brakes and Star Safety System™ Standard Standard Standard Drearl Hught (without/with roof rack) 66.3/66.7 66.3/66.7 63.4/67.7 NA/69.7 Overall width vaniable third-row seat (without/with roof rack) 65.5/66.1 NA NA/69.1 Overall width 71.5 73.0 (with overfender) 73.0 (with overfender) 73.0 (with overfender) Overall width 161.7 104.7 104.7 104.7 Track (front/rear) 164.761.4 161.4/61.4 161.4/61.4 NTERIOR DIMENSIONS (in (front/second-row/third-row seats) 49.8/39.7/37.2 39.5/39.7/NA 49.5/39.7/37.2 Notifier froom 39.5/39.7/A1 49.5/39.7/37.2 39.5/39.7/NA 49.5/39.7/32.2 Shoulder froom 57.1/55.3/52.6 57.1/55.3/52.6 57.1/55.3/52.6 57.1/55.3/52.6 Hip room 28.5/39.7/NA 59.5/59.7/NA 59.5/59.7/NA 59.5/59.7/NA 59.5/59.7/NA 59.5/59.7/NA 59.5/59.7/NA 59.5/59.7/NA 59.5/59.7/NA 59.5/59 | | | | |
| Power-assisted ventilated front disc brakes; solid rear disc brakes and Star Safety System™ Standard Standard Standard EXTERIOR DIMENSIONS (m.) | | | 100000 | 0 110/10 1 |
| EXTERIOR DIMENSIONS (n.) 66.3/68.7 66.3/68.7 NA NA/68.7 Overall height (without/with roof rack) 66.3/68.7 NA NA/69.1 Overall with 71.5 73.0 (with overfielder) 73.0 (with overfielder) Overall with 181.9 181.9 181.9 181.9 Wheeloase 104.7 104.7 104.7 Track (ront/rear) 0.8/39.7/37.2 40.8/39.7/NA 40.8/39.7/37.2 Wheloase 53.9/39.7/NA 40.8/39.7/37.2 39.5/39.7/NA 40.8/39.7/37.2 Shoulder room 39.5/39.7/37.2 39.5/39.7/NA 40.8/39.7/37.2 39.5/39.7/NA 39.5/39.7/37.2 Shoulder room 39.5/39.7/37.2 39.5/39.7/NA 40.8/39.7/37.2 39.5/39.7/NA 39.5/39.7/NA <td< td=""><td></td><td>Standard</td><td>Standard</td><td>Standard</td></td<> | | Standard | Standard | Standard |
| Overall height (without/with roof rack) 66.3/68.7 66.3/68.7 NA/68.7 With available third-row seat (without/with roof rack) 66.5/68.1 NA NA/68.7 Overall with 71.5 73.0 (with overfender) NA NA Overall with 11.5 73.0 (with overfender) 104.7 104.7 Overall with 104.7 104.7 104.7 104.7 Track (front/rear) 61.4/61.4 61.4/61.4 61.4/61.4 61.4/61.4 NTERIOR DIMENSIONS (in.) (front/second-row/third-row seats) 40.8/39.7/37.2 40.8/39.7/37.2 39.5/39.7/38.4 39.5/39.7/37.2 Head room without moonroof 39.5/39.7/37.2 39.5/39.7/34 39.5/39.7/37.2 39.5/39.7/37.2 Shoulder room 67.1/55.3/62.6 67.1/55.3/NA 67.1/55.3/NA 53.8/52.4/43.3 53.8/52.4/143.3 53.8/52.4/143.3 53.8/52.4/143.3 53.8/52.4/143.3 53.8/52.4/143.3 53.8/52.4/143.3 53.8/52.4/143.3 53.8/52.4/143.3 53.8/52.4/143.3 53.8/52.4/143.3 53.8/52.4/143.3 53.8/52.4/143.3 53.8/52.4/143.3 53.8/52.4/143.3 53.8/52.4/143.3 53.8/52.4/143.3 < | | otandala | Standard | olandard |
| with available third-row seat (without/with roof rack) 66.5/69.1 NA NA/69.1 Overall with 71.5 73.0 (with overfender) 73.0 (wi | | 66 9/69 7 | 66 2/69 7 | NA /69 7 |
| Overall width 71.5 73.0 (with overfender) 73.0 (with overfender) Overall length 181.9 181.9 181.9 Wheelbase 104.7 104.7 104.7 INTERIOR DIMENSIONS (in) (front/second-row/third-row seats) 61.4/61.4 61.4/61.4 60.8/39.7/37.2 INTERIOR DIMENSIONS (in) (front/second-row/third-row seats) 40.8/39.7/37.2 39.5/39.7/37.2 39.5/39.7/37.2 Mith onconroof 38.5/39.7/37.2 39.5/39.7/37.2 39.5/39.7/37.2 Shoulder room 57.1/55.3/4A 57.1/55.3/4A 57.1/55.3/4A Leg room 53.8/52.4/43.3 53.8/52.4/43.3 53.8/52.4/43.3 Leg room 53.8/52.4/43.3 53.8/52.4/43.3 53.8/52.4/43.3 Leg room didearance (in.) CPF-HIGHWAY 41.8/38.3/0.0 41.8/38.3/0.0 Weight (b.) (2WD/WD) _ 4-cylinder 326/32.7 356/32.669 356/32.669 Gross Vehicle Weight Rating (GVWR) (b.) (2WD/4WD) 4-cylinder 430.4/535 4430.4/535 4430.4/535 V6 400.4/720 400.4/720 400.4/720 400.4/720 400.4/720 400.4/720 400.4/720 | with available third-row seat (without/with roof rack) | | | |
| Wheelbase 104.7 104.7 104.7 Track (front/rear) 61.4/61.4 61.4/61.4 61.4/61.4 INTERIOR DIMENSIONS (in) (front/second-row/third-row seats) 40.8/39.7/37.2 40.8/39.7/37.2 39.5/39.7/NA 40.8/39.7/37.2 Head room without moonroof 39.5/39.7/32 39.5/39.7/NA 40.8/39.7/37.2 39.5/39.7/NA 39.5/39.7/NA 39.5/39.7/32 Shoulder room 57.1/55.3/NA 57.1/55.3/NA </td <td></td> <td></td> <td>73.0 (with overfender)</td> <td>73.0 (with overfender)</td> | | | 73.0 (with overfender) | 73.0 (with overfender) |
| Track (front/rear) 61.4/61.4 61.4/61.4 61.4/61.4 61.4/61.4 INTERIOR DIMENSIONS (in.) (front/second-row/third-row seats) 40.8/39,7/37.2 40.8/39,7/NA 40.8/39,7/37.2 Head room without moonroof 39.5/33.7/37.2 39.5/33.7/NA 39.5/33.7/37.2 Shoulder room 57.1/55.3/F2.6 57.1/55.3/NA 57.1/55.3/F2.4 Head room without moonroof 53.8/52.4/A3.3 53.8/52.4/A3.3 53.8/52.4/A3.3 Leg room 53.8/52.4/A3.3 53.8/52.4/A3.3 53.8/52.4/A3.3 Leg room 41.8/38.3/30.0 41.8/38.3/NA 41.8/38.3/30.0 OFF-HIGHWAY 7.5 7.5 29/25 29/25 Approach/departure angle (degrees) 7.5 7.5 7.5 Ground clearance (in.) 7.5 7.5 7.5 WEIGHTS AND CAPACITIES 3260/3494 3435/3569 3439/3576 Grous velicite Weight Rating (GWWP) (lb.) (2WD/4WD) 4.20/I4655 NA 4730/4865 V6 4600/4720 4430/4535 4430/4535 4430/4535 V6 4600/4720 4600/4720 4600/4720 <td>Overall length</td> <td>181.9</td> <td>181.9</td> <td>181.9</td> | Overall length | 181.9 | 181.9 | 181.9 |
| INTERIOR DIMENSIONS (in.) (tront/second-row/third-row seats) 40.8/39.7/37.2 40.8/39.7/37.2 39.5/39.7/37.2 Head room without moonroof with moonroof 39.5/39.7/37.2 39.5/39.7/37.2 39.5/39.7/37.2 Shoulder room 57.1/55.3/52.6 57.1/55.3/52.6 57.1/55.3/52.6 57.1/55.3/52.6 Hip room 53.8/52.4/43.3 53.8/52.4/NA 53.8/52.4/43.3 Leg room 41.8/38.3/0.0 41.8/38.3/NA 41.8/38.3/30.0 OFF-HIGHWAY 29/25 29/25 29/25 Approach/departure angle (degrees) 7.5 7.5 7.5 Ground clearance (in.) 7.5 7.5 7.5 WEIGHTS AND CAPACITIES 29/25 29/25 29/25 Curb weight (lb.) (2WD/WD) - 4-cylinder - V6 3560/3699 3560/3699 3560/3699 Gross Vehicle Weight Rating (GVWR) (lb.) (2WD/4WD) 430/4535 4430/4535 4430/4535 4/20/4720 4600/4720 4600/4720 4600/4720 4600/4720 with third-row seat 430/4535 NA 4730/4865 NA 4730/4865 Cargo volume' (cu. fi.) B | | | | |
| Head room without moonroof 40.8/39.7/37.2 40.8/39.7/NA 40.8/39.7/37.2 with moonroof 39.5/39.7/37.2 39.5/39.7/37.2 39.5/39.7/37.2 Shoulder room 57.1/55.3/52.6 57.1/55.3/52.6 57.1/55.3/52.6 Hip room 53.8/52.4/43.3 53.8/52.4/NA 53.8/52.4/A3.3 Leg room 53.8/52.4/43.3 53.8/52.4/NA 53.8/52.4/43.3 DFF-HIGHWAY 41.8/38.3/30.0 41.8/38.3/NA 41.8/38.3/30.0 Approach/departure angle (degrees) 29/25 29/25 29/25 Ground clearance (in.) 7.5 7.5 7.5 WEIGHTS AND CAPACITIES 3360/3494 3435/3569 3439/3576 Curb weight (lb.) (2WD/4WD) – 4-cylinder -V6 3360/3494 3560/3699 3660/3699 Gross Vehicle Weight Rating (GWWR) (lb.) (2WD/4WD) 4430/4535 4430/4535 4430/4535 4430/4535 V6 4430/4535 4430/4535 4430/4520 4600/4720 4600/4720 With third-row seat 4730/4865 NA 4730/4865 NA 4895/5015 Cargo volume' (cu. ft.) <td></td> <td>61.4/61.4</td> <td>61.4/61.4 (V6: 61.8/61.8)</td> <td>61.4/61.4</td> | | 61.4/61.4 | 61.4/61.4 (V6: 61.8/61.8) | 61.4/61.4 |
| with moonroof 39.5/39.7/37.2 39.5/39.7/NA 39.5/39.7/37.2 Shoulder room 57.1/55.3/52.6 57.1/55.3/52.6 57.1/55.3/52.6 Hip room 53.8/52.4/43.3 53.8/52.4/A3.3 53.8/52.4/A3.3 Leg room 41.8/38.3/30.0 41.8/38.3/NA 41.8/38.3/30.0 OFF-HIGHWAY 41.8/38.3/30.0 41.8/38.3/NA 41.8/38.3/30.0 OFF-HIGHWAY 29/25 29/25 29/25 Ground clearance (in.) 7.5 7.5 7.5 WEIGHTS AND CAPACITIES 3360/3494 3435/3569 3439/3576 Curb weight (lb.) (2WD/4WD) - 4-cylinder - V6 3360/3494 3430/4535 4430/4535 - V6 3560/3699 3560/3699 3560/3699 3560/3699 Gross Vehicle Weight Rating (GWWR) (lb.) (2WD/4WD) 4430/4535 4430/4535 4430/4535 - V6 430/4535 4430/4535 4430/4535 4430/4535 V6 4430/4535 4430/4535 4430/4535 4430/4535 V6 4430/4535 4430/4535 4430/4535 4430/4535 V6 | INTERIOR DIMENSIONS (in.) (front/second-row/third-row seats) | | | |
| Shoulder room 57.1/55.3/52.6 57.1/55.3/NA 57.1/55.3/52.6 Hip room 53.8/52.4/43.3 53.8/52.4/NA 53.8/52.4/A3.3 Leg room 41.8/38.3/30.0 41.8/38.3/NA 41.8/38.3/30.0 OFF-HIGHWAY 29/25 29/25 29/25 Ground clearance (in.) 29/25 29/25 29/25 Ground clearance (in.) 7.5 7.5 7.5 WEIGHTS AND CAPACITIES 3360/3494 3435/3569 3439/3576 Curb weight (lb.) (2WD/4WD) - 4-cylinder - V6 360/3494 3430/4535 4430/4535 Gross Vehicle Weight Rating (GWWR) (lb.) (2WD/4WD) 4430/4535 4430/4535 4430/4535 4-cylinder with third-row seat 4430/4535 4430/4535 4430/4535 V6 with third-row seat 4430/4535 4430/4535 4430/4535 V6 with third-row seat 4600/4720 4600/4720 4600/4720 With third-row seat 73.0/36.4 73.0/36.4 73.0/36.4 V6 behind front/second-row/third-row seats 73.0/36.4 73.0/36.4 73.0/36.4 Dehind front/second | | | | |
| Hip room 53.8/52.4/43.3 53.8/52.4/NA 53.8/52.4/43.3 Leg room 41.8/38.3/30.0 41.8/38.3/NA 41.8/38.3/NA OFF-HIGHWAY | | | | |
| Leg room 41.8/38.3/30.0 41.8/38.3/NA 41.8/38.3/30.0 OFF-HIGHWAY 41.8/38.3/30.0 0 Approach/departure angle (degrees) 29/25 29/25 29/25 Ground clearance (in.) 7.5 7.5 7.5 WEIGHTS AND CAPACITIES 3360/3494 3435/3569 3439/3576 Curb weight (lb.) (2WD/4WD) - 4-cylinder - V6 3360/3494 3430/4535 4430/4535 Gross Vehicle Weight Rating (GVWR) (lb.) (2WD/4WD) 4-cylinder 4430/4535 4430/4535 4-cylinder with third-row seat 4730/4865 NA 4730/4865 V6 4600/4720 4600/4720 4600/4720 with third-row seat 4730/4865 NA 4730/4865 V6 4805/5015 NA 4895/5015 Cargo volume7 (cu. ft.) 50/36.4 73.0/36.4 73.0/36.4 behind front/second-row/third-row seats 73.0/36.4 73.0/36.4 73.0/37.2/12.3 Fuel tank (gal.) 15.9 15.9 15.9 15.9 | | | | |
| OFF-HIGHWAY Approach/departure angle (degrees) 29/25 29/25 29/25 Ground clearance (in.) 7.5 7.5 7.5 WEIGHTS AND CAPACITIES Curb weight (lb.) (2WD/4WD) – 4-cylinder – V6 3360/3494 3435/3569 3439/3576 Gross Vehicle Weight Rating (GVWR) (lb.) (2WD/4WD) - 4-cylinder – V6 3360/3494 3430/4535 4430/4535 with third-row seat V6 4430/4535 V4430/4535 V430/4535 V430/4535 Cargo volume ⁷ (cu. ft.) 4600/4720 4600/4720 4600/4720 behind front/second-row/third-row seats 73.0/36.4 73.0/36.4 73.0/37.2/12.3 Fuel tank (gal.) 15.9 15.9 15.9 15.9 | | | | |
| Approach/departure angle (degrees) 29/25 29/25 29/25 Ground clearance (in.) 7.5 7.5 7.5 WEIGHTS AND CAPACITIES 20/25 3360/3494 3435/3569 3439/3576 Curb weight (lb.) (2WD/4WD) - 4-cylinder - V6 3360/3494 3435/3569 3439/3576 Gross Vehicle Weight Rating (GVWR) (lb.) (2WD/4WD) 4-cylinder 4430/4535 4430/4535 4430/4535 with third-row seat 4730/4865 NA 4730/4865 4730/4865 NA 4730/4865 V6 4805/5015 NA 4895/5015 480/4720 4600/4720 4600/4720 4600/4720 4600/4720 4600/4720 4600/4720 4895/5015 NA 73.0/36.4 73.0/36.4 73.0/37.2/12.3 NA 73.0/37.2/12.3 NA 73.0/37.2/12.3 NA 73.0/37.2/12.3 NA 73.0/37.2/12.3 NA 73.0/37.2/12.3 NA 73.0/37.2/1 | | 11.0,00.0,00.0 | 11.0,00.0,10,10 | 11.0,00.0,00.0 |
| Ground clearance (in.) 7.5 7.5 7.5 WEIGHTS AND CAPACITIES 3360/3494 3435/3569 3439/3576 Curb weight (lb.) (2WD/4WD) - 4-cylinder 3360/3494 3430/4535 3430/4535 - V6 3529/3670 3560/3699 3560/3699 Gross Vehicle Weight Rating (GVWR) (lb.) (2WD/4WD) 4430/4535 4430/4535 4430/4535 - V6 4430/4535 NA 4730/4865 - V6 4600/4720 4600/4720 4600/4720 - V6 4895/5015 NA 4895/5015 Cargo volume ⁷ (cu. ft.) behind front/sear seats 73.0/36.4 73.0/36.4 73.0/36.4 - behind front/sear seats 73.0/37.2/12.3 NA 73.0/37.2/12.3 73.0/37.2/12.3 Fuel tank (gal.) 15.9 15.9 15.9 15.9 15.9 | | 20/25 | 20/25 | 29/25 |
| WEIGHTS AND CAPACITIES Curb weight (lb.) (2WD/4WD) - 4-cylinder - V6 3360/3494 3529/3670 3435/3569 3560/3699 3439/3576 3560/3699 Gross Vehicle Weight Rating (GVWR) (lb.) (2WD/4WD) 4430/4535 4430/4535 4430/4535 4-cylinder with third-row seat 4730/4865 NA 4730/4865 V6 4730/4865 NA 4730/4865 V6 4600/4720 4600/4720 4600/4720 with third-row seat 4895/5015 NA 4895/5015 Cargo volume ⁷ (cu. ft.) behind front/rear seats behind front/rear seats 73.0/36.4 73.0/36.4 73.0/37.2/12.3 Fuel tank (gal.) 15.9 15.9 15.9 15.9 | | | | |
| Curb weight (lb.) (2WD/4WD) - 4-cylinder - V6 3360/3494 3529/3670 3435/3569 3560/3699 3439/3576 3560/3699 Gross Vehicle Weight Rating (GVWR) (lb.) (2WD/4WD) 4430/4535 4430/4535 4430/4535 4-cylinder with third-row seat 4430/4535 4430/4535 4430/4535 V6 4730/4865 NA 4730/4865 V6 4600/4720 4600/4720 4600/4720 with third-row seat 4895/5015 NA 4895/5015 Cargo volume ⁷ (cu. ft.) behind front/rear seats behind front/second-row/third-row seats 73.0/36.4 73.0/36.4 Fuel tank (gal.) 15.9 15.9 15.9 15.9 | | 1.0 | 1.0 | 1.0 |
| - V6 3529/3670 3560/3699 3560/3699 Gross Vehicle Weight Rating (GVWR) (lb.) (2WD/4WD) - | | 2260/2404 | 2425/2560 | 2420/2576 |
| 4-cylinder 4430/4535 4430/4535 4430/4535 with third-row seat 4730/4865 NA 4730/4865 V6 4600/4720 4600/4720 4600/4720 with third-row seat 4895/5015 NA 4895/5015 Cargo volume ² (cu. ft.) 50/36.4 73.0/36.4 73.0/36.4 behind front/rear seats 73.0/37.2/12.3 NA 73.0/37.2/12.3 Fuel tank (gal.) 15.9 15.9 15.9 15.9 | Curb Weight (b.) (200/400) - 4-29 minder - V6 | 3529/3670 | 3435/3569 3560/3699 | 3560/3699 |
| with third-row seat 4730/4865 NA 4730/4865 V6 4600/4720 4600/4720 4600/4720 with third-row seat 4895/015 NA 4895/015 Cargo volume? (cu. ft.) behind front/rear seats 73.0/36.4 73.0/36.4 73.0/36.4 behind front/second-row/third-row seats 73.0/37.2/12.3 NA 73.0/37.2/12.3 Fuel tank (gal.) 15.9 15.9 15.9 | | | | |
| V6 with third-row seat 4600/4720 4895/5015 4600/4720 NA 4600/4720 4895/5015 Cargo volume ⁷ (cu. ft.) behind front/rear seats behind front/second-row/third-row seats 73.0/36.4 73.0/37.2/12.3 73.0/36.4 NA 73.0/36.4 73.0/37.2/12.3 Fuel tank (gal.) 15.9 15.9 15.9 | | | | |
| Cargo volume ⁷ (cu. ft.) 73.0/36.4 73.0/36.4 73.0/36.4 behind front/rear seats 73.0/37.2/12.3 NA 73.0/37.2/12.3 behind front/second-row/third-row seats 73.0/37.2/12.3 NA 73.0/37.2/12.3 Fuel tank (gal.) 15.9 15.9 15.9 | | | | |
| behind front/rear seats 73.0/36.4 73.0/36.4 73.0/36.4 behind front/second-row/third-row seats 73.0/37.2/12.3 NA 73.0/37.2/12.3 Fuel tank (gal.) 15.9 15.9 15.9 | | 4895/5015 | NA | 4895/5015 |
| behind front/second-row/third-row seats 73.0/37.2/12.3 NA 73.0/37.2/12.3 Fuel tank (gal.) 15.9 15.9 15.9 | | 72 0/26 / | 72 0/26 / | 72 0/26 / |
| Fuel tank (gal.) 15.9 15.9 15.9 | | | | |
| Section conscipulation of $E/7$ E/NA $E/7$ | | | | |
| Dealing capacity (standard/with available tillid-tow seat) 0/1 0/IVA 0/1 | Seating capacity (standard/with available third-row seat) | 5/7 | 5/NA | 5/7 |

Specifications (continued)

| TOWING ⁸ | RAV4 | SPORT | LIMITED |
|--|------------------------|------------------------|------------------------|
| 3500-lb. towing capacity, upgraded radiator, fan coupling and alternator | Available ⁹ | Available ⁹ | Available ⁹ |
| Towing capacity (lb.), standard/with Towing Prep Package ⁹ (4-cylinder; V6) | 1500/NA; 2000/3500 | 1500/NA; 2000/3500 | 1500/NA; 2000/3500 |
| TIRES | | | |
| Type – All-Season steel-belted radials | Standard | Standard | Standard |
| Spare – Full-size | Standard | Standard ¹⁰ | Standard |
| MILEAGE ESTIMATES (mpg city/highway) ¹¹ | | | |
| 4-cylinder 2WD; 4-cylinder 4WD | 22/28; 21/27 | 22/28; 21/27 | 22/28; 21/27 |
| V6 2WD; V6 4WD | 19/27; 19/26 | 19/27; 19/26 | 19/27; 19/26 |

Features¹²

| EXTERIOR | RAV4 | SPORT | LIMITED | | RAV4 | SPORT | LIMITED |
|--|------------------------|-------|---------|--|--------------------------|------------------------|---------|
| Multi-reflector halogen headlamps with auto-off feature | S | _ | _ | 17-in. 5-spoke styled steel wheels with P225/65R17 tires | O/P ¹⁴ | _ | _ |
| Multi-reflector halogen headlamps with auto on/off feature | _ | _ | S | 17-in. 5-spoke alloy wheels with P225/65R17 tires | O/P | _ | - |
| Multi-reflector halogen headlamps with blackout sport trim and auto-off feature | _ | S | _ | 17-in. 6-spoke alloy wheels with P225/65R17 tires | _ | _ | S |
| Multi-reflector halogen headlamps with blackout sport trim and auto on/off feature | _ | 0 | _ | 18-in. 5-spoke alloy wheels with P235/55R18 tires | _ | S | _ |
| Integrated fog lamps | _ | S | S | Washer-linked variable intermittent windshield wipers and intermittent rear window wiper | S | S | S |
| LED tail and stop lamps | S | S | S | High Solar Energy-Absorbing (HSEA) glass | S | S | S |
| Black grille | S | S | _ | Privacy glass on rear side, quarter and rear-door windows | O/P | S | S |
| Chrome-accented grille | _ | _ | S | Side-opening rear door with hold-open feature | S | S | S |
| Color-keyed overfenders | _ | S | S | Unique rear door with chrome accents | _ | Р | _ |
| Black power outside mirrors with folding feature | S | S | _ | Color-keyed full-size combination hard/soft exterior spare tire cover | S | S ¹⁰ | - |
| Color-keyed heated power outside mirrors with turn signal indicators and folding feature | _ | Р | S | Color-keyed full-size hard-shell exterior spare tire cover | _ | _ | S |
| Black outside door handles | S | _ | _ | Color-keyed rear spoiler with LED center high-mount stop lamp | S | S | S |
| Color-keyed outside door handles | Р | S | S | Roof rack | O/P | O/P | S |
| Color-keyed outside rear door handle | S | S | S | Black rear bumper protector | S | S | S |
| Power tilt/slide moonroof with sunshade | Р | O/P | O/P | Roof-mounted antenna | S | S | S |
| 16-in. steel wheels with wheel covers with P215/70R16 tires | S ¹³ | - | _ | | | | |

INTERIOR

| Air conditioning with air filter | S | S | _ | Premium fabric-trimmed 60/40 split, sliding, reclining fold-flat second-row seat with | | | |
|---|---|---|-----------------|---|---------------------|---|------------------------|
| Dual zone automatic climate control with air filter with micro-dust and pollen filter | _ | _ | S | adjustable headrests and center armrest | Р | S | S |
| M/FM CD player with MP3/WMA playback capability, six speakers, auxiliary audio jack, JSB ¹⁵ port with iPod ^{®16} connectivity, auto sound leveling, and hands-free phone | | | | Leather-trimmed 60/40 split, sliding, reclining fold-flat second-row seat with adjustable headrests and center armrest | _ | Р | P ²³ |
| apability, phone book access and music streaming via Bluetooth®17 wireless technology | S | S | S | Fabric-trimmed 50/50 Split & Stow 3rd Row™ seat with fold-flat capability and | | | |
| isplay Audio with Navigation ¹⁸ and Entune ^{™19} — includes 6.1-in. touch-screen, AM/FM | | | | adjustable headrests | O ^{24, 25} | - | O ²⁵ |
| D player with MP3/WMA playback capability, six speakers, SiriusXM Satellite Radio ²⁰ | | | | Cruise control | S | S | S |
| apability (includes three-month trial subscription to XM Select Package), HD Radio™21 | | | | Tilt/telescopic steering wheel with audio controls | S | s | - |
| ith iTunes [®] Tagging; ²² auxiliary audio jack, USB ¹⁵ port with iPod ^{®16} connectivity and ontrol, and hands-free phone capability, phone book access, advanced voice recognition | | | | Leather-trimmed tilt/telescopic steering wheel with audio controls | _ | _ | S |
| nd music streaming via Bluetooth ^{®17} wireless technology | _ | _ | Р | Leather-trimmed tilt/telescopic steering wheel with audio, Bluetooth®17 hands-free | | | |
| tune ^{™19} — includes Bing [™] and Pandora [®] ; real-time info including traffic, weather, | | | | phone and voice-command controls | - | _ | Р |
| el prices, sports and stocks. Apps available spring 2012 at no charge include | | | | Leather-trimmed shift lever with metallic inlay | _ | _ | S |
| tRadio, MovieTickets.com and OpenTable® Access to Entune™ services is plimentary for three years. See toyota.com/entune for details. | _ | _ | Р | Chrome-accented shift lever with leather inlay, chrome interior door handles, chrome parking brake tip and vent trim | _ | Р | _ |
| abric-trimmed front seats with seatback pockets; 6-way adjustable driver's seat; -way adjustable front passenger seat | s | _ | _ | Optitron instrumentation with amber-illuminated speedometer and tachometer; LCD display with odometer, tripmeters, shift position, outside temperature, TPMS ²⁶ and | | | |
| remium fabric-trimmed front seats with seatback pockets; 6-way adjustable driver's | | | | instant/average fuel economy; scheduled maintenance indicator and warning messages | S | s | S |
| t; 4-way adjustable front passenger seat | Р | S | S | Remote keyless entry system with remote illuminated entry | S | S | _ |
| remium fabric-trimmed front seats with seatback pockets; 8-way power-adjustable | | | | Smart Key System ²⁷ with Push Button Start and remote illuminated entry | _ | _ | S |
| river's seat with power lumbar support; 4-way adjustable front passenger seat | - | - | 0 | Power windows with driver auto up/down with jam protection | S | S | S |
| eather-trimmed and heated front seats with seatback pockets; 8-way power-adjustable | | | | Rear window defogger with timer | S | S | S |
| river's seat with power lumbar support; 4-way adjustable front passenger seat | - | Р | P ²³ | Power door locks | S | s | S |
| abric-trimmed 60/40 split, sliding, reclining fold-flat second-row seat with adjustable eadrests and center armrest | s | _ | _ | Auto-dimming rearview mirror with integrated backup camera ²⁸ display | 0 ²⁹ | 0 | 0 |

Features (continued)

| INTERIOR (continued) | RAV4 | SPORT | LIMITED | | RAV4 | SPORT | LIMITE |
|---|------------------------|------------|--|--|---|---|--------------------------------|
| Multi-function center console with two front illuminated cup holders, mobile phone | 0 | 0 | | 120V AC power outlet | _ | - | O/P |
| storage, covered armrest with upper tray and lower storage compartment | S | S | S | Dual sun visors with illuminated vanity mirrors and sliding extensions | S | S | S |
| Dual glove compartments with one-touch open/close upper compartment and ockable lower glove compartment | s | s | s | Front- and rear-door storage pockets | S | S | S |
| Cargo area tonneau cover | 0/P ²³ | 0 | S ²³ | Cargo area storage pocket | S | S | S |
| Cargo area second-row-seat one-touch fold-flat levers | S23 | s | S ²³ | Ten cup/bottle holders | S | S | S |
| Cargo area under-floor storage compartment | S ²³ | S | S ²³ | Interior footwell lighting | - | - | S |
| wo front and one cargo area 12V auxiliary power outlets | S | S | S | Digital clock | S | S | S |
| SAFETY AND CONVENIENCE | | | | | | | |
| STAR [™] Star Safety System [™] – includes Enhanced Vehicle Stability Control (VSC), ³⁰ Traction Control (TRAC), Anti-lock Brake System (ABS), Electronic Brake-force | 1 | | | LATCH (Lower Anchors and Tethers for CHildren) includes lower anchors and tether | 0 | 0 | 0 |
| SAFETY SYSTEM Distribution (EBD), Brake Assist (BA) ³¹ and Smart Stop Technology (SST) ³² | e S | s | S | anchors on outboard second-row seats | S | S | S |
| Distribution (EBD), Ender residt (Er) and ornart otop recentloogy (COT) | s | s | s | Child-protector rear door locks | S | S | S |
| Priver and front passenger seat-mounted side airbags and front- and second-row | | 0 | 0 | Collapsible steering column | S | S | S |
| Coll-sensing Side Curtain Airbags (RSCA) ³³ | s | s | S | Front energy-absorbing crumple zone and side-impact door beams | S | S | S |
| Driver and front passenger active headrests ³⁴ | S | S | S | Energy-dissipating soft interior trim | S | S | S |
| djustable front seatbelt shoulder anchors and driver and front passenger seatbelt | | | | Tire Pressure Monitor System (TPMS) ²⁶ | S | S | S |
| pretensioners with force limiters | S | S | S | Daytime Running Lights (DRL) | O/P | O/P | O/P |
| Driver and front passenger seatbelt warning system | S | S | S | Hill Start Assist Control (HAC) ³⁵ | O ³⁶ | O ⁹ | O ³⁶ |
| -point seatbelts in all seating positions; driver-side Emergency Locking Retractor ELR) and Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger belts | s | s | S | Downhill Assist Control (DAC) ³⁵ Engine immobilizer ³⁷ | 0 ³⁶ S | Oº S | 0 ³⁶ S |
| OPTIONS | | | | | | | |
| 7-in. 5-spoke styled steel wheels with P225/65R17 tires | 0/P ¹⁴ | - | - | Fabric-trimmed 50/50 Split & Stow 3rd Row™ seat with fold-flat capability and | | | |
| 7-in. 5-spoke alloy wheels with P225/65R17 tires | O/P | - | - | adjustable headrests | O ^{24, 25} | _ | O ²⁵ |
| Roof rack | O/P | O/P | S | Power tilt/slide moonroof with sunshade | Р | O/P | O/P |
| Cargo area tonneau cover | O/P ²³ | 0 | S ²³ | Privacy glass on rear side, quarter and rear-door windows | O/P | S | S |
| uto-dimming rearview mirror with integrated backup camera ²⁸ display | O ²⁹ | 0 | 0 | Auto on/off headlamps | - | 0 | S |
| Premium fabric-trimmed 8-way power-adjustable driver's seat with power lumbar upport and 120V AC power outlet | _ | _ | 0 | Daytime Running Lights (DRL) S = Standard O = Optional — = Not Available P = Feature is available as part of | O/P an optio | O/P n packa | O/P ge. |
| PACKAGES | | | | | | | |
| RAV4 | | | | | | | |
| Value Package (4-cylinder models only) (savings of up to \$540) ³⁸ — includes 17-in. 5-spoke styled steel wheels with P225/65R17 tires, Daytime Running Lights (DRL), roof rack and privacy glass on rear side, quarter and rear-door windows | | | Upgrade Value Package (savings of up to \$1005) ³⁸ — includes 17-in. 5-spoke alloy whet tires, color-keyed door handles, Daytime Running Lights (DRL), roof rack, privacy glass and rear-door windows, power tilt/slide moonroof with sunshade, rear cargo area tonne for the submed content of the second seco | on rear s | side, qu | arter | |
| Value Package (V6 models only) (savings of up to \$540) ³⁸ — includes Daytime Running Li and privacy glass on rear side, quarter and rear-door windows | ghts (D | RL), roo | f rack | fabric-trimmed seating surfaces Tow Prep Package ^{8, 9} — includes 3500-lb. towing capacity, upgraded radiator, fan coup | ling and | alternat | or |
| SPORT | | | | | | | |
| Premium Package — includes leather-trimmed seating surfaces, heated front seats and 8 driver's seat with power lumbar support | | | | Appearance Package ^{10, 39} — includes unique rear door with chrome accents, run-flat tir Sport badging, stainless steel exhaust tip, color-keyed heated power outside mirrors w | ith turn s | ignal ind | licators |
| SPORT Premium Package — includes leather-trimmed seating surfaces, heated front seats and & driver's seat with power lumbar support Enhancement Value Package (savings of up to \$730) ³⁸ — includes Daytime Running Light and power tilt/slide moonroof with sunshade | | | | Sport badging, stainless steel exhaust tip, color-keyed heated power outside mirrors w clear rear bumper protector, chrome-accented shift lever with leather inlay, chrome inte chrome parking brake tip and vent trim, and unique doorsill covers | ith turn s rior door | ignal ind handles | licators s, |
| remium Package — includes leather-trimmed seating surfaces, heated front seats and 8 river's seat with power lumbar support inhancement Value Package (savings of up to \$730) ³⁸ — includes Daytime Running Light nd power tilt/slide moonroof with sunshade | | | | Sport badging, stainless steel exhaust tip, color-keyed heated power outside mirrors w clear rear bumper protector, chrome-accented shift lever with leather inlay, chrome inte | ith turn s rior door | ignal ind handles | licators s, |
| Premium Package — includes leather-trimmed seating surfaces, heated front seats and 8 driver's seat with power lumbar support Enhancement Value Package (savings of up to \$730) ³⁸ — includes Daytime Running Light and power tilt/slide moonroof with sunshade | ts (DRL) |), roof ra | ack | Sport badging, stainless steel exhaust tip, color-keyed heated power outside mirrors w clear rear bumper protector, chrome-accented shift lever with leather inlay, chrome inter chrome parking brake tip and vent trim, and unique doorsill covers Tow Prep Package ^{8,9} – includes 3500-lb. towing capacity, upgraded radiator, fan coup | ith turn s rior door ling and a | ignal inc handles alternato | dicators s, pr |
| remium Package — includes leather-trimmed seating surfaces, heated front seats and 8 river's seat with power lumbar support inhancement Value Package (savings of up to \$730) ³⁸ — includes Daytime Running Light nd power tilt/slide moonroof with sunshade | ts (DRL) way pow |), roof ra | ack | Sport badging, stainless steel exhaust tip, color-keyed heated power outside mirrors w clear rear bumper protector, chrome-accented shift lever with leather inlay, chrome inte chrome parking brake tip and vent trim, and unique doorsill covers | ith turn's prior door ling and a vigation ¹⁸ Package | ignal ind handles alternato and Ent (includes | dicators s, or une,™¹ |

WARRANTIES

Every Toyota Car, Truck and SUV is built to exceptional standards. And that's not idle boasting. We back it up with these Limited Warranty Coverages:

Basic: 36 months/36,000 miles (all components other than normal wear and maintenance items).

Powertrain: 60 months/60,000 miles (engine, transmission/transaxle, drive system, seatbelts and airbags). **Rust-Through:** 60 months/unlimited miles (corrosion perforation of sheet metal).

Emissions: Coverages vary under Federal and California regulations. Refer to applicable *Warranty and Maintenance Guide* for details.

Accessories: For Genuine Toyota Accessories purchased at the time of the new vehicle purchase, the Toyota Accessory Warranty coverage is in effect for 36 months/36,000 miles from the vehicle's in-service date, which is the same coverage as the Toyota New Vehicle Limited Warranty.

TOYOTA FINANCIAL SERVICES



Toyota helps you get more out of every dollar you spend. By rewarding you for every purchase you make, the Toyota Rewards Visa[®] adds even more value to doing the things you love.

Turn everything you buy into points to redeem toward parts, accessories or an eligible vehicle purchase or lease at your Toyota dealer. Earn 5 points for every \$1 spent at participating Toyota dealers and 1 point for every \$1 spent everywhere else Visa is accepted.*

Toyota Rewards Visa®

Visit www.toyotarewardsvisa.com for complete details.

Toyota Financial Services (TFS)[†] is a leading provider of automotive financial services, offering an extensive line of financing plans along with a variety of vehicle and payment protection products to Toyota customers and dealers in the U.S. For more information on TFS products and services, visit www.toyotafinancial.com

Toyota RAV4 is designed to meet most off-road driving requirements. Abusive use may result in bodily harm or damage. Toyota encourages responsible operation to protect you, your vehicle and the environment. Seatbelts should be worn at all times. Please do not allow passengers to ride in the cargo area. Towing receiver hitches/ball mount kits are not intended to provide crash protection.

For details on vehicle specifications, standard features and available equipment in your area, contact your Toyota dealer. A vehicle with particular equipment may not be available at the dealership. Ask your Toyota dealer to help locate a specifically equipped vehicle.

For Genuine Toyota Accessories purchased after the new vehicle purchase the coverage is 12 months, regardless of mileage, from the date the accessory was installed on the vehicle, or the remainder of any applicable new vehicle warranty, whichever provides greater coverage, with the exception of car covers. Car covers are warranted for 12 months from the date of purchase and do not assume any coverage under the Toyota New Vehicle Limited Warranty. You may be eligible for transportation assistance if it's necessary that your vehicle be kept overnight for repairs covered under warranty. Please see your authorized Toyota dealership for further details.

For complete details about Toyota's warranties, please visit www.toyota.com, refer to the applicable *Warranty* and *Maintenance Guide* or see your Toyota dealer.

*On approved credit. You must have a valid permanent home address in the 50 United States or the District of Columbia. Terms, conditions and restrictions apply and are fully described in the Toyota Rewards Visa Cardmember Agreement and the Toyota Rewards Program Terms and Conditions received with your card. Points earned are based on net purchases. Points-earning maximums apply and points will expire as described in the Rewards Terms and Conditions. Redemption only available at participating Toyota dealerships in the continental U.S. and Alaska. Points cannot be redeemed for cash. Please contact your participating Toyota dealer for information regarding restrictions your dealer may impose on the use of credit cards related to vehicle purchases or leases. The creditor and issuer of the Toyota Rewards Visa is Toyota Financial Savings Bank. Toyota Financial Services is a service mark used by Toyota Financial Savings Bank.

Toyota Financial Services is a service mark for Toyota Motor Credit Corporation and Toyota Motor Insurance Services, Inc.

All information presented herein is based on data available at the time of posting, is subject to change without notice and pertains specifically to mainland U.S.A. vehicles only. Prototypes shown. Actual production vehicles may vary.

DISCLAIMERS

1. Sport models only. 2. Not available on Sport models. 3. Not available with Appearance Package. 4. Not available on Limited models. 5. Limited models only. 6. Extra-cost color. 7. Cargo and load capacity limited by weight and distribution. 8. Before towing, confirm your vehicle and trailer are compatible, hooked up and loaded properly and that you have any necessary additional equipment. Do not exceed any Weight Ratings and follow all instructions in your Owner's Manual. The maximum you can tow depends on the total weight of any cargo, occupants and available equipment. Calculated with new SAE J2807 method. 9. V6 models only. 10. The Appearance Package replaces standard tires with run-flat tires and does not include a spare tire or spare tire cover. 11. 2012 EPA-estimated mileage. Actual mileage will vary. 12. Toyota strives to build vehicles to match customer interest and thus they typically are built with popular options and option packages. Not all options/packages are available separately and some may not be available in all regions of the country. See toyota.com for information about options/packages commonly available in your area. If you would prefer a vehicle without any or with different options, contact your dealer to check for current availability or the possibility of placing a special order. 13. Standard on RAV4 4-cylinder models. Not available with third-row seat. 14. Standard on RAV4 V6 models, Available on RAV4 4-cylinder models, 15, May not be compatible with all mobile phones, MP3/WMA players and like models, 16, iPod[®] is a registered trademark of Apple Inc. All rights reserved, 17, The Bluetooth[®] word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Toyota is under license. Other trademarks and trade names are those of their respective owners. The Bluetooth® wireless technology phones listed on toyota.com have been tested for compatibility with Toyota vehicles. Performance will vary based on phone software version, coverage and your wireless carrier. Phones are warranted by their manufacturer, not Toyota. 18. Availability and accuracy of the information provided by the navigation system or any XM services mentioned (if installed) are dependent upon many factors. Use common sense when relying on information provided. Services not available in every city or roadway. Periodic navigation updates available at additional cost. See your Navigation System Owner's Manual or contact XM for details. 19. Be sure to obey traffic regulations and maintain awareness of road and traffic conditions. Select EntuneTM apps use a large amount of data and you are responsible for all data charges. Apps and services vary by phone and carrier. Not all apps and data services are available initially. Apps identified by "TM" or "®" are trademarks or registered trademarks of their respective companies and cannot be used without permission. See toyota.com/entune for the latest information regarding apps and services. 20. XM services require a subscription after trial period, and are sold separately or as a package. Subscriptions governed by SiriusXM Customer Agreement; see www.siriusxm.com. If you decide to continue your XM service at the end of your complimentary trial, the plan you choose will automatically renew and bill at then-current rates until you call 1-866-635-2349 to cancel. Fees and programming subject to change. Available only to those at least 18 years of age in the 48 contiguous United States and D.C. 21. HD RadioTM Technology manufactured under license from iBiguity Digital Corporation U.S. and Foreign Patents. HD RadioTM and the HD, HD Radio, and "Arc" logos are proprietary trademarks of iBiguity Digital Corp. 22. iTunes® Tagging is a registered trademark of Apple Inc. All rights reserved. 23. Not available with third-row seat. 24. Requires 17-in. 5-spoke styled steel wheels or 17-in. 5-spoke alloy wheels. 25. Not available with tonneau cover. Deletes cargo area secondrow-seat one-touch fold-flat levers and cargo area under-floor storage compartment. 26. The Toyota Tire Pressure Monitor alerts the driver when tire pressure is critically low. For optimal tire wear and performance, tire pressure should be checked regularly with a gauge: do not rely solely on the monitor system. See your Owner's Manual for details. 27. The Smart Key System may interfere with some pacemakers or cardiac defibrillators. If you have one of these medical devices. please talk to your doctor to see if you should deactivate this system. 28. The backup camera does not provide a comprehensive view of the rear area of the vehicle. You should also look around outside your vehicle and use your mirrors to confirm rearward clearance. Cold weather will limit effectiveness and view may become cloudy. 29. Requires Value Package, Upgrade Value Package or privacy glass. 30. Vehicle Stability Control (VSC) is an electronic system designed to help the driver maintain vehicle control under adverse conditions. It is not a substitute for safe driving practices. Factors including speed, road conditions and driver steering input can all affect whether VSC will be effective in preventing a loss of control. Please see your Owner's Manual for further details. 31. Brake Assist is designed to help the driver take full advantage of the benefits of ABS. It is not a substitute for safe driving practices. Braking effectiveness also depends on proper brake-system maintenance and tire and road conditions. 32. Smart Stop Technology operates only in the event of certain simultaneous brake and gas pedal applications. When engaged, the system will reduce engine power to help the brakes bring the vehicle to a stop. Factors including speed, road conditions and driver input can all impact stopping distance. Smart Stop Technology is not a substitute for safe and attentive driving and does not guarantee instant stopping. Please see your Owner's Manual for further details. 33. All the airbag (AB) systems are Supplemental Restraint Systems. All ABs (if installed) are designed to inflate only under certain conditions and in certain types of severe collisions: frontal and knee ABs typically inflate in frontal collisions; side and side curtain ABs in side collisions; Roll-Sensing Curtain ABs at a severe tilt degree, roll or lateral G-force. In all other accidents, the ABs will not inflate. To decrease the risk of injury from an inflating AB, always wear seatbelts, sit upright in the middle of the seat as far back as possible and do not lean against the door. Do not put objects in front of an AB or around the seatback. Do not use a rearward-facing child seat in any front passenger seat. The force of an inflating AB may cause serious injury or death. See your Owner's Manual for further information/warnings. 34. Active front headrests can help reduce the extent of whiplash in certain types of rear-end collisions. 35. Downhill Assist Control (DAC) is designed to help the driver maintain vehicle control and speed on steep, downhill descents. Hill Start Assist Control (HAC) is designed to help minimize backward rolling on steep ascents. Neither system is a substitute for safe driving judgment and practices. Factors including speed, grade, surface conditions and driver input can all affect whether DAC and HAC will be effective in preventing a loss of control. Please see your Owner's Manual for further details. 36. Standard on V6 and 4-cylinder models equipped with third-row seat. 37. The engine immobilizer is a state-of-the-art anti-theft system. When you insert your key into the ignition switch or bring a Smart Key fob into the vehicle, the key transmits an electronic code to the vehicle. The engine will only start if the code in the transponder chip inside the key or Smart Key fob matches the code in the vehicle's immobilizer. Because the transponder chip is embedded in the key or Smart Key fob, it can be costly to replace. If you lose a key or Smart Key fob, your Toyota dealer can help. Alternatively, you can find a qualified independent locksmith to perform high-security key services by consulting your local Yellow Pages or by contacting www.aloa.org 38. Package savings based on MSRP of package features. MSRP may not reflect actual dealer sales price. Customer savings will vary. 39. 4-cylinder and V6 4WD models only.



