COMMERCIAL VEHICLES 2021

P IL P

See a

HEVREL

THUR DURING THE T

STRONG TRUCKS BUILD STRONG BUSINESSES.

You're only as good as your team. Your people. And your trucks. Chevy has a team of commercial vehicles you can count on to get the job done. The strong lineup starts with the reliable Silverado 1500 and continues with the hardworking Silverado HD, plus the capable Silverado 3500 HD Chassis Cab. Add this to the mediumduty Silverado 4500 HD/5500 HD/ 6500 HD Chassis Cabs, the maneuverable Low Cab Forward series and Express Vans, now with a more powerful available 6.6L V8 gas engine. The sum is a strong and formidable lineup capable of addressing your business needs.

ONSTAR BUSINESS SOLUTIONS

OnStar Business Solutions is a family of products that offers insight to find efficiencies, the opportunity to make better decisions, and the confidence in knowing your people and your assets are protected and connected. Learn more at OnStar.com/BusinessSolutions.

Manage the way your business moves with OnStar Vehicle Insights^{™1} by OnStar Business Solutions. You can see your fleet in real time and receive actionable information to make more informed decisions. Learn more at OnStarVehicleInsights.com.

BUSINESS CHOICE

This program² can give you a great value on the vehicles you count on. Business Choice includes a cash allowance on either GM Accessories or Upfits³, and you can even add most current retail offers to your deal. Learn more at chevrolet.com/business-choice-offers.

BUSINESS ELITE DEALERS

These specialized dealers provide the know-how to help you select the right vehicles for the job. Plus, every Business Elite service department has the facilities, tools and technicians for your needs. Learn more at chevrolet.com/commercial/business-elite.



1 Terms apply. Available on select properly equipped 2015 model year and newer GM vehicles (excludes Volt, Low Cab Forward Trucks and GM vehicles built without OnStar Hardware, which includes but is not limited to select base Chevrolet and GMC trucks). Requires an active connected vehicle services plan. Fees, services, and availability subject to change without notice. Applicable taxes not included. Does not include emergency or security services. Diagnostics capabilities vary by vehicle model. Not all issues will deliver alerts. See OnStarVehicleInsights.com for details and limitations. 2 2021 GM BUSINESS CHOICE REQUIREMENTS: The 2021 GM Business Choice Program is valid from January 5, 2021, to January 2, 2023. Customer must purchase or lease a vehicle during the program period and be able to provide proof of business ownership. Vehicle must be used in the day-to-day operations of the business and not solely for transportation purposes. This program may not be compatible with other offers or incentive programs. Consult your Chevrolet dealer for program compatibility and other restrictions. For complete program requirements, including information regarding offers, vehicles, equipment, options, warranties and ordering, consult your Chevrolet dealer. 3 Equipment from independent suppliers is not covered by the GM New Vehicle Limited Warranty. GM is not responsible for the safety or quality of independent supplier alterations.

THE VERY DEFINITION OF WORK ETHIC.

18.5

There's over a century of science and sweat ingrained into Chevy Silverado. We've been doing this a long time, so we know what it takes. There are eight trims and a number of engine choices, including a powerful V6 that's standard on WT. There's also an available 6.2L V8 that delivers best-in-class V8 towing¹ and an available Duramax[®] 3.0L Turbo-Diesel that offers 23 MPG city and an unsurpassed 33 highway? And you won't find a pickup that works harder for you, thanks to best-in-class standard cargo bed volume and features like the new Multi-Flex Tailgate, available on all eight trim levels and providing six different functions to help improve loading, unloading and accessing the cargo bed.

> Silverado 1500 Regular Cab Long Bed WT 2WD in Summit White.

TAXAN A TAXAN

MACH

AVANA

MANANAN

BULMERFILLD

1 Class is Half-Ton Full-Size Pickup segment. Requires Silverado 1500 Double Cab Standard Bed RST 4x4 with available Max Trailering Package and 20" wheels. 2 EPA estimated 2WD.

SILVERADO 1500

For more info, go to Silverado 1500 <u>Specifications</u> and <u>Dimensions</u>.



New Multi-Flex Tailgate offers multiple ways to access the truck bed.

Available bed-mounted 120-volt power outlet.

With 8 available cameras, you have up to 15 camera views.⁴

SILVERADO 1500 HIGHLIGHTS

- · Engine choices:
 - Duramax 3.0L Turbo-Diesel I-6 (LM2) with 277 horsepower and 460 lb.-ft. of torque and 10-speed transmission
 - 6.2L EcoTec3 V8 (L87) equipped with Dynamic Fuel Management, 420 horsepower and 460 lb.-ft. of torque and 10-speed transmission
 - 5.3L EcoTec3 V8 (L82) equipped with Active Fuel Management, 355 horsepower and 383 lb.-ft. of torque and 6-speed transmission
 - 5.3L EcoTec3 V8 (L82/YK9¹) not equipped with Active Fuel Management, 355 horsepower and 383 lb.-ft. of torque and 6-speed transmission
 - 5.3L EcoTec3 V8 (L84) equipped with Dynamic Fuel Management, 355 horsepower and 383 lb.-ft. of torque and 8- or 10-speed transmission
 - 5.3L EcoTec3 V8 (L84/YK9²) not equipped with Dynamic Fuel Management, 355 horsepower and 383 lb.-ft. of torque and 8-speed transmission
 - 4.3L EcoTec3 V6 (LV3) equipped with Active Fuel Management, 285 horsepower and 305 lb.-ft. of torque and 6-speed transmission
 - 2.7L Turbo (L3B) equipped with Active Fuel Management,
 310 horsepower and 348 lb.-ft. of torque and 8-speed
 transmission
- Available Work Truck Package that includes skid plates and a heavy-duty air filter with air filter monitor
- Safety Confidence Package, available on WT, Custom and Custom Trail Boss, includes Forward Collision Alert³, Automatic Emergency Braking³, Front Pedestrian Braking³, steering wheel-mounted controls and Driver Information Center with 4.2-inch diagonal color display







<u>I</u> Effective March 2021, the 5.3L EcoTec3 V8 (L82) engine with YK9 is not equipped with Active Fuel Management, resulting in reduced efficiency. Please see page 39 for details. <u>2</u> Effective March 2021, the 5.3L EcoTec3 V8 (L84) engine with YK9 is not equipped with Dynamic Fuel Management, resulting in reduced efficiency. Please see page 39 for details. <u>3</u> Read the vehicle Owner's Manual for important feature limitations and information. <u>4</u> Read the vehicle Owner's Manual for more important feature limitations and information. Some camera views require available accessory camera and installation. Not compatible with all trailers. See your dealer for details.

SILVERADO 1500 TOWING

CONFIDENCE IS KEY.

Silverado offers integrated towing technology that delivers confidence and makes hauling big loads easy. It starts with the available Advanced Trailering Package that includes Hitch Guidance with Hitch View! hitch area lighting, electric parking brake hookup assist, an integrated trailer brake controller, trailer theft alert, an in-vehicle Advanced Trailering System with myChevrolet Mobile App² and more. The available Advanced Trailering System has an In-Vehicle App³ that offers customized trailer profiles. Other available features include predeparture checklists, trailer lighting diagnostics and trailer tire pressure/temperature monitoring! New features include available Jack-Knife Alert⁵ Trailer Length Indicator⁵ Trailer Angle Indicator with Guidelines⁵ and Bed View with Zoom and Bed Hitch Guidance!

EM

mal all a way it man

1 Read the vehicle Owner's Manual for important feature limitations and information. 2 Available on select Apple and Android devices. Service availability, features and functionality vary by vehicle, vehicle equipment, trim level, device and the plan you are enrolled in. Some features may require a working electrical system. User terms apply. Device data connection required. Visit onstar.com for details and limitations. 3 App functionality and features vary with vehicle equipment and trim level. Data connection may be required. Some features require active service plan and working electrical system. User terms and limitations and information may be required. Some features require active service plan and working electrical system. User terms and limitations apply. 4 Requires available Trailer Tire Pressure Monitor Sensors. 5 Works with conventional box-type and camper trailers only. Some camera views require available accessory camera and installation. Not compatible with all trailers. Customers can see their dealer for full details. Read the vehicle Owner's Manual for important feature limitations and information.

Silverado 1500 Crew Cab Short Bed High Country 4x4 in Oxford Brown Metallic with available features.

-

Jack-Knife Alert warning (requires a compatible trailer) is included with the available Technology Package.

myChevrolet Mobile App with Trailering' syncs with the available Advanced Trailering System.

An integrated trailer brake controller is available.

Available Trailer Tire Pressure Monitoring System also checks tire temperature²





1 Available on select Apple and Android devices. Service availability, features and functionality vary by vehicle, vehicle equipment, trim level, device and the plan you are enrolled in. Some features may require a working electrical system. User terms apply. Device data connection required. Visit onstar.com for details and limitations. 2 Requires available Trailer Tire Pressure Monitor Sensors.

SILVERADO 1500 TECHNOLOGY

IT STARTS WITH A STRONG BACKBONE.

Silverado uses the right material in the right place to do the right job. That means high-strength steel in the frame, bed and safety cage and strong, lightweight aluminum in the doors, hood and tailgate, with everything optimized for durability, safety, mass and function.

The **frame is light**, but has great torsional rigidity. As much as 80% of the frame is made of high-strength steel.

Even with a long wheelbase, a wide, tall stance, and loads of cargo volume, Silverado is impressively aerodynamic. That's because Chevrolet engineers spent over 500 hours in the wind tunnel, testing airflow around the vehicle. All this testing paid off: Silverado is the most aerodynamic full-size pickup in Chevrolet history.



The independent short/long arm front suspension provides excellent wheel alignment, ride comfort and tunability with reduced weight. The live axle rear suspension includes 2-stage, semi-elliptic multileaf springs to strike a balance between payload management and ride quality.

Silverado 4x4 models offer **two** Autotrac[®] transfer cases. The 2-speed transfer case (standard on Trail Boss models and High Country; included with the Z71 Off-Road Package on other models) features Auto, 2 High, 4 High and 4 Low settings. The single-speed transfer case (standard on WT, Custom, LT, RST and LTZ) offers Auto, 2 High and 4 High. It also includes a Driver Mode Selector with Terrain mode, designed to optimize low-speed off-road driving.

The available **Driver Mode Selector** allows you to choose different drive

modes (based on the vehicle's equipment) that alter the throttle and traction systems to better handle varying road conditions.

Normal is for everyday driving; Sport is useful during quick driving maneuvers; Tow/Haul aids in trailering; Snow is helpful in slippery conditions; Terrain optimizes low-speed driving over rough terrain; and Off-Road helps on grass, gravel, dirt and snow-covered roads.

An **electro-hydraulic boost** or "e-boost" system produces on-demand power for smooth, reliable, consistent braking whether the truck is loaded, unloaded or hauling a heavy trailer. And the Duralife coating helps increase rotor life.

Available features include up to six USB ports¹ and a 120-volt power outlet.

Available wireless Apple CarPlay^{⊗2} (shown) and wireless Android Auto^{™3} compatibility.

Available Rear Camera Mirror.⁴

Available Chevrolet Infotainment 3 Premium system⁵ with Navigation.⁶



1 Not compatible with all devices. 2 Vehicle user interface is a product of Apple and its terms and privacy statements apply. Requires compatible iPhone and data plan rates apply. 3 Vehicle user interface is a product of Google and its terms and privacy statements apply. Requires the Android Auto app on Google Play and a compatible Android smartphone. Data plan rates apply. You can check which smartphones are compatible at g.co/androidauto/requirements. 4 Read the vehicle Owner's Manual for important feature limitations and information. 5 Chevrolet Infotainment System functionality varies by model. Full functionality requires compatible Bluetooth and smartphone, and USB connectivity for some devices. 6 Map coverage available in the United States, Puerto Rico and Canada.

Apple CarPlay, iPhone, Siri and Apple Music are trademarks of Apple Inc., registered in the U.S. and other countries. Android and Android Auto are trademarks of Google LLC.

SILVERADO HD

THE STRONGEST, MOST CAPABLE SILVERADO HD EVER.

That headline isn't just words on a page. It's something the 2021 Chevrolet Silverado HD has earned. Purpose-built to handle your biggest jobs, with strength and bold style to spare. Powertrain options that finish every workday, then ask for overtime. The ability to pull up to 36,000 lbs! (18,200 lbs. as shown) or carry up to 7,442 lbs? of payload is available, with advanced trailering technologies designed to make a long day of towing easy. Not to mention the hardworking, highly functional Durabed. The bottom line: Silverado HD is an MVP for any business need.

1 Requires Silverado 3500 HD Regular Cab Long Bed WT 2WD DRW with available Duramax 6.6L Turbo-Diesel V8 engine, Max Trailering Package and gooseneck hitch. Before you buy a vehicle or use it for trailering, carefully review the Trailering section of the Owner's Manual. The weight of passengers, cargo and options or accessories may reduce the amount you can tow. 2 Requires Silverado 3500 HD Regular Cab Long Bed 2WD DRW. For comparison purposes only. See the Owner's Manual and the label on the vehicle door jamb for the carrying capacity of a specific vehicle. Silverado 2500 HD Crew Cab Standard Bed WT in Silver Ice Metallic with available Duramax 6.6L Turbo-Diesel V8 engine and additional available features.

SILVERADO HD


For more info, go to Silverado HD <u>Specifications</u> and <u>Dimensions</u>.



SILVERADO HD HIGHLIGHTS

- 6.6L V8 gas engine with Direct Injection and Variable Valve Timing, 401 horsepower and 464 lb.-ft. of torque and 6-speed transmission
- Available Duramax 6.6L Turbo-Diesel V8 engine with 445 horsepower and 910 lb.-ft. of torque and Allison[®] 10-speed automatic transmission
- 36,000 lbs. of maximum towing capability^{1,2} with available Duramax 6.6L Turbo-Diesel V8
- 17,370 lbs. of maximum towing capability^{2,3} with 6.6L V8 gas engine
- Maximum payload of 7,442 lbs^{4,5}
- Standard Durabed with a roll-formed high-strength steel floor that's stronger, lighter and more durable than a traditional stamped steel floor
- 12 standard tie-downs all rated to 500 lbs⁵ per corner in any direction
- Safety Confidence Package, available on 2500 HD WT and Custom and 3500 HD WT, includes Forward Collision Alert⁶, Automatic Emergency Braking⁶, cruise control, steering wheel-mounted controls and Driver Information Center with 4.2-inch diagonal color display





Available on 4x4 models, the Snow Plow Prep/Camper Package makes snow plow installation easier than ever. Shown below with upfit from an independent supplier?

Silverado HD interior features abundant storage areas.





1 Requires Silverado 3500 HD Regular Cab Long Bed WT 2WD DRW with available gooseneck hitch. 2 Before you buy a vehicle or use it for trailering, carefully review the Trailering section of the Owner's Manual. The weight of passengers, cargo and options or accessories may reduce the amount you can tow. 3 Requires Silverado 2500 HD Regular Cab Long Bed with 17" wheels and available gooseneck/fifth-wheel hitch. 4 Requires Silverado 3500 HD Regular Cab Long Bed 2WD DRW. 5 These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the Vehicle Loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver door jamb. 6 Read the vehicle Owner's Manual for important feature limitations and information. 7 Shown with upfit from an independent supplier. Equipment from independent suppliers is not covered by the GM New Vehicle Limited Warranty. GM is not responsible for the safety or quality of independent supplier alterations.

SILVERADO HD TOWING

CONFIDENT AND IN CONTROL.

Silverado 3500 HD Crew Cab Long Bed LT 2WD DRW in Black with available Duramax 6.6L Turbo-Diesel V8 engine and additional available features.

Looking for big numbers? Silverado HD with the available Duramax 6.6L Turbo-Diesel V8 engine tows up to 36,000 lbs^{1, 2} Here's something else. Every Silverado HD Dually pickup with the available Duramax 6.6L V8 can pull over 30,000 lbs? There's also tons of advanced towing tech to give you peace

3500 HD

of mind when you're towing a heavy load. Because Silverado HD doesn't just provide capability – it delivers confidence every time you hitch up.

BigTex

<u>1</u> Requires Silverado 3500 HD Regular Cab Long Bed WT 2WD DRW with available Duramax 6.6L Turbo-Diesel V8 engine, Max Trailering Package and gooseneck hitch. <u>2</u> Before you buy a vehicle or use it for trailering, carefully review the Trailering section of the Owner's Manual. The weight of passengers, cargo and options or accessories may reduce the amount you can tow.

Jack-Knife Alert warning (requires a compatible trailer), standard on High Country and available on LTZ!

myChevrolet Mobile App with Trailering² syncs with the available Advanced Trailering System.

Trailering mirrors are standard on every Silverado HD.

Bed View³ allows you to see the cargo bed to help with fifth-wheel or gooseneck hitching or to briefly check on cargo. Cargo Bed Zoom and Bed Hitch Guidance are new additions for the 2021 model year.





1 Requires available LTZ Convenience Package II. 2 Available on select Apple and Android devices. Service availability, features and functionality vary by vehicle, vehicle equipment, trim level, device and the plan you are enrolled in. Some features may require a working electrical system. User terms apply. Device data connection required. Visit onstar.com for details and limitations. 3 Safety or driver assistance features are no substitute for the driver's responsibility to operate the vehicle in a safe manner. The driver should remain attentive to traffic, surroundings and road conditions at all times. Visibility, weather and road conditions may affect feature performance. Read the vehicle Owner's Manual for more important feature limitations and information.

SILVERADO HD TECHNOLOGY

CORE STRENGTH.

Under the sheet metal is where Silverado HD truly excels.

Every element was designed to deliver our best heavy-duty truck ever. To make that happen, we used seven different types of steel, with each gauge chosen to maximize capability. That means we used the right material in the right place to help do the right job.

Everything about this truck has been optimized for durability and dependability to help ensure you're driving the strongest, most capable Silverado HD ever.

To create a solid structure that stands up to heavy-duty usage, we used a combination of **high-strength and ultra-high-strength steel** throughout the cab and frame.

Silverado HD features a **fully boxed ladder-type frame** with nine highstrength steel cross members, making it strong and stiff to deliver a more confident towing experience and maximize load-hauling capability. Heavy-duty capability requires enhanced cooling. On models with the available Duramax 6.6L Turbo-Diesel V8 engine, you'll find a massive **28-inch cooling fan** to meet the high cooling demands that come with pulling big loads.

The **integral front-end structure** provides notable advantages by reducing mass and improving ride and handling. It also helps manage noise and vibration and crash impact forces. Every Silverado HD features **robust axles** to handle heavy loads. In fact, the ring gear in the rear axle on 3500 HD models with the available Duramax 6.6L Turbo-Diesel V8 engine measures a full 12 inches to help deliver all 910 lb.-ft. of torque in first gear.

Large-diameter front and rear prop shafts and strong U-joints have been optimized to handle high torque output and improve durability. The **electric parking brake** introduces two major benefits: Steep Grade Apply, which engages on grades greater than 15% when the driver shifts into Park for additional brake support, and Park Grade Hold Assist, which enhances Hill Hold to help keep your truck firmly in place on inclines or declines of 8% or more. Both features keep the transmission linkage from binding so you can more easily shift into gear after being parked on a steep grade.

Available Head-Up Display.

SILVERADO HD TECHNOLOGY

Available power-up/-down tailgate lets you easily raise or lower the tailgate using the key fob.

With a compatible trailer attached and a turn signal activated, the available Rear Side View Camera display will show a full screen down the side of the truck along with a Trailer Length Indicator¹ to aid in lane-change maneuvers by visually showing obstructions with the trailer in adjacent lanes.

Available 120-volt bed outlet.



1 Safety or driver assistance features are no substitute for the driver's responsibility to operate the vehicle in a safe manner. The driver should remain attentive to traffic, surroundings and road conditions at all times. Visibility, weather and road conditions may affect feature performance. Read the vehicle Owner's Manual for more important feature limitations and information. Not compatible with all trailers. Customers can see their dealer for full details.

SILVERADO 3500 HD CHASSIS CAB

BORN TO HAUL.

Silverado 3500 HD Chassis Cab remains strong and capable for any job you throw its way. Both Chassis Cab and Box Delete models provide a solid platform for the upfits' you need to run your business. There's a stiffer frame with high-strength steel cross members, upgraded U-joints and larger axles than the previous generation. You'll also find an abundance of power and payload capacity with a choice of a 6.6L V8 gas engine or a Duramax 6.6L Turbo-Diesel V8 engine, the latter paired with an Allison® 10-speed automatic transmission.

1 Shown with upfit from an independent supplier. Equipment from independent suppliers is not covered by the GM New Vehicle Limited Warranty. GM is not respons for the safety or quality of independent supplier alterations. Silverado 3500 HD Regular Cab Chassis Cab Work Truck 4x4 in Silver Ice Metallic, shown with an upfit from an independent supplier!

CT IN COL

SILVERADO 3500 HD CHASSIS CAB

For more info, go to Silverado 3500 HD Chassis Cab <u>Specifications</u> and <u>Dimensions</u>.




Silverado 3500 HD Crew Cab Chassis Cab LT with a service body upfit from an independent supplier.²

Silverado 3500 HD Regular Cab Chassis Cab LT with a stake body upfit from an independent supplier?

Silverado interior provides plenty of storage compartments and comfort amenities.

3500 HD CHASSIS CAB HIGHLIGHTS

- 6.6L V8 gas engine with 401 horsepower and 464 lb.-ft. of torque and 6-speed automatic transmission
- Available Duramax 6.6L Turbo-Diesel V8 with 910 lb.-ft. of torque with standard exhaust brake and Allison[®] 10-speed automatic transmission
- Integrated PTO capability available with the Duramax 6.6L Turbo-Diesel V8 and Allison 10-speed transmission
- Available in Regular Cab or Crew Cab models, with a choice of two wheelbases for Regular Cab models
- Robust frame with high-strength steel cross members
- · Larger axles with a 12" ring gear on Turbo-Diesel models
- Automatic locking rear differential
- GVWR of 14,000 lbs!
- Three fuel tank options front, rear or combined for an available total fuel capacity of 63.5 gallons







1 Maximum Gross Vehicle Weight Rating (GVWR). When properly equipped; includes weight of vehicle, passengers, cargo and equipment. 2 Shown with upfit from an independent supplier. Equipment from independent suppliers is not covered by the GM New Vehicle Limited Warranty. GM is not responsible for the safety or quality of independent supplier alterations.

SILVERADO 4500 HD/5500 HD/6500 HD

ANYTHING LESS JUST ISN'T ENOUGH.

The Silverado 4500 HD, 5500 HD and 6500 HD Chassis Cabs can shoulder the heavy loads with a wide variety of chassis options to provide plenty of upfit¹ flexibility for your business needs. Excellent maneuverability and forward visibility, along with multiple cab-to-axle options and GVWRs, help make the toughest work easier to tackle. Because when it comes to the job, the only word that matters is: done.

SILVERADD

1 Shown with upfit from an independent supplier. Equipment from independent suppliers is not covered by the GM New Vehicle Limited Warranty. GM is not responsible for the safety or quality of independent supplier alterations.

Silverado 5500 HD Regular Cab LT 4x4 in Summit White with available features, shown with an upfit from an independent supplier!

SILVERADO 4500 HD/5500 HD/6500 HD

For more info, go to Silverado 4500 HD/ 5500 HD/6500 HD <u>Specifications</u> and <u>Dimensions</u>.

Silverado 5500 HD Crew Cab with a utility upfit from an independent supplier?

Silverado 6500 HD Regular Cab with a dump truck upfit from an independent supplier²

4500 HD, 5500 HD AND 6500 HD CHASSIS CAB HIGHLIGHTS

- Duramax 6.6L Turbo-Diesel V8 engine optimized for medium-duty applications with 350 horsepower and 700 lb.-ft. of torque
- Allison[®] 6-speed close-ratio transmission with double overdrive designed for medium-duty applications
- Standard exhaust brake
- GVWRs up to 23,500 lbs!
- Single-piece straight frame rails with no welds or brackets and a clean top-of-rail design to make upfitting simple and efficient
- Seven cab-to-axle options, 10 wheelbase options and five axle-to-end-of-frame options
- Three levels of available fuel capacity a standard 40-gallon rear tank, an available 25-gallon front tank or both – provide a combined total capacity of 65 gallons
- Up to 50-degree wheel cut for impressive maneuverability
- · Available heavy-duty locking rear differential
- Available rear air suspension for better ride and easier loading/unloading





1 Silverado 6500 HD. Maximum Gross Vehicle Weight Rating (GVWR). When properly equipped; includes weight of vehicle, passengers, cargo and equipment. 2 Shown with upfit from an independent supplier. Equipment from independent suppliers is not covered by the GM New Vehicle Limited Warranty. GM is not responsible for the safety or quality of independent supplier alterations.

Silverado 6500 HD Regular Cab LT with box truck upfit from an independent supplier!

Silverado 5500 HD Regular Cab LT with snow plow and salt spreader upfits from an independent supplier!

Silverado 6500 HD Regular Cab LT and Silverado 5500 HD Crew Cab LT, both with available features and upfits from independent suppliers!



1 Shown with upfit from an independent supplier. Equipment from independent suppliers is not covered by the GM New Vehicle Limited Warranty. GM is not responsible for the safety or quality of independent supplier alterations.

Clamshell engine cover provides easy walk-up engine access.

There are seven different cab-to-axle options ranging from 60 to 162 inches.

The battery box is conveniently located underneath the driver door.







COLORADO

ALL-STAR UTILITY PLAYER.

Colorado offers on-the-job capability in a smaller, more maneuverable size. It's built with hardworking truck attributes like a fully boxed high-strength steel frame with seven cross members and powerful engines that include an available 308-horsepower 3.6L V6 or an available Duramax 2.8L Turbo-Diesel with 369 lb.-ft, of torque. Colorado also offers truck-proven technologies like Electric Power Steering, StabiliTrak® Electronic Stability Control System and Auto Grade Braking.

1 Chevrolet Accessories are dealer-installed and covered by the GM 3-year/36,000-mile (whichever comes first) New Vehicle Limited Warranty when ordered with your new Colorado. See your dealer for details.

Colorado Crew Cab Long Box WT in Summit White with available features and dealer-installed Chevrolet Accessories!

COLORADO

For more info, go to Colorado <u>Specifications</u> and <u>Dimensions</u>.



With the available Duramax 2.8L Turbo-Diesel engine, Colorado can tow up to 7,700 lbs⁵

> Standard rear underseat storage on Extended Cab models.

Rear seatbacks on Crew Cab models fold down for extra storage space.

COLORADO HIGHLIGHTS

- Three engines to choose from:
 - 2.5L direct injected 4-cylinder engine with
 200 horsepower and 6-speed automatic transmission
- Available 3.6L direct injected DOHC V6 engine with
 308 horsepower and 275 lb.-ft. of torque and
 8-speed automatic transmission
- Available Duramax 2.8L Turbo-Diesel I-4 engine with 181 horsepower and 30 MPG highway¹ and 6-speed automatic transmission
- Standard CornerStep rear bumper
- Maximum payload of 1,550 lbs? with available
 3.6L engine
- Available Z82 Trailering Package and integrated trailer
 brake controller
- · Available automatic locking rear differential
- 4-wheel antilock disc brakes with Duralife rotors
- Four standard fixed lower tie-downs with an additional 13 available
- · Available factory-installed spray-on bedliner
- Fleet Safety Package³ available on LT, includes Forward Collision Alert⁴, Lane Departure Warning⁴ and Automatic Emergency Braking⁴







1 EPA-estimated MPG city/highway: Colorado 2WD with available Duramax 2.8L Turbo-Diesel engine 20/30. 2 Requires Colorado Crew Cab Short Box WT 4x4 with available 3.6L V6 engine. These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the Vehicle Loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver door jamb. 3 Restrictions apply. See your dealer for details. 4 Read the vehicle Owner's Manual for important feature limitations and information. 5 Requires Colorado Crew Cab Short Box LT 2WD with available Trailering Package, LT Convenience Package and Safety Package. Before you buy a vehicle or use it for trailering, carefully review the Trailering section of the Owner's Manual. The weight of passengers, cargo and options or accessories may reduce the amount you can tow.

EXPRESS CARGO VAN

PROVEN DESIGN. DEPENDABLE PARTNER.

For many businesses, there's no substitute for a hardworking full-size van. Express 2500 and 3500 vans give you what matters most — a choice of strong powertrains, an easily configurable cargo bay, over 280 cubic feet of cargo space¹ and a standard-height roof that provides easy access to parking garages and takes the worry out of backing up in unfamiliar low-clearance areas. New for 2021 is an available 6.6L V8 gas engine with 401 horsepower and 464 lb.-ft. of torque.

> Express 3500 Extended Wheelbase Cargo Van in Summit White with available features.

12

11

1 Express Cargo Van with Extended Wheelbase. Cargo and load capacity limited by weight and distribution.


EXPRESS CARGO VAN

For more info, go to Express Cargo Van <u>Specifications</u> and <u>Dimensions</u>.



EXPRESS CARGO VAN HIGHLIGHTS

- Standard 4.3L V6 engine with 276 horsepower and 298 lb.-ft. of torque, includes oil life monitor
- Newly available 6.6L V8 gas engine with 401 horsepower and 464 lb.-ft of torque and 6-speed transmission
- Available Duramax 2.8L Turbo-Diesel engine with 181 horsepower and 369 lb.-ft. of torque with standard exhaust brake
- Full-frame design for strength and durability
- Up to 10,000 lbs! of towing capability
- Maximum payload capacity of 4,280 lbs²
- Standard StabiliTrak Electronic Stability Control System
- Available heavy-duty automatic locking rear differential
- Up to 283.6 cu. ft. of cargo space³
- Six standard D-ring cargo tie-downs
- Available safety features include Forward Collision Alert⁴, Lane Departure Warning⁴, Side Blind Zone Alert⁴ and Rear Park Assist⁴





1 With available 6.6L V8 gas engine. Before you buy a vehicle or use it for trailering, carefully review the Trailering section of the Owner's Manual. The weight of passengers, cargo and options or accessories may reduce the amount you can tow. 2 Express 3500 Cargo Van with 4.3L V6 engine and 135" wheelbase. These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the Vehicle Loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver door jamb. 3 Express Cargo Van with Extended Wheelbase. Cargo and load capacity limited by weight and distribution. 4 Read the vehicle Owner's Manual for important feature limitations and information. 5 Cargo and load capacity limited by weight and distribution.

A LARGE VAN THAT MOVES SMALL CROWDS.

EXPRESS PASSENGER VAN

Express Passenger Van is built to haul people, with a choice of 12- or 15-passenger seating, depending on model. Standard features like a StabiliTrak Electronic Stability Control System, a Tire Pressure Monitoring System¹ and antilock brakes let you travel with confidence. Express Passenger Van's proven design means you can count on dependable service. Technology features like a 120-volt power outlet, available 4G LTE Wi-Fi[®] Hotspot² and an available USB port³ can help keep passengers entertained during trips.

1 Does not monitor spare tire. 2 Service varies with conditions and location. Requires active service plan and paid AT&T data plan. Visit onstar.com for details and limitations. Availability subject to change. 3 Not compatible with all devices.

Express 3500 Extended Wheelbase Passenger Van in Silver Ice Metallic with available features.


EXPRESS PASSENGER VAN

For more info, go to Express Passenger Van <u>Specifications</u> and <u>Dimensions</u>.



EXPRESS PASSENGER VAN HIGHLIGHTS

- Standard seating for 12 passengers
- Available seating for 15 with Extended Wheelbase
- · Standard rear passenger air conditioning
- Standard 4.3L V6 engine with 276 horsepower and 298 lb.-ft. of torque, includes oil life monitor
- Newly available 6.6L V8 gas engine with 401 horsepower and 464 lb.-ft of torque and 6-speed transmission
- Available Duramax 2.8L Turbo-Diesel engine with 181 horsepower and 369 lb.-ft. of torque with standard exhaust brake
- Available heavy-duty automatic locking rear differential
- Standard StabiliTrak Electronic Stability Control System
- Standard 4-wheel antilock disc brakes
- Standard Rear Vision Camera¹
- Available safety features include Forward Collision Alert! Lane Departure Warning! Side Blind Zone Alert¹ and Rear Park Assist¹



Standard seating for 12 passengers and available seating for 15 with Extended Wheelbase.





1 Read the vehicle Owner's Manual for important feature limitations and information. 2 Equipment from independent suppliers is not covered by the GM New Vehicle Limited Warranty. GM is not responsible for the safety or quality of independent supplier alterations.

EXPRESS CUTAWAY

HHHH

N 8

CUT OUT FOR ANY SIZE DELIVERY.

If you need additional volume and capacity over a traditional van and still want ease and convenience for the operator, check out Express Cutaway. The full-frame design of Express Cutaway can handle a wide variety of upfits; including service/utility, cube body or shuttle bus. Its robust construction is strong, versatile and proven. The perimeter frame provides a stable platform for a confident driving experience and many years of durability. Express Cutaway is cut out to be the right choice for whatever you have in mind.

1 Shown with upfit from an independent supplier. Equipment from independent suppliers is not covered by the GM New Vehicle Limited Warranty. GM is not responsible for the safety or quality of independent supplier alterations.

Express 4500 Cutaway in Summit White, shown with an upfit from an independent supplier!

EXPRESS CUTAWAY

For more info, go to Express Cutaway <u>Specifications</u> and <u>Dimensions</u>.



Express 4500 models feature dual rear wheels for heavier applications.

Utility truck upfits are available in multiple configurations from independent upfitters?

EXPRESS 3500 AND 4500 CUTAWAY Highlights

- Standard 4.3L V6 engine with 276 horsepower and 298 lb.-ft. of torque
- Newly available 6.6L V8 gas engine with 401 horsepower and 464 lb.-ft. of torque and heavy-duty 6-speed transmission
- Available GVWR up to 14,200 lbs!
- Full ladder-type frame design for strength and durability
- Up to three different available wheelbase lengths 139," 159" and 177"
- Available automatic locking rear differential
- StabiliTrak Electronic Stability Control System
- Hill Start Assist
- · 4-wheel antilock disc brakes





1 Express 4500 Cutaway. Maximum Gross Vehicle Weight Rating (GVWR). When properly equipped; includes weight of vehicle, passengers, cargo and equipment. 2 Shown with upfit from an independent supplier. Equipment from independent suppliers is not covered by the GM New Vehicle Limited Warranty. GM is not responsible for the safety or quality of independent supplier alterations.



FOR BIG LOADS IN TIGHT SPACES.

From construction to landscaping to wholesale delivery, Low Cab Forward trucks offer a smarter way to work, with a high level of maneuverability, low cost of ownership and remarkable reliability. The agile cab-over design makes them perfect in congested urban areas or tight jobsites where visibility is key. From the powerful 6500 XD to the city-friendly 3500, Chevy Low Cab Forward is an efficient and dependable lineup offering Regular Cab and Crew Cab configurations with a choice of gas or diesel engine and a wide range of wheelbases and upfits!

1 Shown with upfit from an independent supplier. Equipment from independent suppliers is not covered by the GM New Vehicle Limited Warranty. GM is not responsible for the safety or quality of independent supplier alterations.

Low Cab Forward 4500 Regular Cab in Arc White, shown with an upfit from an independent supplier!

daite

4500

in the second

LOW CAB FORWARD

For more info, go to Low Cab Forward <u>Specifications</u> and <u>Dimensions</u>.



Low Cab Forward 6500 XD Regular Cab with an upfit from an independent supplier!

Low Cab Forward trucks come in a choice of wheelbases for your professional needs.

LOW CAB FORWARD HIGHLIGHTS

- 3500 and 4500:
- 6.6L V8 gasoline engine
- 6-speed automatic transmission with double overdrive
- 350 horsepower and 425 lb.-ft. of torque
- Available in Regular Cab and Crew Cab configurations
- 4500 HD, 4500 XD, 5500 HD and 5500 XD:
- 5.2L I-4 Turbo-Diesel engine
- 6-speed automatic transmission with double overdrive
- 215 horsepower and 452 lb.-ft. of torque
- Available in Regular Cab and Crew Cab configurations
- 6500 XD:
- 5.2L I-4 Turbo-Diesel engine
- Allison[®] 2550 Rugged Duty Series (RDS) 6-speed automatic transmission with double overdrive
- 215 horsepower and 520 lb.-ft. of torque
- Available in Regular Cab
- Ladder-type frame with single-piece straight frame rails for strength and durability features standardized modular hole spacing and a clean, flat top for easier body mounting/upfit¹
- GVWRs up to 25,950 lbs?
- Available in a range of wheelbases for body applications ranging from 10 ft. to 30 ft.
- Standard cornering lamps





1 Shown with upfit from an independent supplier. Equipment from independent suppliers is not covered by the GM New Vehicle Limited Warranty. GM is not responsible for the safety or quality of independent supplier alterations. 2 Low Cab Forward 6500 XD. Maximum Gross Vehicle Weight Rating (GVWR). When properly equipped; includes weight of vehicle, passengers, cargo and equipment.

POLICE/SPECIAL SERVICE

PUBLIC SERVICE VERSATILITY.

All vehicles shown with aftermarket equipment.

Chevrolet commands authority with its formidable lineup of diverse, reliable Police Pursuit Vehicles (PPV) and Special Service Vehicles (SSV). Designed to help protect those who protect us, each vehicle offers cuttingedge safety features and impressive cargo capacity. Tahoe. Tahoe PPV is the full-size, no-compromise officers' patrol vehicle and the only pursuit-rated, police-rated body-on-frame SUV. The available Rear Camera Mirror¹ provides a wide view that would normally be obstructed by partitions or K-9 inserts. **Silverado.** Silverado SSV offers unique specialty equipment options such as spot lamps, a standard surveillance mode circuit, a high-output alternator and a 110-volt power supply in the cargo bed.

Express Passenger Van. Chevrolet Express is ideal for prisoner transport with its traditional roof height, equipment transfers and ease of access to sally ports or garages.

Malibu and Traverse. Malibu and Traverse Fleet Packages offer a comprehensive list of available safety and driver assistance features to help your plainclothes officers stay alert while detecting potential hazards.

Bolt EV combines electric efficiency with ample interior space.

ELECTRIC FUTURE

Tremendous changes are occurring at Chevrolet as we shift to an all-electric future. This spells good news for commercial vehicle operators who are considering electric vehicles for their fleets. Right now, depending on which state you live in, your business could also qualify for additional state tax incentives. EV incentives vary by state and are subject to change. Check your state's website for details. Also, talk with your electricity provider about additional savings and rebates in your area.



BOLT EV

Running an efficient business for some may come down to an ultraefficient car for deliveries around the city. The 2021 Bolt EV offers an EPA-estimated 259 miles of range¹ on a full charge as well as less maintenance than a gas vehicle, since you don't need to worry about oil changes, transmission fluid flushes or spark plug replacement. That means you'll have all the range you need for your daily routes and you won't be spending any time – or money – at the pump.



Top: Spark offers great value and versatility.

Bottom: Malibu seats five in comfort and style.



SPARK

Spark is a small car that's perfect for urban deliveries or just getting around the city. It's not only fun to drive, it also fits almost anywhere you need to go with space for associates and smaller cargo. Available smart technology helps keep you connected along the way. And with an EPA-estimated 38 MPG highway,¹ the 2021 Spark keeps your business running.



MALIBU

With a sophisticated appearance and remarkable driving dynamics, the 2021 Malibu could be an excellent tool for your sales force. Malibu is ready to take you wherever the road leads. The turbocharged RS makes an emphatic statement, and Premier surrounds you with all-encompassing luxuries. Prepare to be impressed, because everything about Malibu reflects your good taste.

1 Spark has an EPA-estimated 29 MPG city/38 highway with 5-speed manual transmission and 30 MPG city/38 highway with available Continuously Variable Transmission (CVT). Spark ACTIV has an EPA-estimated 29 MPG city/37 highway with 5-speed manual transmission and 30 MPG city/37 highway with 5-speed manual transmission and 30 MPG city/37 highway with 5-speed manual transmission and 30 MPG city/37 highway with 5-speed manual transmission and 30 MPG city/37 highway with 5-speed manual transmission and 30 MPG city/37 highway with 5-speed manual transmission and 30 MPG city/37 highway with 5-speed manual transmission and 30 MPG city/37 highway with 5-speed manual transmission and 30 MPG city/37 highway with 5-speed manual transmission and 30 MPG city/37 highway with 5-speed manual transmission and 30 MPG city/37 highway with 5-speed manual transmission and 30 MPG city/37 highway with 5-speed manual transmission and 30 MPG city/37 highway with 5-speed manual transmission and 30 MPG city/37 highway with 5-speed manual transmission and 30 MPG city/37 highway with 5-speed manual transmission and 30 MPG city/37 highway with 5-speed manual transmission and 30 MPG city/37 highway with 5-speed manual transmission and 50 MPG city/38 highway with 5-speed manual transmission and 50 MPG city/37 highway with 5-speed manual transmission and 50 MPG city/38 highway with 5-speed manual transmission and 50 MPG city/38 highway with 5-speed manual transmission and 50 MPG city/38 highway with 5-speed manual transmission and 50 MPG city/38 highway with 5-speed manual transmission and 50 MPG city/38 highway with 5-speed manual transmission and 50 MPG city/38 highway with 5-speed manual transmission and 50 MPG city/38 highway with 5-speed manual transmission and 50 MPG city/38 highway with 5-speed manual transmission and 50 MPG city/38 highway with 5-speed manual transmission and 50 MPG city/38 highway with 5-speed manual transmission and 50 MPG city/38 highway with 5-speed manual transmission and 50 MPG city/38 highway with 5-speed manual t

Top: Tahoe offers abundant cargo space plus room for up to nine passengers?

Bottom: Suburban offers nine-passenger seating² with as much as 144 cu. ft. of cargo space!





The most versatile and advanced Tahoe ever includes 122.9 cu. ft. of maximum cargo volume¹ and a third row that offers up to 10 inches more leg room. Tahoe also features an available Four-Corner Air Ride Adaptive Suspension. Add in the power of three available engines, including the Duramax 3.0L Turbo-Diesel, a host of standard advanced safety features and numerous driver assistance technologies, and it's evident that Tahoe will be a valuable asset to your business.

SUBURBAN

The longest-selling full-size SUV is more spacious, with increased second- and third-row leg room and up to 144.7 cu. ft. of maximum cargo volume! It's forward-thinking, with available features like a best-in-class Rear-Seat Media System and first-in-class Power Sliding Center Console. And it's more versatile, with available features that include a Four-Corner Air Ride Adaptive Suspension and three powerful engines – including the Duramax 3.0L Turbo-Diesel.



SUVS

Top: Every Chevrolet Blazer, Equinox and Trax offers five-passenger seating and the convenience of split-folding rear seats.

Bottom: Trailblazer offers surprising storage flexibility, while Traverse can tow up to 5,000 lbs⁵, when properly equipped.





Blazer. Seats up to five. With the rear seats folded flat, offers up to 64.2 cu. ft. of maximum cargo space!

Equinox. Seats up to five. With the rear seats folded flat, offers up to 63.9 cu. ft. of maximum cargo space!

Trax. Seats up to five. With the rear seats folded flat, offers up to 48.4 cu. ft. of maximum cargo space¹ and can carry items up to 8 ft. long with the fold-flat front passenger seat.

Trailblazer. Seats up to five. With the rear seats folded flat, offers up to 54.4 cu. ft. of maximum cargo space¹ and can carry items up to 8.5 ft. long with the fold-flat front passenger seat?

Traverse. Seats up to eight³ With the rear seats folded flat, offers up to a best-in-class⁴ 98.2 cu. ft. of maximum cargo space¹



1 Cargo and load capacity limited by weight and distribution. 2 Fold-flat front-passenger seat not available on Trailblazer L. 3 Seating for eight is standard on L and LS; available on LT with second-row 60/40 split-bench seat. RS, Premier and High Country seat seven. 4 Class is Mid SUV segment. 5 With available trailering equipment. Before you buy a vehicle or use it for trailering, carefully review the Trailering section of the Owner's Manual. The weight of passengers, cargo and options or accessories may reduce the amount you can tow.

Go to Silverado 1500 model overview.

SILVERADO 1500 MODEL AVAILABILITY

• AVAILABLE – NOT AVAILABLE

REGULAR CAB - LONG BED

DOUBLE CAB - STANDARD BED



| STANDARD ENGINE | AVAILABLE ENGINES | 2WD | 4x4 |
|------------------------------------|--|--|---|
| 4.3L EcoTec3 V6 (LV3) | 2.7L Turbo (L3B), 5.3L EcoTec3 V8 (L82), 5.3L EcoTec3 V8 (L82/YK9') | • | ٠ |
| 4.3L EcoTec3 V6 (LV3) ² | 2.7L Turbo (L3B), 5.3L EcoTec3 V8 (L82); 5.3L EcoTec3 V8 (L82/YK9¹) | • | ٠ |
| 2.7L Turbo (L3B) | 5.3L EcoTec3 V8 (L84), 5.3L EcoTec3 V8 (L84/YK9³), Duramax 3.0L I-6 (LM2) | • | ٠ |
| 2.7L Turbo (L3B) | 5.3L EcoTec3 V8 (L84), 5.3L EcoTec3 V8 (L84/YK9 ³), 6.2L EcoTec3 V8 (L87), Duramax 3.0L I-6 (LM2) | - | • |
| | 4.3L EcoTec3 V6 (LV3) 4.3L EcoTec3 V6 (LV3) ² 2.7L Turbo (L3B) | 4.3L EcoTec3 V6 (LV3) 2.7L Turbo (L3B), 5.3L EcoTec3 V8 (L82), 5.3L EcoTec3 V8 (L82/YK9') 4.3L EcoTec3 V6 (LV3)² 2.7L Turbo (L3B), 5.3L EcoTec3 V8 (L82), 5.3L EcoTec3 V8 (L82)? 2.7L Turbo (L3B) 5.3L EcoTec3 V8 (L82), 5.3L EcoTec3 V8 (L82)? 2.7L Turbo (L3B) 5.3L EcoTec3 V8 (L82), 5.3L EcoTec3 V8 (L84), Duramax 3.0L I-6 (LM2) 3.7L Turbo (L3D) 5.3L EcoTec3 V8 (L84), 5.3L EcoTec3 V8 (L84), Duramax 3.0L I-6 (LM2) | 4.3L EcoTec3 V6 (LV3) 2.7L Turbo (L3B), 5.3L EcoTec3 V8 (L82), 5.3L EcoTec3 V8 (L82/YK9') 4.3L EcoTec3 V6 (LV3)² 2.7L Turbo (L3B), 5.3L EcoTec3 V8 (L82); 5.3L EcoTec3 V8 (L82/YK9') 2.7L Turbo (L3B) 5.3L EcoTec3 V8 (L84), 5.3L EcoTec3 V8 (L82/YK9') 2.7L Turbo (L3B) 5.3L EcoTec3 V8 (L84), 5.3L EcoTec3 V8 (L84/YK9'), Duramax 3.0L I-6 (LM2) 3.7L Turbo (L3D) 5.3L EcoTec3 V8 (L84), 5.3L EcoTec3 V8 (L84/YK9'), Duramax 3.0L I-6 (LM2) |



| IKI | 1 STANDARD ENGINE | AVAILABLE ENGINES | 2 W D | 4X4 |
|-----|-----------------------|--|-------|-----|
| WT | 4.3L EcoTec3 V6 (LV3) | 2.7L Turbo (L3B), 5.3L EcoTec3 V8 (L82), 5.3L EcoTec3 V8 (L82/YK9¹) | ٠ | • |

CREW CAB – STANDARD BED



| TRIM | STANDARD ENGINE | AVAILABLE ENGINES | 2WD 4x4 |
|-------------------|--|---|---------|
| WT | 4.3L EcoTec3 V6 (LV3) | 2.7L Turbo (L3B), 5.3L EcoTec3 V8 (L82), 5.3L EcoTec3 V8 (L82/YK9') | • • |
| Custom | 4.3L EcoTec3 V6 (LV3) ² | 2.7L Turbo (L3B), 5.3L EcoTec3 V8 (L82); 5.3L EcoTec3 V8 (L82/YK9¹) | - • |
| Custom Trail Boss | 4.3L EcoTec3 V6 (LV3) | 5.3L EcoTec3 V8 (L82), 5.3L EcoTec3 V8 (L82/YK9'), 6.2L EcoTec3 V8 (L87) | - • |
| LT | 2.7L Turbo (L3B) | 5.3L EcoTec3 V8 (L84), 5.3L EcoTec3 V8 (L84/YK9³), Duramax 3.0L I-6 (LM2) ⁴ | • • |
| RST | 2.7L Turbo (L3B) | 5.3L EcoTec3 V8 (L84), 5.3L EcoTec3 V8 (L84/YK9³), 6.2L EcoTec3 V8 (L87), Duramax 3.0L I-6 (LM2) | - • |
| LT Trail Boss | 5.3L EcoTec3 V8 (L84) | 6.2L EcoTec3 V8 (L87) | - • |
| LTZ | 5.3L EcoTec3 V8 (L84), 5.3L EcoTec3 V8 (L84/YK9³) | 6.2L EcoTec3 V8 (L87), Duramax 3.0L I-6 (LM2) | - • |
| High Country | 5.3L EcoTec3 V8 (L84), 5.3L EcoTec3 V8 (L84/YK9³) | 6.2L EcoTec3 V8 (L87), Duramax 3.0L I-6 (LM2) | - • |



| TRIM | STANDARD ENGINE | AVAILABLE ENGINES | 2WD | 4x4 |
|-------------------|--|--|-----|-----|
| WT | 4.3L EcoTec3 V6 (LV3) | 2.7L Turbo (L3B), 5.3L EcoTec3 V8 (L82), 5.3L EcoTec3 V8 (L82/YK9¹) | ٠ | • |
| Custom | 4.3L EcoTec3 V6 (LV3) ² | 2.7L Turbo (L3B), 5.3L EcoTec3 V8 (L82); 5.3L EcoTec3 V8 (L82/YK9¹) | ٠ | • |
| Custom Trail Boss | 4.3L EcoTec3 V6 (LV3) | 5.3L EcoTec3 V8 (L82), 5.3L EcoTec3 V8 (L82/YK9¹), 6.2L EcoTec3 V8 (L87) | _ | • |
| LT | 2.7L Turbo (L3B) | 5.3L EcoTec3 V8 (L84), 5.3L EcoTec3 V8 (L84/YK9³), Duramax 3.0L I-6 (LM2) | ٠ | • |
| RST | 2.7L Turbo (L3B) | 5.3L EcoTec3 V8 (L84), 5.3L EcoTec3 V8 (L84/YK9³), 6.2L EcoTec3 V8 (L87), ⁴ Duramax 3.0L I-6 (LM2) | • | • |
| LT Trail Boss | 5.3L EcoTec3 V8 (L84) | 6.2L EcoTec3 V8 (L87) | _ | ٠ |
| LTZ | 5.3L EcoTec3 V8 (L84), 5.3L EcoTec3 V8 (L84/YK9³) | 6.2L EcoTec3 V8 (L87), ⁴ Duramax 3.0L I-6 (LM2) | • | • |
| High Country | 5.3L EcoTec3 V8 (L84), 5.3L EcoTec3 V8 (L84/YK9³) | 6.2L EcoTec3 V8 (L87), ⁴ Duramax 3.0L I-6 (LM2) | ٠ | ٠ |

1 Effective March 2021, the 5.3L EcoTec3 V8 (L82) engine with YK9 is not equipped with Active Fuel Management, resulting in reduced efficiency. Please see page 39 for details. 2 Limited availability. 3 Effective March 2021, the 5.3L EcoTec3 V8 (L84) engine with YK9 is not equipped with Dynamic Fuel Management, resulting in reduced efficiency. Please see page 39 for details. 4 Requires available 4x4.

CREW CAB - SHORT BED

MECHANICAL

STANDARD EQUIPMENT FOR ALL SILVERADO 1500 TRIMS

Go to Silverado 1500 model overview.



INTERIOR

| HEOMATIONE | INTERIOR |
|--|---|
| Brakes – 4-wheel antilock disc with Duralife brake rotors and brake lining wear indicator | Airbags ² – dual-stage frontal airbags for driver and front outboard passenger; seat-mounted side-impact airbags for |
| Frame – fully boxed frame with hydroformed front section | driver and front outboard passenger; head-curtain airbags for front and rear outboard seating positions; includes front outboard Passenger Sensing System for frontal outboard passenger airbag |
| StabiliTrak – Electronic Stability Control System and Traction Control; includes Electronic Trailer Sway Control and Hill Start Assist | Air conditioning – includes rear-seat air vents on Double Cab and Crew Cab |
| Steering - rack-and-pinion with Electric Power Steering (EPS) assist | Air filter monitor |
| EXTERIOR | Assist handles – driver and front passenger, A-pillar; rear passenger, B-pillar |
| Bumper – rear CornerSteps | Connectivity – Bluetooth® phone connectivity and wireless audio streaming³ and Apple CarPlay®4 and Android Auto™s compatibility |
| Cargo area lighting – integrated with center high-mounted stop lamp | Display - outside temperature |
| Fuel filler – capless fueling | Door locks – manual (Regular Cab); power programmable with lockout protection and manual rear door child security |
| Lamps – daytime running lamps, automatic on/off with automatic delay | (Double Cab and Crew Cab) |
| Pickup bed – Durabed | Instrument cluster – 6-gauge with speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure |
| Tailgate and bed rail – protection cap | Media – USB port ⁶ |
| Tie-downs - 12 fixed cargo tie-downs, rated at 500 lbs! per corner | Power outlet – 12-volt auxiliary, front |
| Tire – carrier lock | Rear Seat Reminder ⁷ (Double Cab and Crew Cab) |
| Tire - full-size spare | Rear Vision Camera ⁸ |
| | Teen Driver technology |
| | Tire Pressure Monitoring System – with Tire Fill Alert (does not apply to spare tire) |
| | |

Windows - manual (Regular Cab); power with driver express-up/-down, all others express-down (Double Cab and Crew Cab)

1 These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the Vehicle Loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver door jamb. 2 A NOTE ON CHILD SAFETY: Always use seat belts and the correct child restraint for your child's age and size, even with airbags. Even in vehicles equipped with the Passenger Sensing System, children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal airbag. See your vehicle 0wner's Manual and the child safety seat instructions for more safety information. 3 Go to my.chevrolet.com/learnAbout/bluetooth to find out which phones are compatible with the vehicle. Full Bluetooth feature functionality varies by device, model and software version. 4 Vehicle user interface is a product of Apple and its terms and privacy statements apply. Requires compatible iPhone and data plan rates apply. 5 Vehicle user interface is a product of Google and its terms and privacy statements apply. Requires the Android Auto app on Google Play and an Android compatible smartphone running Android 5.0 or higher. Data plan rates apply. 6 Not compatible with all devices. 7 Does not detect people or items. Always check rear seat before exiting. 8 Read the vehicle

SILVERADO 1500 (CONTINUED)

Go to Silverado 1500 model overview.



ENGINES

| 2.7L TURBO (L3B) | 3.0L TURBO-DIESEL I-6 (LM2) | 4.3L ECOTEC3 V6 (LV3) | 5.3L ECOTEC3 V8 (L82) | 5.3L ECOTEC3 V8 (L82/YK91) | 5.3L ECOTEC3 V8 (L84) | 5.3L ECOTEC3 V8 (L84/YK9²) | 6.2L ECOTEC3 V8 (L87) |
|---|--|---|---|---|---|--|---|
| Equipped with Active Fuel Management | Equipped with Diesel Exhaust Brake System | Equipped with Active Fuel Management | Equipped with Active Fuel Management | Not Equipped with Active Fuel Management | Equipped with Dynamic Fuel Management | Not Equipped with Dynamic Fuel Management | Equipped with Dynamic Fuel Management |
| 310 hp @ 5600 rpm | 277 hp @ 3750 rpm | 285 hp @ 5300 rpm | 355 hp @ 5600 rpm | 420 hp @ 5600 rpm |
| 348 lbft. torque @ 1500 rpm | 460 lbft. torque @ 1500 rpm | 305 lbft. torque @ 3900 rpm | 383 lbft. torque @ 4100 rpm | 460 lbft. torque @ 4100 rpm |
| EPA-ESTIMATED FU | JEL ECONOMY | | | | | | |
| 20 MPG city/ 23 highway (2WD) | 23 MPG city/ 33 highway (2WD) | 16 MPG city/ 21 highway (2WD) | 15 MPG city/ 21 highway (2WD) | 14 MPG city/ 21 highway (2WD) | 17 MPG city/ 23 highway (2WD) | 15 MPG city/ 22 highway (2WD) | _ |
| 19 MPG city/ 22 highway (4x4) | 22 MPG city/ 26 highway (4x4) | 15 MPG city/ 20 highway (4x4) | 15 MPG city/ 20 highway (4x4) | 14 MPG city/ 20 highway (4x4) | 16 MPG city/ 22 highway (4x4) | 14 MPG city/ 21 highway (4x4) | 16 MPG city/ 21 highway (4x4) |
| - | - | 14 MPG city/ 18 highway (Trail Boss 4x4) | 14 MPG city/ 18 highway (Trail Boss 4x4) | 13 MPG city/ 18 highway (Trail Boss 4x4) | 16 MPG city/ 21 highway (Trail Boss 4x4) | - | 15 MPG city/ 19 highway (Trail Boss 4x4) |

DIMENSIONS

| | REGULAR CAB | DOUBLE CAB | CREW CAB | | REGULAR CAB | DOUBLE CAB | CREW CAB |
|-----------|--------------------|-------------|---------------|----------------------------|--------------------|-------------|-------------|
| Length | 229.5" | 231.7" | 231.7"-241.2" | Head Room (front/rear) | 43.1"/- | 43.0"/39.9" | 43.0"/40.1" |
| Wheelbase | 139.6" | 147.5" | 147.4"-157.1" | Leg Room (front/rear) | 44.5"/- | 44.5"/35.2" | 44.5"/43.4" |
| Height | 75.6" | 75.6"-78.5" | 75.4"-78.3" | Shoulder Room (front/rear) | 66.1"/- | 66.0"/64.9" | 66.0"/65.2" |
| Width | 81.1" | 81.2" | 81.2" | Hip Room (front/rear) | 60.9"/- | 61.2"/60.2" | 61.2"/60.2" |

MAXIMUM CAPACITIES

| | REGULAR CAB | DOUBLE CAB | CREW CAB | | |
|-------------------------|--------------------|-------------------------|-------------------------|---------------------------|--------------------------------|
| Fuel tank (approximate) | 28 gallons | 24 gallons | 24 gallons | Cargo volume ³ | 89.1 cubic feet (Long Bed) |
| | - | 22 gallons (2WD Diesel) | 22 gallons (2WD Diesel) | | 71.7 cubic feet (Standard Bed) |
| | | | | | 62.9 cubic feet (Short Bed) |

1 Effective March 2021, the 5.3L EcoTec3 V8 (L82) engine with YK9 is not equipped with Active Fuel Management, resulting in reduced efficiency. 2 Effective March 2021, the 5.3L EcoTec3 V8 (L84) engine with YK9 is not equipped with Dynamic Fuel Management, resulting in reduced efficiency. 3 Cargo and load capacity limited by weight and distribution.

SILVERADO 1500 (CONTINUED)

Go to Silverado 1500 model overview.



PAYLOAD AND TRAILER WEIGHT RATINGS

| MODEL | ENGINE | MAX PAYLOAD (LBS.) ¹ | MAX CONVENTIONAL TRAILER WEIGHT (LBS.) ² | MODEL | ENGINE | MAX PAYLOAD (LBS.) ¹ | MAX CONVENTIONAL TRAILER WEIGHT (LBS.) ² |
|---|--|---------------------------------------|---|--|--|---------------------------------------|---|
| REGULAR CAB | | | | DOUBLE CAB (CONTINUED) | | | |
| | 2.7L Turbo | 2,280 | 9,600 | | 2.7L Turbo | 2,050 | 9,100 |
| Lang Dad 2000 | 4.3L V6 | 2,250 | 7,900 | | 4.3L V6 | 2,020 | 7,400 |
| REGULAR CAB Long Bed 2WD Long Bed 4x4 DOUBLE CAB Standard Bed 2WD Standard Bed 2WD with | 5.3L V8 (L82) with 6-speed | 2,180 | 10,000 | | 5.3L V8 (L82) with 6-speed | 1,950 | 9,500 |
| | 5.3L V8 (L82/YK9³) with 6-speed | 2,180 | 10,000 | Standard Bed 4x4 | 5.3L V8 (L82/YK9³) with 6-speed | 1,950 | 9,500 |
| | 2.7L Turbo | 2,160 | 9,400 | Stanual u Deu 474 | 5.3L V8 (L84) with 8-speed | 1,960 | 9,500 |
| Low - Ded Av4 | 4.3L V6 | 2,130 | 7,600 | | 5.3L V8 (L84/YK94) with 8-speed | 1,960 | 9,500 |
| Long Bed 4x4 | 5.3L V8 (L82) with 6-speed | 2,070 | 9,700 | | 6.2L V8 | 1,690 | 9,300 |
| | 5.3L V8 (L82/YK9 ³) with 6-speed | 2,070 | 9,700 | | Duramax 3.0L I-6 | 1,770 | 9,100 |
| DOUBLE CAB | | | | Standard Bed 4x4 with | 5.3L V8 (L84) with 8-speed | 2,180 | 11,100 |
| | 2.7L Turbo | 2,060 | 9,300 | Max Trailering Package | 5.3L V8 (L84/YK94) with 8-speed | 2,180 | 11,100 |
| | 4.3L V6 | 2,040 | 7,600 | | 6.2L V8 | 2,090 | 12,100 |
| | 5.3L V8 (L82) with 6-speed | 1,970 | 9,700 | Standard Bed RST 4x4 with Max Trailering Package and 20" Wheels | 6.2L V8 | 1,990 | 13,300 |
| Standard Bed 2WD | 5.3L V8 (L82/YK9³) with 6-speed | 1,970 | 9,700 | Traitering rackage and 20 miletis | 4.3L V6 | 1.770 | 7,300 |
| | 5.3L V8 (L84) with 8-speed | 1,970 | 9,800 | | 5.3L V8 (L82) with 6-speed | 1,670 | 9,400 |
| | 5.3L V8 (L84/YK94) with 8-speed | 1,970 | 9,800 | Standard Bed Trail Boss 4x4 | 5.3L V8 (L82/YK9 ³) with 6-speed | 1.670 | 9,400 |
| | Duramax 3.0L I-6 | 1,780 | 9,500 | | 6.2L V8 | 1,070 | 9,300 |
| Standard Bed 2WD with | 5.3L V8 (L84) with 8-speed | 2,190 | 11,500 | | 0.22 00 | 1,700 | 3,300 |
| Max Trailering Package | 5.3L V8 (L84/YK94) with 8-speed | 2,190 | 11,500 | | | | |

1 These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the Vehicle Loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver door jamb. 2 Before you buy a vehicle or use it for trailering, carefully review the Trailering section of the Owner's Manual. The weight of passengers, cargo and options or accessories may reduce the amount you can tow. 3 Effective March 2021, the 5.3L EcoTec3 V8 (L82) engine with YK9 is not equipped with Active Fuel Management, resulting in reduced efficiency. Please see page 39 for details. 4 Effective March 2021, the 5.3L EcoTec3 V8 (L84) engine with YK9 is not equipped with Active Fuel Management, resulting in reduced efficiency. Please see page 39 for details.

SILVERADO 1500 (CONTINUED)

Go to Silverado 1500 model overview.

 \rightarrow



PAYLOAD AND TRAILER WEIGHT RATINGS

| MODEL | ENGINE | MAX PAYLOAD (LBS.) ¹ | MAX CONVENTIONAL TRAILER WEIGHT (LBS.) ² | MODEL | ENGINE | MAX PAYLOAD (LBS.) ¹ | MAX CONVENTIONAL TRAILER WEIGHT (LBS.) ² |
|---|--|---------------------------------------|---|---|--|---------------------------------------|---|
| CREW CAB | | | | CREW CAB (CONTINUED) | | | |
| | 2.7L Turbo | 2,060 | 9,300 | | 5.3L V8 (L84) with 8-speed | 2,170 | 11,100 |
| | 4.3L V6 | 2,040 | 7,600 | Short Bed 4x4 with Max Trailering Package | 5.3L V8 (L84/YK9 ⁴) with 8-speed | 2,170 | 11,100 |
| | 5.3L V8 (L82) with 6-speed | 2,060 | 9,700 | Max manering rackage | 6.2L V8 | 2,060 | 11,900 |
| Short Bed 2WD | 5.3L V8 (L82/YK9 ³) with 6-speed | 2,060 | 9,700 | | 4.3L V6 | 1,770 | 7,300 |
| | 5.3L V8 (L84) with 8-speed | 2,060 | 9,700 | | 5.3L V8 (L82) with 6-speed | 1,990 | 9,400 |
| | 5.3L V8 (L84/YK94) with 8-speed | 2,060 | 9,700 | Short Bed Trail Boss 4x4 | 5.3L V8 (L82/YK9³) with 6-speed | 1,990 | 9,400 |
| | Duramax 3.0L I-6 | 1,870 | 9,500 | | 5.3L V8 (L84) with 10-speed | 1,770 | 9,300 |
| Short Bed 2WD with | 5.3L V8 (L84) with 8-speed | 2,180 | 11,500 | | 6.2L V8 | 1,870 | 9,300 |
| Max Trailering Package | 5.3L V8 (L84/YK94) with 8-speed | 2,180 | 11,500 | | 2.7L Turbo | 2,000 | 9,000 |
| | 2.7L Turbo | 1,990 | 9,200 | | 4.3L V6 | 1,970 | 7,400 |
| CREW CAB Short Bed 2WD Short Bed 2WD with Max Trailering Package Standard Bed 2WD Standard Bed 2WD Standard Bed 2WD with Max Trailering Package | 4.3L V6 | 1,960 | 7,600 | | 5.3L V8 (L82) with 6-speed | 2,000 | 9,400 |
| Chanderd Ded 2000 | 5.3L V8 (L82) with 6-speed | 1,990 | 9,600 | | 5.3L V8 (L82/YK9 ³) with 6-speed | 2,000 | 9,400 |
| Standard Bed ZWD | 5.3L V8 (L82/YK9 ³) with 6-speed | 1,990 | 9,600 | Standard Bed 4x4 | 5.3L V8 (L84) with 8-speed | 2,010 | 9,300 |
| | 5.3L V8 (L84) with 8-speed | 1,990 | 9,700 | | 5.3L V8 (L84/YK9⁴) with 8-speed | 2,010 | 9,300 |
| | 5.3L V8 (L84/YK94) with 8-speed | 1,990 | 9,700 | | 5.3L V8 (L84) with 10-speed | 2,010 | 9,100 |
| Standard Bed 2WD with | 5.3L V8 (L84) with 8-speed | 2,110 | 11,400 | | 6.2L V8 | 1,590 | 9,100 |
| Max Trailering Package | 5.3L V8 (L84/YK9 ⁴) with 8-speed | 2,110 | 11,400 | | Duramax 3.0L I-6 | 1,820 | 9,000 |
| | 2.7L Turbo | 2,050 | 9,100 | | 5.3L V8 (L84) with 8-speed | 2,120 | 11,100 |
| | 4.3L V6 | 2,020 | 7,400 | Standard Bed 4x4 with Max Trailering Package | 5.3L V8 (L84/YK94) with 8-speed | 2,120 | 11,100 |
| | 5.3L V8 (L82) with 6-speed | 2,050 | 9,500 | Max manering rackage | 6.2L V8 | 2,010 | 11,900 |
| | 5.3L V8 (L82/YK9³) with 6-speed | 2,050 | 9,500 | | 4.3L V6 | 1,710 | 7,200 |
| Short Bed 4x4 | 5.3L V8 (L84) with 8-speed | 2,060 | 9,400 | | 5.3L V8 (L82) with 6-speed | 1,710 | 9,300 |
| | 5.3L V8 (L84/YK9 ⁴) with 8-speed | 2,060 | 9,400 | Standard Bed Trail Boss 4x4 | 5.3L V8 (L82/YK9 ³) with 6-speed | 1,710 | 9,300 |
| | 5.3L V8 (L84) with 10-speed | 2,060 | 9,200 | | 5.3L V8 (L84) with 10-speed | 1,720 | 9,300 |
| | 6.2L V8 | 1,670 | 9,200 | | 6.2L V8 | 1,820 | 9,200 |
| | Duramax 3.0L I-6 | 1,870 | 9,000 | | | | |
| Short Bed Custom 4x4 with | 5.3L V8 (L82) with 6-speed | 2,050 | 10,900 | | | | |
| Custom Max Trailering Package | 5.3L V8 (L82/YK9³) with 6-speed | 2,050 | 10,900 | | | | |

1 These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the Vehicle Loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver door jamb. 2 Before you buy a vehicle or use it for trailering, carefully review the Trailering section of the Owner's Manual. The weight of passengers, cargo and options or accessories may reduce the amount you can tow. 3 Effective March 2021, the 5.3L EcoTec3 V8 (L82) engine with YK9 is not equipped with Active Fuel Management, resulting in reduced efficiency. Please see page 39 for details. 4 Effective March 2021, the 5.3L EcoTec3 V8 (L84) engine with YK9 is not equipped with Active Fuel Management, resulting in reduced efficiency. Please see page 39 for details.

SILVERADO HD MODEL AVAILABILITY

• AVAILABLE – NOT AVAILABLE

| TRIM | 2500 HD | 3500 HD SRW | 3500 HD DRW | STANDARD ENGINE | AVAILABLE ENGINE | 2WD | 4x4 |
|------|---------|----------------|----------------|-----------------|------------------|-----|-----|
| WT | ٠ | ٠ | • | 6.6L V8 gas | Duramax 6.6L V8 | • | ٠ |
| LT | ٠ | ٠ | • | 6.6L V8 gas | Duramax 6.6L V8 | • | • |

 \rightarrow

Go to Silverado HD

model overview.





| TRIM | 2500 HD | 3500 HD SRW | 3500 HD DRW | STANDARD ENGINE | AVAILABLE ENGINE | 2WD | 4x4 |
|--------|---------|----------------|----------------|-----------------|------------------|-----|-----|
| WT | ٠ | - | - | 6.6L V8 gas | Duramax 6.6L V8 | • | • |
| Custom | • | - | _ | 6.6L V8 gas | Duramax 6.6L V8 | ٠ | • |
| LT | ٠ | - | - | 6.6L V8 gas | Duramax 6.6L V8 | • | • |

DOUBLE CAB - STANDARD BED



| TRIM | 2500 HD | 3500 HD SRW | 3500 HD DRW | STANDARD ENGINE | AVAILABLE ENGINE | 2WD | 4x4 |
|--------|---------|----------------|----------------|-----------------|------------------|-----|-----|
| WT | • | ٠ | ٠ | 6.6L V8 gas | Duramax 6.6L V8 | • | • |
| Custom | • | - | _ | 6.6L V8 gas | Duramax 6.6L V8 | ٠ | • |
| LT | • | ٠ | ٠ | 6.6L V8 gas | Duramax 6.6L V8 | • | • |

DOUBLE CAB – LONG BED

CREW CAB – STANDARD BED



| | TRIM | 2500 HD | 3500 HD SRW | 3500 HD DRW | STANDARD ENGINE | AVAILABLE ENGINE | 2WD | 4x4 |
|---|--------------|---------|----------------|----------------|-----------------|------------------|-----|-----|
| | WT | ٠ | ٠ | _ | 6.6L V8 gas | Duramax 6.6L V8 | ٠ | • |
| | Custom | • | _ | _ | 6.6L V8 gas | Duramax 6.6L V8 | ٠ | • |
| | LT | • | ٠ | - | 6.6L V8 gas | Duramax 6.6L V8 | ٠ | ٠ |
| 2 | LTZ | ٠ | ٠ | _ | 6.6L V8 gas | Duramax 6.6L V8 | ٠ | ٠ |
| | High Country | ٠ | ٠ | _ | 6.6L V8 gas | Duramax 6.6L V8 | _ | ٠ |



CREW CAB – LONG BED



SILVERADO HD

Go to Silverado HD model overview.

 \rightarrow



STANDARD EQUIPMENT FOR ALL SILVERADO HD TRIMS

| /ECHANICAL | EXTERIOR (CONTINUED) | | | | |
|---|--|--|--|--|--|
| ir filter – high-capacity with air filtration monitoring | Tire – carrier lock | | | | |
| rakes – 4-wheel antilock disc with Duralife brake rotors and brake lining wear indicator | Tire – full-size spare | | | | |
| ooling – external engine and transmission oil coolers | INTERIOR | | | | |
| ifferential – automatic locking rear | Airbags ³ - dual-stage frontal airbags for driver and front outboard passenger; seat-mounted side-impact airbags for driver | | | | |
| ngine – 6.6L V8 gas with Variable Valve Timing (VVT) and Direct Injection | and front outboard passenger; head-curtain airbags for front and rear outboard seating positions; includes front outboard Passenger Sensing System for frontal outboard passenger airbag | | | | |
| rame – fully boxed frame with hydroformed front section | Air conditioning | | | | |
| tabiliTrak – Electronic Stability Control System and Traction Control; includes Electronic Trailer Sway Control and ill Start Assist | Air conditioning Air vents – rear, heating/cooling (Double Cab and Crew Cab) | | | | |
| ailering Package – trailer hitch with 2.5-inch receiver and 2-inch insert, 7-pin wiring connector and Hitch Guidance ¹ | Assist handles – driver and front passenger, A-pillar; rear passenger, B-pillar | | | | |
| ransmission – 6-speed automatic | Connectivity – Bluetooth® phone connectivity and wireless audio streaming ⁴ Display – outside temperature Door locks – manual (Regular Cab); power programmable with lockout protection and manual rear door child security (Double Cab and Crew Cab) | | | | |
| XTERIOR | | | | | |
| edSteps – integrated on forward portion of bed on driver and passenger side | | | | | |
| umper – rear CornerSteps | Instrument cluster – 6-gauge with speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure | | | | |
| argo area lighting – integrated with center high-mounted stop lamp | Power outlet - 12-volt auxiliary, front | | | | |
| uel filler – capless fueling (gas engine only) | Rear Seat Reminder⁵ (Double Cab and Crew Cab) | | | | |
| amps – daytime running lamps, automatic on/off with automatic delay | Rear Vision Camera ¹ | | | | |
| ickup bed – Durabed | Teen Driver technology | | | | |
| ilgate and bed rail – protection cap | Tire Pressure Monitoring System – with Tire Fill Alert (does not apply to spare tire) | | | | |
| ie-downs - 12 fixed cargo tie-downs, rated at 500 lbs? per corner | Windows – manual (Regular Cab); power with driver express-up/-down, all others express-down (Double Cab and Crew Cab) | | | | |

1 Read the vehicle Owner's Manual for important feature limitations and information. 2 These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the Vehicle Loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver door jamb. 3 A NOTE ON CHILD SAFETY: Always use seat belts and the correct child restraint for your child's age and size, even with airbags. Even in vehicles equipped with the Passenger Sensing System, children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal airbag. See your vehicle Owner's Manual and the child safety seat instructions for more safety information. 4 Go to my chevrolet.com/learnAbout/bluetooth to find out which phones are compatible with the vehicle. Full Bluetooth feature functionality varies by device, model and software version. 5 Does not detect people or items. Always check rear seat before exiting.

SILVERADO HD (CONTINUED)

Go to Silverado HD model overview.



ENGINES

| 6.6L V8 GAS Standard on all 2500 HD and 3500 HD models. | DURAMAX 6.6L TURBO-DIESEL V8 Available on 2500 HD and 3500 HD models. |
|---|---|
| Variable Valve Timing (VVT) and Direct Injection | Direct Injection with high-pressure common rail |
| 6-speed automatic transmission | Allison® 10-speed automatic transmission |
| 401 hp @ 5200 rpm | 445 hp @ 2800 rpm |
| 464 lbft. of torque @ 4000 rpm | 910 lbft. of torque @ 1600 rpm |
| Displacement: 6564 cc (400 cu. in.) | Displacement: 6619 cc (403 cu. in.) |
| Bore and stroke: 103.25 mm x 98 mm | Bore and stroke: 103 mm x 99 mm |
| Compression ratio: 10.75:1 | Compression ratio: 16.0:1 |
| Alternator: 170 amps | Alternator: 220 amps |

DIMENSIONS

| | REGULAR CAB | DOUBLE CAB | CREW CAB | | REGULAR CAB | DOUBLE CAB | CREW CAB |
|-----------|--------------------|---------------|---------------|----------------------------|--------------------|-------------|-------------|
| Length | 235.5" | 240.4"-256.5" | 250.0"-266.0" | Head Room (front/rear) | 43.1"/- | 43.0"/39.9" | 43.0"/40.1" |
| Wheelbase | 141.5" | 149.4"-162.5" | 158.9"-172.0" | Leg Room (front/rear) | 44.5"/- | 44.5"/35.2" | 44.5"/43.4" |
| Height | 79.9"-80.9" | 79.8"-80.9" | 79.7"-80.9" | Shoulder Room (front/rear) | 66.1"/- | 66.0"/64.9" | 66.0"/65.3" |
| Width | 81.8"-96.8" | 81.9"-96.8" | 81.9"-96.8" | Hip Room (front/rear) | 60.9"/- | 61.2"/60.2" | 61.2"/60.2" |

MAXIMUM CAPACITIES

| | REGULAR CAB | DOUBLE CAB | CREW CAB | | |
|-------------------------|-----------------------------------|--|------------|---------------------------|--|
| Fuel tank (approximate) | 36 gallons 28 gallons (Diesel) | 36 gallons 29 gallons (Standard Bed Diesel) | 36 gallons | Cargo volume ¹ | 69.6 cubic feet (Standard Bed) 83.5 cubic feet (Long Bed) |
| | | J (| | | |

SILVERADO HD (CONTINUED)

Go to Silverado HD model overview.

 \rightarrow



PAYLOAD AND TRAILER WEIGHT RATINGS

| | | | | | _ © | m |
|---------------------|-----------------|-------------|--------------------------|------------------------------------|---|--|
| MODEL | ENGINE | WHEEL SIZE | GVWR (LBS.) ¹ | MAX PAYLOAD (LBS.) ² | MAX CONVENTIONAL TOWING (LBS.) ³ | MAX GOOSENECK/ 5TH-WHEEL TOWING (LBS.) ³ |
| 2500 HD RE | GULAR CAB | | | | | |
| | 6.6L V8 gas | 17"/18" | 9,900 | 3,757 | 14,500 | 17,370 |
| | 6.6L V8 gas | 17" | 10,000 | 3,857 | 14,500 | 17,370 |
| Long Bed 2WD | 6.6L V8 gas | 18"/20" | 10,150 | 3,979 | 14,500 | 17,340 |
| 2110 | Duramax 6.6L V8 | 17" | 10,550 | 3,544 | 14,500 | 18,510 |
| | Duramax 6.6L V8 | 18"/20" | 10,750 | 3,715 | 14,500 | 18,480 |
| | 6.6L V8 gas | 17"/18" | 10,000 | 3,544 | 14,500 | 17,060 |
| | 6.6L V8 gas | 17" | 10,250 | 3,794 | 14,500 | 17,060 |
| Long Bed 4x4 | 6.6L V8 gas | 18"/20" | 10,450 | 3,965 | 14,500 ⁴ | 17,030 |
| | Duramax 6.6L V8 | 17" | 10,900 | 3,581 | 14,500 | 18,190 |
| | Duramax 6.6L V8 | 18"/20" | 11,025 | 3,715 | 14,500 ⁴ | 18,160 |
| 2500 HD DC | UBLE CAB | | | | | |
| | 6.6L V8 gas | 17"/18" | 10,000 | 3,541 | 14,500 | 17,050 |
| | 6.6L V8 gas | 17" | 10,050 | 3,591 | 14,500 | 17,050 |
| Standard Bed 2WD | 6.6L V8 gas | 18"/20" | 10,250 | 3,762 | 14,500 | 17,000 |
| | Duramax 6.6L V8 | 17" | 10,700 | 3,390 | 14,500 | 18,200 |
| | Duramax 6.6L V8 | 18"/20" | 10,900 | 3,561 | 14,500 | 18,170 |
| | 6.6L V8 gas | 17"/18" | 10,000 | 3,226 | 14,500 | 16,740 |
| | 6.6L V8 gas | 17" | 10,350 | 3,576 | 14,500 | 16,740 |
| Standard Bed | 6.6L V8 gas | 18"/20" | 10,550 | 3,747 | 14,500 ⁴ | 16,710 |
| 4x4 | Duramax 6.6L V8 | 17"/18" | 10,000 | 2,375 | 14,500 | 12,610 |
| | Duramax 6.6L V8 | 17" | 11,000 | 3,375 | 14,500 | 17,890 |
| | Duramax 6.6L V8 | 18"/20" | 11,200 | 3,546 | 14,500 ⁴ | 17,860 |
| | 6.6L V8 gas | 17"/18" | 10,000 | 3,420 | 14,500 | 16,930 |
| | 6.6L V8 gas | 17" | 10,200 | 3,620 | 14,500 | 16,930 |
| Long Bed 2WD | 6.6L V8 gas | 18"/20" | 10,400 | 3,792 | 14,500 | 16,900 |
| · | Duramax 6.6L V8 | 17" | 10,900 | 3,424 | 14,500 | 18,040 |
| | Duramax 6.6L V8 | 18"/20" | 11,100 | 3,595 | 14,500 | 18,010 |
| | 6.6L V8 gas | 17"/18" | 10,000 | 3,133 | 14,500 | 16,650 |
| | 6.6L V8 gas | 17" | 10,500 | 3,633 | 14,500 | 16,650 |
| Long Bed | 6.6L V8 gas | 18"/20" | 10,750 | 3,854 | 14,5004 | 16,620 |
| 4x4 | Duramax 6.6L V8 | 17"/18" | 10,000 | 2,236 | 14,500 | 11,690 |
| | Duramax 6.6L V8 | 17" | 11,200 | 3,436 | 14,500 | 17,750 |
| | Duramax 6.6L V8 | 18"/20" | 11,450 | 3,657 | 14,5004 | 17,720 |
| | | (0) (1) (0) | | | | |

| | | | | | | Contraction of the second s |
|---------------------|-----------------|------------|--------------------------|------------------------------------|---|---|
| MODEL | ENGINE | WHEEL SIZE | GVWR (LBS.) ¹ | MAX PAYLOAD (LBS.) ² | MAX Conventional Towing (LBS.) ³ | MAX GOOSENECK/ 5TH-WHEEL TOWING (LBS.) ³ |
| 2500 HD CRE | EW CAB | | | | | |
| | 6.6L V8 gas | 17"/18" | 10,000 | 3,429 | 14,500 | 16,940 |
| | 6.6L V8 gas | 17" | 10,150 | 3,579 | 14,500 | 16,940 |
| Chandard Dad | 6.6L V8 gas | 18"/20" | 10,350 | 3,751 | 14,500 | 16,900 |
| Standard Bed 2WD | Duramax 6.6L V8 | 17" | 10,000 | 2,532 | 14,500 | 13,660 |
| | Duramax 6.6L V8 | 18"/20" | 10,000 | 2,561 | 18,140 | 13,470 |
| | Duramax 6.6L V8 | 17" | 10,800 | 3,332 | 14,500 | 18,050 |
| | Duramax 6.6L V8 | 18"/20" | 11,050 | 3,553 | 18,500 | 18,500 |
| | 6.6L V8 gas | 17"/18" | 10,000 | 3,139 | 14,500 | 16,650 |
| | 6.6L V8 gas | 17" | 10,450 | 3,589 | 14,500 | 16,650 |
| | 6.6L V8 gas | 18"/20" | 10,650 | 3,760 | 14,500 ⁴ | 16,620 |
| Standard Bed 4x4 | Duramax 6.6L V8 | 17" | 10,000 | 2,241 | 14,500 | 11,720 |
| тлт | Duramax 6.6L V8 | 18"/20" | 10,000 | 2,213 | 17,850 | 11,530 |
| | Duramax 6.6L V8 | 17" | 11,150 | 3,391 | 14,500 | 17,750 |
| | Duramax 6.6L V8 | 18"/20" | 11,350 | 3,563 | 18,5004 | 18,500 |
| Standard Bed | 6.6L V8 gas | 20" | 10,650 | 3,413 | 14,500 | 16,280 |
| High Country 4x4 | Duramax 6.6L V8 | 20" | 11,350 | 3,229 | 18,500 | 18,310 |
| | 6.6L V8 gas | 17"/18" | 10,000 | 3,329 | 14,500 | 16,840 |
| | 6.6L V8 gas | 17" | 10,300 | 3,629 | 14,500 | 16,840 |
| | 6.6L V8 gas | 18"/20" | 10,500 | 3,800 | 14,500 | 16,810 |
| Long Bed 2WD | Duramax 6.6L V8 | 17" | 10,000 | 2,365 | 14,500 | 12,550 |
| 2000 | Duramax 6.6L V8 | 18"/20" | 10,000 | 2,336 | 17,970 | 12,350 |
| | Duramax 6.6L V8 | 17" | 11,000 | 3,365 | 14,500 | 17,880 |
| | Duramax 6.6L V8 | 18"/20" | 11,200 | 3,536 | 18,500 | 18,500 |
| | 6.6L V8 gas | 17"/18" | 10,000 | 3,040 | 14,500 | 16,550 |
| | 6.6L V8 gas | 17" | 10,650 | 3,690 | 14,500 | 16,550 |
| | 6.6L V8 gas | 18"/20" | 10,850 | 3,862 | 14,5004 | 16,520 |
| Long Bed 4x4 | Duramax 6.6L V8 | 17" | 10,000 | 2,076 | 14,500 | 10,620 |
| 787 | Duramax 6.6L V8 | 18"/20" | 10,000 | 2,047 | 16,560 | 10,240 |
| | Duramax 6.6L V8 | 17" | 11,350 | 3,426 | 14,500 | 17,590 |
| | Duramax 6.6L V8 | 18"/20" | 11,550 | 3,597 | 18,500 ⁴ | 18,500 |
| Long Bed | 6.6L V8 gas | 20" | 10,850 | 3,506 | 14,500 | 16,170 |
| High Country 4x4 | Duramax 6.6L V8 | 20" | 11,550 | 3,337 | 18,500 | 18,500 |
| | | | | | | |

1 Maximum Gross Vehicle Weight Rating (GVWR). When properly equipped; includes weight of vehicle, passengers, cargo and equipment. 2 These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the Vehicle Loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver door jamb. 3 Before you buy a vehicle or use it for trailering, carefully review the Trailering section of the Owner's Manual. The weight of passengers, cargo and options or accessories may reduce the amount you can tow. 4 With available 18" mud-terrain tires (QG3), maximum conventional towing is 12,000 lbs.

SILVERADO HD (CONTINUED)

Go to Silverado HD model overview.



PAYLOAD AND TRAILER WEIGHT RATINGS

| MODEL | ENGINE | WHEEL SIZE | GVWR (LBS.)' | MAX PAYLOAD (LBS.) ² | MAX Conventional Towing (LBS.) ³ | MAX GOOSENECK/ 5TH-WHEEL TOWING (LBS.) ³ |
|---------------------|-----------------|-----------------|--------------|------------------------------------|---|--|
| 3500 HD RE | GULAR CAB | | | | | |
| Long Bed | 6.6L V8 gas | 18"/20" | 10,750 | 4,481 | 14,500 | 17,200 |
| 2WD SRW | Duramax 6.6L V8 | 18"/20" | 11,500 | 4,215 | 14,500 | 21,500 |
| Long Bed | 6.6L V8 gas | 18"/20" | 11,100 | 4,534 | 14,500 | 16,950 |
| 4x4 SRW | Duramax 6.6L V8 | 18"/20" | 11,800 | 4,217 | 14,500 | 21,500 |
| | 6.6L V8 gas | 17" | 14,000 | 7,442 | 16,800 | 16,800 |
| Long Bed 2WD DRW | Duramax 6.6L V8 | 17" (5th-Wheel) | 14,000 | 6,523 | 20,000 | 32,000 |
| 2 WD DRW | Duramax 6.6L V8 | 17" (Gooseneck) | 14,000 | 6,465 | 20,000 | 36,000 ⁴ |
| Long Bed | 6.6L V8 gas | 17" | 14,000 | 7,145 | 16,800 | 16,710 |
| 4x4 DRW | Duramax 6.6L V8 | 17" | 14,000 | 6,196 | 20,000 | 31,760 |
| 3500 HD DO | UBLE CAB | | | | | |
| Long Bed | 6.6L V8 gas | 18"/20" | 11,100 | 4,373 | 14,500 | 16,700 |
| 2WD SRW | Duramax 6.6L V8 | 18"/20" | 11,850 | 4,130 | 14,500 | 21,490 |
| Long Bed | 6.6L V8 gas | 18"/20" | 11,400 | 4,391 | 14,500 | 16,500 |
| 4x4 SRW | Duramax 6.6L V8 | 18"/20" | 12,150 | 4,148 | 14,500 | 21,210 |
| Long Bed | 6.6L V8 gas | 17" | 14,000 | 6,985 | 16,400 | 16,400 |
| 2WD DRW | Duramax 6.6L V8 | 17" | 14,000 | 6,059 | 20,000 | 31,500 |
| Long Bed | 6.6L V8 gas | 17" | 14,000 | 6,703 | 16,390 | 16,270 |
| 4x4 DRW | Duramax 6.6L V8 | 17" | 14,000 | 5,777 | 20,000 | 31,340 |
| | | | | | | |

| MODEL | ENGINE | WHEEL SIZE | GVWR (LBS.) ¹ | MAX PAYLOAD (LBS.) ² | MAX Conventional Towing (LBS.) ³ | MAX GOOSENECK/ 5TH-WHEEL TOWING (LBS.) ³ |
|-------------------------|-----------------|------------|--------------------------|------------------------------------|---|--|
| 3500 HD CR | EW CAB | | | | | |
| Standard Bed | 6.6L V8 gas | 18"/20" | 11,000 | 4,316 | 14,500 | 16,700 |
| 2WD SRW | Duramax 6.6L V8 | 18"/20" | 11,750 | 4,135 | 20,000 | 21,500 |
| Standard Bed | 6.6L V8 gas | 18"/20" | 11,350 | 4,365 | 14,500 | 16,530 |
| 4x4 SRW | Duramax 6.6L V8 | 18"/20" | 12,100 | 4,185 | 20,000 | 21,300 |
| Standard Bed | 6.6L V8 gas | 20" | 11,350 | 4,068 | 14,500 | 16,230 |
| High Country 4x4 SRW | Duramax 6.6L V8 | 20" | 12,100 | 3,915 | 20,000 | 21,030 |
| Long Bed | 6.6L V8 gas | 18"/20" | 11,150 | 4,333 | 14,500 | 16,700 |
| 2WD SRW | Duramax 6.6L V8 | 18"/20" | 11,900 | 4,013 | 20,000 | 21,330 |
| Long Bed | 6.6L V8 gas | 18"/20" | 11,500 | 4,398 | 14,500 | 16,410 |
| 4x4 SRW | Duramax 6.6L V8 | 18"/20" | 12,250 | 4,078 | 20,000 | 21,040 |
| Long Bed | 6.6L V8 gas | 20" | 11,500 | 4,093 | 14,500 | 16,110 |
| High Country 4x4 SRW | Duramax 6.6L V8 | 20" | 12,250 | 3,947 | 20,000 | 20,910 |
| Long Bed | 6.6L V8 gas | 17" | 14,000 | 6,894 | 16,300 | 16,200 |
| 2WD DRW | Duramax 6.6L V8 | 17" | 14,000 | 5,892 | 20,000 | 31,400 |
| Long Bed | 6.6L V8 gas | 17" | 14,000 | 6,610 | 16,240 | 16,120 |
| 4x4 DRW | Duramax 6.6L V8 | 17" | 14,000 | 5,662 | 20,000 | 31,180 |
| Long Bed | 6.6L V8 gas | 17" | 14,000 | 6,390 | 16,020 | 15,900 |
| High Country 4x4 DRW | Duramax 6.6L V8 | 17" | 14,000 | 5,488 | 20,000 | 31,000 |

1 Maximum Gross Vehicle Weight Rating (GVWR). When properly equipped; includes weight of vehicle, passengers, cargo and equipment. 2 These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the Vehicle Loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver door jamb. 3 Before you buy a vehicle or use it for trailering, carefully review the Trailering section of the Owner's Manual. The weight of passengers, cargo and options or accessories may reduce the amount you can tow. 4 Requires WT with available Max Trailering Package.

SILVERADO 3500 HD CHASSIS CAB

Go to Silverado 3500 HD Chassis Cab model overview.



STANDARD

MODEL AVAILABILITY • AVAILABLE

| | REGULAR Cab | CREW CAB | 2WD | 4x4 | STANDARD Engine | STANDARD HP @ RPM/LBFT. Torque @ RPM | AVAILABLE Engine | AVAILABLE HP @ RPM/LBFT. Torque @ RPM | SEATING (REGULAR CAB/ CREW CAB) |
|-------------------|----------------|-------------|-----|-----|--------------------|--|---------------------|---|---------------------------------------|
| Silverado 3500 HD | • | • | • | • | 6.6L V8 gas | 401@5200/464@4000 | Duramax 6.6L V8 | 445 @ 2800/910 @ 1600 | 3/6 |

STANDARD EQUIPMENT

| MECHANICAL | INTERIOR | | | | | |
|--|---|--|--|--|--|--|
| Air filter – high-capacity with air filtration monitoring | Airbags ² - dual-stage frontal airbags for driver and front outboard passenger; seat-mounted side-impact airbags for driver | | | | | |
| Alternator – 170 amps | and front outboard passenger; head-curtain airbags for front and rear outboard seating positions; includes front outboard Passenger Sensing System for frontal outboard passenger airbag | | | | | |
| Axle - dual rear wheel | - Air conditioning - single-zone | | | | | |
| Battery – heavy-duty, 720 cold-cranking amps | Assist handles - driver and front passenger, A-pillar; rear passenger, B-pillar | | | | | |
| Brakes - 4-wheel antilock, 4-wheel disc with Duralife rotors and brake lining wear indicator | Connectivity – Bluetooth® phone connectivity and wireless audio streaming ³ | | | | | |
| Cooling – external engine oil and auxiliary external transmission oil coolers | | | | | | |
| Differential – automatic locking rear | Compass – located in instrument cluster | | | | | |
| Fuel tank – front and rear, 63.5-gallon | Display – outside temperature Driver Information Center – 3.5-inch diagonal monochromatic display | | | | | |
| StabiliTrak – Electronic Stability Control System and Traction Control; includes Electronic Trailer Sway Control and | | | | | | |
| Hill Start Assist | Entertainment – Chevrolet Infotainment 3 system⁴ with 7-inch diagonal color touch-screen | | | | | |
| Steering – recirculating ball with smart flow power steering system | Floor covering – rubberized-vinyl | | | | | |
| Transfer case – 2-speed electronic shift with push-button controls (4x4 models) | Instrument cluster – 6-gauge cluster with speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure | | | | | |
| EXTERIOR | Media – USB portș on instrument panel | | | | | |
| Bumpers – front, Black | Seat – rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor) (Crew Cab) | | | | | |
| Daytime running lamps – with automatic exterior lamp control | Seats – front 40/20/40 split-bench | | | | | |
| Door handles - Black | Tire Pressure Monitoring System – with Tire Fill Alert (does not apply to spare tire) | | | | | |
| Headlamps – halogen reflector with halogen daytime running lamps | | | | | | |
| Lamps – Smoked Amber roof marker (LED) | | | | | | |
| Mirrors – vertical trailering, manual-folding and manual-extending with lower convex mirrors | | | | | | |

Recovery hooks1 - front, frame-mounted, Black

1 To avoid the risk of injury, never use recovery hooks to tow a vehicle. See the Owner's Manual for more information. 2 A NOTE ON CHILD SAFETY: Always use seat belts and the correct child restraint for your child's age and size, even with airbags. Even in vehicles equipped with the Passenger Sensing System, children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal airbag. See your vehicle Owner's Manual and the child safety seat instructions for more safety information. 3 Go to my.chevrolet.com/learnAbout/bluetooth to find out which phones are compatible with the vehicle. Full Bluetooth feature functionality varies by device, model and software version. 4 Chevrolet Infotainment System functionality varies by model. Full functionality requires compatible Bluetooth and smartphone, and USB connectivity for some devices. 5 Not compatible with all devices.

SILVERADO 3500 HD CHASSIS CAB (CONTINUED)





PAYLOAD AND VEHICLE WEIGHT RATINGS

| MODEL | ENGINE | AXLE RATIO | GCWR (LBS.) ¹ | MAX PAYLOAD (LBS.) ² | GVWR (LBS.) ³ |
|---|-----------------|------------|--------------------------|------------------------------------|--------------------------|
| Silverado 3500 HD Regular Cab Chassis Cab 2WD (146" Wheelbase) | 6.6L V8 gas | 3.73 | 24,000 | 7,571 | 14,000 |
| | Duramax 6.6L V8 | 3.42 | 40,000 | 6,638 | 14,000 |
| Cilvarada 2500 UD Dagular Cab Chassis Cab 2WD (1714 Whashasa) | 6.6L V8 gas | 3.73 | 24,000 | 7,454 | 14,000 |
| Silverado 3500 HD Regular Cab Chassis Cab 2WD (171" Wheelbase) | Duramax 6.6L V8 | 3.42 | 40,000 | 6,516 | 14,000 |
| Silverado 3500 HD Crew Cab Chassis Cab 2WD (177" Wheelbase) | 6.6L V8 gas | 3.73 | 24,000 | 7,040 | 14,000 |
| | Duramax 6.6L V8 | 3.42 | 40,000 | 6,078 | 14,000 |
| Cilvarada 2500 UD Dagular Cab Chaosis Cab AvA (446" Wheelboos) | 6.6L V8 gas | 3.73 | 24,000 | 7,204 | 14,000 |
| Silverado 3500 HD Regular Cab Chassis Cab 4x4 (146" Wheelbase) | Duramax 6.6L V8 | 3.42 | 40,000 | 6,271 | 14,000 |
| Cilverade 2500 UD Deculer Celo Checcio Celo AvA (47411 Wheelberg) | 6.6L V8 gas | 3.73 | 24,000 | 7,159 | 14,000 |
| Silverado 3500 HD Regular Cab Chassis Cab 4x4 (171" Wheelbase) | Duramax 6.6L V8 | 3.42 | 40,000 | 6,221 | 14,000 |
| Riburrada 2500 UD Craw Cab Chassis Cab 4v4 (177" Whashasa) | 6.6L V8 gas | 3.73 | 24,000 | 6,713 | 14,000 |
| Silverado 3500 HD Crew Cab Chassis Cab 4x4 (177" Wheelbase) | Duramax 6.6L V8 | 3.42 | 40,000 | 5,751 | 14,000 |

1 Gross Combination Weight Rating. 2 These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the Vehicle Loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver door jamb. 3 Maximum Gross Vehicle Weight Rating (GVWR). When properly equipped; includes weight of vehicle, passengers, cargo and equipment.

SILVERADO 4500 HD/5500 HD/6500 HD

Go to Silverado 4500 HD/ 5500 HD/6500 HD model overview.



MODEL AVAILABILITY • AVAILABLE

| MODEL | REGULAR CAB | CREW CAB | 2WD | 4x4 | STANDARD ENGINE | STANDARD HP @ RPM/ LBFT. TORQUE @ RPM | STANDARD SEATING (REGULAR CAB/CREW CAB) |
|-------------------|----------------|-------------|-----|-----|-----------------|--|--|
| Silverado 4500 HD | • | • | • | • | Duramax 6.6L V8 | 350 @ 2700/700 @ 1600 | 3/6 |
| Silverado 5500 HD | • | • | • | • | Duramax 6.6L V8 | 350 @ 2700/700 @ 1600 | 3/6 |
| Silverado 6500 HD | • | • | • | • | Duramax 6.6L V8 | 350 @ 2700/700 @ 1600 | 3/6 |

STANDARD EQUIPMENT

| MECHANICAL | INTERIOR | | | |
|--|---|--|--|--|
| Batteries – heavy-duty dual, 1,100 cold-cranking amps, includes battery box mounted to left side under cab | Airbags1 - single-stage frontal airbags for driver and front outboard passenger; seat-mounted side-impact airbags for driver | | | |
| Brakes – hydraulic, heavy-duty system with 4-channel ABS | and front outboard passenger; head-curtain airbags for front and rear outboard seating positions (Crew Cab); single-stage frontal airbags for driver and front outboard passenger; seat-mounted side-impact airbags for driver and front outboard | | | |
| Brake - driveline parking brake system | passenger; head-curtain airbags for front outboard seating positions; includes airbag deactivation switch for front outboard | | | |
| Emissions - 50-state certified | passenger airbag (Regular Cab) | | | |
| Engine – Duramax 6.6L Turbo-Diesel V8 | Assist handles – driver and front passenger, A-pillar | | | |
| Exhaust brake | Cruise control – steering wheel-mounted | | | |
| Fuel tank – rear, 40-gallon, mounted between frame side rails and behind rear axle | Door locks – power | | | |
| StabiliTrak – Electronic Stability Control System and Traction Control; includes Electronic Trailer Sway Control and Hill Start Assist | Seats – front 40/20/40 split-bench, 3-passenger, driver and front passenger recline with outboard head restraints and center fold-down armrest with storage | | | |
| Transmission – Neutral-at-Stop; automatic transmission shifts to Neutral when the service brake is depressed while the vehicle | Steering column – manual tilt-wheel | | | |
| is at a complete stop, and remains in Neutral until the service brake is released | Upfitter switch kit – provides up to four 30-amp circuits to facilitate installation of aftermarket electrical accessories; located | | | |
| EXTERIOR | on the instrument panel | | | |
| Assist steps | | | | |
| Bumper – front, Black | | | | |
| Daytime running lamps - with automatic exterior lamp control | | | | |
| Door handles - Black | | | | |
| Fuel filler - capped | | | | |
| Glass – solar absorbing, tinted | | | | |
| Grille guard screen – insect protection | | | | |
| Headlamps – halogen projector-beam | | | | |
| Lamps – cargo area, cab-mounted with switch on center switch bank, Smoked Amber roof marker | | | | |
| Wheels - 19.5" Black-painted steel | | | | |

1 A NOTE ON CHILD SAFETY: Always use seat belts and the correct child restraint for your child's age and size, even with airbags. Even in vehicles equipped with the Passenger Sensing System, children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal airbag. See your vehicle Owner's Manual and the child safety seat instructions for more safety information. 2 Equipment from independent suppliers is not covered by the GM New Vehicle Limited Warranty. GM is not responsible for the safety or quality of independent supplier alterations.

SILVERADO 4500 HD/5500 HD/6500 HD (CONTINUED)



Go to Silverado 4500 HD/ 5500 HD/6500 HD model overview.

PAYLOAD AND VEHICLE WEIGHT RATINGS

| MODEL | SERIES | AXLE RATIO | MAX GCWR (LBS.) ¹ | MAX PAYLOAD (LBS.) ² (REGULAR CAB/CREW CAB) | GVWR (LBS.) ³ |
|---------------------------|---------|------------|------------------------------|---|--------------------------|
| | 4500 HD | 4.10 | 30,000 | 6,494/5,750 | 14,001 |
| | 4500 HD | 4.10 | 30,000 | 7,493/6,749 | 15,000 |
| | 4500 HD | 4.10 | 30,000 | 8,493/7,749 | 16,000 |
| | 4500 HD | 4.10 | 30,000 | 8,993/8,249 | 16,500 |
| Silverado Chassis Cab 2WD | 5500 HD | 4.10 | 30,000 | 9,993/9,249 | 17,500 |
| | 5500 HD | 4.10 | 30,000 | 10,493/9,749 | 18,000 |
| | 5500 HD | 4.10 | 30,000 | 11,933/11,196 | 19,500 |
| | 6500 HD | 4.10 | 30,000 | 13,940/13,196 | 21,500 |
| | 6500 HD | 4.10 | 30,000 | 15,380/14,636 | 22,940 |
| | 6500 HD | 4.10 | 30,000 | 15,940/15,196 | 23,500 |
| | 4500 HD | 4.30 | 34,000 | 5,830/5,186 | 14,001 |
| | 4500 HD | 4.30 | 34,000 | 6,829/6,186 | 15,000 |
| | 4500 HD | 4.30 | 34,000 | 7,829/7,186 | 16,000 |
| | 4500 HD | 4.30 | 34,000 | 8,329/7,686 | 16,500 |
| Silverado Chassis Cab 4x4 | 5500 HD | 4.30 | 34,000 | 9,329/8,686 | 17,500 |
| | 5500 HD | 4.30 | 34,000 | 9,829/9,186 | 18,000 |
| | 5500 HD | 4.30 | 34,000 | 11,269/10,693 | 19,500 |
| | 6500 HD | 4.30 | 34,000 | 12,686/12,193 | 21,000 |
| | 6500 HD | 4.30 | 34,000 | 14,276/13,693 | 22,500 |
| | 6500 HD | 4.30 | 34,000 | 14,776/14,193 | 23,000 |

1 Gross Combination Weight Rating. 2 These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the Vehicle Loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver door jamb. 3 Maximum Gross Vehicle Weight Rating (GVWR). When properly equipped; includes weight of vehicle, passengers, cargo and equipment.

SILVERADO 4500 HD/5500 HD/6500 HD (CONTINUED)



Go to Silverado 4500 HD/ 5500 HD/6500 HD model overview.

PAYLOAD AND VEHICLE WEIGHT RATINGS

| 4500 HD4.5035,0006,494/5,75014,0014500 HD4.5635,0007,493/6,74915,0004500 HD4.5635,0008,493/7,74916,0004500 HD4.5635,0008,939/8,24917,5005500 HD4.5635,0009,939/2,4917,5005500 HD4.5635,00010,483/9,74918,0005500 HD4.5635,00011,933/119619,5006500 HD4.5635,00013,940/13,19622,9406500 HD4.5635,00015,940/15,19622,9406500 HD4.5635,0005,580/16,63622,9406500 HD4.5635,00015,940/15,19623,5006500 HD4.8837,0006,494/5,75014,0014500 HD4.8837,0008,493/7,4915,0004500 HD4.8837,0008,939/8,24915,0004500 HD4.8837,0008,939/8,24915,0004500 HD4.8837,0008,939/8,24915,0004500 HD4.8837,0009,939/2,44915,0004500 HD4.8837,0009,939/2,44915,0004500 HD4.8837,00010,433/7,4918,0004500 HD4.8837,00010,433/7,4918,0004500 HD4.8837,00010,433/7,4918,0004500 HD4.8837,00010,433/7,4918,0004500 HD4.8837,00010,433/7,4918,000 | MODEL | SERIES | AXLE RATIO | MAX GCWR (LBS.) ¹ | MAX PAYLOAD (LBS.) ² (REGULAR CAB/CREW CAB) | GVWR (LBS.) ³ |
|---|----------------------------|---------|------------|------------------------------|---|--------------------------|
| 4500 HD 4.56 35,000 8,493/7,49 16,00 4500 HD 4.56 35,000 8,993/8,249 16,50 5500 HD 4.56 35,000 9,993/9,249 17,500 5500 HD 4.56 35,000 10,493/9,749 18,000 5500 HD 4.56 35,000 10,493/9,749 18,000 5500 HD 4.56 35,000 11,933/1,196 19,500 6500 HD 4.56 35,000 13,940/13,196 21,500 6500 HD 4.56 35,000 15,940/15,196 23,500 6500 HD 4.56 35,000 6,494/5,750 14,001 4500 HD 4.88 37,000 6,494/5,750 14,001 4500 HD 4.88 37,000 8,493/7,49 16,000 4500 HD 4.88 37,000 8,493/7,49 16,000 4500 HD 4.88 37,000 8,939/8,249 16,500 6500 HD 4.88 37,000 9,939/9,249 16,500 6500 HD | | 4500 HD | 4.56 | 35,000 | 6,494/5,750 | 14,001 |
| Silverado Chassis Cab 2WD 4500 HD 4.56 35,000 8,93/8,249 15,500 Silverado Chassis Cab 2WD 5500 HD 4.56 35,000 9,93/9,249 17,500 Silverado Chassis Cab 2WD 5500 HD 4.56 35,000 10,493/9,749 18,000 Silverado Chassis Cab 2WD 6500 HD 4.56 35,000 11,933/11,196 19,500 G6500 HD 4.56 35,000 13,940/13,196 21,500 G6500 HD 4.56 35,000 15,930/14,636 22,940 G6500 HD 4.56 35,000 15,940/15,196 23,500 G6500 HD 4.56 35,000 15,940/15,196 23,500 G6500 HD 4.88 37,000 6,494/5,750 14,001 4500 HD 4.88 37,000 8,93/8,249 15,000 4500 HD 4.88 37,000 8,93/8,249 15,000 4500 HD 4.88 37,000 9,93/9,249 17,500 5500 HD 4.88 37,000 10,439,749 16,000 | | 4500 HD | 4.56 | 35,000 | 7,493/6,749 | 15,000 |
| Silverado Chassis Cab 2WD 5500 HD 4.56 35,000 9,993/9,249 17,500 5500 HD 4.56 35,000 10,493/9,749 18,000 5500 HD 4.56 35,000 11,933/11,196 19,500 6500 HD 4.56 35,000 13,940/13,196 21,500 6500 HD 4.56 35,000 15,380/14,636 22,940 6500 HD 4.56 35,000 15,940/15,196 23,500 6500 HD 4.56 35,000 6,494/5,750 14,001 4500 HD 4.88 37,000 6,494/5,750 14,001 4500 HD 4.88 37,000 8,493/7,749 16,000 4500 HD 4.88 37,000 8,493/7,749 16,500 4500 HD 4.88 37,000 8,993/9,249 17,500 5500 HD 4.88 37,000 9,993/9,249 17,500 5500 HD 4.88 37,000 10,939/1,494 16,500 5500 HD 4.88 37,000 10,939/1,494 15,000 <td></td> <td>4500 HD</td> <td>4.56</td> <td>35,000</td> <td>8,493/7,749</td> <td>16,000</td> | | 4500 HD | 4.56 | 35,000 | 8,493/7,749 | 16,000 |
| Silverado Chassis Cab 2WD 5500 HD 4.56 35,000 10,433/9,749 18,000 5500 HD 4.56 35,000 11,933/11,196 19,500 6500 HD 4.56 35,000 13,940/13,196 21,500 6500 HD 4.56 35,000 15,380/14,636 22,940 6500 HD 4.56 35,000 15,940/15,196 23,500 6500 HD 4.56 35,000 6,494/5,750 14,001 4500 HD 4.88 37,000 6,494/5,750 14,001 4500 HD 4.88 37,000 8,493/7,749 16,000 4500 HD 4.88 37,000 8,493/7,749 16,000 4500 HD 4.88 37,000 8,993/8,249 16,500 4500 HD 4.88 37,000 9,993/9,249 17,500 5500 HD 4.88 37,000 10,493/9,749 18,000 5500 HD 4.88 37,000 11,933/11,196 19,500 6500 HD 4.88 37,000 13,940/13,196 21,500< | | 4500 HD | 4.56 | 35,000 | 8,993/8,249 | 16,500 |
| 5500 HD 4.56 35,000 10,493/9,749 18,000 5500 HD 4.56 35,000 11,933/11,196 19,500 6500 HD 4.56 35,000 13,940/13,196 21,500 6500 HD 4.56 35,000 15,380/14,636 22,940 6500 HD 4.56 35,000 15,940/15,196 23,500 6500 HD 4.56 35,000 5,940/15,196 23,500 6500 HD 4.88 37,000 6,949/5,750 14,001 4500 HD 4.88 37,000 8,933/8,249 15,000 64500 HD 4.88 37,000 8,933/8,249 16,500 6500 HD 4.88 37,000 9,939/9,249 17,500 6500 HD 4.88 37,000 9,939/9,249 17,500 6500 HD 4.88 37,000 19,939/1,196 19,500 6500 HD 4.88 37,000 19,939/1,196 19,500 6500 HD 4.88 37,000 13,940/13,196 19,500 6500 H | Silvarada Chassia Cab 2000 | 5500 HD | 4.56 | 35,000 | 9,993/9,249 | 17,500 |
| 6500 HD 4.56 35,000 13,940/13,196 21,500 6500 HD 4.56 35,000 15,380/14,636 22,940 6500 HD 4.56 35,000 15,940/15,196 23,500 6500 HD 4.56 35,000 6,949/5,750 14,001 4500 HD 4.88 37,000 6,494/5,750 14,001 4500 HD 4.88 37,000 7,493/6,749 15,000 4500 HD 4.88 37,000 8,493/7,749 16,000 4500 HD 4.88 37,000 8,993/8,249 16,500 4500 HD 4.88 37,000 9,993/9,249 17,500 5500 HD 4.88 37,000 10,493/9,749 18,000 5500 HD 4.88 37,000 11,933/11,196 19,500 5500 HD 4.88 37,000 13,940/13,196 21,500 6500 HD 4.88 37,000 13,940/13,196 21,500 6500 HD 4.88 37,000 13,940/13,196 22,940 | | 5500 HD | 4.56 | 35,000 | 10,493/9,749 | 18,000 |
| 6500 HD 4.56 35,000 15,380/14,636 22,940 6500 HD 4.56 35,000 15,940/15,196 23,500 4500 HD 4.86 37,000 6,494/5,750 14,001 4500 HD 4.88 37,000 7,493/6,749 15,000 4500 HD 4.88 37,000 8,493/7,749 16,000 4500 HD 4.88 37,000 8,493/7,749 16,000 4500 HD 4.88 37,000 8,993/8,249 16,500 4500 HD 4.88 37,000 9,993/9,249 17,500 5500 HD 4.88 37,000 10,493/9,749 18,000 5500 HD 4.88 37,000 19,393/11,96 19,500 5500 HD 4.88 37,000 10,493/9,749 18,000 5500 HD 4.88 37,000 19,391/1,96 19,500 5500 HD 4.88 37,000 13,940/13,196 21,500 6500 HD 4.88 37,000 15,380/14,636 22,940 | | 5500 HD | 4.56 | 35,000 | 11,933/11,196 | 19,500 |
| 6500 HD 4.56 35,000 15,940/15,196 23,500 4500 HD 4.88 37,000 6,494/5,750 14,001 4500 HD 4.88 37,000 7,493/6,749 15,000 4500 HD 4.88 37,000 8,493/7,749 16,000 4500 HD 4.88 37,000 8,993/8,249 16,000 4500 HD 4.88 37,000 9,993/9,249 17,500 5500 HD 4.88 37,000 10,493/9,749 18,000 5500 HD 4.88 37,000 10,493/9,749 19,500 6500 HD 4.88 37,000 10,493/9,749 18,000 5500 HD 4.88 37,000 10,493/9,749 19,500 6500 HD 4.88 37,000 10,493/9,749 19,500 6500 HD 4.88 37,000 13,940/13,196 21,500 6500 HD 4.88 37,000 15,380/14,636 22,940 | | 6500 HD | 4.56 | 35,000 | 13,940/13,196 | 21,500 |
| 4500 HD 4.88 37,000 6,494/5,750 14,001 4500 HD 4.88 37,000 7,493/6,749 15,000 4500 HD 4.88 37,000 8,493/7,749 16,000 4500 HD 4.88 37,000 8,993/8,249 16,500 4500 HD 4.88 37,000 9,993/9,249 16,500 5500 HD 4.88 37,000 10,493/9,749 18,000 5500 HD 4.88 37,000 11,933/11,196 19,500 5500 HD 4.88 37,000 13,940/13,196 21,500 6500 HD 4.88 37,000 15,380/14,636 22,940 | | 6500 HD | 4.56 | 35,000 | 15,380/14,636 | 22,940 |
| 4500 HD4.8837,0007,493/6,74915,0004500 HD4.8837,0008,493/7,74916,0004500 HD4.8837,0008,993/8,24916,5004500 HD4.8837,0009,993/9,24917,5005500 HD4.8837,00010,493/9,74918,0005500 HD4.8837,00011,933/11,19619,5005500 HD4.8837,00013,940/13,19621,5006500 HD4.8837,00013,940/13,19621,5006500 HD4.8837,00015,380/14,63622,940 | | 6500 HD | 4.56 | 35,000 | 15,940/15,196 | 23,500 |
| Number Name Number Name | | 4500 HD | 4.88 | 37,000 | 6,494/5,750 | 14,001 |
| 4500 HD 4.88 37,000 8,993/8,249 16,500 Silverado Chassis Cab 2WD 5500 HD 4.88 37,000 9,993/9,249 17,500 5500 HD 4.88 37,000 10,493/9,749 18,000 5500 HD 4.88 37,000 10,493/9,749 18,000 5500 HD 4.88 37,000 11,933/11,196 19,500 6500 HD 4.88 37,000 13,940/13,196 21,500 6500 HD 4.88 37,000 15,380/14,636 22,940 | | 4500 HD | 4.88 | 37,000 | 7,493/6,749 | 15,000 |
| Silverado Chassis Cab 2WD 5500 HD 4.88 37,000 9,993/9,249 17,500 5500 HD 4.88 37,000 10,493/9,749 18,000 5500 HD 4.88 37,000 11,933/11,196 19,500 6500 HD 4.88 37,000 13,940/13,196 21,500 6500 HD 4.88 37,000 15,380/14,636 22,940 | | 4500 HD | 4.88 | 37,000 | 8,493/7,749 | 16,000 |
| Silverado Chassis Cab 2WD 5500 HD 4.88 37,000 10,493/9,749 18,000 5500 HD 4.88 37,000 11,933/11,196 19,500 6500 HD 4.88 37,000 13,940/13,196 21,500 6500 HD 4.88 37,000 15,380/14,636 22,940 | | 4500 HD | 4.88 | 37,000 | 8,993/8,249 | 16,500 |
| 5500 HD4.8837,00010,493/9,74918,0005500 HD4.8837,00011,933/11,19619,5006500 HD4.8837,00013,940/13,19621,5006500 HD4.8837,00015,380/14,63622,940 | Silverade Chassis Cab 2WD | 5500 HD | 4.88 | 37,000 | 9,993/9,249 | 17,500 |
| 6500 HD4.8837,00013,940/13,19621,5006500 HD4.8837,00015,380/14,63622,940 | | 5500 HD | 4.88 | 37,000 | 10,493/9,749 | 18,000 |
| 6500 HD 4.88 37,000 15,380/14,636 22,940 | | 5500 HD | 4.88 | 37,000 | 11,933/11,196 | 19,500 |
| | | 6500 HD | 4.88 | 37,000 | 13,940/13,196 | 21,500 |
| 6500 HD 4.88 37,000 15,940/15,196 23,500 | | 6500 HD | 4.88 | 37,000 | 15,380/14,636 | 22,940 |
| | · | 6500 HD | 4.88 | 37,000 | 15,940/15,196 | 23,500 |

1 Gross Combination Weight Rating. 2 These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the Vehicle Loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver door jamb. 3 Maximum Gross Vehicle Weight Rating (GVWR). When properly equipped; includes weight of vehicle, passengers, cargo and equipment.

Go to Colorado model overview.



MODEL AVAILABILITY • AVAILABLE - NOT AVAILABLE

| TRIM LEVEL | STANDARD ENGINE | AVAILABLE ENGINES | 2WD | 4x4 | EXTENDED CAB Long Box | CREW CAB Short Box | CREW CAB Long Box |
|------------|----------------------|--|-----|-----|--------------------------|-----------------------|----------------------|
| WT | 2.5L DOHC 4-cylinder | 3.6L DOHC V6, Duramax 2.8L Turbo-Diesel ¹ | • | • | • | • | • |
| LT | 2.5L DOHC 4-cylinder | 3.6L DOHC V6, Duramax 2.8L Turbo-Diesel ² | • | • | • | • | • |
| Z71 | 3.6L DOHC V6 | Duramax 2.8L Turbo-Diesel ³ | • | • | • | • | • |
| ZR2 | 3.6L DOHC V6 | Duramax 2.8L Turbo-Diesel | _ | • | • | • | - |

STANDARD EQUIPMENT

| MECHANICAL | INTERIOR |
|--|--|
| Brakes – 4-wheel antilock, 4-wheel disc with Duralife rotors | Airbags ⁴ – dual-stage frontal airbags for driver and front passenger; seat-mounted side-impact airbags for driver and front |
| Frame – fully boxed | outboard passenger; head-curtain airbags for front and rear outboard seating positions; includes front outboard Passenger Sensing System for frontal passenger airbag |
| StabiliTrak – Electronic Stability Control System and Traction Control | Door locks – power programmable with lockout protection and rear door child security |
| Steering – Electric Power Steering assist | Media – two USB ports ⁵ and auxiliary input jack in front center console |
| EXTERIOR | Rear Vision Camera ⁵ |
| Cargo box lamp – back of cab | Seat – driver power adjuster |
| Daytime running lamps | Steering column – manual tilt |
| Fuel filler - capless fueling | Teen Driver technology |
| Glass – windshield shade band | Theft-deterrent system – engine immobilizer |
| Tailgate handle – Black | Tire Pressure Monitoring System – with Tire Fill Alert (does not monitor spare tire, if equipped) |
| Tire – compact spare or full-size spare | Visors – driver and front passenger, vanity mirrors |
| | Windows – power driver express-up/-down, all others express-down |

PAYLOAD AND TRAILER WEIGHT RATINGS

| | | | MAX TRAILER WEIGHT (LBS.) ⁷ | | | |
|--------------------------------------|------------|---------------------------------|--|---------------------|-----------------|-----------------|
| ENGINE | AXLE RATIO | MAX GCWR (LBS.) ⁸ | EXTENDED CAB 2WD | EXTENDED CAB 4x4 | CREW CAB 2WD | CREW CAB 4x4 |
| 2.5L DOHC 4-cylinder | 4.10 | 8,500 | 3,500 | 3,500 | 3,500 | - |
| 3.6L DOHC V6 | 3.42 | 12,000 | 3,500 | 3,500 | 3,500 | 3,500 |
| 3.6L DOHC V6 with Trailering Package | 3.42 | 12,000 | 7,000 | 7,000 | 7,000 | 7,000 |
| Duramax 2.8L Turbo-Diesel 4-cylinder | 3.42 | 12,700 | _ | 7,700 ¹ | 7,700 | 7,600 |

1 Available on Fleet and Government orders only. 2 Not available on Extended Cab or Crew Cab Long Box 2WD models. 3 Crew Cab 4x4 only. 4 A NOTE ON CHILD SAFETY: Always use seat belts and the correct child restraint for your child's age and size, even with airbags. Even in vehicles equipped with the Passenger Sensing System, children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal airbag. See your vehicle Owner's Manual and the child safety seat instructions for more safety information. 5 Not compatible with all devices. 6 Read the vehicle Owner's Manual for important feature limitations and information. 7 Before you buy a vehicle or use it for trailering, carefully review the Trailering section of the Owner's Manual. The weight of passengers, cargo and options or accessories may reduce the amount you can tow. 8 Gross Combination Weight Rating.

Go to Express Cargo Van model overview.



MODEL AVAILABILITY

| TRIM/SERIES | DRIVE | WHEELBASE | STANDARD Engine | STANDARD HP @ RPM/ LBFT. TORQUE @ RPM | AVAILABLE ENGINES | MAX PAYLOAD (LBS.) ¹ | STANDARD Seating |
|-------------------------|-------|-----------|--------------------|--|-----------------------|------------------------------------|---------------------|
| 2500 Regular Wheelbase | RWD | 135" | 4.3L V6 | 276 @ 5200/298 @ 3900 | 6.6L V8, Duramax 2.8L | 3,280 | 2 |
| 2500 Extended Wheelbase | RWD | 155" | 4.3L V6 | 276 @ 5200/298 @ 3900 | 6.6L V8, Duramax 2.8L | 3,060 | 2 |
| 3500 Regular Wheelbase | RWD | 135" | 4.3LV6 | 276 @ 5200/298 @ 3900 | 6.6L V8, Duramax 2.8L | 4,280 | 2 |
| 3500 Extended Wheelbase | RWD | 155" | 4.3L V6 | 276 @ 5200/298 @ 3900 | 6.6L V8, Duramax 2.8L | 4,060 | 2 |

STANDARD EQUIPMENT

| MECHANICAL | EXTERIOR (CONTINUED) |
|--|---|
| Brakes - 4-wheel antilock, 4-wheel disc | Wheels – 16" painted-steel with gray center caps and steel spare |
| Engine – 4.3L V6 with Direct Injection and Variable Valve Timing | Wipers – front intermittent wet-arm with pulse washers |
| Exhaust – aluminized stainless steel muffler and tailpipe | INTERIOR |
| StabiliTrak – Electronic Stability Control System with traction assistance; includes Electronic Trailer Sway Control and Hill Start Assist | Airbags ² – frontal for driver and right-front passenger; seat-mounted side-impact for driver and right-front passenger; roof-rail mounted head-curtain provides coverage for outboard seating positions |
| Suspension – front independent with coil springs and stabilizer bar; rear drive axle with multi-leaf springs | Air conditioning – single-zone manual |
| Transmission – 8-speed automatic, electronically controlled with overdrive and Tow/Haul mode | Audio system - AM/FM stereo with MP3 player, seek-scan, digital clock, TheftLock, random select, auxiliary jack and two front |
| EXTERIOR | door speakers |
| Bumpers – front and rear, Black-painted with step pad | Console – engine cover with open storage bin and three cup holders |
| Daytime running lamps | Defogger – side windows |
| Door – swing-out passenger-side, 60/40 split | Power Convenience Package – power windows and power door locks |
| Headlamps – dual halogen | Power outlet - 120-volt |
| Mirrors – manual, Black | Seats – front bucket with outboard head restraints and inboard armrests, vinyl trim |

1 These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the Vehicle Loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver door jamb. 2 A NOTE ON CHILD SAFETY: Always use seat belts and the correct child restraint for your child's age and size, even with airbags. Even in vehicles equipped with the Passenger Sensing System, children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal airbag. See your vehicle Owner's Manual and the child safety seat instructions for more safety information.

EXPRESS CARGO VAN (CONTINUED)

Go to Express Cargo Van model overview.



PAYLOAD AND VEHICLE WEIGHT RATINGS

| MODEL | ENGINE | PAYLOAD (LBS.) ¹ | GVWR (LBS.) ² | MAX TRAILER WEIGHT (LBS.) ³ |
|-------------------------|--------------|---|--------------------------|--|
| | 4.3L V6 | 3,280 | 8,600 | 7,400 |
| 2500 Regular Wheelbase | 6.6L V8 | 3,060 | 8,600 | 10,000 |
| | Duramax 2.8L | 2,870 | 8,600 | 7,000 |
| | 4.3L V6 | 3,060 | 8,600 | 7,100 |
| 2500 Extended Wheelbase | 6.6L V8 | 2,790 | 8,600 | 10,000 |
| | Duramax 2.8L | 3,060 8,600 2,870 8,600 3,060 8,600 2,790 8,600 2,660 8,600 4,280 9,600 4,010 9,600 | 6,100 | |
| | 4.3L V6 | 4,280 | 9,600 | 7,400 |
| 3500 Regular Wheelbase | 6.6L V8 | 4,010 | 9,600 | 10,000 |
| | Duramax 2.8L | 3,870 | 9,600 | 6,200 |
| | 4.3L V6 | 4,060 | 9,600 | 7,200 |
| 3500 Extended Wheelbase | 6.6L V8 | 4,090 | 9,900 | 10,000 |
| 500 Regular Wheelbase | Duramax 2.8L | 3,960 | 9,900 | 6,000 |

1 These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the Vehicle Loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver door jamb. 2 Maximum Gross Vehicle Weight Rating (GVWR). When properly equipped; includes weight of vehicle, passengers, cargo and equipment. 3 Before you buy a vehicle or use it for trailering, carefully review the Trailering section of the Owner's Manual. The weight of passengers, cargo and options or accessories may reduce the amount you can tow.

EXPRESS PASSENGER VAN

Go to Express Passenger Van model overview.



MODEL AVAILABILITY

| TRIM/SERIES | DRIVE | WHEELBASE | STANDARD Engine | STANDARD HP @ RPM/ LBFT. TORQUE @ RPM | AVAILABLE ENGINES | MAX PAYLOAD (LBS.) ¹ | STANDARD SEATING |
|-------------------------|-------|-----------|--------------------|--|-----------------------|------------------------------------|---------------------|
| 2500 | RWD | 135" | 4.3L V6 | 276 @ 5200/298 @ 3900 | 6.6L V8, Duramax 2.8L | 2,550 | 12 |
| 3500 Regular Wheelbase | RWD | 135" | 4.3LV6 | 276 @ 5200/298 @ 3900 | 6.6L V8, Duramax 2.8L | 3,320 | 12 |
| 3500 Extended Wheelbase | RWD | 155" | 4.3L V6 | 276 @ 5200/298 @ 3900 | 6.6L V8, Duramax 2.8L | 3,210 | 12 |

STANDARD EQUIPMENT

| MECHANICAL | EXTERIOR (CONTINUED) | | | |
|--|---|--|--|--|
| Brakes – 4-wheel antilock, 4-wheel disc | Wheels – 16" painted-steel with gray center caps and steel spare | | | |
| Engine – 4.3L V6 with Direct Injection and Variable Valve Timing | Wipers – front intermittent wet-arm with pulse washers | | | |
| Exhaust – aluminized stainless steel muffler and tailpipe | INTERIOR | | | |
| StabiliTrak – Electronic Stability Control System with traction assistance; includes Electronic Trailer Sway Control and Hill Start Assist | Airbags ² – frontal for driver and right-front passenger; seat-mounted side-impact for driver and right-front passenger; roof-rail mounted head-curtain provides coverage for outboard seating positions for first three rows only | | | |
| Suspension – front independent with coil springs and stabilizer bar; rear drive axle with multi-leaf springs | Air conditioning – front and rear | | | |
| Transmission – 8-speed automatic, electronically controlled with overdrive and Tow/Haul mode | Audio system – AM/FM stereo with MP3 player, seek-scan, digital clock, TheftLock, random select, auxiliary jack and two front | | | |
| EXTERIOR | door speakers | | | |
| Bumpers – front and rear, Black-painted with step pad | Console – engine cover with open storage bin and three cup holders | | | |
| Daytime running lamps | Defogger – front and side windows | | | |
| Door - swing-out passenger-side, 60/40 split | Heater – rear auxiliary | | | |
| Glass – full-body window package | Mirror – rearview, with Rear Vision Camera ³ display | | | |
| Headlamps - dual halogen | Power Convenience Package – power windows and power door locks | | | |
| Mirrors – manual, Black | Power outlet - 120-volt | | | |
| ······ | Seats - 12-passenger (2-3-3-4 seating configuration; 4-passenger seat is a 50/50 split, 2-piece configuration) | | | |

PAYLOAD AND VEHICLE WEIGHT RATINGS

| MODEL | ENGINE | PAYLOAD (LBS.) ¹ | GVWR (LBS.)⁴ | MAX TRAILER WEIGHT (LBS.)⁵ |
|-------------------------|--------------|-----------------------------|--------------|----------------------------|
| | 4.3L V6 | 2,550 | 8,600 | 6,700 |
| 2500 Regular Wheelbase | 6.6L V8 | 2,360 | 8,600 | 9,600 |
| | Duramax 2.8L | 2,200 | 8,600 | 6,300 |
| | 4.3L V6 | 3,540 | 9,600 | 6,700 |
| 3500 Regular Wheelbase | 6.6L V8 | 3,350 | 9,600 | 9,600 |
| | Duramax 2.8L | 3,210 | 9,600 | 5,700 |
| | 4.3L V6 | 3,210 | 9,600 | 6,300 |
| 3500 Extended Wheelbase | 6.6L V8 | 3,320 | 9,900 | 9,200 |
| | Duramax 2.8L | 3,190 | 9,900 | 5,300 |

1 These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the Vehicle Loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver door jamb. 2 A NOTE ON CHILD SAFETY: Always use seat belts and the correct child restraint for your child's age and size, even with airbags. Even in vehicles equipped with the Passenger Sensing System, children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal airbag. See your vehicle Owner's Manual and the child safety seat instructions for more safety information. 3 Read the vehicle Owner's Manual for important feature limitations and information. 4 Maximum Gross Vehicle Weight Rating (GVWR). When properly equipped; includes weight of vehicle, passengers, cargo and equipment. 5 Before you buy a vehicle or use it for trailering, carefully review the Trailering section of the Owner's Manual. The weight of passengers, cargo and options or accessories may reduce the amount you can tow.

EXPRESS CUTAWAY

Go to Express Cutaway model overview.

 \rightarrow



MODEL AVAILABILITY

| TRIM/SERIES | DRIVE | WHEELBASE | CAB-TO-AXLE Length | | STANDARD HP @ RPM/ LBFT. TORQUE @ RPM | STANDARD TRANSMISSION | AVAILABLE Engine | MAX PAYLOAD (LBS.) ¹ | STANDARD Seating |
|----------------------|-----------|-----------|-----------------------|---------|--|-------------------------------|---------------------|------------------------------------|---------------------|
| Express 3500 Cutaway | RWD | 139" | 80" | 4.3LV6 | 276 @ 5200/298 @ 3900 | 8-speed automatic | 6.6L V8 | 7,150 | 2 |
| Express 3500 Cutaway | RWD | 159" | 100" | 6.6L V8 | 401@5200/464@4000 | 6-speed automatic, heavy-duty | | 7,120 | 2 |
| Express 3500 Cutaway | RWD (DRW) | 177" | 118" | 6.6L V8 | 401@5200/464@4000 | 6-speed automatic, heavy-duty | | 7,080 | 2 |
| Express 4500 Cutaway | RWD (DRW) | 159" | 100" | 6.6L V8 | 401@5200/464@4000 | 6-speed automatic, heavy-duty | | 8,920 | 2 |
| Express 4500 Cutaway | RWD (DRW) | 177" | 118" | 6.6L V8 | 401@5200/464@4000 | 6-speed automatic, heavy-duty | | 8,870 | 2 |

STANDARD EQUIPMENT

| MECHANICAL | EXTERIOR (CONTINUED) | | | | |
|---|---|--|--|--|--|
| Alternator – 150 amps | Headlamps – dual halogen | | | | |
| Battery - 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power | Mirrors – manual, Black | | | | |
| Brakes – 4-wheel antilock, 4-wheel disc | Tires – LT245/75R16E all-season, blackwall (3500) | | | | |
| Engine – 4.3L V6 with Direct Injection and Variable Valve Timing (3500) | Wheels – 16" 8-lug painted-steel, heavy-duty | | | | |
| Exhaust – aluminized stainless steel muffler and tailpipe | Wipers – front intermittent wet-arm with pulse washers | | | | |
| StabiliTrak – Electronic Stability Control System with traction assistance; includes Electronic Trailer Sway Control and | INTERIOR | | | | |
| Hill Start Assist | Airbags² – frontal for driver and right-front passenger | | | | |
| Steering – power | Air conditioning – single-zone manual | | | | |
| Suspension – front independent with coil springs and stabilizer bar; rear drive axle with multi-leaf springs | Audio system – AM/FM stereo with MP3 player, seek-scan, digital clock, TheftLock, random select, auxiliary jack and two front | | | | |
| Transmission - 6- or 8-speed automatic, electronically controlled with overdrive and Tow/Haul mode; includes cruise grade | door speakers | | | | |
| braking and powertrain grade braking | Console – engine cover with open storage bin and three cup holders | | | | |
| EXTERIOR | Defogger - side windows | | | | |
| Bumpers - Black-painted with step pad | Power outlet - 120-volt | | | | |
| Daytime running lamps | Seats – front bucket with outboard head restraints and inboard armrests, vinyl trim | | | | |
| Grille - Black | | | | | |

PAYLOAD AND VEHICLE WEIGHT RATINGS

| MODEL | ENGINE | PAYLOAD (LBS.) ¹ | GVWR (LBS.) ³ |
|-------------------------------------|---------|-----------------------------|--------------------------|
| Express 3500 Cutaway 139" Wheelbase | 4.3L V6 | 5,360 | 9,900 |
| Express 3000 cutaway 139 Wileelbase | 6.6L V8 | 7,150 | 12,300 |
| Express 3500 Cutaway 159" Wheelbase | 6.6L V8 | 7,120 | 12,300 |
| Express 3500 Cutaway 177" Wheelbase | 6.6L V8 | 7,080 | 12,300 |
| Express 4500 Cutaway 159" Wheelbase | 6.6L V8 | 8,920 | 14,200 |
| Express 4500 Cutaway 177" Wheelbase | 6.6L V8 | 8,870 | 14,200 |

1 These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the Vehicle Loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver door jamb. 2 A NOTE ON CHILD SAFETY: Always use seat belts and the correct child restraint for your child's age and size, even with airbags. Even in vehicles equipped with the Passenger Sensing System, children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal airbag. See your vehicle Owner's Manual and the child safety seat instructions for more safety information. 3 Maximum Gross Vehicle Weight Rating (GVWR). When properly equipped; includes weight of vehicle, passengers, cargo and equipment.

LOW CAB FORWARD

Go to Low Cab Forward model overview.



MODEL AVAILABILITY • AVAILABLE - NOT AVAILABLE

| MODEL | REGULAR CAB | CREW CAB | WHEELBASE (IN.) | STANDARD ENGINE | STANDARD HP @ RPM/ LBFT. TORQUE @ RPM | GVWR (LBS.) ¹ | PAYLOAD RANGE (LBS.) ² | OVERALL LENGTH (IN.) |
|---------|----------------|-------------|--------------------|-----------------|--|--------------------------|--------------------------------------|-------------------------|
| 3500 | • | • | 109-176 | 6.6L V8 | 350 @ 4500/425 @ 3800 | 12,000 | 6,033-6,796 | 200.5-267.5 |
| 4500 | • | • | 109-176 | 6.6L V8 | 350 @ 4500/425 @ 3800 | 14,500 | 8,229-8,941 | 200.5-267.5 |
| 4500 HD | • | • | 109-176 | 5.2L I-4 Diesel | 215 @ 2500/452 @ 1850 | 14,500 | 7,686-8,456 | 200.5-267.5 |
| 4500 XD | • | • | 109-176 | 5.2L I-4 Diesel | 215 @ 2500/452 @ 1850 | 16,000 | 8,760-9,526 | 200.5-267.5 |
| 5500 HD | • | • | 109-200 | 5.2L I-4 Diesel | 215 @ 2500/452 @ 1850 | 17,950 | 10,600-11,381 | 200.5-291.5 |
| 5500 XD | • | • | 109-212 | 5.2L I-4 Diesel | 215 @ 2500/452 @ 1850 | 19,500 | 12,101-12,794 | 200.5-303.5 |
| 6500 XD | • | _ | 152-248 | 5.2L I-4 Diesel | 215 @ 2500/520 @ 1650 | 25,950 | 15,046-16,444 | 274.4-418.5 |

DIMENSIONS

REGULAR CAB

| MODEL | OVERALL WIDTH (IN.) | OVERALL HEIGHT (IN.) | AXLE WIDTH (IN.) | CAB TO AXLE (IN.) | CAB TO END OF FRAME (IN.) | WHEELBASE (IN.) | OVERALL LENGTH (IN.) |
|---------|------------------------|-------------------------|---------------------|----------------------|------------------------------|--------------------|-------------------------|
| 3500 | 81.3 | 90.0 | 65.6 | 86.5-153.5 | 129.6-196.6 | 109-176 | 200.5-267.5 |
| 4500 | 81.3 | 90.9 | 65.6 | 86.5-153.5 | 129.6-196.6 | 109-176 | 200.5-267.5 |
| 4500 HD | 81.3 | 90.8 | 65.6 | 86.5-153.5 | 129.6-196.6 | 109-176 | 200.5-267.5 |
| 4500 XD | 81.3 | 92.4 | 65.6 | 86.5-153.5 | 129.6-196.6 | 109-176 | 200.5-267.5 |
| 5500 HD | 81.3 | 92.4 | 65.6 | 86.5-177.5 | 129.6-220.6 | 109-200 | 200.5-291.5 |
| 5500 XD | 81.3 | 92.4 | 65.6 | 86.5-189.5 | 129.6-232.6 | 109-212 | 200.5-303.5 |
| 6500 XD | 93.5 | 107.0-112.0 | 81.1 | 127.0-223.0 | 192.9-337.0 | 152-248 | 274.4-418.5 |
| | | | | | | | |

CREW CAB

| MODEL | OVERALL WIDTH (IN.) | OVERALL HEIGHT (IN.) | AXLE WIDTH (IN.) | CAB TO AXLE (IN.) | CAB TO END OF FRAME (IN.) | WHEELBASE (IN.) | OVERALL LENGTH (IN.) |
|---------|------------------------|-------------------------|---------------------|----------------------|------------------------------|--------------------|-------------------------|
| 3500 | 81.3 | 90.0 | 65.6 | 88.5-114.5 | 131.6-157.6 | 150-176 | 241.5-267.5 |
| 4500 | 81.3 | 91.1 | 65.6 | 88.5-114.5 | 131.6-157.6 | 150-176 | 241.5-267.5 |
| 4500 HD | 81.3 | 90.8 | 65.6 | 88.5-114.5 | 131.6-157.6 | 150-176 | 241.5-267.5 |
| 4500 XD | 81.3 | 92.4 | 65.6 | 88.5-114.5 | 131.6-157.6 | 150-176 | 241.5-267.5 |
| 5500 HD | 81.3 | 92.4 | 65.6 | 88.5-114.5 | 131.6-157.6 | 150-176 | 241.5-267.5 |
| 5500 XD | 81.3 | 92.4 | 65.6 | 88.5-114.5 | 131.6-157.6 | 150-176 | 241.5-267.5 |
| | | | | | | | |

1 Maximum Gross Vehicle Weight Rating (GVWR). When properly equipped; includes weight of vehicle, passengers, cargo and equipment. 2 These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the Vehicle Loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver door jamb.


DIMENSIONS - SILVERADO 1500 & SILVERADO 2500 HD

81.1


812

81.2


SILVERADO 1500 REGULAR CAB LONG BED




SILVERADO 1500 DOUBLE CAB STANDARD BED




SILVERADO 1500 CREW CAB SHORT BED



SILVERADO 1500 CREW CAB STANDARD BED




Go to Silverado 1500 overview (\rightarrow)





Go to Silverado 1500 overview (\rightarrow)



Go to Silverado 1500 overview (\rightarrow)



50.6" 79 4"

-231.7"-241.2"

SILVERADO 2500 HD CREW CAB STANDARD BED

Go to Silverado 1500 overview (\rightarrow)




SILVERADO 2500 HD CREW CAB LONG BED

-158.9"

21.0" 79 8'

-50.8"-



SILVERADO 2500 HD REGULAR CAB LONG BED


Go to Silverado HD overview (\rightarrow)




81.9"

81.9'

SILVERADO 2500 HD DOUBLE CAB STANDARD BED



SILVERADO 2500 HD DOUBLE CAB LONG BED



157 0

8 ⊢ 40.2" `

Go to Silverado HD overview (>)

Go to Silverado HD overview (
ightarrow)

51.8"

82 2"

Go to Silverado HD overview (\rightarrow)


71 4" 50 5"

98.2"


71 4"

240.4"

- 256.5"




Go to Silverado HD overview 🏼 (>)



NOTE: For a complete list of all Commercial Vehicle dimensions and specifications, go to chevrolet.com.

DIMENSIONS - SILVERADO 3500 HD & 4500 HD/5500 HD/6500 HD



71.4" 50.5

-266.0"

98.2

NOTE: For a complete list of all Commercial Vehicle dimensions and specifications, go to chevrolet.com.

_

⊢ 40.2" →

-172.0

21.0" 80 7


81 9

DIMENSIONS - COLORADO, EXPRESS & LOW CAB FORWARD


74.3"-76.7"

74.3

•



COLORADO CREW CAB SHORT BOX



COLORADO CREW CAB LONG BOX



2127

212.4"-212.7

Go to Colorado overview (\rightarrow)


Go to Colorado overview (\rightarrow)


44.4"

61 7


44 4"


74 N'





EXPRESS CARGO VAN 135" Wheelbase/155" Wheelbase






EXPRESS PASSENGER VAN 135" Wheelbase/155" Wheelbase




153 6"/173 6

126.2"/146.0

 (\mathbf{i})



EXPRESS CUTAWAY 139" Wheelbase/159" Wheelbase/177" Wheelbase Go to Express Cutaway overview




LOW CAB FORWARD (LCF)

Go to Low Cab Forward overview (\rightarrow)

Go to Low Cab Forward overview (\rightarrow)


REGULAR CAB/CREW CAB 109" Wheelbase-212" Wheelbase



LOW CAB FORWARD (LCF)

6500 XD 152" Wheelbase-248" Wheelbase

·----- 93.5"− -192.9"-337.0" 127.0"-223.0" 107.0"æ (R 152 0"-248 0 811 Front Track 196.0"



274.4"-418.5"

NOTE: For a complete list of all Commercial Vehicle dimensions and specifications, go to chevrolet.com.

WARRANTY

5-year/60,000-mile transferable Powertrain Limited Warranty. Qualifying 2021 Chevrolet Commercial vehicles come with a 5-year/60,000-mile¹ transferable Powertrain Limited Warranty. Low Cab Forward with gas engine comes with a 5-year/75,000-mile¹ Powertrain Limited Warranty. Plus, you get 5 years/60,000 miles¹ of the 24/7 Roadside Assistance Program, the Courtesy Transportation Program², and much more. Qualifying fleet purchases of either Low Cab Forward with gas engine or Silverado models with available Duramax 6.6L Turbo-Diesel V8 engine come with a 5-year/100,000-mile¹ Powertrain Limited Warranty. Low Cab Forward with diesel engine comes with a 3-year/unlimited-mile Powertrain Limited Warranty and 24/7 Roadside Assistance Program. Bolt EV comes with an 8-year/100,000-mile¹ Electric and Hybrid Vehicle Warranty Coverage and Courtesy Transportation Program. See dealer for details.

New Vehicle Limited Warranty. GM vehicles registered in the USA are covered for 3 years/36,000 miles! The complete vehicle is covered, including towing to your nearest Chevrolet dealership and cosmetic corrosion resulting from defects. Repairs will be made to correct any vehicle defect, and most warranty repairs will be made at no charge. In addition, rust-through corrosion will be covered for 6 years/100,000 miles! Low Cab Forward rust-through corrosion will be covered for 4 years/unlimited miles. See dealer for details.

IMPORTANT INFORMATION

Chevrolet Owner Center (my.chevrolet.com). Everything you need to know. Anything you need to do. Your Chevrolet Owner Center makes it easy. Create your account today to get the most out of your new vehicle. Get special alerts and offers, schedule service, review your maintenance schedule, and view how-to videos specifically for your vehicle. All online, anytime. Visit the Owner Center today to register or take a tour.

Powertrain. Chevrolet products are equipped with engines and/or propulsion systems produced by GM Global Propulsion Systems or other suppliers to GM worldwide. The powertrain components in Chevrolet products may also be used in other GM makes and models.

Assembly. Chevrolet vehicles and their components are assembled or produced by different operating units of General Motors, its subsidiaries or suppliers to GM worldwide. We sometimes find it necessary to produce Chevrolet vehicles with different or differently sourced components than originally scheduled. Since some options may be unavailable when your vehicle is assembled, we suggest you verify that your vehicle includes the equipment you ordered and that, if there were changes, they are acceptable to you.

Chevrolet Connected Services and OnStar. Connected vehicle services vary by vehicle model and require an active service plan, working vehicle electrical system, cell reception and GPS signal. Visit onstar.com for details and limitations.

A note on child safety. Always use seat belts and the correct child restraint for your child's age and size, even with airbags. Even in vehicles equipped with the Passenger Sensing System, children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal airbag. See your vehicle Owner's Manual and the child safety seat instructions for more safety information.



BUSINESS CHOICE OFFERS FLEXIBLE SOLUTIONS FOR YOUR BUSINESS

Business Choice/Business Elite. You can get the commercial vehicles you depend on every day, equipped with the features you need to get the job done. If you are a qualified commercial customer³ and purchase or lease an eligible Chevrolet van or truck, Business Choice offers incentive towards upfit

equipment or accessories to meet your business needs. Visit gmbusinesschoice.com for details. Visit chevrolet.com for special offers and to find a Chevrolet dealer.

Important words about this catalog. We have tried to make this catalog comprehensive and factual. We reserve the right, however, to make changes at any time, without notice, in prices, colors, materials, equipment, specifications, models and availability. Specifications, dimensions, measurements, ratings and other numbers in this catalog and other printed materials provided at the dealership or affixed to vehicles are approximations based on design and engineering drawings, prototypes and laboratory tests. Your vehicle may differ due to variations in manufacture and equipment. Since some information may have been updated since the time of printing, please check with your Chevrolet dealer for complete details. Chevrolet reserves the right to lengthen or shorten the model year for any product for any reason or to start and end model years at different times. Certain vehicle features may lose their usefulness over time due to obsolescence from technological changes. Unless otherwise noted, all claims based on GM segmentation and latest available competitive information. Excludes other GM vehicles.

Spare tire information. There is no standard jack or spare tire in Express Cutaway models. Your vehicle has a tire sealant and compressor kit that uses a liquid tire sealant to temporarily seal up to a one-quarter-inch puncture in the tread area of the tire. After using the tire inflator kit, it is recommended that you take the tire to an authorized retailer for inspection and repair as soon as possible, but at least within 100 miles of driving. The tire sealant cannot seal and inflate sidewall damage, punctures larger than one-quarter inch, or a tire that has unseated from the wheel. The sealant can only be used on one tire and for one time before its expiration date.

GMmobility.com (1-800-323-9935). GM Mobility[™] offers financial assistance for eligible adaptive equipment to make automotive travel easier for persons with disabilities or special transportation needs. To learn more about special GM Mobility offers, visit gmmobility.com.

Trailering and off-road driving information. Please go to chevrolet.com and carefully review an Owner's Manual for important safety information about trailering or off-road driving in your vehicle.

WE'VE GOT YOUR BACK

At Chevrolet, giving you a completely satisfying ownership experience is our top priority. That's why if you ever need assistance, feel free to contact us at these websites or phone numbers.

GMupfitter.com. Offering nearly everything you need to begin upfitting⁴ your Chevy Commercial vehicle, including handling 2-D and 3-D math data; taking hotline questions; and supplying Body Builders Manuals (from 1999 to present), Technical Bulletins and Best Practices Guidelines.

24-Hour Roadside Assistance Program (1-800-CHEV-USA).

The Chevrolet Roadside Assistance Program provides you with the following services for 5 years or 60,000 miles: Emergency Towing (to closest Chevrolet dealer from a legal roadway), Lockout Service (keys locked inside vehicle), Flat Tire Changes (spare installed), Fuel Delivery (\$5 worth of fuel delivered on the road) and Jump Starts (at home or on the road). For specific terms and conditions, please contact your Chevrolet Roadside Assistance advisor at 1-800-243-8872. Some services may incur costs.

Courtesy Transportation Program. Ask your Chevrolet dealer for Courtesy Transportation if you leave your vehicle for extended repairs under the New Vehicle Limited Warranty or Powertrain Limited Warranty. Ask if you qualify for expense reimbursement and/or vehicle rental. Services vary by dealer. Does not apply to Express Cutaway or Low Cab Forward models.

Chevrolet Customer Assistance Center (1-800-222-1020). Talk directly to customer relationship managers who can handle any inquiries related to vehicle operation, warranty coverages, or product or service concerns you may have. Please refer to your Owner's Manual for Customer Assistance information.

Chevrolet.com/safety. Chevrolet is committed to keeping you and your family safe – from the start of your journey to your destination. That's why Chevrolet vehicles offer standard and available safety and security features to help give you peace of mind.

Marketing and incentives. Visit chevrolet.com/current-deals or call 1-800-950-CHEV (1-800-950-2438) for new product, current incentive and marketing program information.

The BuyPower Card. The Chevrolet BuyPower Card – Every purchase you make with the BuyPower Card from Capital One* helps you earn toward an eligible new Chevrolet, Buick, GMC or Cadillac vehicle. There's no limit on the amount you can earn or redeem, and your Earnings don't expire. Visit chevroletbuypowercard.com/catalogs.

* Capital One, N.A. is the issuer of the BuyPower Card. General Motors ("GM") is responsible for the operation and administration of the Earnings program.

GM, the GM logo, Chevrolet, the Chevrolet logo and the slogans, emblems, vehicle model names, vehicle body designs and other marks appearing in this catalog are the trademarks and/or service marks of General Motors, its subsidiaries, affiliates or licensors. Allison is a registered trademark of Allison Transmission, Inc. ©2021 OnStar. All rights reserved. ©2021 General Motors. All rights reserved. April 2021.

FIND NEW ROADS"

1 Whichever comes first. 2 Courtesy Transportation Program does not apply to Express Cutaway and Low Cab Forward models. 3 To qualify for the GM Business Choice Program, your vehicle must be used in the day-to-day operations of your business and not solely for transportation purposes, and you must provide proof of your business. See your dealer for complete program details. 4 Equipment from independent suppliers is not covered by the GM New Vehicle Limited Warranty. GM is not responsible for the safety or quality of independent supplier alterations.