

1986

PLYMOUTH CARAVELLE SALON



1986

PLYMOUTH CARAVELLE SALON

You want to travel in roomy comfort. You like the solid feel of a full-size car. You appreciate the extra responsive power that a V-8 engine provides. You look carefully at what you buy to make sure you get your money's worth. The 1986 Plymouth Caravelle Salon is your kind of car.

Caravelle meets your expectations in so many ways: with luxurious interiors that accommodate six adults with room to

spare; with the power and pick-up of a 5.2-litre V-8 engine paired with standard automatic transmission; with handling ease that belies its size; with standard power-assisted steering and power vented front disc brakes; with a car that's built to last.

Caravelle reflects Chrysler quality in every inch of its design, engineering and construction. It's quality, moreover,

that's backed by the double assurance of Chrysler's 5 year/80,000 kilometre warranty protection (see back page for details), and a long-established dealer organization extending throughout Canada.



★ Caravelle Salon's Instrument Panel puts function first with instrumentation that's arranged for maximum visibility.

Indulges your desire for luxury, safeguards your respect for cost



About this catalogue. Since the time of printing, some of the information you'll find in this catalogue may have been updated. Ask your dealer for details before ordering.



★ Caravelle's optional, cloth, 60/40 bench seat with folding centre armrest and passenger-side recliner makes the going easier.



★ Power Windows and Door Locks provide convenience and safety. Optional.



AM/FM/MX "Ultimate Sound" Stereo Radio gives you concert hall clarity. Has a cassette player that makes your favourite selections sound better than ever. Optional.



★ Automatic Speed Control—optional. Set your speed on the highway, then cruise along. Disengages instantly when you touch the brake.

Tilt Steering Column. Lets you vary the steering wheel height, eases fatigue on long trips, provides easier driver entry and exit. Optional.



Plymouth Caravelle Salon Selected Standard and Optional Features	
AIR CONDITIONING—Automatic temperature control, bi-level	O
ALTERNATOR—60 amp.	S
78 amp. (Included with electric rear defroster)	O
BATTERY—400 amp., Maintenance-Free	S
500 amp., Maintenance-Free	O
BRAKES—Power front disc, drum rear	S
BUMPER—Protective rub strips and front guards	S
Rear guards	O
CLOCK—Digital electronic, integral with radio	S
CORROSION PROTECTION—Extensive use of galvanized steel; lower bodyside urethane stone-chip-resistant coating; front fender plastic liners (backed by Chrysler's Anti-Corrosion Limited Warranty)	S
DEFROSTER—Rear window, electric, includes 78 amp. alternator	O
ENGINE BLOCK HEATER	O
FLOOR MATS—Front and rear, cut-pile	O
GLASS—Tinted	S
HALOGEN HEADLAMPS	S
HOOD RELEASE—Inside	S
INSULATION—Special sound-deadening package	O
Hood pad	S
LIGHTS—Illuminated entry system	O
MIRRORS—Left outside, bright	S
Dual outside, remote bright, illuminated passenger side vanity	O
PACKAGES—Light	O
Salon Luxury Equipment	O
Trunk Dress-up	O
Easy Order	O
POWER ASSISTS—Deck lid release, door locks and windows	O
RADIO—Electronically-tuned with digital read-out and clock	S
AM	S
AM stereo/FM stereo with cassette, 4 speakers, Graphic Equalizer and Dynamic Noise Reduction Systems	O
SEATS—Centre armrest bench, cloth-and-vinyl	S
Centre armrest bench, vinyl	O
60/40 bench, cloth, with passenger side recliner	O
SPARE TIRE—Conventional (matching)	O
SPEED CONTROL, AUTOMATIC	O
STEERING COLUMN—Tilt	O
STEERING WHEEL—Leather-wrapped	O
STEERING—Power	S
SUSPENSION—Heavy-duty	O
TAPE STRIPES—Bodyside, deck and hood	O
TIRES—P205/75 R15, SBR, WWSW, All-Season	S
TRIP ODOMETER	S
UNDERCOATING	O
VINYL ROOF—Full	O
WHEEL DRESS-UP—Deluxe wheel covers	S
Wire wheel covers	O
WINDSHIELD WIPERS—Variable delay, intermittent wipe	O

S—Standard equipment O—Optional equipment at extra cost SBR—Steel-belted radial WWSW—Wide white side walls

This catalog does not list all standard and optional equipment items, and some options are subject to availability restrictions. See your dealer for complete details.

Dimensions, Weights and Capacities	Four-Door Sedan	
	millimetres	inches
Wheelbase	2863	112.7
Overall Length (a)	5225	205.7
Overall Width	1885	74.2
Overall Height (b)	1405	55.3
Turning Diameter—metres (feet)	12.4 (40.7)	
Curb Weight—kilograms (pounds)	1610 (3550)	
Usable Luggage Capacity—litres (cu. ft.)	442 (15.6)	
Passenger Capacity	6	
Fuel Capacity—litres (Imp. gals.)	68 (15.0)	

Engine and Transmission	5.2-litre (318 cu. in.)
Availability	Standard
Type	V-8
Carburetor	2-Barrel
Net Power—kW (bhp) @ RPM	112 (150) @ 4000
Net Torque—N·m (lb-ft) @ RPM	359 (265) @ 2400
Transmission—3-Speed Automatic	Standard
Axle Ratio	2.20

(a) Includes bumper guards.

(b) Based on 5-passenger load, base engine and standard tires.

TRAILER TOWING: Ask your dealer for Chrysler Canada's special information and recommendation brochure.

BEST IN PROTECTION


- Engine & Powertrain
- Outer Panel rust through

EVERY CHRYSLER BUILT CAR & TRUCK

*Limited Warranty



Mopar/Autopar parts are engineering approved by Chrysler Canada Ltd. for your vehicle. When replacement is necessary, be sure to specify the use of Mopar/Autopar parts. There's no substitute for quality.



All product illustrations and specifications are based on authorized information. Although all descriptions are believed correct at publication, accuracy cannot be guaranteed. Some of the equipment shown on product illustrations is optional at extra cost. Chrysler Canada Ltd. reserves the right to make changes from time to time, without notice or obligation, in prices, standard and optional equipment listed, specifications, colours and materials, and to change or discontinue models. Certain models, packages and options are subject to specific requirements and restrictions. Ask your dealer for the latest information.



AT CHRYSLER,
WE JUST WANT
TO BE THE

best

We've got Chrysler LeaseAbility

... which means any Chrysler, Dodge or Plymouth car can be leased from your local Chrysler Dealer...the Leasing Professional.