

PICKUPS &STAKES

1/2 TON-3/4 TON-1TON





colors in bench seat and trim options.
From the standard interior to the luxurious Adventurer bucket-seated interior, Dodge pickup cabs are airy, comfortable, and easy to work in.



Standard Adventurer interior, available only in the Adventurer pickup. With cloth-and-vinyl fabric covering the full-foam bench seat, color-keyed carpeting, and much more in the way of luxury.

Custom Interior Package available on all Dodge Sweptline and Utiline pickups as well as other models. It includes a full-depth foam-rubber bench seat and foam-padded seatback, color-keyed vinyl-and-nylon upholstery, color-keyed rubber floor mats, and other fittings to brighten the interior.



Standard interior for Sweptline and Utiline pickups and other models. This interior has a six-way-adjustable bench seat upholstered in vinyl with a choice of four color-keyed interiors (Blue, Green, Beige, or Black), and dual armrests.

DODGE PICKUP INTERIORS

The optional bucket-seated interior, originally created exclusively for the Adventurer pickup, now available in place of any standard interior. Bucket seats are all-vinyl with center console.







DODGE SWEPTLINE

A smooth-looking, smooth-performing beauty on and off the job. With full-width rear window, a wide-opening tailgate to the big, full-depth, double-wall cargo box that protects the outside of the body from inside knocks and bumps. A comfortable, well-appointed cab interior. And Dodge "Cushioned-Beam" Suspension, that handles the hard bumps easily, gives a boulevard ride everywhere. Sweptline's lineup of standard equipment is impressive, even to the surprisingly rich standard interior.



| D100* D200* | D14" | 128" | 128" |













What makes the Utiline different from other Dodge pickups? It has honest-to-goodness running boards! One on each side. The Utiline is a solid, traditional-style pickup that a lot of people think is just exactly the truck for them. Its box floor is of seasoned hardwood protected by steel skid strips, and Utiline pickups are available in three box lengths—6½-, 8-, and 9-feet, and a wide range of payload capacities (to 3.750 pounds) on Models D100, D200 and D300 chassis. Model D300 Utiline has a straight side rail frame, four-speed transmission, and front Oriflow shock absorbers on its standard equipment list. Interiors, both standard and optional, are the same as the Sweptline pickup's.



LITHLINE DIMENCIONS

UTILINE DIMENSIONS					
MODEL	D	100	D200	D300	
Wheelbase (WB)	114"	128"	128"	133"	
Nominal inside length	61/2'	8'	8'	9'	
Inside length (A)	781/4"	96"	96"	108"	
Inside width (max.)	54"	54"	54"	54"	
Width between wheelhousings	49"	49"	49"	49"	
Height-top of sides and tailgate (B)	20"	20"	20"	20"	
Capacity-(water level) cu. ft.	47.25	58.5	58.5	66.0	
Stake pockets-size (in.)	21/2 x 11/8	21/2 x 11/8	21/2 x 11/8	21/2 x 11/8	
-center to center, sides	741/4"	921/8"	921/2"	107"	
-center to center, back	571/2"	571/2"	571/2"	571/2"	



DODGE POWER WAGONS

Dodge Power Wagons, with four-wheel-drive, are very similar in appearance except when they are looked at from dead ahead. Then the reason for their extraordinary off-the-road traction can be seen. The W100 Sweptline pickup above shares all the styling advances of other Dodge pickups. Its interior includes the new instrument face plate, flip-up glove box, contoured padded dash, deep-dish (energy-

absorbing) steering wheel, and two-speed wipers. Dodge Power Wagons are equipped with a single-lever transfer case and, as you can see above, the W100 is lower and sleeker.

A SINGLE-LEVER TRANSFER CASE
CONTROL. Lets the driver choose
two- or four-wheel-drive with the flip of
his wrist. The LoadFlite automatic
transmission (below) is now an option
on W100 and W200 Power Wagons.

crew and a load of equipment to move in bad weather over rough terrain, the Dodge 6-man Crew Cab on a four-wheel-drive Power Wagon chassis. And the back seat compartment can easily double as a lockable storage area for valuable tools and equipment. Crew Cab Power Wagons are available as factory production models in Sweptline and Utiline body styles, and as a chassis-cab unit for special bodies in Model W200. See the Dodge Medium-Duty Catalog for details on the larger W500 Power Wagon.

pode Utiline Power Wagons. Here is a combination many truck owners consider very desirable. Four-wheel-drive and a cargo box with running boards for easy loading and unloading. The cargo boxes have seasoned hardwood floors protected by steel skid strips and go from 6½ to 9 feet in length. You have a choice of Models W100, W200, and W300, wheelbases from 114 to 146 inches, and payloads all the way to 4,760 pounds.

who really likes to get out and rough it far from the beaten path—cross-country if need be. Because a Dodge Power Wagon will take him where he wants to go and bring him back, come what may. That's the Dodge W200 Camper Special Power Wagon, built to take practically every camper body on the market, and equipped just the way the Dodge D200 Camper Special is equipped. The big difference between the two is that the W200 will go more places.







DODGE POWER WAGON LINEUP

The State of the S	WHEELBASE	BODY LENGTH	GVW	PAYLOAD A	LLOWANCE
PICKUPS				SWEPTLINE	UTILINE
W100	114 in.	6½ ft.	5,100 lbs. 5,600 lbs.	1,135 lbs. 1,610 lbs.	1,185 lbs. 1,660 lbs.
	128 in.	8 ft.	5,100 lbs. 5,600 lbs.	990 lbs. 1,465 lbs.	1,050 lbs. 1,525 lbs.
W200	128 in.	8 ft.	6,500 lbs. 8,000 lbs.	2,190 lbs. 3,630 lbs.	2,250 lbs. 3,690 lbs.
W200 Crew Cab	146 in.	6½ ft.	6,500 lbs. 8,000 lbs.	1,875 lbs. 3,315 lbs.	1,925 lbs. 3,365 lbs.
W200 Camper Special	128 in.	8 ft.	8,000 lbs.	3,100 lbs.*	3,100 lbs.*
W300	133 in.	9 ft.	8,500 lbs. 10,000 lbs.		3,340 lbs. 4,760 lbs.
STAKES	North Control				
W200	128 in.	8 ft.	6,500 lbs. 8,000 lbs.	1,985 lbs. 3,425 lbs.	
W300	133 in.	9½ ft.	8,500 lbs. 10,000 lbs.	2,875 lbs. 4,295 lbs.	


HASSIS-CABS	WHEELBASE	BODY LENGTH	GVW	BODY & PAYLOAD ALLOWANCE
WI AA	114 in.	6½ ft.	5,100 lbs. 5,600 lbs.	1,545 lbs. 2,020 lbs.
V100	128 in.	8 ft.	5,100 lbs. 5,600 lbs.	1,490 lbs. 1,965 lbs.
V200	128 in.	8 ft.	6,500 lbs. 8,000 lbs.	2,690 lbs. 4,130 lbs.
V200 Crew Cab	146 in.	6½ ft.	6,500 lbs. 8,000 lbs.	2,285 lbs. 3,725 lbs.
V300	133 in.	9 ft.	8,500 lbs. 10,000 lbs.	3,835 lbs. 5,255 lbs.

*Weight allowance for camper coach, driver, passengers, and gear.


8-ft. platforms are available on Models W100 and W200. 9½-ft. platforms on W300. See your Dodge







STURDY CAB CONSTRUCTION





Dodge Truck versatility is notably extended by these stake models for both low and medium-tonnage chassis, because they can haul bulky, heavy loads, and they load easily from both sides and back because of their removable racks. Dodge stake models come on D100, D200, and D300 as well as W100, W200, W300 four-wheel-drive Power Wagon chassis. They are also available on D400, D500, and W500 medium-duty models.

STAKE BODY DIMENSIONS

Nominal body length	8'	91/2'	121/2'
Inside length	92"	108"	144"
Inside width	72"	86"	90"
Height of sides	30"	42"	42"
Floor area (square feet)	46	641/2	90

Stake pocket size on all models is 113/16" x 39/16".

MODELS	WHEELBASE	BODY LENGTH		PAY	LOAD ALLOWA	NCE	
D100	128 in.	0.0	4,300-lb. GVW	5,200-1b. GVW			
0100	128 In.	8 ft.	450 lbs.	1,555 lbs.			
D200	128 in.	8 ft.	6,100-lb. GVW		6,500-lb. GVW	6,700-lb. GVW	7,500-lb. GVW
0200	128 In.		1,965 lbs.		2,355 lbs:	2,545 lbs.	3,290 lbs.
		6,600-lb, GVW	8,000-lb. GVW	8,600-lb. GVW	9,000-lb. GVW	10,000-lb. GVV	
D300	0300 133 in. 159 in.		1,995 lbs.	3,285 lbs.	3,815 lbs.	4,200 lbs.	5,145 lbs.
			1,590 lbs.	2,880 lbs.	3,410 lbs.	3,795 lbs.	4,740 lbs.
WIGO POWER	128 in.	0.01	5,100-lb, GVW	5,600-lb. GVW			
W100 POWER WAGON	128 in. 8 ft.	785 lbs.	1,260 lbs.				
W200 POWER WAGON	128 in.			6,500-lb. GVW	8,000-lb. GVW		
WZUU WAGON	128 In.	8 ft.		1,985 lbs.	3,425 lbs.		
POWER	100 /-	9½ ft.	8,500-lb. GVW	10,000-lb. GVW			
W300 POWER WAGON	133 in.		2.875 lbs	4 295 lbs.			



SIX-WAY-ADJUSTABLE SEAT





D200 146"

D300 160'







DODGE CREW CAB

Here is a doubly versatile vehicle with a passenger capacity of six up front and the full cargo-carrying capacity of a pickup out back. Whether you need a lot of passenger room for family or for business, the Dodge Crew Cab provides it. And provides it at an economical price because Dodge Crew Cabs are factory production models, not semi-custom jobs. You can order yours with a $61/\!\!/_2$ or 8-foot cargo box, a Sweptline or Utiline body, a conventional drive (D200 or D300) or four-wheel drive (W200), or on a larger Dodge model. Interiors, both standard and optional, are the same as in other Dodge pickup models.

Almost like looking into a conventional cab and seeing double. Two additional seat belts are provided, of course. And the same four color-keyed upholstery choices are available. Upholstery in the standard interior comes in blue, green, beige, or black vinyl. In the Custom interior the upholstery is vinyl and nylon over a full-depth foam rubber bench seat and foam-padded seatback. Other Custom interior features are a color-keyed rubber floor mat with jute backing, floor sill moulding, dash liner, cigarette lighter, color-keyed horn bar, and additional cab insulation.



For people who consider travel to be somewhat more than getting quickly from point "A" to point "B" on the nearest freeway. Dodge builds a complete line of vehicles for the leisurely pace. If you like the sounds of wildlife but don't really find a sleeping bag comfortable, and like living free of the whims of motel reservation clerks, and think a spur-of-the-moment weekend jaunt is just the thing, a Dodge Camper is the be-all end-all for you. And the Dodge lineup is so extensive, you'll be sure to find just the one to fit your means. Choose any way you want to go, and Dodge is sure to have it for you. If you don't see exactly what you want on these pages, take a good look at the Dodge Sportsman Wagon catalog for other kinds of Dodge recreational vehicles. Up above is the Dodge D200 Camper Special. The over the cab portion of the camper body is there to provide additional sleeping space. There, in itself, is a very good reason why this could be the model of your choice.

Other variations on the Dodge outdoor living theme are to be seen on this page. To the right, at the top, is a Dodge D300 chassis-cab unit with a chassismount body. Unlike the slide-on body, which can readily be removed so the pickup can be used for other things, the chassis-mount becomes a permanent part of the unit. Below that, on a Sweptline pickup.



is a lightweight inexpensive "shell-top" camper. The "shell-top" is just what the name implies: a metalor fabric-covered top that can be furnished and equipped just the way you desire. The fourth illustration on the page is another version of a slide-on camper body mounted on a W200, 4-wheel-drive Camper Special Sweptline pickup.

ENGINES AND TRANSMISSIONS

Dodge pickup and stake models have, as their standard engines, the 225 Slant Six and the 318 V8. For additional power and performance in Models D100 D200, D300, and W100 and W200 four-wheel-drive Power Wagon models, a 383-cubic-inch V8 is offered as an extra-cost option.



318 V8

A 210-horsepower V8 that is standard on D and W models. Among its premium features you'll find a dropforged crankshaft free turning exhaust valves. drop-forged I-beam connecting rods, rotary type oil pump, oil filter element, and silent chain camshaft drive. The compression ratio is



225 SLANT SIX

The standard engine on all light-duty pickups, chassiscabs, Crew Cabs, platforms and stakes. Developing 140 orsepower from 225 cubic nches, it provides ample power for hard service and ong runs. Its mechanical eatures include a dropforged crankshaft (shotpeened), and roller timing



383 V8

One of the most rugged and powerful engines in the light-duty field. The ideal engine for heavily loaded campers where the going is rough and a lot of perfor mance is needed. Features of this 383-cubic-inch V8 are hydraulic valve lifters: vibration damper: drop forged crankshaft: 18-inch. 4-blade fan: 12-inch clutch: and 59-amp heavy-duty battery. Available on all lightduty models shown in this



3-SPEED SYNCHRO-SHIFT

Standard on D100 and D200 W100 and W200. A true heavy-duty truck transmission with an unusually low first ratio for quick and easy



3 - speed automatic trans-

mission is optional on D100.

D200, D300, W100 and

W200 models. A thoroughly

work-proved unit, the Load-


Flite is a remarkably smooth

and trouble-free transmis-



4-SPEED EXTRA-HEAVY-DUTY SYNCHRO-SHIFT

With a choice of wide- or close-spaced ratios. Fourspeed wide-spaced NP435 is standard on models D300 and W300. Four-speed close-spaced NP445 B is optional on all light-duty models. An exceptionally rugged transmission, with extra capacity components for high capacity and long



"CUSHIONED-BEAM" SUSPENSION

Now you can have riding and handling qualities you neither expect nor find in a truck. Smooth, quiet, stable Dodge 'Cushioned-Beam" Suspension is standard on all D100 and D200 light-duty Dodge trucks. You'll like its soft ride, its exceptional steering ease, and the stability it gives on corners.

OPTIONAL AND STANDARD EQUIPMENT

DASH-INTEGRATED AIR CONDITIONING



POWER STEERING



VINYL ROOF (D-100 ONLY)



ANTISPIN DIFFERENTIAL



WHEEL COVERS (D-100 ONLY)

OPTIONS

D100, D200, D300 CON-VENTIONAL PICKUP. CREW CAB, STAKE. PLATFORM AND CHASSIS-CAB

- Dash-integral air conditioning (D models and
- Power Wagons) Power steering
- Vinyl roof (D100, D200 only. except Crew Cab)
- Antispin differential
- Wheel covers (D100 only) 258-hp, 383-cu,-in, V8 engine
- Four-speed transmission (standard on D300)
- LoadFlite three-speed automatic transmission
- (column-mounted) Heavy-duty instrument cluster with tachometer
- Oil pressure gauge Full-depth foam seat in
- standard cab Color-keyed bucket seats
- with center cansale, calorkeved carpeting over fuel
- Third seat belt Two shoulder belts
- Wheel-lip and sill moulding*
- Dual electric horns Dual long-arm adjustable braced or Jr. West Coast mirrore
- Double-face directional signals
- Cab corner lights† Identification lights†
- Hydraulic jack (3-ton) Box-mounted spare tire
- carrier Undercoating
- *Sweptline only. (Standard, D300 models.

W100, W200, W300 POWER WAGON-PICKUP. CREW CAB, STAKE PLATFORM, AND

- CHASSIS-CAB □ 258-hp, 383-cu,-in, V8
- engine in W100, W200 Four-speed transmission (standard on W300)
- Power takeoff (transfer case) Heavy-duty instrument
- cluster with tachometer Oil pressure gauge
- Third seat belt Two shoulder belts Full-depth foam seat in
- standard cab Wheel-lip and sill
- moulding* Dual electric horns Dual long-arm adjustable
- braced or Jr. West Coast mirrors Double-faced directional
- signals Cab corner lights†
- Identification lights† Front-mounted 8,000-lb. winch
- Locking front wheel hubs Hydraulic lack (3-ton) Outboard fuel tanks (W300)
- *Sweptline only. +Standard, W300 models.

STANDARD EQUIPMENT

on D300)

models)

lights and reflectors

Utiline over 80" wide)

Windshield washers

view mirrors (pickups)

warning light

Turn signals

Backup lights

D100, D200, D300 CHASSIS-CAB, PICKUP, CREW CAB. STAKE, PLATFORM

- □ 140-hp, 225-cu,-in, Dodge Vinyl seat upholstery Slant Six engine (6-cyl. □ Four color-keyed interiors
- models) (Blue, Green, Beige or 210-hp, 318-cu.-in, Dodge Black)
- V8 engine (8-cyl. models) 6-way adjustable bench 3-speed synchro-shift seat
- Dual armrests (four on transmission (4-speed Crew Cab)
- Dispatch box Self-adjusting brakes Ashtray
- Driver-adjusted hand brake High-level ventilation Front and rear side marker
- Fresh Air heater/defroster lights and reflectors Shoulder belt anchors
- Front and rear identifica-Spare wheel (single rear tion and clearance lights wheel models)
- (D300 stake and platform) Mechanical axle lack and
- Paint-finish front bumper wheel wrench
 - Cleaner Air System
- Paint-finish hubcans (D100, D200) Bright-finish grille □ Full-width rear window (D100, D200)

W100, W200, W300 POWER WAGON, CHASSIS-CAB.

- PICKUP, CREW CAB, STAKE, PLATFORM 140-hp, 225-cu,-in, Dodge Full-width rear window
- Slant Six engine (6-cyl. Vinyl seat upholstery Four color-keyed interiors
- 210-hp. 318-cu.-in. Dodge (Blue, Green, Beige or
- V8 engine (8-cyl. models) 3-speed synchro-shift □ 6-way adjustable bench
- transmission (4-speed
- on W300) Dual armrests (four on Self-adjusting brakes Crew Cab)
- (W100, W200) Dispatch box
- ☐ 2-speed single-lever Ashtray transfer case High-level ventilation
- Front and rear side marker Fresh Air heater/defroster Keylock in both doors
- Front and rear identifica-Wheel wrench and lack tion and clearance lights
- Cleaner Air System (W300, stake, platform, and
 - Bright-finish grille (W100, W200)

STANDARD SAFETY ITEMS-ALL MODELS

- Dual Braking System with Dual long-arm mirrors (stake, platform, and
 - chassis-cab)
- Push-button door locks 4-way emergency flasher
- Padded instrument panel 2-speed windshield wipers Padded dual sun visors
- Recessed inside door-Left-side and inside rear
 - release handles
 - □ Low profile window crank handles and vent latches
 - Color-keyed seat belts, boots, and retractors Front and rear side marker
 - reflectors (except chassis-

SPECIFICATIONS

	D100	D200	D300		
AIR CLEANER	1-QUART OIL-	1-QT. OIL-BATH (6-CYL.) DRY-TYPE (V8) 1-QT. OIL-BATH (V8)(a)			
ALTERNATOR	12-VOLT, 37-AMP S0-AMP OR 60-AMP				
AXLE, FRONT—	建自由自然的 计图片图象的 计可用电路	I-BEAM			
CAPACITY	2,500 LBS.	2,800 LBS. 3,800 LBS.(b)	3,800 LBS.		
AXLE, REAR—	SEMIFLOATING HYPOID	FULL-FLOA	TING, HYPOID		
CAPACITY RATIOS (TO 1)	3,600 LBS.(c) 3.23, 3.55(c), 3.91(c)(a)	5,500 LBS.(c) 3.54, 4.1(c), 4.88(a)	7,500 LBS.(c) 4.1, 4.56(c), 4.88(c), 5.87(a)		
BATTERY	12-1	VOLT-48-AMP-HOUR, 59-AMP-HOUR(d)	, 70-AMP-HOUR		
BRAKES, SERVICE		RAULIC DUAL BRAKING SYSTEM WITH	WARNING LIGHT		
SIZE—FRONT —REAR TOTAL LINING AREA	11 IN. X 2.25 IN. 10 IN. X 2.5 IN. 199.4 SQ. IN.	12.12 IN, X 2 IN, 12.12 IN, X 2 IN, 209.4 SQ. IN,	12.12 IN, X 2 IN, 13 IN, X 2.5 IN.		
BRAKES, POWER	VACUUM, 8,94-IN. DIAMETER		237.9 SQ. IN.		
CLUTCH	VACUUM, 8,94-IN. DIAMETER VACUUM, 8,8-IN. DIAMETER SINGLE-PLATE, DRY DISC				
DIAMETER AND AREA ENGINE	10 IN100.6 SQ. IN. 11 IN123.7 SQ. IN. 12 IN150 SQ. IN. 11 IN123.7 SQ. IN. 12 IN150 SQ. IN. 11 IN123.7 SQ. IN. 12 IN150 SQ. IN. 12 IN				
ENGINES-6-CYL.	140-HP, 225				
_V8	210-HP, 318; 258-HP, 383				
FUEL TANK CAPACITY	25 GAL.(o) 23-GAL. AUXILIARY(1)				
LOCATION	STANDARD TANK, INSIDE CAB, BEHIND SEAT				
SHOCK ABSORBERS		ORIFLOW			
	FRONT AND REAR	HEAVY DUTY REAR	FRONT, REAR		
SPRINGS, FRONT— CAPACITY (AT PAD)	1,025 LBS.(e) 1,250 LBS. V8 1,250 LBS.(e)	1,500 LBS.(b)	1,250 LBS.(a)(p), 1,500 LBS.(q) 1,500 LBS.(p), 1,650 LBS.		
SPRINGS, REAR— CAPACITY (AT PAD)	1,400 LBS., 1,750 LBS.(r)	1,650 LBS.(g) 1,950 LBS.(g)(p) 2,600 LBS.(g)(p)	3,000 LBS.(s) 3,600 LBS.(h)(s)		
STEERING		WORM AND ROLLER			
	POWER STEERING				
TRANSMISSION	3 SPD. SYN. (A250(6), 3 SPD. SYN. (A230(6XI)) 4 SPD. SYN. (NP435)(m), 4 SPD. SYN. (NP445)(n) 4 SPD. SYN. (NP445)(n) 4 SPD. SYN. (NP445)(n) 4 SPD. SYN. (NP445)(n) 3 SPD. LOADFLITE 3 SPD. LOADFLITE				
AUTOMATIC	3 SP	3 SPD. LOADFLITE			
TIRES	BURNESH DESCRIPTION OF THE PROPERTY OF THE PRO		T CONDICITE		
FRONT AND SINGLE REAR MAX. AVAIL.—FRONT AND SINGLE REAR —FRONT AND DUAL REAR	G78-15-B (4PR) 6.50-16-C (6PR)	8.00-16.5-D (8PR) 9.50-16.5-D (8PR)	8.00-16.5-D (8PR) 9.50-16.5-D (8PR) 7.50-16-D (8PR)		
WHEELS AND RIMS-NO. AND TYPE	5, 5-STUD DISC	5, 8-STUD DISC	5, 8-STUD DISC		

N.A. with 383 V8 engine.
Standard on Crew Cab.
Available with optional antispin differential.
Included with 383 V8 engine.
Available with 6-cyl. engine only.
D200 Sweptline only.

Also available with optional 525-lb, auxiliary spring, includes 900-lb, auxiliary, Requires 11-in, clutch with 6-cyl, engine.

Wide-spaced ratio only.

Close-spaced ratio only. Available with V8 engines only.

(m) Wide-spaced ratio.

(n) Close-spaced ratio. (o) 23 gal. California only D100. (p) 133" wheelbase only. (q) 159" wheelbase only.

(p) 133" wheelbase only.
(q) 159" wheelbase only.
(r) Require 1250-lb. front springs. Min.
(s) 1650-lb. front springs required on 159"-wheelbase models.

EQUIPMENT IN RED-OPTIONAL AT EXTRA COST. All models include a Cleaner Air System as standard equipment.

	W100	W200	W300
AIR CLEANER	OIL WETTED DRY TYPE (383 ONLY)	1-QT, OIL BATH DRY TYPE (383 ONLY)	1-QT. OIL BATH
ALTERNATOR	12-	MP	
AXLE, FRONT—CAP. RATIOS (TO 1)	3,000 LBS. 3.55, 4.1	3,000 LBS, 3,500 LBS.(a) 3,54(b)(j), 4.1, 4.89(e)	4,500 LBS, 4.88, 5.86
AXLE, REAR—CAP. RATIOS (TO 1)	3,600 LBS. 3.55, 4.1(c)	5,500 LBS. 3.54(d)(j), 4.1(c), 4.88(e)	7,500 LBS. 4.88(c), 5.86
BATTERY		, 48-AMP-HR, 59-AMP-HR(f), 70-	
BRAKES, SERVICE		UAL BRAKING SYSTEM WITH W	ARNING LIGHT
SIZE—FRONT —REAR TOTAL LINING AREA	11 IN, X 2 IN, 11 IN, X 2 IN, 170,2 SQ, IN,	12.12 IN. X 2 IN. 12.12 IN. X 2 IN. 209.4 SQ. IN.	14.12 IN. X 1.75 IN. 13 IN. X 2.5 IN. 238.2 SQ. IN.
BRAKES, POWER	VACUUM, 8.94 IN. DIAMETER		IN. DIAMETER
CLUTCH-DIA. AND SQIN. AREA	11 IN123.7, 12 IN150(f)		11 fN123.7
ENGINES-6 CYL.	225, 14	225, 140-HP	
-V8	318, 210-HP	383, 258-HP	318, 210-HP
FUEL TANK CAPACITY	25 GALLONS		23-GALLON AUXILIARY (r)
LOCATION	STAND	ARD TANK, INSIDE CAB, BEHIN	D SEAT
SHOCK ABSORBERS	FRONT AN	FRONT REAR	
SPRINGS, FRONT—CAP. (AT PAD)	1,300 L 1,550 LB	BS.(q) S.(a)(f)	1,450 LBS. 1,750 LBS.
SPRINGS, REAR—CAP. (AT PAD)	1,350 LBS. 1,750 LBS.	1,750 LBS. 2,600 LBS.	3,250 LBS.
TRANSMISSION	3-SPD. SYN. (A230) 4-SPD. SYN. (NP435)(m) 4-SPD. SYN. (NP445)(I) 3-SPD. LOADFLITE		4-SPD, SYN, (NP435)(m) 4-SPD, SYN, (NP445)(1)
TRANSFER CASE-RATIOS (TO 1)	SINGL	D 1.00	
TIRES—FRONT AND SINGLE REAR MAX, AVAIL,—FRONT AND SINGLE REAR —FRONT AND DUAL REAR	G78-15-B (4PR) 6.50-16-C (6PR)	8.00-16.5-D (8PR) 9.50-16.5-D (8PR)	8.75-16.5-E (10PR) 9.50-16.5-D (8PR) 7.50-16-D (8PR)(n)
WHEELS-NO. AND TYPE	5, 5-STUD DISC	5, 8-\$1	TUD DISC

product illustrations and specifications are based on authorized information. lough all descriptions are believed correct at publication approval, accuracy not be guaranteed. Some of the equipment shown on product illustrations is anal, at extra cost. Dodge Division reserves the right to make changes from to time, without notice or obligation, in prices, specifications, colors and crials, and to change or discontinue models. DODGE LIGHT-DUTY CATALOG.

Litho in U.S.A. 81-305-0101 8/69

Dodge **Builds** Tough Trucks

(a) Standard on Crew Cab. (a) Standard on Crew Cab.
(b) N.A. with 3,500-lb. axie.
(c) Available with optional antispin differential.
(d) N.A. with Crew Cab.
(e) N.A. with 383 V8 engine.
(f) Included with 383 V8 engine.
(g) N.A. on 104-in. wheelbase.
(h) Available on 114-in. wheelbase only.
(i) Standard on 128-in. wheelbase only.
(ii) N.A. with 6-cvi. N.A. with 6-cyl. Includes 900-lb. auxillary spring. Close-spaced ratio. (m) Wide-spaced ratio.
(m) Wide-spaced ratio.
(n) N.A. on Utiline pickup.
(o) W200 Sweptline only.
(p) Heavy-duty option.
(q) Conventional models only.
(r) W300 only. EQUIPMENT IN RED-

TAKE IT FROM ME, DON KNOTTS!

OPTIONAL AT EXTRA COST.

