

SPORTVAN 90



FAMILY VAN, SPORTSMAN'S CABIN, VACATION WAGON IN ONE PRACTICAL PACKAGE

Chevy Sportvan goes right along with the active life—hunting and fishing, leisurely family vacations, hauling kids and cargo around town. Every outing is more fun with the versatile Chevy Sportvan. You have a choice of two body lengths, two capacity ratings plus two frisky Sixes and a new high-performance V8—and much more. There's room for 8 people when you order rear seats—

plus all the luxuries you could ask for.

Sportvan 90, on a 90-inch wheel-base, is available with a ½-ton nominal rating. With the engine up front there's plenty of room for people or cargo in back—over 9 ft. from front seats to rear doors. Wide driver and passenger doors plus big double rear and right side doors on all Chevy Sportvans make loading and unloading easy and convenient.

DIMENSIONS				
	Wheelbase (in.)	Overall Length (in.)		
GS/GE 11006 GS/GE 11026 GS/GE 11036	90	171		

SPORTVAN 108



PLAYROOM SIZE, LIVING ROOM COMFORTS FOR PEOPLE ON THE GO


Sportvan 108, on a 108-inch wheelbase, is offered in ½- and ½-ton models. With rear seats, there's room for 8 and a raft of cargo, tool For all Sportvans, 15 solid and 13 two-tone exterior color combinations with 4 color-keyed interiors permit a wife-approved selection. Many conveniences, such as retractable side door steps, swing-out side windows and huge windshield, please everybody.

And there's dealer-installed camping equipment if you plan extended family vacations. Sportvans are protected by sturdy unitized body construction and anti-rust treatment right at the factory. What with Sportvan's easy ride, fully synchronized 3- and 4-speed manual transmissions or automatic Powerglide and even more safety features for 1968, isn't this your year to enjoy a Sportvan?

DIMENSIONS				
	Wheelbase (in.)	Overall Length (in.)		
GS/GE 11306 GS/GE 21306 GS/GE 11326 GS/GE 21326 GS/GE 11336 GS/GE 21336	108	189		







DELUXE FEATURES (in addition to or replacing Custom equipment) include distinctively textured vinyl seats and matching front door and sidewall panels, vinyl spare wheel cover, full-length vinyl-coated rubber floor covering. Bright metal belt molding, hub caps, bumpers and outside mirrors. CUSTOM FEATURES (in addition to or replacing Sportvan equipment): right-hand sunshade, cigatette lighter, front and partial rearfloor mats of color-keyed vinyl-coated rubber, coathooks, padded vinyl engine housing rear panel, vinyl-coated rear compartment headliner and other refinements.

SMOOTH RIDE with solid support is provided by Sportvan's modern tapered leaf springs. The springs are thicker at the center where greater stress develops and thinner at the ends where there's less stress. The result is fewer leaves, less unsprung weight, and exceptional ride quality.

BODY CONSTRUCTION is of allwelded unlitzed body-frame design. Heavy-gauge panels and structural members are welded together to form a tight rattle-free body. All underbody surfaces and enclosed areas are specially treated to seal out moisture and resist rust and corrosion assuring long vehicle life.

CHEVY SPORTVAN IS LOADED WITH COMFORT, SAFETY AND CONVENIENCE FEATURES FOR YOU'TO ENJOY.

Chevy Sportvan and the fun-loving family go together. One reason is illustrated at the left. Sportvan seats up to eight adults when rear seats are ordered. And a whole troop of youngsters can pile in comfortably when Dad says, "Let's go." There's extra comfort in foam-cushioned buckettype driver and passenger seats and bench-type rear seats. Tough, easy-to-clean vinyl upholstery adds the practical touch. Safety belts with pushbutton buckles come with each seat. Rear seats are easily removed when space is needed for big cargos. There's a choice of four interior colors keyed to exterior colors. Many safety features, such as those mentioned below, are standard equipment in Sportvan for '68. You'll also enjoy Sportvan's convenience features: the huge contoured windshield, for example. It offers a panoramic view of the road that permits maximum maneuverability as well as extra safety. Double curbside and rear doors are 4 ft. x 4 ft., giving you plenty of elbow room for loading cargo. There's a retractable side door step for rear passengersmaking entry and exit that much easier for everyone from toddlers to senior citizens. Sportvan's floor is perfectly flat from the rear of the engine compartment to the rear doors. So there's no problem in loading bulky cargo. Swing-out side windows, push-button-type inside front door locks, electric windshield wipers and washer, glove compartment, ash tray in front and with each seat ordered, armrests, front and rear dome lights-all add to the enjoyment of driving a Chevy Sportvan. In addition, you can order a wide range of accessories, such as radio and West Coast-type rear view mirrors, from your Chevrolet dealer. He can also supply the information you'll want about his dealer-installed camping equipment. There's an exciting new experience waiting for you in Chevy Sportvan. Drive it today and see.



DUAL BRAKE SYSTEM Operates through two master cylinders during normal braking. Damage to a hydraulic line is isolated and stopping power is maintained at front or rear wheels. Light indicates low pressure during braking.

SAFETY FEATURES such as padded instrument crown, seat belts, backup lamps, side marker reflectors, flatdesign control knobs, two speed electric windshield wipers and washers are a few of the items that are standard equipment.



CHEVY SIXES AND NEW V8...THREE POWERFULLY GOOD CHOICES

Through millions of miles of owner use, Chevrolet engines have proved their superiority in all types of service. Modern design and advanced manufacturing techniques produce both Sixes and V8s that are high in efficiency, long on durability. Two Sixes and a powerful new V8 are offered in Chevy Sportvans to help meet your particular power needs. Free-breathing valve-inhead design with big valves and smooth porting delivers maximum performance while keeping operating costs down low. Hydraulic valve lifters contribute to quiet, dependable operation.

A HIGH TORQUE 230 SIX rated at 140 gross horsepower is standard in 6-cylinder models. Wedge-type combustion chambers, aero-type valve mechanism and a sevenmain-bearing crankshaft contribute to efficiency and durability. Closed positive ventilation system protects against acid and sludge-forming vapors.

A HIGH TORQUE 250 SIX is available. This 155-horsepower Six is exceptionally smooth because of Chevy's unique 12-counterweight crankshaft and torsional dampener. Specify the 250 for extra power with 6cylinder economy.

NEW HIGH TORQUE 307 V8 is standard in V8 models. This high-performance 200-horsepower V8 is designed to operate on regular grade fuel. Ask for the 307 V8 for top performance with heavy loads or over difficult terrain.





230-cu.-in. Six

250-cu.-in. Six





THERE'S A SPORTVAN "SPECIAL" JUST FOR YOU

The avid hunter or fisherman . . . the family with extensive vacation plans . . . the retired couple with newfound freedom to travel often desire a specialized traveling home designed for their individual comforts and conveniences. Many have selected Chevy Sportvan as the ideal place to begin. Organizations throughout the country offer specialized Sportvan conversions for camping and traveling. Representative units are illustrated here. A typical conversion includes beds, wardrobe, stove, sink, ice box and dinette table. When you begin with Chevy Sportvan, your completed traveling home is sure to provide more enjoyment—now and for years to come. See your Chevrolet dealer for complete details.

A. Sportvan camper conversion by: Red-E-Kamp 323 West LaCadena Ave.

323 West LaCadena Ave. Riverside, California 92501 Telephone: 714 682-3344

Northern California distributors: Red-E-Kamp Route 1, Box 1551 Elk Grove, California 95624 Telephone: 916 685-4430

Telephone: 219 533-4116

B. Sportvan camper conversion by: Work-N-Play Division Independent Protection Co., Inc. 1603 South Main Street, Goshen, Indiana

C. Chevy-Van camper conversion by: McNamee Coach Corporation 2501 Rosemead Blvd. South El Monte, California 91733




AND HERE'S THE VAN THAT MEANS BUSINESS: CHEVY-VAN



Chevy-Van's solid build, efficient design and low operating cost have been proved on thousands of jobs. You can choose from six basic models—two lengths, two capacity ratings, Sixes or V8 engine. The G10, ½-ton Chevy-Vans, are available with 90-inch or 108-inch wheelbase; G20, ½-ton units, with the 108-inch wheelbase. There are 209 cubic feet of load space in 90-in. wheelbase models, and you can load objects more than 12 feet long to the

right of the engine compartment. With 108-inch wheelbase models, you can load up to 256 cubic feet of cargo, carry loads more than 13 feet long. The flat floor and low loading height simplify work and speed delivery schedules. Factory-installed cabinets, bins, racks and other special equipment items are available for a variety of delivery and service jobs. For more complete details, ask your Chevrolet dealer for the special 1968 Chevy-Van Catalog.

DIMENSIONS



SPECIFICATIONS

Series		GS/GE 10		GS/GE 20	
		Standard	Optional	Standard	Optional
Front Suspension	I-Beam Axle-cap. (lbs.)	2200		3000	
	Tapered Leaf Springs-cap. (lbs.)	1125	1220	1275	1375
	Shock Absorbers.	Standard			
	Stabilizer Bar	Optional			
Rear Suspension	Axle-cap. (lbs.)	2400		3600	
	—ratios	3.36	4.11	3.73 (GE 20)	3.73 (GS 20
	-ratios			4.11 (GS 20)	4.11 (GE 20
Tapered Lea	Axle-cap. (lbs.)		2900		
	-ratios		3.73, 4.11	100 74	
	Tapered Leaf Springs-cap. (lbs.)	950	1525	1525	1900
	Shock Absorbers	Standard			13
Engines		*230 Six, **307 V8	250 Six	*230 Six, **307 V8	250 Six
Clutches	Dia. (in.)	*10, **11		*10, **11	
	Area (sq. in.)	*100, **124	No. of the last of	*100, **124	The Marine
Fuel Tank	Cap. (gal.)	24.5	in to the world	24.5	La Court
Transmissions		3-spd.	4-spd.	3-spd.	4-spd.
			Powerglide	200	Powerglide
Brakes		Hydraulic		Hydraulic	Power
Electrical	Battery	44 AmpHr.	70 AmpHr.	44 AmpHr.	70 AmpHr
	Generator	32 Amp.	42, 61	32 Amp.	42, 61
Frame			Unitized Body-Frame		
Steering		Manual			
Wheels & Tires Tubeless Tires (Passe	Disc Wheels-Type	5-stud		6-stud	The same
	-rim width (in.)	5.0 J	A Company of the	5.50 K	
	Tubeless Tires (Passenger Car Type)—sizes	6.95-14 2 Ply (4 pr)	7.35-14 4 Ply (8 pr)	7.75-15 4 Ply (8 pr)	8.15-15 4 Ply (8 pr)
	Tube-Type Tires (Passenger Car Type)—sizes				7.75-15 4 Ply (8 pr)
Tubeless Tires (Truck Type)-		A The Control	7.00-14 (6 pr)	1	8-16.5 (6 pr)
	-sizes		7.00-14 (8 pr)		

Equipment shown in blue optional at extra cost. *Standard on 6-cylinder models. **Standard on V8 models

Chevrolet New Vehicle Warranty

1968 Model Series 10, 20, 30 Trucks and Chassis

There are no warranties, expressed or implied, made by either the selling dealer or Chevrolet Motor Division, General Motors Corporation, on new Chevrolet passenger cars, chassis, and 10, 20, 30 Series trucks except the warranty against defects in material or workmanship set out below:

Thevrolet Motor Division, General Motors Corporation (hereinafter referred to as Chevrolet), warrants seah new Chevrolet passenger car, chassis, and 10, 23 of Series truck (each being hereinafter referred to as a Vehicle) including all equipment and accessories thereon (except tires and tubes), manufactured or supplied by Chevrolet and delivered to the original retail purchaser by an authorized Chevrolet Dealer, to be free from defects in material or workmanship under normal use and service for 24 months or until it has been driven for 24,000 miles after such delivery, whichever occurs first; and further warrants the power train components specifically described as the cylinder block and head and all internal engine parts, intake manifold, transmission case and all internal parts, torque converter, propeller shaft and universal joints, differential, axle shafts and rear wheel bearings on any such Vehicle, manufactured or supplied by it to be free from defects in material and workmanship under normal use and service for 5 years or until it has been driven for 50,000 miles after such delivery, whichever occurs first.

As an express condition of this warranty, once every 6 months the owner is required to furnish an authorized Chevrolet Dealer evidence that the engine oil, oil filter, carburetor air filter, and positive crankcase ventilator valve (and automatic transmission) oil and transmission band if so equipped) have been serviced in accordance with Chevrolet's required maintenance schedule as stated in the applicable Chevrolet Owner Protection Plan booklet, and have the Dealer certify

in such booklet (i) that he has received such evidence, and (ii) the then current indicated mileage on the odometer.

Chevrolet's obligation under this warranty is limited to repairing or replacing any part or parts which are returned to an authorized Chevrolet Dealer at such Dealer's place of business and which examination shall disclose to Chevrolet's reasonable satisfaction to have been thus defective. The repair or replacement of defective parts under this warranty will be made by such Dealer without charge for parts and labor. The provisions of this warranty shall not apply to any Vehicle which has been subject to misuse, negligence, alteration or accident, or which shall have been repaired outside of an authorized Chevrolet Dealer's place of business in any way so as, in the reasonable judgment of Chevrolet, to affect adversely its performance and reliability, nor to normal maintenance services (such as engine tune up, fuel system cleaning, carbon or sludge removal, brake and clutch adjustments and wheel alignment and balancing) and the replacement of service items (such as spark plugs, ignition points, positive crankcase ventilator valves, filters and brake and clutch lining) made in connection with such services, nor to normal deterioration of soft trim and appearance items due to wear and exposure.

This warranty is expressly in lieu of any other warranties, expressed or implied, including any implied warranty of merchantability or fitness for a particular purpose, and of any other obligations or liability on the part of Chevrolet, and Chevrolet enither assumes nor authorizes any other person to assume for it any other liability in connection with such Vehicle.

All illustrations and specifications in this literature are based on the latest product information at the time of publication. The right is reserved to make changes at any time in prices, colors, materials, equipment, specifications and models, and also to discontinue models. CHEYROLET DIVISION OF GENERAL MOTORS CORPORATION, DETROIT, MICHIGAN. LITHO IN U.S.A.

August, 1967.

D-49476