AS BIG AS YOU NEED IT TO BE.

With Savana, you can share your good times with your whole family, a large circle of friends or a young soccer team. The passenger van offers you a choice of either a 135-inch wheelbase or a 155-inch wheelbase. Depending on your needs, you can specify seating for 5, 8, 12 or even 15 passengers. And they're each assured ample head- and elbow-room to make any trip pleasant and comfortable. With Savana's state-ofthe-art chassis and full-length box frame construction, they'll also be treated to a smooth, luxurious ride.



5-Passenger Seating 135" Wheelbase



12-Passenger Seating 155" Wheelbase



8-Passenger Seating 135" Wheelbase



15-Passenger Seating 155" Wheelbase



Pass	e n g e	r Sea	ting
5	8	12	15
А	S	-	-
-	А	S	-
-	-	S	-
-	А	S	-
-	-	S	Α
	5	5 8 A S - A 	A S - - A S

12-Passenger Seating 135" Wheelbase

Savana: Wheel Options

Savana is offered with a wide variety of wheels designed to enhance its appearance and provide the durability to keep you rolling.




Steel Wheel With black center cap, standard on SL models.

Steel Wheel With bright trim ring and chrome center cap, standard on SLE models.



Chrome Styled Wheel With black center cap, available for 1500 models only.

Cast Aluminum Wheel With matching center cap, available for 1500 models only.



Color and Trim: Interior





Medium Neutral

Navy



Medium Dark Pewter Custom Cloth standard on SLE models



Medium Neutral



Navy



Medium Dark Pewter Custom Vinyl standard on SL models



Optional Leather Conversion manufacturers offer a wide variety of options.

Color and Trim: Exterior



 Storm
 Gray
 Metallic

 Interior Trim:
 Navy
 Medium Dark Pewter
 Medium Neutral

 •
 •
 •
 •



 Summit White

 Interior Trim:
 Navy
 Medium Dark Pewter
 Medium Neutral

 •
 •
 •
 •
 •



Fe	rnmist	nmist Green Metallic				
Interior Trim:	Navy	Medium Dark Pewter	Medium Neutral			
		•	•			



 Dark Bronzemist Metallic

 Interior Trim:
 Navy
 Medium Dark Pewter
 Medium Neutral



 Dark Toreador Red Metallic

 Interior Trim:
 Navy
 Medium Dark Pewter
 Medium Neutral

 •
 •
 •
 •
 •



Light Autumnwood Metallic Interior Trim: Navy Medium Dark Pewter Medium Neutral









Fire Red				
Interior Trim:	Navy	Medium Dark Pewter	Medium Neutral	
		•	•	

Equipment: Interior

Interior

S = Standard A = Available	S L	S L E
AIR BAGS Driver and front passenger ¹	S	S
AIR CONDITIONING, FRONT (non-CFC refrigerant)	S	S
AIR CONDITIONING AND HEATER, REAR Includes front and rear controls with driver override (non-CFC refrigerant)	А	А
ASSIST HANDLE For front passenger entry and exit	S	S
AUDIO SYSTEMS		
AM/FM stereo (UM7)—includes seek and scan feature, digital clock and 4 premium speakers	S	S
AM/FM stereo with cassette player (UM6)—includes seek and scan feature, digital clock and 4 premium speakers	A	А
AM/FM stereo with cassette player (ULO)—includes seek and scan feature, digital clock and 8 premium speakers, auto reverse, Dolby [®] noise reduction, automatic tone control, Theftlock [®] feature, speed sensitive volume and power antenna (requires power windows and door locks)	A	A
AM/FM stereo with CD player (UN0)—includes seek and scan feature, digital clock and 8 premium speakers, automatic tone control, Theftlock feature, speed sensitive volume and power antenna (requires power windows and door locks)	A	A
AM/FM stereo with cassette and CD player (UPO)—includes seek and scan feature, digital clock and 8 premium speakers, auto reverse, Dolby noise reduction, automatic tone control, Theftlock feature, speed sensitive volume and power antenna (requires power windows and door locks)	A	А
CHILD SEAT TOP TETHER ANCHOR	S	S
CHILD SECURITY DOOR LOCKS Sliding or 60/40 swing-out side door and rear cargo doors	S	S
CIGARETTE LIGHTER Located in front console, driver side	S	S
CONSOLE, FRONT Includes ashtray, cigarette lighter, two cupholders and storage compartment for CDs or cassettes ²	S	S
CRUISE CONTROL AND TILT STEERING	А	S
DOOR PANELS		
Interior-colored molded plastic with front door map pockets	S	
Interior-colored molded plastic with front door map pockets and carpeted lower		S
FLOOR COVERING Black full-floor vinyl mat	S	
Full-floor, interior-colored carpet	A	S
FLOOR MATS Interior-colored rubber for all seating positions		S
GAUGES Speedometer, odometer, oil pressure, voltmeter, fuel level, engine temperature and trip odometer	S	S
HEADLAMP WARNING Lights-on warning tone	S	S
HEADLINER Interior-colored cloth	S	S
HEATER/DEFOGGER Includes rear heater ducts and side window defoggers	S	s

	S L	SLE
LIGHTING Front, center and rear dome lamps, console storage and ashtray lamp	S	S
LIGHTING, AUXILIARY Reading lamps, stepwell lamps and underhood lamp	А	S
MIRROR, REARVIEW With day-night feature	S	S
POWER OUTLET: Located in front console, passenger side	S	S
POWER WINDOWS AND DOOR LOCKS Includes express-down feature on driver's window	A	S
SAFETY BELTS, FRONT Height-adjustable outboard seating position lap and shoulder belts	S	S
SAFETY BELTS, CENTER AND REAR Outboard seating position lap and shoulder belts with child comfort guides, and center seating position lap belts	S	S
SEAT FABRIC Custom Vinyl	S	
Custom Cloth with vinyl side and seatbacks	А	S
SEATS, FRONT		
Vinyl high-back reclining bucket seats with integral head restraints	S	
Cloth high-back reclining bucket seats with inboard armrests and integral head restraints; includes seatback pocket	А	S
SEATS, CENTER		
3-passenger vinyl benches with safety belt child comfort guides on outboard seating positions ³	S	
3-passenger cloth benches with safety belt child comfort guides on outboard seating positions ³		S
SEATS, REAR		
4-passenger vinyl bench with safety belt child comfort guides on outboard seating positions	S	
4-passenger cloth bench with safety belt child comfort guides on outboard seating positions		S
SEATS, POWER		
6-way power driver seat (requires cloth seats)	А	А
6-way power driver and front passenger seats (requires cloth seats)	А	А
STEERING WHEEL		
Deluxe 4-spoke steering wheel in Graphite	S	S
Leather-wrapped deluxe 4-spoke steering wheel in Graphite	А	А
Tilt capability and cruise control	А	S
SUNSHADES Cloth-covered	S	
Cloth-covered with passenger-side visor mirrors		S
Cloth-covered with driver- and passenger-side illuminated visor mirrors		А
TOP TETHER ANCHOR	S	S

Equipment: Exterior.Mechanical

Exterior

S = Standard A = Available	S L	SLE	
BUMPER, FRONT			MOLDING Gr
Gray	S	-	REMOTE KEY
Chrome, with black step pad		S	power wind
BUMPER, REAR			SIDE DOOR I
Gray, with black step pad and entry assist step	S		TIRE AND W
Chrome, with black step pad and entry assist step		S	Fullsize, lo
CENTER HIGH-MOUNTED STOP LAMP	S	S	
DOORS, SIDE			Tires: Five
60/40 swing-out side doors (41.5" opening width)	S	S	WHEELS
Sliding side door (40.8" opening width)	А	A	Steel whee
DOORS, REAR Cargo doors (56.9" opening width)	S	S	Steel whee
GRILLE ACCENTS			Chrome wh
Gray grille and headlamp bezels	S		Aluminum
Deluxe gray grille with bright trim ring		S	
HEADLAMPS			WINDOW EQ
Single rectangular halogen	S		Light-tinte
Dual halogen composite	A	S	Deep-tinte
Daytime Running Lamps	S	S	front doors
MIRRORS Black foldaway with manual remote adjustment	S		Intermitter
Heated black foldaway with power remote adjustment (requires power windows and door locks)	A	S	Swing-out quarter wir

LE		S L	SLE
	MOLDING Gray bodyside molding		S
	REMOTE KEYLESS ENTRY Includes two transmitters (requires power windows and door locks)	A	S
	SIDE DOOR BEAMS Driver, front passenger and side doors	S	S
	TIRE AND WHEEL, SPARE:		
	Fullsize, located under rear of the vehicle	S	S
	Tires: Five all-season blackwall steel-belted radial tires	S	S
	WHEELS		
	Steel wheel with black center cap ⁴	S	
	Steel wheel with bright center cap and trim ring ⁵	Α	S
	Chrome wheel (1500 models only)	Α	А
	Aluminum wheel (1500 models only)	Α	А
	WINDOW EQUIPMENT		
	Light-tinted Solar-Ray [®] glass on all windows	S	S
	Deep-tinted Solar-Ray glass on all windows except windshield and front doors	A	А
	Intermittent windshield wipers/washer	S	S
	Swing-out glass for sliding or 60/40 side doors and driver-side front quarter window	S	S

Mechanical

S = Standard A = Available	S L	SLE
BATTERY Delco [®] Freedom [®] 600 cold cranking amps, dual with diesel engine	S	S
BRAKE/TRANSMISSION SHIFT INTERLOCK Automatic transmission safety feature	S	S
BRAKES Front disc, rear drum with 4-wheel antilock feature, including nonasbestos brake pads and audible front brake wear sensors	S	S
COLD CLIMATE PACKAGE Includes engine block heater and antifreeze protection to -34° F (gasoline engines only)	A	A
COOLANT Long-life engine coolant (up to 5-year/150,000-mile change interval) ⁶	S	S

	S L	SLE	
DIFFERENTIAL, LOCKING REAR ⁷	А	А	
EXHAUST SYSTEM Stainless steel, with aluminized muffler exterior and tailpipe	S	S	
ON-BOARD DIAGNOSTICS, SECOND GENERATION (OBDII)	S	S	
PASSLOCK THEFT DETERRENT SYSTEM	S	S	
POWER STEERING	S	S	
STEERING COLUMN Energy-absorbing steering column, including steel sleeve theft deterrent locking feature	S	S	
TRAILERING PACKAGE Heavy duty, including 8-wire harness, weight- distributing platform hitch and heavy duty flasher	A	A	
			_

A NOTE ON CONVERSION VANS:

Your GMC dealer can help you select from a wide range of conversion packages available for Savana, or even help you design your own custom conversion, using GMC quality-approved conversion manufacturers. Ask your dealer about Savana models and packages that make it conversion-ready. See "An important note about alterations and warranties" on page 24.

For specification details and other equipment available, see your GMC dealer. Some of the available features listed here may be included in, or ordered only with, specific marketing packages or special packages.

¹Always use safety belts and proper child restraints, even with air bags. See the Owner's Manual for more safety information and refer to "A Note on Child Safety" on page 24. ²CD/cassette storage compartment not included with UM7 radio.

³Two benches for 8- or 12-passenger seating; three benches for 15-passenger seating. See page 13. ⁴6-lug standard on 2500 series; 8-lug standard on 3500 series.

⁵6-lug available on 2500 series; 8-lug available on 3500 series.

⁶ Maintenance needs vary with different uses and driving conditions. See the Owner's Manual for more information. ⁷Limited to certain axle ratios. See your dealer for details.

Specifications: Engine.Standard Technical Data.Dimensions.Trailering

Engine	ENGINE	Vortec 4300	Vortec 5000	Vortec 5700	Vortec 7400	6.5L V8 turbo diesel
Specifications	FUEL TYPE	Gasoline	Gasoline	Gasoline	Gasoline	Diesel
	CAPACITY/CONFIGURATION/CYLINDERS	4.3L V6	5.0L V8	5.7L V8	7.4L V8	6.5L V8
	ORDERING CODE	L35	L30	L31	L29	L65
	CUBIC-INCH DISPLACEMENT	262	305	350	454	395
	BORE AND STROKE (mm)	101.60 x 88.39	95.00 x 88.39	101.60 x 88.39	107.95 x 101.60	103.00 x 97.0
	COMPRESSION RATIO	9.2:1	9.4:1	9.4:1	8.9:1	19.5:1
	VALVE TRAIN	Overhead valve	Overhead valve	Overhead valve	Overhead valve	Overhead valve
	FUEL DELIVERY	Sequential fuel injection	Sequential fuel injection	Sequential fuel injection	Sequential fuel injection	Indirect electron fuel injection
	SAE NET HORSEPOWER@RPM	200 @ 4400	220 @ 4600	255 @ 4600 ¹ 245 @ 4600 ²	290 @ 4000	195 @ 3400
	SAE NET TORQUE@RPM (lb-ft)	250 @ 2800	280 @ 2800	330 @ 2800 ¹ 330 @ 2800 ²	410 @ 3200	430 @ 1800
Engine/Model					6.5L V8	
Availability	ENGINE S=Standard A=Available	Vortec 4300	Vortec 5000	Vortec 5700	Vortec 7400	turbo diesel
AVAIIAUIIILY	1500 135" wheelbase	S	A	A		
	2500 135" wheelbase	А	Α	S		А
	155" wheelbase	А	А	S		
	3500 135" wheelbase			S	А	А
	155" wheelbase			S	A	А
Standard	SERIES	1500	2500	2500	3500	3500
Technical Data	WHEELBASE	135	135	155	135	155
	GROSS VEHICLE WEIGHT RATING (Ibs)	7100	8600	8600	9500	9500
	FRONT SUSPENSION	Independent type with coil s	prings and shock absorbers spe	ecifically tuned to each vehicle's	weight and usage via options or	dered; includes stabilizer l
	Axle capacity (Ibs)	3600	4300	4300	4300	4300
	Spring capacity (lbs)	3600	3800	4100	4300	4300
	REAR SUSPENSION		Two-stage n	nultileaf springs with she	ock absorbers	
	Axle capacity (lbs)	4000	5400 (6084) ³	5400	6084	6084
	Spring capacity (lbs)	3968	5360	5360	6084	6084
	TRANSMISSION		Electroni	c 4-speed automatic wit	h overdrive	
	BRAKES	Power-assisted fr	ront disc/rear drum four-wheel	antilock brakes; include nonasbe	stos brake linings with front aud	ible wear sensors
	STEERING	Power assist				
	FUEL TANK CAPACITY	31 gallons	31 gallons	31 gallons	31 gallons	31 gallons
	GENERATOR	100 amps	124 amps	124 amps	124 amps	124 amps

				(\square)		
			<u></u>	<u> </u>	MHIELEASS 185.0° DEESLI LENGTH EM 7°	
			ROBT REALD REALANCE P ¹ 7.0 ¹		Curt D AAL MERGHI TOLOY 62.77 BEAR GROEIND DE DAMAGE C 72.4.89	~
		S C				_
Trailering Data &				N. 1. 5700		6.5L V8
Trailering Data & Rear Axle Ratios	ENGINE	Vortec 4300 Maximum Axle Trailer Ratio Weight ¹	Vortec 5000 Maximum Axle Trailer Batio Weight ¹	Vortec 5700 Maximum Axle Trailer Ratio Weight ¹	Vortec 7400 Maximum Axle Trailer Ratio Weight ¹	turbo diesel Maximun Axle Trailer
	ENGINE 1500	Maximum Axle Trailer Ratio Weight ¹	Maximum Axle Trailer Ratio Weight ¹	Maximum Axle Trailer Ratio Weight ¹	Maximum	turbo diesel Maximun
		Maximum Axle Trailer	Maximum Axle Trailer Ratio Weight ¹	Maximum Axle Trailer	Maximum Axle Trailer	turbo diesel Maximun Axle Trailer
		Axle RatioMaximum Trailer Weight13.424900 lbs	Maximum Axle Trailer Ratio Weight ¹	MaximumAxleTrailerRatioWeight13.426300 lbs	Maximum Axle Trailer	turbo diesel Maximun Axle Trailer
	1500	Axle RatioMaximum Trailer Weight13.424900 lbs3.735400 lbs	Maximum Axle Trailer Ratio Weight ¹ 3.42 5800 lbs	AxleMaximum Trailer Ratio3.426300 lbs3.737300 lbs	Maximum Axle Trailer	turbo diesel Maximun Axle Trailer Ratio Weight ¹
	1500	Axle RatioMaximum Trailer Weight13.424900 lbs3.735400 lbs3.424700 lbs	Maximum Axle Trailer Ratio Weight ¹ 3.42 5800 lbs	Maximum Trailer Weight ¹ 3.42 6300 lbs 3.73 7300 lbs 3.42 6100 lbs	Maximum Axle Trailer	turbo diesel Maximun Axle Trailer Ratio 3.73 8900 lbs
	1500	Axle RatioMaximum Trailer Weight13.424900 lbs3.735400 lbs3.424700 lbs	Maximum Axle Trailer Ratio Weight ¹ 3.42 5800 lbs	Axle Ratio Maximum Trailer Weight ¹ 3.42 6300 lbs 3.73 7300 lbs 3.42 6100 lbs 3.73 7100 lbs	Maximum Axle Trailer	turbo diesel Maximun Axle Trailer Ratio 3.73 8900 lbs
	1500 2500	Axle RatioMaximum Trailer Weight13.424900 lbs3.735400 lbs3.424700 lbs	Maximum Axle Trailer Ratio Weight ¹ 3.42 5800 lbs	Axle Ratio Maximum Trailer Weight ¹ 3.42 6300 lbs 3.73 7300 lbs 3.42 6100 lbs 3.73 7100 lbs 4.10 8300 lbs	Maximum Axle Trailer Ratio Weight ¹	turbo diesel Maximun Axle Trailer Ratio Weight ¹ 3.73 8900 lbs 4.10 8900 lbs

A Note On Child Safety Children generally are safer if they are secured in a rear seat using the appropriate child safety seats and restraints - which is why General Motors recommends that child safety seats be properly secured in a vehicle's rear seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active air bag. See your Owner's Manual and child safety seat instructions for more safety information.

Savana Has Many Standard Safety Features. Including:

Occupant Protection. Lap/shoulder safety belt, rear outboard. Adjustable upper belt anchors, front outboard. Driver and front passenger air bags. Child comfort guides, rear outboard shoulder belts. Safety belt cinch capability for child seats. Child security door locks, rear doors and tether anchor. Side door beams.

Crash Avoidance. Four-wheel antilock brake system. Brake/transmission shift interlock. Daytime Running Lamps. Maintenance-free battery. Tires with built-in tread wear indicators. Audible brake lining wear indicators with front disc brakes. Side window defogger, front. Tinted glass windshield.

Theft Deterrence. Laser-etched VIN plate. Passlock theft deterrent system. Single two-sided key system. Remote hood release.

Trailering With Your Savana Savana is built strong and durable to handle the demands of towing. Certain equipment that prepares Savana for trailering is standard on every Savana: power steering, power brakes, a large fuel tank, a 100or 124-amp alternator, a front stabilizer bar, an internal transmission oil cooler. For other available trailering-related equipment, talk to your dealer. You'll need a hitch, of course, and a wide selection of hitch types is available, usually either from your dealer or as factory equipment. In addition, if you plan to tow frequently, you should equip your Savana with the available trailering package. This package includes a weight-distributing hitch platform and a heavy duty eight-wire electrical harness. Also required with this package are a hitch ball, mounting head, and equalizing and antisway assemblies; these are available through aftermarket sources. If you have any questions about trailering with a Savana, before you buy, feel free to ask your dealer for a copy of the GMC Trailering Guide. Be sure to read it and use it as a guide before you hitch a trailer to your Savana.

About This Brochure We have tried to make this brochure comprehensive and factual. We reserve the right, however, to make changes at any time and without notice, in prices, colors, materials, equipment, specifications, models and availability. Information may have been updated since the time of printing. Please check with your GMC dealer for complete details. GMC reserves the right to lengthen or shorten the model year for any reason, or to start and end model years at different times.

Assembly GMC models and their components are assembled or produced by different operating units of General Motors, its subsidiaries or suppliers to General Motors worldwide. We sometimes find it necessary to produce GMC models with different or differently sourced components than originally scheduled. Since some options may be unavailable when your vehicle is assembled, we suggest you verify that your vehicle includes the equipment you ordered or, if there are changes, that they are acceptable to you. GMC regularly sends its dealers useful GMC product service bulletins. To obtain these bulletins, ask your dealer or call I-800-GMC-8782.

Engines GMC vehicles are equipped with engines produced by different operating units of General Motors, its subsidiaries or suppliers to General Motors worldwide.



On The Web See more of Savana on our website: www.savana.gmc.com

- More photos and information
- · Hot links to related subjects and features
- Spec out your own vehicle
- Convenient dealer locator
- Pricing guide

Or call I-888-4A SAVANA (I-888-427-2826).



© 1999 GM Corp. All rights reserved. Buckle Up, America! Savana, GM, GMC, the GMC logo, Delco, Freedom, Solar-Ray, Passlock, Commitment Plus and Design and The GM Card are registered trademarks of

General Motors Corporation. Do one thing. Do it well. and Vortec are trademarks of General Motors Corporation. GMAC is a registered trademark of General Motors Acceptance Corporation. Dolby is a registered trademark of Dolby Licensing Corporation. Theftlock is a registered trademark of Delco Electronics Corporation.



GMC recognizes the importance of mobility to everyone's life and therefore offers financial assistance to persons with disabilities through the General Motors Mobility Program. This program can provide up to \$1000 reimbursement toward the cost of aftermarket mobility adaptive equipment for drivers or passengers when installed or reinstalled on any eligible purchased or leased new

GM vehicle. For details and free resource information,

call 1-800-323-9935 (TTY users: 1-800-833-9935).

The Nature 🔊

GMC is proud to be a partner in conservation with the Nature Conservancy, an organization dedicated to protecting the (Outservancy diversity of life on Earth. GMC contributes both money and trucks to support this worthwhile organization.



GMC backs your new vehicle with its no deductible Bumper to Bumper limited warranty. The entire vehicle is warranted for

repairs, including parts and labor, to correct problems in materials or workmanship, for three years or 36,000 miles, whichever comes first (except normal maintenance). Diesel engines are covered up to five years or IOO,000 miles, whichever comes first (a deductible applies after three years/36,000 miles). The warranty covers towing to the nearest GMC dealership, and there is no deductible for warranty repairs during the warranty period. The warranty transfers automatically with vehicle ownership during the warranty period. All body sheet-metal components are warranted against rust-through corrosion for six years or 100,000 miles, whichever comes first. GMCs are designed and built to resist corrosion. Application of additional rust-inhibiting materials is not required, and none is recommended. See your GMC dealer for terms and conditions of these limited warranties. An important note about alterations and warranties: Installations or alterations to the original equipment vehicle (or chassis) as distributed by General Motors are not covered by the General Motors New Vehicle Warranty. The special body company, assembler, equipment installer or upfitter is solely responsible for warranties on the body or equipment and any alterations (or any effects of the alterations) to any of the parts, components, systems or assemblies installed by GM. General Motors is not responsible for the safety or quality of design features, materials or workmanship of any alterations by such supplier.

> GMC supports the National SAFE KIDS campaign,* a grassroots program dedicated to promoting child passenger safety.

Qualified approved customers can conveniently arrange GMAC® leasing and financing right at your GMC dealership. For more information, see your dealer or call 1-800-32-SMART.



The GM MasterCard gives you an important financial advantage, GM Card Earnings. GM Card Earnings can be used to purchase or lease a new GM car or truck (excludes Saturn, Saab, EVI). Card members receive

5% in earnings on any GM Card purchase - accumulating up to \$500 per account year. That's over and above any other discount or incentive. Call I-800-8GM-CARD.

COMMITMENT PLUS

From the owner orientation—and full tank of gas—you receive when you take possession of your Savana to the 24-hour Roadside Assistance, Courtesy Transportation and Travel Benefits, Commitment Plus is a portfolio of owner privileges that lasts throughout your warranty. For expert product information, Roadside Assistance or other services, call 1-800-GMC-8782.



¹ Discuss the details with your dealer when making an appointment. ²See your GMC dealer or call 1-800-GMC-8782 for complete details, including conditions and restrictions.