



	1 7 7 7 7		
Engineering	LX/LX-P	EX/EX-L	EX V-6/EX-L V-6
ngine Type	In-Line 4-Cylinder	In-Line 4-Cylinder	V-6
ngine Block/Cylinder Head	Aluminum-Alloy	Aluminum-Alloy	Aluminum-Alloy
splacement (cc)	2354	2354	3471
orsepower @ rpm (SAE net)	177 @ 6500	190 @ 7000	271 @ 6200
orque (lb-ft@ rpm)	161 @ 4300	162 @ 4400	254 @ 5000
edline	6800	7100	6800
ore and Stroke (mm)	87 x 99	87 x 99	89 x 93
ompression Ratio	10.5 : 1	10.5 : 1	10.5 : 1
alve Train	16-Valve DOHC i-VTEC®	16-Valve DOHC i-VTEC	24-Valve SOHC i-VTEC
ive-by-Wire™ Throttle System	•	•	•
riable Cylinder Management™ (VCM®)			•
ctive Noise Cancellation™ (ANC)		•	•
ARB Emissions Rating	ULEV-2*/PZEV†	ULEV-2*/PZEV†	ULEV-2*/PZEV†
rect Ignition System with Immobilizer	•	•	•
OK +/- Miles No Scheduled Tune-Ups**	•	•	•
. ,	_	·	·
Transmissions Speed Manual Transmission			
	_	_	
Gear Ratios: 1st: 3.267, 2nd: 1.778, 3rd: 1.154, 4th: 0.870,	•	•	
5th: 0.647, Reverse: 3.583, Final Drive Ratio: 4.39 Speed Automatic Transmission (available)			
Gear Ratios: 1st: 2.652, 2nd: 1.517 (LX/LX-P), 1.614 (EX/EX-L),	•	•	
3rd: 1.037 (LX/LX-P), 1.082 (EX/EX-L), 4th: 0.738 (LX/LX-P), 0.773 (EX/EX-L),			
5th: 0.566, Reverse: 2.000, Final Drive Ratio: 4.44			
Speed Automatic Transmission			
Gear Ratios: 1st: 2.697, 2nd: 1.606, 3rd: 1.071, 4th: 0.766,			•
5th: 0.612, Reverse: 1.889, Final Drive Ratio: 4.31			
Body/Suspension/Chassis			
nit-Body Construction	•	•	•
puble Wishbone Front Suspension	•	•	•
dependent Multi-Link Rear Suspension	•	•	•
abilizer Bar (mm, front/rear)	26.5/13.0	26.5/13.0	26.5/14.0
ont Shock Tower Bar		•	•
ariable Gear Ratio (VGR) Power-Assisted Rack-and-Pinion Steering	•	•	•
eering Wheel Turns, Lock-to-Lock	2.56	2.56	2.56
rning Diameter, Curb-to-Curb (ft)	37.7	37.7	37.7
ower-Assisted Ventilated Front Disc/Solid Rear Disc Brakes (in)	11.1/11.1	11.8/11.1	11.8/11.1
Well-Assisted Ventilated 11 Uit Disc/Sulla flear Disc Di akes (III/	16" with Full Covers (LX)	11.0/11.1	11.0/11.1
/heels		17" Alloy	17" Alloy
	16" Alloy (LX-P)	<u> </u>	•
I-Season Tires	P215/60 R16 94H	P225/50 R17 93V	P225/50 R17 93V
xterior Measurements			
heelbase (in)	110.2	110.2	110.2
ngth (in)	194.1	194.1	194.3
5.14 P-1	58.1	58.1	58.1
eight (IN)	30.1		
	72.7	72.7	72.7
Tidth (in)		72.7 62.2/62.2	72.7 62.2/62.2
Tidth (in)	72.7 62.6/62.6	62.2/62.2	62.2/62.2
idth (in) ack (in, front/rear)	72.7 62.6/62.6 3230/3289 (LX)	62.2/62.2 3349/3408 (EX)	62.2/62.2 NA/3567 (EX V-6)
dth (in) ack (in, front/rear)	72.7 62.6/62.6	62.2/62.2	62.2/62.2
dth (in) ck (in, front/rear) b Weight (lbs, MT/AT)	72.7 62.6/62.6 3230/3289 (LX)	62.2/62.2 3349/3408 (EX)	62.2/62.2 NA/3567 (EX V-6)
dth (in) nck (in, front/rear) rb Weight (lbs, MT/AT) nterior Measurements	72.7 62.6/62.6 3230/3289 (LX) 3236/3298 (LX-P)	62.2/62.2 3349/3408 (EX)	62.2/62.2 NA/3567 (EX V-6)
dth (in) ck (in, front/rear) rb Weight (lbs, MT/AT) sterior Measurements adroom (in, front/rear)	72.7 62.6/62.6 3230/3289 (LX)	62.2/62.2 3349/3408 (EX) 3373/3433 (EX-L)	62.2/62.2 NA/3567 (EX V-6) NA/3600 (EX-L V-6)
dth (in) ack (in, front/rear) rb Weight (lbs, MT/AT) nterior Measurements adroom (in, front/rear) adroom with Moonroof (in, front/rear)	72.7 62.6/62.6 3230/3289 (LX) 3236/3298 (LX-P) 41.4/38.5	62.2/62.2 3349/3408 (EX) 3373/3433 (EX-L) 39.0/37.2	62.2/62.2 NA/3567 (EX V-6) NA/3600 (EX-L V-6) 39.0/37.2
idth (in) ack (in, front/rear) urb Weight (lbs, MT/AT) nterior Measurements eadroom (in, front/rear) eadroom with Moonroof (in, front/rear) groom (in, front/rear)	72.7 62.6/62.6 3230/3289 (LX) 3236/3298 (LX-P) 41.4/38.5	62.2/62.2 3349/3408 (EX) 3373/3433 (EX-L) 39.0/37.2 42.5/37.2	62.2/62.2 NA/3567 (EX V-6) NA/3600 (EX-L V-6) 39.0/37.2 42.5/37.2
idth (in) ack (in, front/rear) urb Weight (lbs, MT/AT) nterior Measurements eadroom (in, front/rear) egroom (in, front/rear) egroom (in, front/rear) loulder Room (in., front/rear)	72.7 62.6/62.6 3230/3289 (LX) 3236/3298 (LX-P) 41.4/38.5 42.5/37.2 58.2/56.4	62.2/62.2 3349/3408 (EX) 3373/3433 (EX-L) 39.0/37.2 42.5/37.2 58.2/56.4	62.2/62.2 NA/3567 (EX V-6) NA/3600 (EX-L V-6) 39.0/37.2 42.5/37.2 58.2/56.4
idth (in) ack (in, front/rear) Intro Weight (lbs, MT/AT) Interior Measurements Bedroom (in, front/rear) Bedroom with Moonroof (in, front/rear) Groom (in, front/rear) Bedroom (in, front/rear)	72.7 62.6/62.6 3230/3289 (LX) 3236/3298 (LX-P) 41.4/38.5	62.2/62.2 3349/3408 (EX) 3373/3433 (EX-L) 39.0/37.2 42.5/37.2	62.2/62.2 NA/3567 (EX V-6) NA/3600 (EX-L V-6) 39.0/37.2 42.5/37.2
eight (in) fidth (in) ack (in, front/rear) urb Weight (lbs, MT/AT) Interior Measurements eadroom (in, front/rear) eadroom with Moonroof (in, front/rear) egroom (in, front/rear) houlder Room (in, front/rear) igroom (in, front/rear) igroom (in, front/rear) igroom (in, front/rear)	72.7 62.6/62.6 3230/3289 (LX) 3236/3298 (LX-P) 41.4/38.5 42.5/37.2 58.2/56.4	62.2/62.2 3349/3408 (EX) 3373/3433 (EX-L) 39.0/37.2 42.5/37.2 58.2/56.4	62.2/62.2 NA/3567 (EX V-6) NA/3600 (EX-L V-6) 39.0/37.2 42.5/37.2 58.2/56.4
Idth (in) ack (in, front/rear) urb Weight (lbs, MT/AT) nterior Measurements eadroom (in, front/rear) eadroom with Moonroof (in, front/rear) egroom (in, front/rear) noulder Room (in, front/rear) proom (in, front/rear)	72.7 62.6/62.6 3230/3289 (LX) 3236/3298 (LX-P) 41.4/38.5 42.5/37.2 58.2/56.4 56.6/54.3	62.2/62.2 3349/3408 (EX) 3373/3433 (EX-L) 39.0/37.2 42.5/37.2 58.2/56.4 56.6/54.3	62.2/62.2 NA/3567 (EX V-6) NA/3600 (EX-L V-6) 39.0/37.2 42.5/37.2 58.2/56.4 56.6/54.3

^{*}MT models are ULEV-2-rated in all 50 states. †AT models are PZEV-rated in California and states that have adopted California emission standards.
**Does not apply to fluid and filter changes. May vary with driving conditions. See your owner's manual for more details.

Safety	LX/LX-P	EX/EX-L	EX V-6/EX-L V-6
3-Point Seat Belts at All Seating Positions	•	•	• • • • • • • • • • • • • • • • • • •
Front 3-Point Seat Belts with Automatic Tensioning System	•	•	•
Adjustable Front Seat Belt Anchors	•	•	•
Driver's and Front Passenger's Seat Belt Reminder	•	•	•
Dual-Stage, Dual-Threshold Front Airbags (SRS)	•	•	•
Dual-Chamber Front Side Airbags with Passenger-Side	•	•	•
Occupant Position Detection System (OPDS)			
Side Curtain Airbags Driver's and Front Passenger's Active Head Restraints	•	•	•
Advanced Compatibility Engineering™ (ACE™) Body Structure	•	•	•
Vehicle Stability Assist™ (VSA®) with Traction Control	•	•	•
Brake Assist	•	•	•
Tire Pressure Monitoring System ¹ (TPMS)	•	•	•
Anti-Lock Braking System (ABS) with Electronic Brake Distribution (EBD)	•	•	•
Daytime Running Lights (DRL)	•	•	•
Side-Impact Door Beams	•	•	•
Outboard Lower Anchors and Tethers for Children (LATCH)	•	•	•
Child-Seat Tether Anchor (rear-center)	•	•	•
Child-Proof Rear Door Locks	•	•	•
Emergency Trunk Release Exterior Features		•	•
One-Touch Power Moonroof with Tilt Feature		•	•
Integrated Rear Window Antenna	•	•	•
Security System	LX-P	•	•
Remote Entry System with Power Window Control	•	•	•
Variable Intermittent Windshield Wipers	•	•	•
Multi-Reflector Halogen Headlights with Auto-Off	•	with Auto-On/Off (EX-L)	with Auto-On/Off (EX-L V-6)
Hood Struts			•
Fog Lights			•
Body-Colored Door Handles	•	• Heated	Chrome
Body-Colored Power Side Mirrors Chrome Exhaust Finisher	LX-P	Heated •	Heated Dual Exhaust
Chrome Window Trim	•	•	•
EPA Mileage Estimates ² /Capabilites			
5-Speed Manual (City/Highway/Combined)	22/31/25	22/31/25	
5-Speed Automatic (City/Highway/Combined)	21/30/24	21/30/24	19/29/22
Crankcase (qt)	5.6	5.6	5.3
Coolant System (qt, MT/AT)	8.6/8.5	8.6/8.5	NA/9.1
Fuel (gal)	18.5	18.5	18.5
Required Fuel	Regular Unleaded	Regular Unleaded	Regular Unleaded
Comfort & Convenience Air Conditioning with Air-Filtration System	•	EX	EX V-6
Dual-Zone Automatic Climate Control System	<u> </u>	EX-L	EX-0 EX-L V-6
Honda Satellite-Linked Navigation System ³ with Voice Recognition		Available (EX-L)	Available (EX-L V-6)
Bluetooth®4 HandsFreeLink®		with Navigation	with Navigation
Interface Dial with Scrolling and Multi-Line Display		with Navigation	with Navigation
Selector Knob with Scrolling and Multi-Line Display		•	•
Power Windows with Auto-Up/Down Driver's and Front Passenger's Windows	LX-P	•	•
Illuminated Power Window Switches	LX-P	•	•
Power Door Locks/Programmable Auto-Locking Doors	•	•	•
Cruise Control	•	• EV I	• FY L V C
Leather-Wrapped Steering Wheel Leather-Wrapped Shift Knob		EX-L EX-L 5MT	EX-L V-6
Illuminated Steering Wheel-Mounted Audio and Cruise Controls	•	• EX-L SIVIT	•
Steering Wheel-Mounted Navigation and Phone Controls		with Navigation	with Navigation
Tilt and Telescopic Steering Column	•	•	•
HomeLink® Remote System ⁵			EX-L V-6
Premium Interior Accents		•	•
Center Console with Sliding Armrest and Storage Compartments	•	•	•
Beverage Holders, Front and Rear	•	•	•
Driver's and Front Passenger's Illuminated Vanity Mirrors	•	• FV I	• EVIVO
Automatic Dimming Rearview Mirror Blue Ambient Console Lighting		EX-L	EX-L V-6
Map Lights	•	•	•
map nighto	<u> </u>		

Comfort & Convenience (continued)	LX/LX-P	EX/EX-L	EX V-6/EX-L V-6
Sunglasses Holder	•	•	•
Coin Box	•	•	•
2-Volt Power Outlets	•	•	•
ockable Glove Compartment with Light	•	•	•
river- and Passenger-Side Seatback Pockets	•	•	•
emote Fuel Filler Door Release	•	•	•
emote Trunk Release with Lock	•	•	•
lectronic Remote Trunk Release	•	•	•
ear Window Defroster	•	•	•
argo Area Light	•	•	•
de Door Pockets	•	•	•
Seating			
eather-Trimmed Seats		EX-L	EX-L V-6
eated Front Seats		EX-L	EX-L V-6
river's Seat with 8-Way Power Adjustment	LX-P	•	•
river's Seat with Power Lumbar Support		•	•
iver's Seat with Manual Height Adjustment	LX		
assenger's Seat with 4-Way Power Adjustment			EX-L V-6
assenger-Side Walk-In Feature			
old-Down Rear Seatback	•	•	•
old-Down Rear-Seat Center Armrest/Trunk Pass-Through	•	•	•
Audio Systems			
0-Watt AM/FM/CD Audio System with 6 Speakers	•		
60-Watt AM/FM/6-Disc In-Dash Audio System with 6 Speakers		EX	EX V-6
70-Watt AM/FM/6-Disc In-Dash Premium Audio System		EVI	EVIVO
ith 7 Speakers, Including Subwoofer		EX-L	EX-L V-6
adio Data System (RDS)	•	•	•
P3/Windows Media® Audio ⁶ (WMA) Playback Capability	•	•	•
P3/Auxiliary Input Jack	•	•	•
M® Radio ⁷		EX-L	EX-L V-6
peed-Sensitive Volume Control (SVC)	•	•	•
nstrumentation			
acklit Gauges	•	•	•
chometer	•	•	•
gital Odometer and Digital Trip Meters (2)	•	•	•
aintenance Minder™ System	•	•	•
ompass		EX-L without Navigation	EX-L V-6 without Navigation
oor-/Trunk-Open Indicator	•	•	•
uel and Coolant Temperature Indicators	•	•	•
kterior Temperature Indicator		EX-L	EX-L V-6

¹ For optimal tire wear and performance, tire pressure should be checked regularly with a gauge. Do not rely solely on the monitor system. See your owner's manual for details. 2 Based on 2009 EPA mileage estimates, which reflect the new EPA fuel economy methods beginning with 2008 models. Use for comparison purposes only. Do not compare to models before 2008. Your actual mileage will vary depending on how you drive and maintain your vehicle. 3 The Honda Satellite-Linked Navigation System is available on EX-L models in the United States, except your Honda dealer for details. 4 The Bluetooth® word mark and logos are owned by the Bluetooth SIG, Inc., and any use of such marks by Honda Motor Co., Ltt., is under license. 5 Homelink® is a registered trademark of Prince Corporation, a wholly owned subsidiary of Johnson Controls. 6 Windows Media® Audio is a trademark or registered trademark of Microsoft® Corporation in the United States and/or other countries. 7 Required XM® Radio monthly subscription sold separately after 90-day trial period. Installation costs and other fees and taxes may apply after initial trial period, including a one-time activation fee. All fees and programming subject to colored to change. Subscriptions subject to Customer Agreement available at xmradio.com. XM sarellite Radio Inc. 8 3 Year/6,0000-Mile Limited Warranty. Ordinary maintenance or adjustments, parts subject to normal wear and replacement, and certain items are excluded. See your Honda dealer for terms and conditions of the limited warranties. Always use seat belts and appropriate child seats. Children 12 and under are safest when properly restrained in the rear seat. Specifications, features, illustrations and equipment shown in this brochure are based upon the latest information available at the time of printing. Although descriptions are believed to be correct, accuracy cannot be guaranteed. American Honda Motor Co., Inc., or used under a valid license. It is a violation of federal law to reproduce these images without express w





Your dealer's team of trained technicians is at the ready to help keep your Honda in superb shape. All 2009 Honda vehicles – and any Honda Genuine Accessories installed at the time of purchase – are

covered by the 3-year/36,000-mile New-Vehicle Limited Warranty.¹³ Plus, Honda cars and trucks are covered by a 5-year/60,000-mile Limited Powertrain Warranty, too.¹³ For more information or assistance, see your Honda dealer or please give us a call at 1-800-33-Honda.





Want your own look? Ask your dealer about Honda Genuine Accessories. They're designed, engineered and tested to meet the same exacting standards as your new vehicle – and a high-quality way to make your new Honda a reflection of your one-of-a-kind personality.



Financial Services

Whether you buy or lease a Honda vehicle, Honda Financial Services can assist you with the process. Please ask your dealer which lease or purchase plan best suits your needs.



Honda Care® is an affordable, comprehensive vehicle and travel protection plan backed by Honda reliability, service and parts. Please see your Honda dealer for details.