



Engine Block/Djinder Head	ENGINEERING	DX/DX-VP	LX/LX-S	EX/EX-L
Engine Block/Cylinder Head				
Displacement (cc)				
Horsepower @ mm (SAE net)				
Torque (b- ft @ pm)				
Compression Ratio		128 @ 4300	128 @ 4300	128 @ 4300
Valve Train				
Drive-Dy-Wire* Throttle System				
CARB Emissions Rating		•	•	•
Direct Ignition System with Immobilizer		ULEV-2	ULEV-2	ULEV-2
TRANSMISSIONS				
TRANSMISSIONS		•	•	•
Sepand Manual Transmission (available) Sepand Transmi				
Compact 5-Speed Automatic Transmission (available)	TRANSMISSIONS			
BODY/SUSPENSION/CHASSIS	5-Speed Manual Transmission	•	•	•
Unit-Body Construction	Compact 5-Speed Automatic Transmission (available)	•	•	•
Unit-Body Construction				
MacPherson Strut Front Suspension				
Multi-Link Rear Suspension				•
Stabilizer Bar (mm, front/rear) 24.2/10.0 24.2/10.0 24.2/10.0				
Power-Assisted Rack-and-Pinion Steering				
Steering Wheel Turns, Lock-to-Lock		24.2/10.0	24.2/10.0	24.2/10.0
Turning Diameter, Curb-to-Curb (ft) 34.8 35.4 35.4				
No. No.				
Rear Drum Brakes (in, front/rear) 10.3/1.9 10.3/1.9		34.8	35.4	35.4
Power-Assisted Ventilated Front Disc/		10 3/7 9	10 3/7 9	
Solid Rear Disc Brakes (in, front/rear) 15" with Full Covers 16" with Full Covers/16" Alloys 16" All		10.5/ 7.5	10.5/ 7.5	
The Number 15" with Full Covers 16" with Full Covers/16" Alloys 16" Alloys All-Season Tires P195/65 R15 89H P205/55 R16 R10				10.3/10.2
All-Season Tires		15" with Full Covers	16" with Full Covers/16" Alloys	16" Alloys
NTERIOR MEASUREMENTS				
NTERIOR MEASUREMENTS 39.4/37.4 39.4/37.4 38.1/36.7		1 100/00 1110 0011	1 200/ 00 1110 0011	1 200/00 1110 0011
Headroom (in, front/rear) 39.4/37.4 39.4/37.4 38.1/36.7 Legroom (in, front/rear) 42.2/34.6 42.2/34.6 42.2/34.6 Shoulder Room (in, front/rear) 53.7/52.4 53.7/52.4 53.6/52.3 Hiproom (in, front/rear) 51.9/51.0 51.9/51.0 51.9/51.0 Cargo Volume (cu ft) 12.0 12.0 12.0 Passenger Volume (cu ft) 90.9 90.9 88.4 EXTERIOR MEASUREMENTS ** ** Wheelbase (in) 106.3 106.3 106.3 Length (in) 177.3 177.3 177.3 Height (in) 56.5 56.5 56.5 Width (in) 69.0 69.0 69.0 Track (in, front/rear) 59.0/60.2 59.0/60.2 59.0/60.2 Curb Weight (lbs, MT/AT) 2630/2892 (DX) 2687/2754 (LX/LX-S) 2747/2820 (EX) Zedak/z709 (DX-VP) 2648/2709 (DX-VP) 2760/2831 (EX-L) EPA MILEAGE ESTIMATES/FUEL CAPACITY ² 5-Speed Automatic (City/Highway/Combined) 25/36/29 25/36/29 25/36/29 <	Wildleim Thot Exalto TE2 Summer mes			
Headroom (in, front/rear) 39.4/37.4 39.4/37.4 38.1/36.7 Legroom (in, front/rear) 42.2/34.6 42.2/34.6 42.2/34.6 Shoulder Room (in, front/rear) 53.7/52.4 53.7/52.4 53.6/52.3 Hiproom (in, front/rear) 51.9/51.0 51.9/51.0 51.9/51.0 Cargo Volume (cu ft) 12.0 12.0 12.0 Passenger Volume (cu ft) 90.9 90.9 88.4 EXTERIOR MEASUREMENTS ** ** Wheelbase (in) 106.3 106.3 106.3 Length (in) 177.3 177.3 177.3 Height (in) 56.5 56.5 56.5 Width (in) 69.0 69.0 69.0 Track (in, front/rear) 59.0/60.2 59.0/60.2 59.0/60.2 Curb Weight (lbs, MT/AT) 2630/2892 (DX) 2687/2754 (LX/LX-S) 2747/2820 (EX) Zedak/z709 (DX-VP) 2648/2709 (DX-VP) 2760/2831 (EX-L) EPA MILEAGE ESTIMATES/FUEL CAPACITY ² 5-Speed Automatic (City/Highway/Combined) 25/36/29 25/36/29 25/36/29 <	INTERIOR MEASUREMENTS			
Legroom (iin, front/rear) 42.2/34.6 42.2/34.6 42.2/34.6 Shoulder Room (in, front/rear) 53.7/52.4 53.7/52.4 53.6/52.3 Hiproom (in, front/rear) 51.9/51.0 51.9/51.0 51.9/51.0 Cargo Volume (cu ft) 12.0 12.0 12.0 Passenger Volume (cu ft) 90.9 90.9 88.4 EXTERIOR MEASUREMENTS Wheelbase (in) 106.3 106.3 106.3 Length (in) 177.3 177.3 177.3 Height (in) 56.5 56.5 56.5 Width (in) 68.0 69.0 69.0 Track (in, front/rear) 59.0/60.2 59.0/60.2 59.0/60.2 Curb Weight (lbs, MT/AT) 2630/2692 (DX) 2687/2754 (LX/LX-S) 2747/2820 (EX) Z648/2709 (DX-VP) 26/34/29 26/34/29 26/34/29 S-Speed Manual (City/Highway/Combined) 26/34/29 26/34/29 25/36/29 5-Speed Manual (City/Highway/Combined) 25/36/29 25/36/29 25/36/29 Fuel (gal) 13.2 13.2		39 4/37 4	39 4/37 4	38 1/36 7
Shoulder Room (in, front/rear) 53.7/52.4 53.7/52.4 53.6/52.3 Hiproom (in, front/rear) 51.9/51.0 51.9/51.0 51.9/51.0 Cargo Volume (cu ft) 12.0 12.0 12.0 Passenger Volume (cu ft) 90.9 90.9 88.4 EXTERIOR MEASUREMENTS Wheelbase (in) 106.3 106.3 106.3 Length (in) 177.3 177.3 177.3 Height (in) 56.5 56.5 56.5 Width (in) 69.0 69.0 69.0 Track (in, front/rear) 59.0/60.2 59.0/60.2 59.0/60.2 Curb Weight (lbs, MT/AT) 2630/2692 (DX) 2687/2754 (LX/LX-S) 2747/2820 (EX) 2648/2709 (DX-VP) 2688/2794 (LX/LX-S) 2747/2820 (EX) 2760/2831 (EX-L) 250/2892 (DX) 26/34/29 26/34/29 5-Speed Manual (City/Highway/Combined) 26/34/29 26/34/29 26/34/29 5-Speed Automatic (City/Highway/Combined) 25/36/29 25/36/29 25/36/29 5-Speed Automatic (City/Highway/Combined) 25/36/29				
Hiproom (in, front/rear) 51.9/51.0 51.9/51.0 51.9/51.0 Cargo Volume (cu ft) 12.0 12.0 12.0 Passenger Volume (cu ft) 90.9 90.9 88.4 EXTERIOR MEASUREMENTS Wheelbase (in) 106.3 106.3 106.3 Length (in) 177.3 177.3 177.3 Height (in) 56.5 56.5 56.5 Width (in) 69.0 69.0 69.0 Track (in, front/rear) 59.0/60.2 59.0/60.2 59.0/60.2 Curb Weight (lbs, MT/AT) 2630/2692 (DX) 2648/2709 (DX-VP) 2687/2754 (LX/LX-S) 2747/2820 (EX) 2760/2831 (EX-L) EPA MILEAGE ESTIMATES/FUEL CAPACITY ² 5-Speed Manual (City/Highway/Combined) 26/34/29 26/34/29 26/34/29 5-Speed Automatic (City/Highway/Combined) 25/36/29 25/36/29 25/36/29 Fuel (gal) 13.2 13.2 13.2 Required Fuel Regular Unleaded Regular Unleaded Regular Unleaded Regular Unleaded SEATING Leather-Tri				
Cargo Volume (cu ft) 12.0 12.0 12.0 Passenger Volume (cu ft) 90.9 90.9 88.4 EXTERIOR MEASUREMENTS Wheelbase (in) 106.3 106.3 106.3 Length (in) 177.3 177.3 177.3 Height (in) 55.5 56.5 56.5 Width (in) 69.0 69.0 69.0 Track (in, front/rear) 2630/2692 (DX) 2687/2754 (LX/LX-S) 2747/2820 (EX) Curb Weight (lbs, MT/AT) 2630/2692 (DX) 2687/2754 (LX/LX-S) 2747/2820 (EX) Z648/2709 (DX-VP) 25/36/29 25/36/29 25/36/29 5-Speed Manual (City/Highway/Combined) 25/36/29 25/36/29 25/36/29 Fuel (gal) 13.2 13.2 13.2 Required Fuel Regular Unleaded Regular Unleaded Regular Unleaded SEATING Leather-Trimmed Interior/Heated Front Seats EX-L Driver's Seat with Manual Height Adjustment • • Adjustable Head Restraints • •				
Passenger Volume (cu ft) 90.9 90.9 88.4 EXTERIOR MEASUREMENTS Wheelbase (in) 106.3 106.3 106.3 Length (in) 177.3 177.3 177.3 Height (in) 56.5 56.5 56.5 Width (in) 69.0 69.0 69.0 Track (in, front/rear) 59.0/60.2 59.0/60.2 59.0/60.2 Curb Weight (lbs, MT/AT) 2630/2692 (DX) 2687/2754 (LX/LX-S) 2747/2820 (EX) 2648/2709 (DX-VP) 2687/2754 (LX/LX-S) 2747/2820 (EX) 25-Speed Manual (City/Highway/Combined) 26/34/29 26/34/29 26/34/29 5-Speed Automatic (City/Highway/Combined) 25/36/29 25/36/29 25/36/29 Fuel (gal) 13.2 13.2 13.2 Required Fuel Regular Unleaded Regular Unleaded Regular Unleaded SEATING Leather-Trimmed Interior/Heated Front Seats EX-L Driver's Seat with Manual Height Adjustment • • Adjustable Head Restraints • • <td></td> <td></td> <td></td> <td></td>				
EXTERIOR MEASUREMENTS Wheelbase (in) 106.3 106.3 106.3 Length (in) 177.3 177.3 177.3 Height (in) 56.5 56.5 56.5 Width (in) 69.0 69.0 69.0 Track (in, front/rear) 59.0/60.2 59.0/60.2 Curb Weight (lbs, MT/AT) 2630/2692 (DX) 2687/2754 (LX/LX-S) 2747/2820 (EX) 2760/2831 (EX-L) EPA MILEAGE ESTIMATES/FUEL CAPACITY² 5-Speed Manual (City/Highway/Combined) 26/34/29 26/34/29 26/34/29 5-Speed Automatic (City/Highway/Combined) 25/36/29 25/36/29 Fuel [gal] 13.2 13.2 13.2 Required Fuel Regular Unleaded Regular Unleaded SEATING Leather-Trimmed Interior/Heated Front Seats EX-L Driver's Seat with Manual Height Adjustment • • • • Adjustable Head Restraints • • • • • • • • • • • • • • • • • • •				
Wheelbase (iin) 106.3 106.3 106.3 Length (iin) 177.3 177.3 177.3 Height (iin) 56.5 56.5 56.5 Width (iin) 68.0 69.0 69.0 Track (iin, front/rear) 59.0/60.2 59.0/60.2 59.0/60.2 Curb Weight (lbs, MT/AT) 2630/2692 (DX) 2687/2754 (LX/LX-S) 2747/2820 (EX) Z648/2709 (DX-VP) 2630/2893 (EX-L) 2760/2831 (EX-L) EPA MILEAGE ESTIMATES/FUEL CAPACITY ² S-Speed Manual (City/Highway/Combined) 26/34/29 26/34/29 26/34/29 5-Speed Automatic (City/Highway/Combined) 25/36/29 25/36/29 25/36/29 Fuel (gal) 13.2 13.2 13.2 Required Fuel Regular Unleaded Regular Unleaded Regular Unleaded SEATING Leather-Trimmed Interior/Heated Front Seats EX-L Driver's Seat with Manual Height Adjustment • • Adjustable Head Restraints • •	i assenger volume (carl)	30.3	30.3	00.4
Wheelbase (iin) 106.3 106.3 106.3 Length (iin) 177.3 177.3 177.3 Height (iin) 56.5 56.5 56.5 Width (iin) 68.0 69.0 69.0 Track (iin, front/rear) 59.0/60.2 59.0/60.2 59.0/60.2 Curb Weight (lbs, MT/AT) 2630/2692 (DX) 2687/2754 (LX/LX-S) 2747/2820 (EX) Z648/2709 (DX-VP) 2630/2893 (EX-L) 2760/2831 (EX-L) EPA MILEAGE ESTIMATES/FUEL CAPACITY ² S-Speed Manual (City/Highway/Combined) 26/34/29 26/34/29 26/34/29 5-Speed Automatic (City/Highway/Combined) 25/36/29 25/36/29 25/36/29 Fuel (gal) 13.2 13.2 13.2 Required Fuel Regular Unleaded Regular Unleaded Regular Unleaded SEATING Leather-Trimmed Interior/Heated Front Seats EX-L Driver's Seat with Manual Height Adjustment • • Adjustable Head Restraints • •	EXTERIOR MEASUREMENTS			
Length (iin) 177.3 177.3 177.3 Height (in) 56.5 56.5 56.5 Width (in) 69.0 69.0 69.0 Track (in, front/rear) 59.0/60.2 59.0/60.2 59.0/60.2 Curb Weight (lbs, MT/AT) 2630/2692 (DX) 2648/2709 (DX-VP) 2687/2754 (LX/LX-S) 2747/2820 (EX) 2760/2831 (EX-L) EPA MILEAGE ESTIMATES/FUEL CAPACITY² 5-Speed Manual (City/Highway/Combined) 26/34/29 26/34/29 26/34/29 5-Speed Automatic (City/Highway/Combined) 25/36/29 25/36/29 25/36/29 Fuel (gal) 13.2 13.2 13.2 Required Fuel Regular Unleaded Regular Unleaded Regular Unleaded SEATING Leather-Trimmed Interior/Heated Front Seats EX-L Driver's Seat with Manual Height Adjustment • • Adjustable Head Restraints • •		106.3	106.3	106.3
Height (iiii) 56.5 56.5 56.5				
Width (in) 69.0 69.0 69.0 Track (in, front/rear) 59.0/60.2 59.0/60.2 59.0/60.2 Curb Weight (lbs, MT/AT) 2630/2692 (DX) 2648/2709 (DX-VP) 2687/2754 (LX/LX-S) 2747/2820 (EX) 2760/2831 (EX-L) EPA MILEAGE ESTIMATES/FUEL CAPACITY ² 5-Speed Manual (City/Highway/Combined) 26/34/29 26/34/29 26/34/29 5-Speed Automatic (City/Highway/Combined) 25/36/29 25/36/29 25/36/29 Fuel (gal) 13.2 13.2 13.2 Regular Unleaded Regular Unleaded Regular Unleaded SEATING Leather-Trimmed Interior/Heated Front Seats EX-L Driver's Seat with Manual Height Adjustment • • Adjustable Head Restraints • •				
Track (in, front/rear) 59.0/60.2 59.0/60.2 59.0/60.2 Curb Weight (lbs, MT/AT) 2630/2692 (DX) 2648/2709 (DX-VP) 2687/2754 (LX/LX-S) 2747/2820 (EX) 2760/2831 (EX-L) EPA MILEAGE ESTIMATES/FUEL CAPACITY² 5-Speed Manual (City/Highway/Combined) 26/34/29 26/34/29 26/34/29 5-Speed Automatic (City/Highway/Combined) 25/36/29 25/36/29 25/36/29 Fuel (gal) 13.2 13.2 13.2 Required Fuel Regular Unleaded Regular Unleaded Regular Unleaded SEATING Leather-Trimmed Interior/Heated Front Seats EX-L Driver's Seat with Manual Height Adjustment • • Adjustable Head Restraints • •				
Curb Weight (lbs, MT/AT) 2630/2692 (DX) 2648/2709 (DX-VP) 2687/2754 (LX/LX-S) 2747/2820 (EX) 2760/2831 (EX-L) EPA MILEAGE ESTIMATES/FUEL CAPACITY ² 5-Speed Manual (City/Highway/Combined) 26/34/29 26/34/29 26/34/29 5-Speed Automatic (City/Highway/Combined) 25/36/29 25/36/29 25/36/29 Fuel (gal) 13.2 13.2 13.2 Required Fuel Regular Unleaded Regular Unleaded Regular Unleaded SEATING Leather-Trimmed Interior/Heated Front Seats EX-L Driver's Seat with Manual Height Adjustment • • Adjustable Head Restraints • •				
EPA MILEAGE ESTIMATES/FUEL CAPACITY2 5-Speed Manual (City/Highway/Combined) 26/34/29 26/34/29 26/34/29 5-Speed Automatic (City/Highway/Combined) 25/36/29 25/36/29 25/36/29 Fuel [gal] 13.2 13.2 13.2 Required Fuel Regular Unleaded Regular Unleaded Regular Unleaded SEATING Leather-Trimmed Interior/Heated Front Seats EX-L Driver's Seat with Manual Height Adjustment • • Adjustable Head Restraints • •				
5-Speed Manual (City/Highway/Combined) 26/34/29 26/34/29 26/34/29 5-Speed Automatic (City/Highway/Combined) 25/36/29 25/36/29 25/36/29 Fuel (gal) 13.2 13.2 13.2 Required Fuel Regular Unleaded Regular Unleaded Regular Unleaded SEATING Leather-Trimmed Interior/Heated Front Seats EX-L Driver's Seat with Manual Height Adjustment • • Adjustable Head Restraints • •	Curb Weight (Ibs, MT/AT)		2007/2701 (27/27/07	
5-Speed Manual (City/Highway/Combined) 26/34/29 26/34/29 26/34/29 5-Speed Automatic (City/Highway/Combined) 25/36/29 25/36/29 25/36/29 Fuel (gal) 13.2 13.2 13.2 Required Fuel Regular Unleaded Regular Unleaded Regular Unleaded SEATING Leather-Trimmed Interior/Heated Front Seats EX-L Driver's Seat with Manual Height Adjustment • • Adjustable Head Restraints • •				
5-Speed Automatic (City/Highway/Combined) 25/36/29 25/36/29 25/36/29 Fuel (gal) 13.2 13.2 13.2 Required Fuel Regular Unleaded Regular Unleaded Regular Unleaded SEATING Leather-Trimmed Interior/Heated Front Seats EX-L Driver's Seat with Manual Height Adjustment • • Adjustable Head Restraints • •				
Fuel (gal) 13.2 Required Fuel Regular Unleaded SEATING Leather-Trimmed Interior/Heated Front Seats Driver's Seat with Manual Height Adjustment • • Adjustable Head Restraints • • 13.2 Regular Unleaded Regular Unleaded Regular Unleaded ** EX-L ** • • • • • • • • • • • •				
Regular Unleaded Regular Unleaded Regular Unleaded SEATING Leather-Trimmed Interior/Heated Front Seats EX-L Driver's Seat with Manual Height Adjustment • • • • • • • • • • • • • • • • • • •		-11 -		
SEATING Leather-Trimmed Interior/Heated Front Seats Driver's Seat with Manual Height Adjustment Adjustable Head Restraints • • • • •				
Leather-Trimmed Interior/Heated Front Seats EX-L Driver's Seat with Manual Height Adjustment • • Adjustable Head Restraints • •	Required Fuel	Regular Unleaded	Regular Unleaded	Regular Unleaded
Leather-Trimmed Interior/Heated Front Seats EX-L Driver's Seat with Manual Height Adjustment • • Adjustable Head Restraints • •	OF ATING			
Driver's Seat with Manual Height Adjustment Adjustable Head Restraints				EV I
Adjustable Head Restraints • • •				EX-L
				<u> </u>
ruiu-nuwii neai seawatk • 60/40 Split				
	LOIG-DOMII LEST SESTINGCK	•	•	DU/4U SPIIT

SAFETT	DA/DA-VF	LA/LA-3	EA/EA-L
3-Point Seat Belts at All Seating Positions	•	•	•
Front 3-Point Seat Belts with Automatic Tensioning System	•	•	•
Driver's and Front Passenger's Seat-Belt Reminder	•	•	•
	•	•	•
Adjustable Front Seat-Belt Anchors			
Dual-Stage, Dual-Threshold Front Airbags (SRS)	•	•	•
Front Side Airbags with Passenger-Side Occupant	•		•
Position Detection System (OPDS)	•	•	•
Side Curtain Airbags	•	•	•
	•	•	•
Driver's and Front Passenger's Active Head Restraints			
Advanced Compatibility Engineering™ (ACE™) Body Structure	•	•	•
Anti-Lock Braking System (ABS)/Electronic Brake Distribution (EBD	•	•	•
Vehicle Stability Assist™ (VSA®) with Traction Control	-		EX-L
Brake Assist			EX-L
	•	•	
Tire Pressure Monitoring System ³ (TPMS)	-		•
Daytime Running Lights (DRL)	•	•	•
Outboard Lower Anchors and Tethers for Children (LATCH)	•	•	•
Child-Proof Rear Door Locks	•	•	•
	•	•	•
Emergency Trunk Release		•	
EXTERIOR FEATURES			
EXTERIOR FEATURES			
One-Touch Power Moonroof with Tilt Feature			•
Integrated Rear-Window Antenna	•	•	•
Security System with Remote Entry		•	with Trunk Release
Body-Colored Power Side Mirrors	Black/Manual	•	• With Hullk Heleuse
	Diack/ivianuai	•	
Heated Side Mirrors			EX-L
Intermittent Windshield Wipers	2-Speed	2-Speed	Variable
Decklid Spoiler	•	LX-S	
Chrome Exhaust Finisher		LX-S	
	•		•
Multi-Reflector Halogen Headlights	<u> </u>	•	•
COMFORT & CONVENIENCE			
Air Conditioning with Air-Filtration System	DX-VP	•	•
Honda Satellite-Linked Navigation System™4			
with Voice Recognition			Available
			24.81.2.2
Bluetooth®5 HandsFreeLink®			with Navigation
Power Windows	•		
Power Windows with Auto-Up/Down Driver's Window		•	•
Power Door Locks with Auto-Lock Feature		•	•
		•	•
Cruise Control			
Perforated Leather-Wrapped Steering Wheel		LX-S	EX-L
0::		0	Cruise/Audio/
Steering Wheel-Mounted Controls		Cruise	Navi (available)
Tilt and Telescopic Steering Column	•	•	•
	•	•	-
Center Console with Sliding Armrest		•	•
and Storage Compartment		-	-
Driver's and Front Passenger's Vanity Mirrors	•	•	•
Map Lights		•	•
12-Volt Power Outlet	•	•	•
ALIBIO OVOTERA			
AUDIO SYSTEMS			
160-Watt AM/FM/CD Audio System with 4 Speakers	DX-VP	•	
160-Watt AM/FM/CD Audio System with 6 Speakers			•
MP3/Windows Media® Audio 6 (WMA) Playback Capability	DX-VP	•	•
	DV-AL		
MP3/Auxiliary Input Jack	DV VD		•
	DX-VP	•	
USB Audio Interface ⁷	DX-VP	• 	•
	DX-VP	•	with Navigation
XM® Radio8/Digital Audio-Card Reader			• with Navigation
XM® Radio ⁸ /Digital Audio-Card Reader CD Text Display Capability	DX-VP	•	• _
XM® Radio8/Digital Audio-Card Reader			
XM® Radio®/Digital Audio-Card Reader CD Text Display Capability Speed-Sensitive Volume Control (SVC)	DX-VP	•	• _
XM® Radio®/Digital Audio-Card Reader CD Text Display Capability Speed-Sensitive Volume Control (SVC) INSTRUMENTATION	DX-VP DX-VP	•	•
XM® Radio®/Digital Audio-Card Reader CD Text Display Capability Speed-Sensitive Volume Control (SVC)	DX-VP	•	• _
XM® Radio®/Digital Audio-Card Reader CD Text Display Capability Speed-Sensitive Volume Control (SVC) INSTRUMENTATION Blue Backlit Gauges	DX-VP DX-VP	•	•
XM® Radio®/Digital Audio-Card Reader CD Text Display Capability Speed-Sensitive Volume Control (SVC) INSTRUMENTATION	DX-VP DX-VP	•	•

DX/DX-VP

LX/LX-S

EX/EX-L

SAFETY

^{*}Does not apply to fluid and filter changes. May vary with driving conditions. See your owner's manual for more details.



Your dealer's team of trained technicians is at the ready to help keep your Honda in superb shape. All 2009 Honda vehicles—and any Honda Genuine Accessories installed at the time of purchase—are covered by the 3-year/36,000-mile New-Vehicle Limited Warranty. Plus, Honda cars and trucks are covered by a 5-year/60,000-mile Limited Powertrain Warranty, too. For more information or assistance, see your Honda dealer or please give us a call at 1-800-33-Honda.



Financial Services

Whether you buy or lease a Honda vehicle, Honda Financial Services can assist you with the process. Please ask your dealer which lease or purchase plan best suits your needs.



Honda Care® is an affordable, comprehensive vehicle and travel protection plan backed by Honda reliability, service and parts. Please see your Honda dealer for details.







Want your own look? Ask your dealer about Honda Genuine Accessories. They're designed, engineered and tested to meet

the same exacting standards as your new vehicle—a high-quality way to make your new Honda one of a kind.

Indicating Plants and Eastland are registered trademarks of Michelin North America, Inc. 2Based on 2009 EPA mileage estimates, reflecting new EPA fuel economy methods beginning with 2008 models. Use for comparison purposes only, Do not compare to models before 2008. Your actual mileage will vary depending on how you drive and maintain your vehicle. ⁸ For point and time department of the property of the proper