

'66 Plymouth VIP








The most striking thing about the luxury of Plymouth's VIP is the fact that almost anyone can afford it. You get so much more for so little more.


Like the distinction of owning a car with a personality all its own. Like the discreetly different treatment of ornamentation.

Or the tasteful richness of the appointments. The deep-pile carpeting. The fine-textured fabrics. The countless little extra—but immeasurably important—convenience touches. All the highly individualized refinements that make for the limousine look-at Plymouth prices. The things that will make you want to Let yourself go . . . Plymouth.




grouping and easy readability.

The automatic transmission indicator is an obtrusively ornamental, as well as being integral part of the dash. Both horizontal and vertical surfaces of the instrument panel are painted with antiglare suede paint.



Even the cigar lighter on the back of the front seat, standard on the VIP, helps set this car apart, and stresses the unique quality of its craftsmanship. (4-door only.)



The discreet use of chrome in exterior orna-




The ultimate in attention to functional detail mentation, with walnut-grained vinyl insert in interior styling accents is the pair of detailed here, accentuates the VIP's distinctive styling approach.

in interior styling accents is the pair of reading lamps with independent switches, mounted for convenience, with integral arm-rest for passenger comfort.



A new trend in door-handle design is shown Recessed pulldown center armrests, front in this ingenious new safety handle, flush-



and rear on the 4-door hardtop, are another comfort touch that confirms the extraordinary character of this unusually fine car.




There's a great deal of additional satisfaction for VIP owners in the knowledge that hardly anyone could ever guess how economically you came by such elegance. And from the fact that, in spite of its elegance, there's lots of power and pep in Plymouth's VIP.

There's tremendous performance

with the optional 440-cubic-inch Commando V-8 power plant. Or, for that matter, with either of VIP's two 383-cubic-inch engines. Or, with front-wheel disc brakes. All of them

options that go with VIP-type thinking.
Why not start thinking VIP now. It's the first step in the direction of letting yourself go . . . Plymouth for '66.



Convenient assist handles, mounted on a bright die-cast base, are backed by a vinyl insignia is an outward indication of the beautifully combined in the hood-mounted






wood-grained insert. Another way the VIP sensitive approach used in this fine car's apunderscores its attention to detail.

sensitive approach used in this fine car's apunderscores its attention to detail.


sensitive approach used in this fine car's apunderscores its attention to detail.



pulldown center armrest is introduced in the split front seat. Another reminder of how VIP handles comfort and convenience.



Note the ingenious manner in which the Fender skirts are standard on both VIP body styles. No other appearance accessory could speak so eloquently of the distinguished limousine-like look of this unusual car.




The luxuriously tasteful handling of the carpet materials is particularly noticeable in the front seat kickplate area, as a background for the safety reflector.


The look of fine wood is further introduced in the interior with this vinyl panel, inserted as a contrasting accent on the sides of the front seat.




in the interior with this vinyl panel, inserted as a contrasting accent on the sides of the




















| | 318 Standard V-8 | 383 Optional Commando V-8 | 383 Optional Commando V-8 | 440 Optional Commando V-8 |
|----------------------|-------------------------|---------------------------------|---------------------------------|---------------------------------|
| Horsepower | . 230 hp at 4400 rpm | 270 hp at 4400 rpm | 325 hp at 4800 rpm | 365 hp at 4600 rpm |
| Torque, lbsft | . 340 at 2400 rpm | 390 at 2800 rpm | 425 at 2800 rpm | 480 at 3200 rpm |
| Compression ratio | . 9.0 to 1 | 9.2 to 1 | 10.0 to 1 | 10.1 to 1 |
| Bore, inches | . 3.91 | 4.25 | 4.25 | 4.32 |
| Stroke, inches | . 3.31 | 3.38 | 3.38 | 3.75 |
| Displacement, cu. in | | 383 | 383 | 440 |
| Carburetor type | . 2-bbl. | 2-bbl. | 4-bbl. | 4-bbl. |
| Air cleaner type | . Silenced | Silenced | 2-Snorkel | 2-Snorkel |
| Exhaust | . Single | Single | Dual | Dual |
| Camshaft | . Standard | Standard | Standard | Standard |
| Fuel | . Regular | Regular | Premium | Premium |
| | | | | |

Options, Accessories, and Engines

- 1—Auto Pilot. Set the dash-mounted pointer to your pre-selected speed, and this ingenious control does the rest. Maintains set speed regardless of hills or declines. Even nudges your foot gently when pre-set speed is reached.
- 2—Tilt-a-Scope Steering Wheel. Added driving comfort for every driving member of the family. This new option telescopes a total of 2.7 inches, and tilts to 2 positions above center, and 3 positions below center.
- 3—Air Conditioning. Gives you "controlled weather" inside, no matter what's going on outside. Features Chrysler Corporation's own reheat principle. Responds quickly to repeated changes in control settings.
- 4—Front-Wheel Caliper-Type Disc Brakes. A race-car-spawned innovation that can add to passenger-car brake life. Disc brakes are noted for their predictable, stable action, even under repeated hard use, or exposure to water, dust, or temperature extremes.
- 5—Vinyl Roof Covering. A car with the limousine look needs the landau touch that only this leather-like appearance option can add. (4-door hardtop shown).
- 6—Power Assists. Power brakes, improved to increase responsiveness and "pedal feel," and make braking easier, at a touch of the toe. Full-time power steering, that makes maneuvering your VIP a fingertip matter, driving or parking.
- 7—Commando 440-cu.-in. V-8 Engine. Plymouth's most powerful engine, designed to give the VIP the kind of smooth "out-front" high performance this car deserves.
- **8—VIP Engine Chart.** The VIP gives you a 318-cu.-in. standard V-8, and three optional Commando V-8 engines to choose from. They are detailed opposite for your convenience.

Sure-Grip Differential. This option is designed to give positive power to both rear wheels for improved traction. Especially effective on gravel or other loose surfaces, or on ice or snow.

Radio—AM or AM/FM. You have the added convenience, in the AM/FM model, of instant switching from AM to FM, for greater program selectivity.

Emergency Flasher. When necessary, this device sets all four turn signals flashing, to alert approaching traffic.

Electric Door Locks. With this safety aid, it is a simple operation to lock all car doors simultaneously.

Bumper Guards—Front & Rear. An attractive way to help protect grille and body metal.

Tinted Glass. In the windshield, or all around, it performs the dual function of reducing glare, and helping to keep the car interior cool. **Seat Belt Retractors.** Front and rear, they keep seat belts out of the way when not in use.

Rear Window Defogger. Quickly and efficiently, rear window visibility is restored for convenience and safety.


Day/Nite Rear-View Mirror. A mere flick of the finger adjusts this unique mirror for day or night driving.


Trailer-Towing Packages. Plymouth has specially designed, factory-installed trailer-towing equipment available for most models. For detailed information, ask your Plymouth Dealer for the highly informative booklet on this subject. Let yourself go . . . Plymouth.

Colors and Specifications














Light Blue Metallic
















Dark Blue Metallic





Silver Metallic*







Citron Gold Metallic













Plymouth's VIP is available in the 18 solid exterior

colors shown. Two-tone paint combinations, and black or white vinyl roof coverings available at extra cost. Interiors are in either of three rich hues

-Blue, Red, or Black. Seat cushions and backs are cloth-and-vinyl. Lower portions of front seat backs, rear seat cushions, and door-trim panels, are all carpet-covered. The pearl gray vinyl headlining is

padded around rear window area, and sun visors are covered in the same fashion. Colors shown here may differ slightly from color chips available at your Plymouth dealer. *Extra-cost option.

VIP—Standard Equipment

Armrests-front & rear door / Cigar lightersfront & rear / Back-up lights / C-pillar lights / Seat belts—front & rear / Wheel covers / Instrument panel safety cushion / Electric windshield washer / Variable-speed windshield wipers / Outside left rear-view mirror / Hood-mounted turn signal indicators / Steering wheel-with half horn ring / Fender skirts / Ash receivers—front & rear / Electric clock / Formed carpet floor covering / Luggage compartment rubber mat / Glove box light / Trunk compartment light / Heater-defroster / 318-cu.-in. V-8 engine / 3-speed manual transmission / Torsionbar front suspension / Leaf-spring rear suspension / Parking brake warning light / Sun visors—right & left / Clear glass rear-view mirror

VIP—Optional Equipment

Air conditioning / Auto-Pilot / Defogger—rear window / Disc brakes-front only / Electric door locks/Emergency flasher/Tinted glass—all windows/ Tinted windshield / Day-Nite inside rear-view Outside left rear-view mirror-remote control / Power brakes / Power steering / Seat belt retractors / Deep-dish wheel covers / Tilt-a-Scope steering wheel / Bumper guards-front & rear Sure-Grip differential / 6-way power seat adjuster Power window lifts / Radio-AM or AM-FM Trailer-towing package / Vinyl roof covering Commando 383-cu.-in. V-8-2-bbl. carb. / Commando 383-cu.-in. V-8-4-bbl. carb. / Commando 440-cu.-in. V-8-4-bbl. carb. / 4-speed manual transmission-with Commando "383" 4-bbl. & Commando "440"/3-speed automatic transmission/ Whitewall tires / Undercoating

Transmissions & Gear Ratios

| Standard manual 3-speed | 3.02 to 1 | Front wheels. |
|----------------------------|-----------|------------------|
| Manual 3-speed with | | Rear wheels. |
| Commando 383-cuin. engine | 2.55 to 1 | Total lining a |
| Optional manual 4-speed | | Brakes are |
| (Commando 383- [4-bbl.] & | | bonded lining |
| 440-cuin. engines) | 2.66 to 1 | type. A self-a |
| Optional automatic 3-speed | | reverse stops. S |
| Rear Axle Ratios | | cable-connecte |
| 1 0 1 | | .0 . 1. |

| Manual—3-speed | 3.23 to |
|---------------------------------------|---------|
| Manual—4-speed | 3.23 to |
| Automatic—3-speed | 2.94 to |
| Rear axles are hypoid type, Hotchkiss | drive. |

Capacities

| Fuel tank | 25 gallons |
|------------------------------|------------|
| Engine crankcase | 4 quarts |
| Cooling system (with heater) | 21 quarts |
| Wheels & Tires* | - |

| all m | odels. | | . 11.11 | | _ | | | | | | *** | | | | | | Sec. | - | | - | ** | 0.0 | • | | | , | *** | | | | | iiu | 0. | ٠ |
|--------|--------|---|---------|----|----|---|-----|----|---|---|-----|----|---|----|-----|---|------|----|----|----|-----|-----|---|----|-----|---|-----|---|-----|----|---------|-----|----|---|
| *Safet | v-Rim | W | h | ce | ls | 1 | vil | th | 1 | 0 | w | -D | T | es | SII | T | 19 | ti | 11 | 00 | 10 | 22 | 1 | ii | P | | 21 | P | st | 30 | d: | ard | Or | , |
| Tire | size. | | | | | | . 1 | | | | | | | 3 | | | | | | | | | | | | | | | 7 | .7 | 5 | X | 14 | 1 |
| Rim | size. | | | | | | | | ٠ | | | | | | | | | | 7 | | er. | 120 | 5 | | sit | | * | | 35. | | (to to | 5.0 |)K | |

| an models. | |
|--------------------------------------|-----------|
| Chassis Specifications* | |
| Turning diameter—curb-to-curb | 42.7 feet |
| Front suspension type | |
| Rear Asymmetrica | |
| Rear spring length | |
| Rear spring No. of leaves | |
| Shock absorbers | |
| Manual steering ratio—steering gear. | |
| Manual steering ratio—overall | |
| Wheel turns—lock-to-lock | |
| Power steering ratio—steering gear | |
| Power steering ratio—overall | |
| Wheel turns—lock-to-lock | |
| *Figures for 4-door hardtop only. | |
| | |

Brakes (Conventional Drum Type)*

| Front wheels |
|---|
| Rear wheels |
| Total lining area |
| Brakes are self-energizing, servo-contact, with |
| bonded lining. Brake shoes are internal expanding |
| type. A self-adjusting feature is activated during |
| reverse stops. Separate, foot-operated parking brake, |
| cable-connected, acts on each rear wheel. |

*Optional front-wheel disc brakes, caliper-type, also available.

Exterior Dimensions**

| Wheelbase (A) | .119.0 inche |
|--------------------|--------------|
| Overall length (B) | |
| Overall width | |
| Overall height (C) | |
| Track-front wheels | |
| Track-rear wheels | |


Passenger Space**

| - noored by white |
|---|
| Headroom-front seat (D) |
| Headroom—rear seat |
| Legroom—front seat |
| Legroom—rear seat |
| Shoulder-room—front seat |
| Shoulder-room—rear seat |
| Kneeroom—rear seat |
| Seat height—front8.9 inches |
| Seat height—rear |
| **Dimensions shown for 4-door hardtop only. |

The policy of Chrysler Corporation is one of continual improvement in design and manufacture wherever possible to assure a still finer car. Hence, specifications, equipment, and prices are subject to change without notice. Product information published herein, while correct at time of publication, is subject to change, Automobiles pictured, in some cases, show optional equipment, available at extra cost.

Customer Care and the Chrysler Corporation's 5-Year! 50,000 Mile Engine and Drive Train Warranty"... a couple more good reasons for letting yourself go Plymouth '66.

*Here's inda Planenth's 5-year/50,000-mile engine and three trace a manty protects you: Chrysler Corof the confident warrants all of the following vital are of A 1900 care for 5 years or 50,000 miles, which the mer first during which time any such parts that prove detecting in material and workmanship will be replaced or repaired at a Chrysler Motors Corporation. Amhorized Deales, place of business without thataby such quarts or laby: engine block, head and meare made may fold, water pump, we work non that and it ternal park texcepting manual church), toron e converter, were shall universal jounn, rear axic and differential and war which bearings Required mem tenance: The following may tenance services are required under the warranty - challe engine or every 3 months or 4,000 miles, whichever cornes fust; replace oil filter every second oil change: chan carburctor air filter every 6 months and replace it every 2 years; and every a mouths himself whiterer of the required service to a Chrysler Moear Comporation Authorized Dealer and request him to certify recent of such evider and your rac's mileage.



Litho in U.S.A. Code No. B1-505-60287-2nd Ed.

Colors and Specifications







extra cost. In criors are in either of three rich lines.

VIP-Standard Equipment

Armrests-front & rear door Gagar lightersfront & year / Back up lights / Al-pillar lights / Seat belis - from & rear, Wheel & vers ! Instrument panel safety cushion 'Electric Windshilld washer Variable-speed windshield vapers Ours de leuindicators Steering where with half the care Fenderskirts Ash received - from Beren Erron clock Formed garper floor southing luggage compartment rubber tyst whom has light Trank compression light /him a detroit 186c in A - column 3 sport manner or ormonessive. I more has a me suspension. I consumm your suspension turking brake warning inght outs a laure - right & peti Clear glas rear-view marter

VIP Optical Equipment

to conditioning Anna-Pilot Delogger-rear window / Disc brakes-front only . Electric door locks Thereency flasher Timted glass - all windows c/ windshield Day Nite Inside rea - view (huside left rear-view mirror -- remote: Frol Power brakes Power steering Seat belt right is thep then wheel covers Tilt a Scope Arenne wheel Branger guards-from & rear & Sure Corp did a regal from provensear adjuster Poy or wrodow lifes Radhu - AM or AM-FAE Taller-moving purkage V me roof entering Commande 283-en - V-1- 20 Carl Die mande 383 cu -in V-B -i- in carlo a manufacture 4-20-cm-in. V-8- 4-brd carb 4-speed in ground transmission - with Commando 383" 4-150 & Commando "440" 3-speed automatic transmission Whitewall tires | Ladercoating

















-Blue, Red, or Black. Sear cushions and backs are cloth-and-vinyl Lower portions of front sear backs. rear seat cuchions, and door-trim panels, are all repet-covered. The pearl gra vinvi head using is

Transmissions & Gear Ratios

| Standard manual 3-speed | 3.02 to 1 |
|----------------------------|-----------|
| Manual 3-speed with | |
| Commando 383-cu, an engine | 2,55 (9.1 |
| Optional manual 4-speed | |
| Picotamo ante sed 1149 8 | |

| 4 ALTONOMICS (1874) 24 A. C. ALESSE INC. | | |
|--|------|--|
| AND IN THE PROPERTY. | nit, | |
| Bearing of the Control of Plants | | |
| Rear Axle ketion | | |
| Margarit - Laguerra | | |
| Margard 4 speed | | |
| Automa ic - 1- meed | 24 | |
| Bear axies are liveoid using to be kess they | | |
| | | |

Capacities

Product information published becein, while correct at time of publication, is subject to change, Automobiles pictured, in some cases, show optional equipment, available at extra cont.

| Engine grank ase | - quar |
|--|----------|
| Cooling system (with heater) | |
| Wheels & Tires" | |
| Rim size | 5.0K |
| Tire size | 7.75 x 1 |
| "Safety Real which with low pressure subcless times are all apositols | |
| A PLANT OF THE PARTY OF THE PAR | |

| "Safery Regardeds with low pressure tubelies to | ici azi standard on |
|---|---------------------|
| Chassis Specifications* | |
| Furning diameter - curb-to-curb | 12.7 feet |
| From a spension type . | Forsion bars |
| | a lear springs |
| li car spring length | 38 O inches |
| Rear spring No of lexing | 5 |
| Shork shaorlers | . Orthon Type |
| Manual sternie cane- menos gear | 24.0 to 1 |
| M. mud teering cape wern? | 32.0 to 1 |
| Wheel cares - fire-to-not - | . 5.8 |
| Power securing rather securing year | 157 to 1 |
| Power steering ratio- overall | 19,4 to 1 |
| Wheel turns - lock-to-lock | 3.8 |

The policy of thresher torporation is one of continual improvement in design and manufacture wherever possible to assure a still liner car. Hence, specifications, equipment, and prices are subject to change without one e.

padded around rear wordow area, and sur visers are covered in the same fashion. Colors shown har: may differ slightly from color chips available at your

Brakes (Conventional Dount Type)*

| From wheels | 11 x 2 75 incom |
|------------------------------------|----------------------------|
| Rear who Is | 11 . 20 bc ma |
| Freed limiting nev a | 2021 single cach a |
| Braices are self-energies in | service contact, with |
| there by he as Brake there are | a reterroal expanding |
| and a section testing become | the supplemental the party |
| Properties September 2 Com | contract to the second |
| which there exists and the care to | era alrel |
| | |

hateran Pemensinas **


| W renthman (A) | 190 iche |
|--|-----------------|
| Samuel Lingth (2) | 2011 B Inother |
| Cyciall width | 78.7 inches |
| Overall byschi (C.) | 55.2 inches |
| Truck - from which | .62.0 inches |
| I mick - rear where v | OUL FOCKS |
| Passenger Space** | |
| fleadroomfrom seat (1) | 37.0 main * |
| Headroom-rear seat | 17.9 mehrs |
| Leoroem from war | 4200 r clas |
| Togranom - rear seat | 3177 ches |
| Shoulder-roun-rout sear | blue taches |
| Should remount rear scar | 600 inches |
| Energy un - pour men. | 5.11 inches |
| Plean weight from | 1.1 inches |
| Some Longita - rene | of 9 inches |
| *** Princette marchippe, we if these Bardin access | |



Customer Care and the Chrysler Corporation's 5-Year/ 50,000-Mile Engine and Drive Train Warranty*...a couple more good reasons for letting yourself go Plymouth '66.

*Here's how Plymouth's 5-year/50,000-mile engine and drive train warranty protects you: Chrysler Corporation confidently warrants all of the following vital parts of its 1966 cars for 5 years or 50,000 miles, whichever comes first, during which time any such parts that prove defective in material and workmanship will be replaced or repaired at a Chrysler Motors Corporation Authorized Dealer's place of business without charge for such parts or labor: engine block, head and internal parts, intake manifold, water pump, transmission case and internal parts (excepting manual clutch), torque converter, drive shaft, universal joints, rear axle and differential and rear wheel bearings. Required maintenance: The following maintenance services are required under the warranty-change engine oil every 3 months or 4,000 miles, whichever comes first; replace oil filter every second oil change; clean carburetor air filter every 6 months and replace it every 2 years; and every 6 months furnish evidence of this required service to a Chrysler Motors Corporation Au-

Simple enough for such important protection.



'66 Plymouth VIP Let yourself go... Plymouth PLYMOUTH DIVISION CHRYSLER MOTORS CORPORATION CUSHMAN - BURKE, INC. **425 BROAD STREET** NEW LONDON, CONNECTICUT MI THE JL 0 元 U

Let yourself go... Plymouth



