
2004 POLICE INTERCEPTOR AND SPECIAL SERVICE VEHICLES





2004 POLICE INTERCEPTOR



Major Standard Equipment

- . Air conditioning manual with positive shutoff registers
- Engine 239 hp (gasoline), 287 ft.-lbs. @ 4100 rpm torque, 4.6L overhead cam, SEFIV8, with revised air induction system for increased horsepower
- Floor Covering heavy duty rubber
 Frame heavy duty body-on-frame construction
- Glass solar tinted, full, with ceramic shade band behind rearview mirror
- · Head Restraints 2-way
- · Hub Caps steel
- . Mirrors exterior black, foldaway dual remote control power
- . Mirror day/night, inside rearview
- . Paint Clearcoat, anti-chip paint primer
- Personal safety system includes safety belt pretensioners, front dual stage airbags, seat position and weight sensors
- · Radio, delete
- · Safety belts, 3-point for front and rear outboard
- occupants (pretensioners on front seat shoulder belts)
- Seats front, cloth bucket with power lumbar driver's seat and manual recline. Anti-stab protection driver/passenger, with weapons cut-out
- . Seats rear, vinyl bench excludes center armrest
- Steering power rack and pinion steering, heavy-duty, police unique, for improved road feel, with front-mounted oil cooler
- Suspension police, heavy duty, front short long arm and rear Watt's linkage and springs, monotube shock absorbers and stabilizer bars
- Tires P225/60VRx16 Goodyear Eagle RSA Plus BSW, all-season speed rated with conventional spare (except w/ extended range NGV tank)
- Transmission electronically controlled 4 speed automatic overdrive with overdrive lockout
- Wheel Rims Heavy duty steel, 16" x 7"

Additional Features

- . Generator, high output 200-amp, maximum output, 130-amp, at idle (80°F)
- . Axle Ratio rear 3.27:1 with non-locker differential
- . Battery maintenance free, 78 amp.-hr. (750 CCA)
- . Battery Saver turns off lights after 30 minutes
- Brakes front and rear disc, power 4-wheel anti-lock braking system (ARS)
- Cooling Package 6 blade plastic fan, variable-speed electrodrive fan motor and lower radiator air dam
- Decklid Release located on instrument panel, battery operated (gasoline fueled vehicles only)
- . Defroster rear window
- Drive Shaft aluminum 3-1/2* heavy-duty and heavy-duty u-joints (also available with Natural Gas Vehicles)
- Price

- . Engine Oil Cooler (n/a Natural Gas Vehicles)
- . Exhaust system stainless steel, dual
- (n/a Natural Gas Vehicles)
- · Fail Safe Cooling System
- Fuel Filler Cap tethered
 Fuel tank 19 gallons (72 liters)
- · Headliner removable
- Instrument Cluster analog gauges for battery voltage, oil pressure, water temperature and fuel level
- Lamp dual beam map, header mounted 21 C.P. (high intensity), luggage and engine compartment
- . Locks rear doors, child safety latches
- · Locks power door
- Lock system, single key (all vehicles different)
- · Parking Brakes single stroke, manual release
- Rear Power Access Point: providing power and ground to trunk mounted equipment. Power provided to terminal via two 10-gauge wires, each fused @ 50 amps. (Standard)
- Speedometer electronic certified calibration in 2 mph increments 0-140 mph (220 kph)
- · Stabilizer Bars front & rear
- Steering Wheel center horn blow, tillt steering column, stalk controls for washer/wiper, high/low headlamp beams, turn signal and flash-to-pass
- . Transmission Oil Cooler oil to air
- . Upper Ball Joints low friction, non-greasable

All these enhanced performance features and the same safety features as the civilian Crown Victoria!

Optional Trunk Pack™ Features



In rear impacts, police equipment located in the trunk can be pushed forward as the rear of the vehicle deforms. Please visit www.CVPLcom for proper trunk packing considerations. In summary, Ford recommends that police equipment be both secured and laterally aligned. Additionally, Ford is now offering an optional Trunk Pack TM to reduce the risk of Injury resulting from police equipment pushing forward into the back seat and/or fuel tank in the event of a high-speed rear impact. The Trunk Pack TM is a drop-in box with a tough plastic shell made of High Density Polyethylene (HPDE). It both aligns police equipment laterally in the trunk and utilizes a Dupont TM KEVLAR® innig on the forward side of the box to reduce point-loading of the trunk wall and the associated risk of police equipment penetrating into the back seat or fuel tank in high-speed rear impacts.

Caution: Do not place stiff or sharp objects in the trunk that could be pushed forward into the fuel tank in a high-speed rear impact.

REGULAR PRODUCTION OPTIONS

ITEM OPTION	CODE	Lamp, Dome/Map (5" Center Mtd.) - Delete	54M
AM/FM Stereo Radio	58F	Lateral Bow Reinforcement (N.A.w/NGV vehicle)	185
Axle Ratio 3.55 (N.A. w/NGV vehicle):		License Plate Bracket, Front	153
- Police Interceptor Array	730A	Limited Slip Differential (Included with	
- Street Appearance Array	770A	3.55 axle ratio) (N.A. w/Natural Gas)	45C
Cloth Front Buckets/Cloth Rear	Н	Locking Gas Cap (N.A. w/NGV vehicle)	54G
Cloth Split Bench/Cloth Rear	P	Moldings, Color-Keved Bodyside, Installed	96C
Courtesy Lamp Disable	478	Moldings, Color-Keyed Bodyside, Uninstalled	
Decklid Release on Door and Instrument Pan	iel -	(Shipped in Trunk)	96B
Ignition Powered (N.A. w/NGV vehicle)	61H	Power Adjustable Accelerator and Brake Pedals	59C
AM/FM Stereo/Cassette	58H	Power Distribution Box, Front (Not Available with	
Engine Block Heater	41H	65A (Base), 68P (Complete), or 65W (Visibility)	
Exterior Mirrors, Heated	61K	(Available for NGV Vehicle)	66F
Floor Covering, Carpet With Front and	1000000	Power Driver's Seat	21A
Rear Floor Mats	128	Power Windows - Driver:	
Grille Lamp, Siren and Speaker Wiring		- Passenger Switches Only	948
(N.A.w/NGV vehicle)	172	2-Way Radio Pre-wire (N.A. w/Natural Gas)	946
Keyed Alike:	20000	Radio Suppression Package	53M
- Key Code 1284x	432	Rear Door Locks/Handles Inoperative	157
- Key Code 1294x	435	Roof Wiring With Hole In Center of Roof	
- Key Code 0135x	436	(N.A. w/NGV vehicle)	187
- Key Code 1435x	437	Roof Wiring No Hole In Roof (N.A. w/NGV vehicle)	189
- Key Code 0576x	438	Side Airbags (Driver & Passenger)	59M
- Key Code 0151x	439	Silicone Hoses With Aircraft Clamps	
Laminated Security Side Glass	68G	(N.A. w/NGV vehicle)	177

COLOR AND TRIM SELECTIONS

Interior Trim Colors

Interior	Talan and	0-1	Calastas	NOTE	F		4		4			
Interior	irim and	Color	Selector	NOTE:	Hrst	letter	denotes	type:	second	letter denote	es color.	

Interior Inm Colors	Charcoal	Parchment	Flint	
Cloth Front/Vinyl Rear*	IW	H	IC	
Cloth Front Buckets/Cloth Rear*	HW	HH	HC	
Cloth Split Bench/Cloth Rear*	PW	PH	PC	
Giotii Spiit Beliciv Giotii near	r vv	rn	10	
Police Interceptor Exterior Color Code		Availability		
Arizona Beige Clearcoat Metallic** AQ	•			
Dark Toreador Red Clearcoat Metallic** JL	•	•		
Spruce Green Clearcoat Metallic**				
Dark Blue Pearl Metallic** DX				
Light Ice Blue Clearcoat Metallic**				
Ultra Blue Clearcoat Metallic* MM				
Midnight Grey** TV			•	
Silver Birch Clearcoat Metallic** JP				
Black Clearcoat** UA		•		
Vibrant White Clearcoat** WT		•	•	
Medium Brown Metallic* BU				
Dark Blue* LK				
Royal Blue*				
Light Blue Metallic*				
Light Gray* TM				
Silver Gray Metallic* TN				
Medium Titanium Clearcoat Metallic* YG				
Gold Ash Metallic* (w/Police Interceptor) C2				
Gold Ash Metallic* (w/Street Appearance) C2				

Note: Exterior colors are available in three different two-tone configurations. Accent color can be any of the available exterior colors. Street Appearance package (60B) includes retail exterior color options only.

Police Interceptor Color * - Street Appearance Police Interceptor Color

What's New!

The 2004 version of Police Interceptor includes minor exterior, interior and functional changes primarily through adjustments to the packaging of features. Changes include optional stand alone Side Air Bags, standard Radio Delete, optional power heated mirrors and new Trunk Pack™ (with DuPont™ KEVLAR® front lining).

Functional Changes

- . New High Output Generator, 200 Amp. Max.
- New Air Induction System for increased horsepower
- . New Rear Power Access Point provides power for trunk mounted equipment
- . New 3.55 Axle Array (730A & 770A) provide greater acceleration with vehicle top speed reduction

New Equipment and Options

- · Grille, Lamp, Siren and Speaker Wiring available
- · Locking Gas Cap available
- Front Power Distribution Box available
- · Power Heated Mirrors available
- · Laminated Security Side Glass available
- Spot Lamp Assembly now available on Street Appearance Package
- New Trunk Pack™ (with DuPont™ KEVLAR® front lining)

Speed Control	525
Spot Lamp Wiring Prep, Driver Side	51B
Spot Lamp Wiring Prep, Dual	512
Spot Lamp, Driver's Side	51A
Spot Lamps, Dual	511
Two-Tone Paint Treatment #1	952
Two-Tone Paint Treatment #2	953
Two-Tone Paint Treatment #3	955
Traction Control (N.A. w/NGV vehicle)	553
Trunk Pack™ (N.A. w/NGV vehicle)	141
Wheel Covers, Full	642
Group Packages:	
- Comfort/Convenience	41A
- Radio Suppression	53N
- Lamp Pre-Wire (N.A. w/NGV vehicle)	476
Police Interceptor Equipment Packages:	
- Police Prep (Base)	
(Not available with NGV vehicle)	65A
- Police Prep (Complete)	
(N.A. w/NGV vehicle)	68F
- Visibility (N.A. w/NGV vehicle)	65W
Street Appearance Package:	60E
Color Keyed Retail Bodyside Moldings	002
Coron rioy ou riotain a cayona a moranige	

- . Rear Appliqué With Color Keyed Panels
- . "Crown Victoria" Badge
- · Chrome Grille
- · Chrome Fascia Inserts
- . Chrome Door Handle Bezels
- . Chrome Tail Lamp Appliqué
- · Wheel Covers. Full

DEDICATED NATURAL GAS



Highlights

Medium Light

- . Only full-size factory-built NGV in its class
- ULEV 2/BIN 3 emissions certified Meets EPAct and Clean Air mandates
- · Potential operating and fuel savings
- Police Interceptor/Heavy-duty use package
- Available Extended Service Plan (ESP) on all CNG components
- Same 3 year/36,000 mile (60,000 km in Canada) bumper to bumper New Vehicle Limited Warranty

Natural Gas Fuel System

 4.6L SEFI V8 Dedicated Natural Gas Engine -180 hp and 235 ft.-lbs. torque at 4000 rpm

Standard Tank Configuration

- · 2 tanks underbody and 2 tanks in trunk
- 11.9 gge/45.0 gle @3600 psi fuel tank capacity up to 250 miles (563kms)


Optional Extended Range Tank Configuration

- Additional tank suspended from truck deck for maximum cargo space (total of 3 tanks in truck, 2 underbody)
- 15.6 gge/59.0 gle @3600 psi fuel tank capacity up to 350 miles (401kms)

EPA Estimated MPG

- City 15 MPG (15.7 L/100 km)
- Highway 22 MPG (10.7 L/100 km)
- Highway 22 MPG (10.7 L/100 km)
 Average 18 MPG (13.1 L/100 km)

Average based on 45% highway and 55% driving



FORD POLICE INTERCEPTOR EQUIPMENT PACKAGES



These packages have been formulated to meet three levels of police car needs most often requested by police agencies. Each package is offered directly from your Ford Dealer as a Regular Production Option, and is covered by Ford New Vehicle Limited Warranty.

EQUIPMENT	Pac	kage Availability	
	Base Police Prep (65A)	Complete Police Prep (68P)	Visibility Package (65W)
Base Police Prep Package (65A)* - A wiring package for the most basic police car applications. Two (2) Front Strobe Bulbs and two (2) Rear Strobes, installed in parking light and talllight lenses. Wiring Harness including the following items: - Six (6) Strobe Cables - Shielded and Grounded pre-run to the front marker lights, talllight lenses and two (2) to the front grill. New for 2004 - Revised connectors in trunk to mate with industry standard Strobe Power Supplies. New for 2004 - Two (2) Strobe Cables pre-run to the front grill with waterpack caps, for the addition of customer supplied Grill Lights.	:	ŧ	ŧ
Distribution Centers located in the glove box and trunk 50 amp each fused in engine compartment. Each Distribution Center has five (5) ground wires and can hold six (6) fuses - Three (3) battery and three (3) ignition powered.	•	•	•
- 50 Amp battery circuit and ground available at console base or trunk (utilized by 65W Visibility Package Additional 50 amp battery circuit and ground available at trunk (utilized by 65W Visibility Package) - 50 Amp battery circuit and ground available at passenger kick panel or trunk for radio communication New for 2004 - Circuit amperage increase from 40 amps to 50 amps.	•	1	•
Siren/speaker withing pre-run to front of vehicle available at console base or trunk. Horn/siren relay circuit available at console base or trunk. Four (4) Extra circuits pre-run from the engine compartment to console base. Four (4) Extra circuits pre-run from the console base to trunk. Alternating Headlight Flasher, Lighted toggle switch included. New for 2004 - Additional control wire at module for connection to customer supplied positive control switch box.			i
Complete Police Prep Package (68P)* - A complete prep package of equipment for the police car. Includes everything in the Base Police Prep Package (65A), plus the following: • Console Mounting Platform, secured using existing mounting points. The powder-coated aluminum mounting plate is pre-drilled for the addition of equipment. • Center Wining Conduit, 2" x 4" opening. For ease of installation, the conduit will house and protect any wire run from the center console to the trunk. Accommodates communication wires and connectors. • Hidden Manual Rear Door Lock Plunger - located in both rear doors, forward door frame. • Trunk Air Circulation Fan, pulls air from passenger area and exhausts through trunk, stabilizing climate for equipment. Helps control moisture and humidity. • Permanent Rubber Tie Down Strap, for securing trunk when carrying large items like a bicycle. • Dual Trunk Storage Boxes, maximize trunk space and provide equipment mounts. Clear view covers for Rear Trunk Communications Service Tray, glides on heavy-duty tracks. Shipped with secured spare tire. For equipment mounting. New for 2004 - Padded Arm Rest is deleted from Complete Police Prep Package 68P	r quick reference.		:
Visibility Package (65W)* - A package of lighting equipment to maximize police car visibility. Includes everything in the Base Police Prep Package (65A) and Complete Police Prep Package (68P) plue Strobe Power Supply, six (6) outlets with front shutdown and additional controls. "Required to flash stream for 2004 - Two (2) extra outlets for the addition of customer supplied strobe lights. Front shutdown increase flexibility. Two High Intensity Flashing Rear Deck LED Lights, with matching interior color housings (Dark Charcoal New for 2004 - Increased number of LED Lights for higher visibility. Visibility Switch Panel, including four (4) position slide switch and four (4) rocker switches. Controls strobes, flashing LED lights and alternating headlight flasher. Capable of controlling up to eight. Lighting Relay Center, for use with the Visibility switch panel - Delivers 100 amps through eight (8) related to the source of the supplied lighting.	obe bulbs. and additional co Medium Parchm t (8) lighting functi	nent, Light Flint).	:

^{* -} Base Police Prep Package (65A), Complete Police Prep Package (68P) and Visibility Package (65W) are not available with Front Power Distribution Box (66F) and utilize circuits provided by the Rear Power Access Point.

For additional information, call us toll-free at 1-800-34-FLEET or 866-402-6838 or visit our Web site at www.fleet.ford.com.

BASE POLICE PREP PACKAGE - 65A



Front Parking Lens
Strobe Bulb
Shown in use with Strobe Power Supply



Rear Tail Light
Strobe Bulb
Shown in use with Strobe Power Supply



Glove Box
Distribution Center
Shown with fuse cover removed



Rear Distribution Center



Alternating Headlight Flasher Module



Alternating Headlight Flasher

COMPLETE POLICE PREP PACKAGE - 68P



Console Mounting
Platform
with mounted Visibility Switch Panel
and Center Wiring Conduit



Center Wiring Conduit



Hidden Manual Rear Door Lock Plunger



Trunk Air Circulation Fan



Permanent Rubber Tie Down Strap Shown in use



Driver Side Trunk Storage Box Shown with lid closed



Passenger Side Trunk Storage Box Shown with lid open



Rear Communications Service Tray Shown with Spare Tire & Visibility Package Option 65W

VISIBILITY PACKAGE 65W



Visibility Switch Panel
Shown mounted on
Console Mounting Platform



Flashing Rear Deck
LED Lights
Shown in Red/Blue configuration



Strobe Power Supply
Shown mounted on Rear
Communications Tray



Lighting Relay Center

2004 FORD POLICE INTERCEPTOR



Regular Production Option Two-Tones

Paint Options



Option 952 - has accent paint on front and rear doors, the roof and pillars.



Option 953 - has accent paint on the decklid, trunklid, A & C pillars and roof.



Option 955 - has accent paint on the front doors and roof.






VEHICLE SPECIAL ORDER

Vehicle Special Order offers unique options for the Police Interceptor. If you are looking for special equipment not currently offered, please submit an inquiry (via CONCEPS) and we will determine whether or not your request is feasible. VSO offers 35 special paint colors not found on the regular Car Exterior Color Selection chart. We will also formulate a new paint color and/or two-tone configuration to meet your customer's needs. Please e-mail us at vsomall@ford.com or call 1-800-34FLEET, menu selection #4 to speak with a VSO Customer Representative.

Mounting Diagrams

Figure 1




- 325 mm (12.5 inches) from center of air bag door
- 2. 375 mm (15 inches) from center of air bag door
- 3. 700 mm (27.5 inches)
 No objects should be placed between
 the airbags due to airbag variability.

Figure 2




 650 mm (25.5 inches). Cross section through center of vehicle (passenger side shown)

Figure 3



580 mm (23 inches).
 Front passenger compartment

Figure 7



OPTIONAL SIDE AIRBAGS

- 200 mm (8 inches).
 From out board side of seat
- 380 mm (15 inches). Forward of seat back
- 700 mm (27.5 inches). Up from SAB module



Figure 4




- Area on top of instrument panel. Equipment must not interfere with driver visibility.
- The air bag door must be kept clear for deployment of air bag.
- Area in front of center console from bottom of ashtray to top of instrument panel (see Figure 2 for dimensions)
- 279 mm (11 inches) width horizontally centered on ashtray door.

Figure 5



- 1. Area on top of instrument panel
- Area in front of center console from tunnel up to instrument panel
- 3. Prisoner screen
- 4. 254 mm (10 inches)
- 5. Area on tunnel between seats
- 6. Height: 216 mm (8.5 inches)
- 7. 305 mm (12 inches)
- 8. Area on tunnel beneath center console
- 9. Tunnel
- 10. Depth: 38 mm (1.5 inches)

Figure 6



- Area on top of instrument panel.
 Equipment must not interfere with
 driver visibility.
- 2. Area on tunnel between seats
- 3. 229 mm (9 inches)
- 4. 305 mm (12 inches)

Warning: Aftermarket police equipment (such as communications gear) must not be mounted in the airbag deployment zone. Vehicles equipped with bench seats may not have sufficient room to mount such equipment. Bucket seats may be required. See Police/Fleet owner guide supplement for available police equipment mounting zones. Advise all customers of these facts.

DIMENSIONS AND CAPACITIES

ITEM EN	IGLISH N	METRIC
Wheelbase	114.7*	2913 mm
Overall length	212.0"	5385 mm
Overall height	56.8*	1443 mm
Overall width	78.2*	1986 mm
Tread:		
Front	63.4"	1610 mm
Rear	65.3*	1659 mm
Base model curb weight	4214 lbs.	1913 kg
Fuel tank capacity (gasolin	e) 19 gals.	72 liters

Front Seat
Head room
Leg room, max.
Shoulder room
Hip room
Rear Seat
Head room
Leg room, max.
Shoulder room
Hip room
Liftover Height

39.3*	998 mn
42.5*	1080 mn
60.8"	1544 mn
57.1*	1450 mn
38.0"	965 mn
39.6*	1006 mn
60.3*	1532 mn
58.7*	1491mn
26.6"	676 mn

	Cubic Feet	Liters
Luggage Compartment		
Luggage capacity:		
Gasoline	20.6	583.3
Natural Gas	15.75 (Std.)	446.0
- Extended Range	14.5	410.6
EPA passenger volume inde:	111.4	3154.4



Major Standard Features (XLS Trim)

- · B-pillar blackout treatment
- . Bodyside molding (narrow)
- · Black grained door handles
- . Molded in color Medium Dark Platinum (front and rear bumper)
- · Solar tinted windshield and front door windows
- · Faceted reflector guad beam system headlights
- One-piece liftgate, hinged at top, with flip-open rear window and paddle type liftgate handle
- · Exterior liftgate release switch
- · Black roof rails (no crossbars)
- · Center, high mounted incandescent stop light
- · Bi-color tail lamps
- · Autolock
- Driver's side Belt Minder™
- · Cargo area power lock/unlock button
- · Cargo management system
- . Four color keyed coat hooks
- Low series floor console
- · Front dome/map light
- Cargo Area dome light
- Illuminated glove box
- . Black LH/RH sail-mounted foldaway mirrors (power)
- . Full face steel-painted electric silver wheels (16 inch) (4)
- · Three grab handles
- · Heater/defroster with flow-through ventilation
- · Inside hood release
- . Color-keyed full width pad instrument panel
- · Side window demisters and air registers
- · Day/Night manual rearview mirror
- · Power Equipment Group
- · Speed sensitive dual intermittent front wipers

- Rear window wiper/washer/defroster with dual intermittent wipe feature
- Second Generation driver and passenger airbags with theft deterrent
- . Manual air conditioning with rotary controls
- · Full-length, color-keyed carpeting
- · Illuminated entry
- . Load floor tie-down hooks (4)
- Premium electronic AM/FM stereo with single CD with digital clock and four-speakers
- · Cloth front bucket, rear split/folding seat with head restraints
- Headlamps-on, key-in-ignition, safety belt unbuckled and door ajar warning chimes
- · Color-keyed, plastic scuff plates (all doors and liftgate)
- · Speed control with tap-up/down
- · Black urethane steering wheel with tilt column
- · Color-keyed visors with covered, non-illuminated mirror
- 4.0L SOHC V6 engine (210 HP) with 5-speed automatic transmission
- Flexible Fuel System on all 4.0L, allows the use of gasoline/ethanol mix
- · Rear axle ratio: 3.55
- · Coil spring over shock front suspension
- · Variable rate coil over shock rear suspension
- . 72-amp/hr (650 CCA) maintenance-free battery
- Battery saver turns off dome and approach lamps after 30 minutes
- Power four-wheel disc brakes, anti-lock brake system (ABS) feature
- . 22.5 gallon (85.5-liter) fuel tank capacity
- SecuriLock™ passive anti-theft system
- · Power rack-and-pinion steering
- . P235/70R16 BSW all-season tires
- · Steel spare wheel with P235/70R16 BSW all-season tire



Explorer is not designed or intended to be used as a pursuit vehicle

REGULAR PRODUCTION **OPTIONS**

ITEM	OPTION	CODE
Engine Block Heater		
(Fleet only with valid FIN of	code)	41H
Safety Canopy™ Air Curtain	System	21E
Roof Rail Crossbars (Black v.	v/black roof rails)	68B
P255/70R16 all-terrain OWL	Tires	
(reg. Steel Wheels [64A]	Fleet	T65
only with valid FIN code)		
Axle, Limited Slip Rear - 3.7	3LS	
(incl. w/ Trailer Tow Packa	ge:	
N/A w/Advance Trac™)		XD4
Trailer Towing Prep Package	Class III/IV	53G

VSO SPECIAL SERVICE PACKAGE

- . To order, enter code UPC in the VSO additions
- Available body styles: U62 and U72
- . Option UPC includes the following: - Heavy Duty Battery
- (Group 65, 750 CCA, 78 Amp.-Hr.)
- Roof Wiring Prep Package
- Radio Noise Suppression - Interior Courtesy Lamps Inoperative
- (when any door is opened)
- Map Light, 21 Candle Power - Severe Duty Service Manual

Mandatory Equipment: XLS Model, Graphite Interior Trim Color

Not Available With: Power Moon Roof (439), Safety Canopy (21E), Auxiliary Climate Control (67C), or Off-Road Package (55R)

COLOR AND TRIM SELECTIONS

Interior Trim Type And Color Selector (XLS Trim)

NOTE: First letter denotes type, second letter denotes color.

Interior Trim Colors

Cloth front buckets with 2-way adjustable head restraint.

Exterior Trim Colors	Code
Pueblo Gold Clearcoat Metallic (1)	G3
Red Fire Clearcoat Metallic	G2
Dark Blue Pearl Clearcoat Metallic (1)	DX
Aspen Green Clearcoat Metallic	P5
Mineral Grey Clearcoat Metallic	TK
Silver Birch Clearcoat Metallic	JP
Black Clearcoat	UA
Oxford White Clearcoat	YZ

- · Available
- (1) New for 2004 model year.

	Medium
Graphite	Parchment
RT	RP

Molding	Ava	ilability
a		•
a	•	•
a	•	•
a	•	•
a		•
a	•	
a	•	•
a		

Highlights

The 2004 Explorer is offered in an easily recognizable series line-up, with XLS, XLS Sport, XLT, XLT Sport, NBX, Eddie Bauer and Limited arrays available. All-Wheel Drive is available on six arrays, offering confidence and simplicity to almost any driving experience, while the versatility and unmatched capability of Control Trac 4x4 continues to be available on all series. The exterior appearance of the XLT series is enhanced as it moves to a monochromatic theme. There are changes in the exterior color line-up to introduce 3 new colors. AdvanceTrac™ is now available with V6 and V8 engines. These new additions keep Explorer out in front of the competition as it strives for its 13th consecutive year as the best selling SUV in America

- . Ford Explorer The best selling SUV for 12 consecutive years.
- . Control Trac 4X4 Available on all trim levels
- · Eddie Bauer and Limited are now available with a quad bucket seating option
- . AdvanceTrac™ is now available with V6 and V8
- · Interior versatility, featuring fold-flat-to-load-floor 2nd and 3rd row seats
- · Safety Leadership Explorer features the Personal Safety System™, Safety Canopy™ with roll-over sensors

DIMENSIONS AND CAPACITIES

ITEM	ENGLISH	METRIC
General (4-Door)		
Wheelbase	113.8"	2891 mm
Overall length	189.5"	4813 mm
Overall height		
(with roof rack - empty)	71.4"	1814 mm
Overall width	72.1"	1831 mm
Tread:		
Front	60.9"	1547 mm
Rear	61.2"	1554 mm
First Row:		
Head room	39.9"	1013 mm
Leg room	42.4"	1077 mm
Shoulder room	59.1"	1501 mm
Hip room	55.0*	1397 mm
Second Row:		
Head room	38.9*	988 mm
Leg room	37.2"	945 mm
Shoulder room	58.9*	1496 mm
Hip room	54.3*	1379 mm

Cargo Area: 5-Passenger (with seats up and down)

bic Feet	Liters
88.0	2491.8
46.6	1319.5
	bic Feet 88.0

SELECTED SERIES HIGHLIGHTS

Explorer 4-Door XLS (order series 200A) Major Optional Equipment

- . 3.73 limited-slip rear axle
- · Engine block heater (Fleet only) Safety Canopy™ System
- . Trailer Tow Prep Package (Fleet only)
- · Roof Rail Crossbars (Black w/black roof rails)
- . P255/70R16 all-terrain OWL tires
- · Off-Road Package

Explorer 4-Door XLT (order series 220A)

- Major Optional Equipment
- · Off-Road Package
- . AdvanceTrac™ Stability Control System
- · Auxiliary climate control
- · Power adjustable pedals
- Black running boards
- Safety Canopy™ System
- · 3rd-row cloth bench seat
- · AM/FM stereo/CD/cassette w/clock and 4 speakers
- · Power moonroof w/shade
- · Rear seat DVD
- · Reverse Sensing System
- · Roof rail crossbars
- · Leather low-back sport bucket seats
- · Trailer tow prep package
- . P255/70R16 all-terrain OWL tires (Fleet only)
- · Engine block heater (Fleet only)



Major Standard Features (XLS Trim - not available with SSV)

- 4.6L SOHC Triton™ V-8 engine
- · 4-speed automatic transmission
- . Four-wheel anti-lock disc brakes with Brake Assist feature
- · Independent Rear Suspension
- · SecuriLock™ passive anti-theft system
- Belt Minder™ System
- · Battery Saver feature
- · 3.73 rear axle
- · 28-gallon fuel tank
- . Front row cloth 40/60 split bench seat with driver's side 6-way power and manual lumbar adjustment
- . 2nd-row cloth 40/20/40 split bench, with fold-flat, reclining features and CenterSlide™ sliding center section. LATCH child safety seat system in all three positions
- . 3rd-row cloth 60/40 split bench seat featuring fold-flat-to-floor feature and head restraints on outboard seating positions. Child safety seat tether anchors in the center position
- · Power adjustable pedals
- . Illuminated Entry System w/theater dimming feature
- · Height-adjustable front safety belts on all outboard seats
- . Premium AM/FM stereo cassette/single-disc CD player dual-media with 4 premium speakers
- · Manual air conditioning
- · Tilt steering column and speed control
- . 17-inch styled steel wheels
- . P265/70R17 all-season BSW tires
- · Accent-color lower bodyside cladding
- . Medium Dark Platinum grille
- · Black power heated mirrors with security approach lamps
- · Privacy Glass
- · Rear liftgate with flip-up rear glass
- · Luggage rack without crossbars
- . Front tow hooks (4x4 only)
- · Speed-sensitive intermittent front wipers
- · Rear intermittent wiper/washer and defroster
- · Remote Keyless Entry System with driver's door keypad

Special Service Vehicle (SSV based on XLT Trim)

(Available to Fleet Customers only)

SSV Standard Package Deletes

- · Overhead console with storage
- . 1st-row center console · 3rd-row bench seat
- · Floor mats

Major Standard Features

- . Front cloth captain's chairs in Medium Flint Grey with power driver's seat and driver/passenger manual lumbar support
- . 2nd-row vinyl bench seat without armrest or cupholders
- . Vinyl front and rear floor covering
- P265/70R17 all-terrain tires (4x4)
- . 17-inch styled steel wheels
- . P265/70R17 all-season BSW tires
- · Tow hooks
- · Limited-slip rear axle
- · Fog lamps
- · Privacy glass
- Skid plates
- · Power adjustable pedals
- . Independent Rear Suspension
- SecuriLock™ passive anti-theft system
 Belt Minder™ System
- · Battery Saver feature
- · 28-gallon fuel tank
- . Illuminated Entry System w/theater dimming feature
- · Premium AM/FM stereo cassette/single-disc CD player dual-media with 4 premium speakers
- · Manual air conditioning
- . Tilt steering column and speed control
- · Black power heated mirrors with security approach lamps
- · Privacy Glass
- . Rear liftgate with flip-up rear glass
- . Luggage rack without crossbars
- . Front tow hooks (4x4 only)
- . Speed-sensitive intermittent front wipers
- · Rear intermittent wiper/washer and defroster
- . Remote Keyless Entry System with driver's door keypad

SSV Optional Equipment

- · Engine block heater
- . Front 60/40 cloth split-bench seat
- · 2nd/3rd-row cloth bench seat
- . 2nd-row 40/20/40 split-bench seat
- . 3rd-row 60/40 vinyl split-bench seat
- . Rear auxiliary air conditioning and heat (requires 3rd row seat)
- · Running boards
- . Safety Canopy System with rollover sensors (1st and 2nd rows) (1)
- · License plate bracket



Expedition is not designed or intended to be used as a pursuit vehicle

SPECIAL SERVICE VEHICLE PRODUCTION OPTIONS

ITEM	OPTION CODE
Engine Block Heater	41H
3.73 Limited Slip Rear Axle	XH6
Safety Canopy™ 1st & 2nd row	
w/Rollover Sensor (1)	67D
Seats, Front 40/60 split bench,	
cloth w/driver side power	M
Seats, 2nd row 40/20/40 bench,	cloth
(N/A w/875 3rd row seat)	21F
Seats, 2nd row/3rd row bench, cl	oth
(reg. 574 Aux. Heater A/C (rea	r)) 21S
Seats, 3rd row 40/60 split bench	
(reg. 574 Aux. Heater A/C (rea	r)) 857
License Plate Bracket	153
Running Boards	186
(1) - May not be compatible w	rith
factory/aftermarket installed s	

DIMENSIONS AND CAPACITIES

ITEM	ENGLISH	METRIC	Second Row:		
Wheelbase	119.0"	3023 mm	Head room	39.8"	1011 mm
Overall length	205.8"	5227 mm	Leg room	38.7"	983 mm
Overall height (empty)	77.6*	1971 mm	Shoulder room Hip room	64.3" 62.4"	1633 mm 1585 mm
Overall width	78.7*	1999 mm	Third Row (optional):		
Tread: Front Rear	65.4° 65.5°	1661 mm 1664 mm	Head room Leg room Shoulder room	38.2" 36.3" 60.1"	970 mm 922 mm 1527 mm
First Row:	00.0	1001 11111	Hip room	54.5"	1384 mm
Head room	39.7*	1008 mm	Cargo Area	Cubic Feet	Liters
Leg room	41.2"	1046 mm	Volume behind front row	110.4	3126.1
Shoulder room Hip room	63.4° 63.0°	1610 mm 1600 mm	Volume behind second row	60.9	1724.4
inp room	00.0	1000 111111	Volume behind third row	20.7	586.1

COLOR AND TRIM SELECTIONS

Interior Trim Type and Color Selector NOTE: First letter denotes type; second letter denotes color.

Interior Trim Colors

Cloth Captain's Chairs

Cloth 40/60 Power Driver Split Bench Leather-trimmed Captain's Chairs

Exterior Color (2)

Fire Red Clearcoat Metallic (3) Silver Birch Clearcoat Metallic True Blue Clearcoat Metallic Medium Wedgewood Blue Clearcoat Metallic Aspen Green Clearcoat Metallic Black Clearcoat Oxford White Clearcoat Dark Shadow Grey Clearcoat Metallic

(2) - Not all colors available on all models

Pueblo Gold Clearcoat Metallic (3) (3) - New for 2004 model year

	Medium Flint Grey	Medium Parchment
	FE	FH
	ME	MH
	1E	1H
Code	Availab	ility
G2	•	
JP		•
L2		•
LD	•	•
P5		•
UA	•	•
YZ		•
CY		

Highlights

The 2004 Expedition continues the tradition of excellence as the leader among full-size SUVs. The Expedition is surprisingly agile inside and out, and maintains leadership with the following features:

Interior Versatility

- . Segment first fold-flat-into-the-floor 3rd row 60/40 seat
- . Industry first PowerFold™ 3rd row seat option
- . 2nd-row 40/20/40 seat with CenterSlide™ 20 section
- · Best-In-Class Cargo
- · Heated and Cooled Seats
- · Navigation System

Driving Control

· Independent Rear Suspension

G3

- . AdvanceTrac™ Electronic Stability Enhancement System
- · Four-Corner Load-Leveling Air Suspension
- · ControlTrac® 4x4 System
- · Rack-and-pinion Steering
- · Best-In-Class Towing

Safety Feature Leadership

- Personal Safety System™
- . Safety Canopy™ side air curtains with rollover sensors
- . Tire Pressure Monitoring System
- . Electronic Brake distribution and brake assist
- · Driver's door-mounted keyless entry keypad
- · Power adjustable brake/accelerator pedals
- · Reverse Sensing System



Major Standard Equipment

- . 5.4L SEFI Triton™ V8
- Axle ratio: 4x2 3.73; 4x4 4.10 Limited Slip
- · Four-speed overdrive automatic transmission
- Brakes, power w/four wheel disc anti-lock
- · Airbags, driver & front passenger
- · Mirrors, exterior, dual power/heated, non-bright, low gloss aero
- Spate
- Captain's chairs, front w/console delete
- 60/40 2nd row vinyl bench w/dual recline and tip/slide
- · Power door locks and side windows
- · Remote keyless entry w/key pad
- Safety belt, adjustable D-rings in first and second row outboard positions
- · Air conditioning, front manual
- · Securilock passive anti-theft system
- · Steering wheel, leather wrapped w/tilt & speed control
- · Glass, privacy
- · Assist handles, first & second row, driver & passenger side
- · Floor covering, black vinyl
- · Windshield wipers, front intermittent/speed dependent
- · Wiper, rear intermittent/washer/defroster
- · Rear tri-door, top-half liftgate and two lower cargo doors
- · Roof Rack (without crossbars)

- · Running boards, black
- · Front Tow hooks, two
- · Wiring harness, trailer tow w/seven pin connector
- AM/FM premium stereo dual media, 80-watt with amp, cassette, single CD w/clock
- Autolock
- · Chrome front bumper with medium platinum valance
- · Chrome rear bumper with black step pad
- . LT265/75R16 all-season BSW tires
- · 16" argent steel wheels
- . 16" argent steel wheel and spare tire
- . 78-amp./hr. 750 CCA maintenance-free with battery saver
- · Alternator
- Gas engine: 130 amp.
- · 44 gallon fuel tank (166 liter)

Features that are deleted with SSV

- · Body side cladding
- · Cargo net
- · Floor mats
- · Overhead console
- · Third row seat



Excursion is not designed or intended to be used as a pursuit vehicle

SPECIAL SERVICE VEHICLE PRODUCTION OPTIONS

ITEM	OPTION CODE
6.8L Triton™ V10	
4x2	U40/910A
— Axle Ratio 3.73 or 4.30 li	mited slip XC1/XC3
4x4	U41/930A
- Axle Ratio 3.73 or 4.30 li	mited slip XC1/XC3
6.0L V8 Power Stroke® Diesel	
4x2	U40/921A
- Axle Ratio 3.73 limited sl	p XC1
4x4	U41/941A
- Axle Ratio 3.73 limited sl	p XC1
Engine Block Heater	41H
(fleet only w/valid FIN code)	
3rd Row Rear Seat Package	875
(3rd row bench w/rollers, ov	erhead console
requires 574 Auxiliary Rear A	I/C)
Mirrors, Trailer Tow, Power Hea	ted 54K
w/integrated turn signals and	d dearance
lights, manual telescopic, for	ward fold arms
Rear Auxillary A/C w/Front Over	head Console 574
(Requires Third Row Rear Se	at - 875)
Seats, 40/20/40 Split Bench Fr	ont, Cloth Trim 883
w/Manual Seat Adjustment	
AM/FM Stereo w/In-Dash 6-CD	w/Clock 581

DIMENSIONS AND CAPACITIES

ITEM	ENGLISH	METRIC			
Wheelbase	137.1"	3482 mm	First Row:		
Horsepower			Head room	41.0*	1041 mm
5.4L V8	255 @ 4500		Leg room, max.	42.3"	1074 mm
6.8L V10	310 @ 4250		Shoulder room	68.3"	1735 mm
6.0L Diesel	325 @ 3300		Hip room	67.5*	1715 mm
Torque			Second Row:		
5.4L V8	350 @ 2500		Head room	41.1"	1044 mm
6.8L V10	425 @ 3250		Leg room, max.	40.5*	1029 mm
6.0L Diesel	560 @ 2200		Shoulder room	67.0*	1702 mm
GVWR			Hip room	66.9*	1699 mm
4x2 Gasoline	8,600 lbs.	3901 kg	Third Row:		
4x2 Diesel	8,900 lbs.	4037 kg	Head room	38.6*	980 mm
4x4 Gasoline	8,900 lbs	4037 kg	Leg room, max.	39.0*	991 mm
4x4 Diesel	9,200 lbs.	4173 kg	Shoulder room	64.9"	1648 mm
Overall Length	226.7"	5758 mm	Hip room	52.5*	1334 mm
Overall height	77.2"	1961 mm	Cargo Area	Cubic Feet	Liters
Overall width	79.9"	2029 mm	Cargo Volume		
			Behind front-row seat	146.4	4145.5
			Behind second-row sea	t 100.7	2851.4
			Behind third-row seat	48.0	1359.2

COLOR AND TRIM SELECTIONS

Interior Trim and Color Selector

NOTE: First letter denotes type; second letter denotes color. Cloth Low Back Buckets (With Adjustable Head Restraints)

Interior Trim Colors	Medium Flint
Cloth Captain's Chairs/Standard Vinyl 60/40 Second Row Bench	FE
Cloth 40/20/40 Split Bench/Standard Cloth 60/40 Second Row Bench	3E
Exterior Trim Colors	Code
Toreador Red Clearcoat Metallic	FN
Silver Birch Clearcoat Metallic	JP
True Blue Clearcoat Metallic	L2
Aspen Green Clearcoat Metallic (4)	P5
Black Clearcoat	UA
Oxford White Clearcoat	YZ

Highlights

- · Three engine choices
 - 5.4L V8
 - 6.8L V10
 - 6.0L Power Stroke® Diesel
- Introduced in 2003-1/4, the optional 6.0L Power Stroke® diesel with the TorqShift™ automatic transmission offers increased horsepower and torque.
- . Only diesel engine available in a full size SUV
- . Certified Low Emission Vehicle (LEV)
- 6.8L V10 and 6.0L Power Stroke® Diesel towing up to 11,000 pounds (when properly equipped)
- · Standard 44 gallon fuel tank



Bumper-To-Bumper Coverage

Under the New Vehicle Limited Warranty, you receive bumper-tobumper coverage for 3 years/36,000 miles with no deductible. You also receive corrosion perforation coverage for five years with unlimited mileage and no deductible. Ask your Ford Dealer for a copy of the warranty.



EXTENDED SERVICE

Ford Extended Service Plans (ESP) for Police Vehicles

(Not available in Canada)

Optional Ford Extended Service Plans can cover major components on new Ford cars and light trucks after the vehicle's basic warranty coverage ends. Four new vehicle plans are available, each with a choice of \$100.00 deductible, \$50.00 deductible or \$0 deductible.

The plans are:

- · Powertrain CARE
- Base CARE
- · Extra CARE
- Premium CARE

All four plans are offered for 3 years/60,000, 75,000, 100,000 miles or 5 years/75,000 miles. See your Ford dealer for details including pricing for all plans, deductible levels and time/mileage intervals.



Ford Customer Service

Additional fleet customer sales and service support can be obtained by dialing 1-800-34-FLEET (35338) – USA: Press Option 2 for Sales,

Press Option 3 for Service.

In Canada dial 1-800-668-5515.

For more information visit: www.fleet.ford.com



Dedicated Natural Gas

For more information on the Dedicated Natural Gas Crown Victoria, please call 1-800-34-FLEET , Option 5 (U.S.) or 1-800-668-5515 (Canada).

Ford Credit's Municipal Lease/Purchase Program

(Not available in Canada and New Mexico)

Municipal Lease/Purchase Financing is available to state and local governments. Benefits of the Ford Credit Program are:

- Lower Payments and tax exempt financing
- Replace vehicles in need of costly repair and maintenance



COMMERCIAL LENDING SERVICES

- Contracts can be structured with a budget non-appropriation provision, which, in many states means they are considered current obligations rather than long-term debt.
- Payments can be made monthly, quarterly, or annually, and can even be deferred to meet fiscal/budget year scheduling.
- Finance all makes and models and include any special equipment and accessories.

Call (800) 241-4199 for details.

Specify Genuine Ford Collision Repair Parts

Genuine Ford sheet metal and plastic replacement collision parts, such as hood, doors, fenders and bumper components, are the right choice — and for all the right reasons.

Genuine Ford parts are equal to original parts in fit, finish and structural integrity. Ford parts are the same as those used on new vehicles which are certified to meet Federal Motor Vehicle Safety Standards. And you receive corrosion perforation coverage under the Ford Lifelong Sheet Metal Guarantee.

Don't settle for imitations. Ask your insurer to authorize genuine Ford collision parts.

Options Availability

Options shown or described in this catalog are available at extra cost and may be offered only in combination with other options or subject to additional ordering requirements or limitations.

Product Changes

Following publication of this catalog, certain changes in standard equipment, options and the like, or product delays, may have occurred which would not be included in these pages. Your Ford Dealer is your best source for up-to-date information.

Ford Division and Ford of Canada, Ltd., reserve the right to change product specifications at any time without incurring obligation.

NORTH AMERICAN FLEET, LEASE AND REMARKETING OPERATIONS GOVERNMENT SALES DEPARTMENT

State & Local Government

Kevin FitzPatrick

State & Local Sales Manager Office: (313) 390-1058 E-mail: kfitzpa1@ford.com

Mona Mlynarczyk

State & Local Sales Analyst Office (313) 390-1054 E-mail: mmlynarc@ford.com

Government Account Managers

Bill Giunta

Northeast: CT, DE, MA, MD, ME, NH, NJ, NY, PA, RI, VT Office: (609) 266-4040 E-mail: bgiunta@ford.com

Tracy Smith

Southeast: AL, FL, GA, NC, SC, VA Office: (770) 698-2655 E-mail: tsmith50@ford.com

Don Dewar

North Central: IA, IL, IN, KY, MI, MN, OH, WI, WV Office: (317) 849-7477 E-mail: ddewar2@ford.com

Gary Wright

South Central: AR, LA, MO, MS, OK, TN, TX Office: (972) 317-9227

E-mail: gwright5@ford.com

Terry Ryan

Westem: AZ, CO, KS, MT, ND, NE, NM, NV, SD, UT, WY Office: (303) 694-8710 E-mail: tryan3@ford.com

Bryan Taylor

Pacific: AK, CA, HI, ID, OR, WA Office: (925) 904-5808 E-mail: jtaylo84@ford.com

Government Sales Manager

Tony Gratson

Office: (313) 390-1041 E-mail: tgratson@ford.com

Other Important Numbers Fleet Customer Information Center (FCIC)

(FCIC) 1-800-34-FLEET (1-800-343-5338)

- Option #1 To apply for a FIN, Website Access, Password Reset, Registration
- Option #2 Order Status, Invoicing Questions, State and Local Government Bid Process
- Option #3 Service Issues
- Option # 4 Dealer Special Orders and Special Paint Orders
- Option # 5 Alternative Fuel Vehicles Product Marketing Information

FCIC Hours of Operation

9:30 a.m. - 6:00 p.m. EST (M-F)

1-800-241-4199: Ford Credit Municipal Finance Program

1-800-367-3221: Quality Fleet Care (QFC) All Questions

Ford Fleet Website: www.fleet.ford.com

2003 FORD MOTOR COMPANY POLICE ADVISORY BOARD MEMBERS

MEMBER AGENCY E-MAIL PHONE NO. Lt. John Ashley County of Los Angeles Sheriff jbashley@lasd.org 323-881-3983 Sgt. David E. Callery New York State Police dcallery@troopers.state.ny.us 518-457-5996 Jon Crull City of Daytona Beach crulljon@ci.daytona-beach.fl.us 386-671-8681 John Dillion FBI fleet@fhi nov 202-324-4925 Sqt. Lloyd Dow York Regional Police lloyd.dow@region.york.on.ca 905-955-0092 Ronnie Faison North Carolina Highway Patrol, C & L North Carolina State Highway Patrol rfaison@ncshp.org 919-733-7956 Bob Green Washington State Patrol rgreen@wsp.wa.gov 360-596-6041 Lt. David Halliday Michigan State Police hallidd@state.mi.us 517-322-1787 Gary Homer Edmonton Police Service gary.homer@police.edmonton.ab.ca 780-421-2116 pleas.jenkins@cityofhouston.net City of Houston 713-247-8917 Pleas Jenkins, Jr. Sheriff Ted Kamatchus Marshall County Sheriff's Office tkamatchus@co.marshall.ia.us 641-754-6380 Leonard Lesko New York City Police Department Lenco5045@aol.com 718-476-7537 Capt. Albert Masek, Jr. Connecticut State Police Al.Masek@po.state.ct.us 203-805-6573 Lt. Donald McCain Mississippi Dept. of Public Safety dmccain@mdps.state.ms.us 601-987-1510 Cris Morgan California Highway Patrol crmorgan@chp.ca.gov 916-376-3505 512-424-2043 Jerry Newbury Texas Dept. of Police jerry.newbury@txdps.state.tx.us Joseph Price Ohio State Patrol-Logistics Service jprice@dps.state.oh.us 614-752-8159 Pete Richardson Kansas City Police Dept. prichardson@kcpd.org 816-234-5580 Broward County Sheriff's Office bob_savage@sheriff.org 954-765-4429 Bob Savage Lt. Col. Mark Trostel Colorado State Patrol mark.trostel@cdps.state.co.us 303-239-4494 Dennis Tucker Illinois State Police tuckerd@isphost.state.il.us 217-785-0384

What is The Police Advisory Board?

It's a Law Enforcement Customer Advisory Panel. The panel gathers information about how Ford might better serve the needs of the law enforcement community.

Meeting three times a year, approximately twenty-one members of key personnel from law enforcement agencies and Ford representatives discuss the needs of both large and small municipality agencies.

Their input allows Ford representatives, from both engineering and management, to hear directly from law enforcement personnel.

The result is continually better Ford vehicles for law enforcement use.



NORTH AMERICAN FLEET LEASE AND REMARKETING OPERATIONS

WWW.FLEET.FORD.COM 1.800.34.FLEET

135961