CLEXIS | KNOWLEDGE CENTER

ENGINE	Туре	90° V8, iron block and aluminum heads, certified Low-Emission Vehicle (LEV)
	Displacement	4.7 liters (285 cubic inches)
	Valvetrain	Four cam, four valves per cylinder
	Compression Ratio	9.6:1
	Horsepower at RPM	230 hp @ 4,800
	Torque at RPM	320 lb-ft @ 3,400

DRIVETRAIN

Туре	Full-time four-wheel drive with locking center differential and standard four-wheel Traction Control (TRAC).
Transmission	Four-speed automatic Electronically Controlled Transmission (ECT). Overdirve fourth gear, dual shift programs, engine/transmission networking, lockup torque converter. Auxiliary oil cooler.
Transfer Case	Two-speed, 1.00:1/2.49:1
Final Drive Ratio	4.30:1



2000 LEXUS $\ensuremath{\text{LX}}$ Specifications

BODY,		
DIMENSIONS	Туре	Eight-passenger luxury sport-utility
	Construction	Welded-steel body on box-section ladder frame
	Overall Length	192.5 in
	Width	76.4 in
	Height	72.8 in (AHC Normal)
	Wheelbase	112.2 in
	Ground Clearance	9.8 in
	Approach Angle	32 degrees (AHC High) 30 degrees (AHC Normal)
	Departure Angle	26 degrees (AHC High) 23 degrees (AHC Normal)
e	Cargo Capacity (max)	90.4 cubic feet (middle seats folded, rear seats removed) ¹
	Curb Weight	5,401 lb
	Vehicle Capacity Weight	1,240 lb1
	Gross Vehicle Weight Rating	6,860 lb1
	Tow Rating (max)	6,500 lb²
	Fuel-tank Capacity	25.4 gallons
	Headroom	39.1/38.9/36.3 in (front/middle/third row)
	Legroom	42.3/34.3/27.3 in (front/middle/third row)
	Shoulder Room	61.3/61.1/61.1 in (front/middle/third row)

9.8"

1

CLEXIS | KNOWLEDGE CENTER

Vehicle Stability Control (VSC)	Integrates Anti-lock Braking System (ABS), Brake Assist and Traction Control (TRAC).
Suspension	Adaptive Variable Suspension (AVS) with Adjustable Height Control (AHC) and automatic load leveling.
	Front: Independent, double-wishbone with high-mount upper and lower arms, torsion bars, electronically controlled shock absorbers with gas-pressurized control actuator, stabilizer bar.
	Rear: Live axle, four trailing links, lateral rod, coil springs, electronically controlled shock absorbers with gas- pressurized control actuator, stabilizer bar.
Steering	Engine-speed-sensing, progressive power-assisted rack- and-pinion. 3.8 turns, lock to lock.
Brakes	Four-wheel vented, power-assisted discs, with four-sensor, four-channel Anti-lock Braking System (ABS) with Brake Assist. Four-piston front calipers. 12.2-in (front), 12.8-in (rear) vented discs.
Wheels	16 x 8.0-in alloy wheels
Original Equipment Tires	All-Season Michelin LTX M/S P275/70R16 114S (Code: 43428). Full-size spare with alloy wheel.

2000 LEXUS **LX** Specifications (Continued)

PERFORMANCE			
	0-60 MPH Acceleration	9.9 seconds³	
	1/4-Mile Acceleration	17.5 seconds³	
	Top Track Speed	109 mph (electronically limited)³	
	Estimated Fuel Consumption	13/16 mpg (city/highway) ⁴	
	Aerodynamic Drag Coefficient	0.40	
	Turning Circle (curb-to-curb)	39.7 ft.	
TOTAL UNITS PRODUCED			
	Total	17,086	
DISCLAIMERS	 ¹ Cargo and load capacity limited by weight and distribution. ² Before towing, confirm your vehicle and trailer are compatible, hooked up properly and you have all necessary additional equipment. Do not exceed any Weight Ratings and review all instructions and cautions from your trailer hitch manufacturer and Lexus vehicle <i>Owner's Manual</i>. Note that the maximum amount you can tow 		
	depends on the total weight of any cargo, occupants and available equipment in the vehicle.		
	³ Performance capacity figures are for comparison only and were obtained with prototype vehicles by professional drivers using special safety equipment and procedures. Do not attempt.		
	⁴ Actual mileage will vary with options, driving conditions, driving habits and vehicle's condition. Results reported to EPA indicate that the majority of vehicles with these estimates will achieve between 11 and 15 mpg in the city and between 13 and 19 mpg on the highway.		

CLEXUS | KNOWLEDGE CENTER

2000 LEXUS **LX** Original Pricing and Options

PRICING	<u>Code</u>	Description	<u>Manufacturer's Suggested</u> <u>Retail Price (MSRP)</u> ⁵
	9620	LX 470 Luxury Sport Utility	\$ 59,500
	NK WU	Options Lexus/Nakamichi® Premium Audio System Wood and Leather Trim Steering Wheel and Shift Knob	1,200 330

⁵The vehicle MSRP at launch included Delivery, Processing, and Handling fee. The Delivery, Processing, and Handling Fee was based on the value of the processing, handling and delivery services provided by Lexus and Lexus' overall pricing strategy. Federal, state, and local taxes, and advertising fees, if any, were additional. Prices included predelivery services. Suggested prices: These guidelines were provided by Lexus. The dealer was free to establish its own selling price, margin, or profit level.

(C)LEXLIS I KNOWLEDGE CENTER

2000 LEXUS **LX** Colors

EXTERIOR COLORS





GOLDEN PEARL 057

1C3



WOODLAND PEARL 6R1



4M9

SMOKY TOPAZ MICA 1C2

Color information courtesy of BASF Corporation.