
# **2000 CAMRY**



Camry LE

# HERE'S SOMETHING ELSE TO SMILE ABOUT.

Weekends. Free time. Time to spend with the people you care about. Going places. Enjoying life. This is what it's really all about. And to help you make the most of it, there's the Camry LE. It constantly inspires you with pride as well as a sense of confidence. With its sleek lines enhanced by a fresh new look, it's more stylish than ever before. And just the sound of a door closing speaks volumes about its careful design and quality craftsmanship. Uniquely appealing and undeniably sophisticated, the LE proves over and over again that Camry's reputation as a people-pleaser is well-deserved.

# STANDARD FEATURES AND OPTIONS

#### CF

- Aerodynamic multi-reflector halogen headlamps with auto-off feature
- P195/70R14 tires on 14" steel wheels with full wheel covers
- · Dual black remote-controlled outside mirrors
- High Solar Energy-Absorbing (HSEA) glass
- Washer-linked intermittent windshield wipers
- · On-glass antenna
- Driver and front passenger air bag Supplemental Restraint System (SRS)<sup>1</sup>
- Tilt steering wheel
- Fabric seat and door trim with integrated armrests, dual map pockets and cut-pile carpeting with driver-side footrest
- · Multi-adjustable bucket front seats with adjustable headrests
- 60/40 split/fold-down rear seats with fold-down center armrest, adjustable outboard headrests and security locks

### **EXTRA VALUE PACKAGES**

 Air conditioning, Power Package (power windows, door locks and dual color-keyed mirrors), variable intermittent windshield wipers and carpeted floor mats

- 12-volt auxiliary power outlet
- Digital quartz clock
- Outside temperature gauge
- · Front and rear dual cup holders
- · Covered center console and lockable illuminated glove box
- · Heavy-duty rear window defogger with timer
- Remote hood, trunk and fuel-filler door releases
- Speedometer, tachometer, coolant temperature and fuel level gauges; digital odometer and twin tripmeters
- Air bag, seatbelt, low-fuel level, door-ajar, battery, check engine, oil pressure, brake and taillamp bulb failure warning lights (ABS warning light on ABS-equipped models)
- Deluxe 3-in-1 AM/FM ETR/Cassette/CD with 4 speakers

#### ADDITIONAL OPTIONS

- Anti-lock Brake System (ABS) includes Daytime Running Lights (DRL)
- Black front and rear mudguards
- Driver and front passenger seat-mounted side-impact air bag Supplemental Restraint System (SRS)1
- · Cruise control

#### П

• All CE Standard Features Plus†:

#### ALL MODELS

- P205/65R15 tires on 15" steel wheels with fullwheel covers
- · Dual color-keyed power outside mirrors
- Variable intermittent windshield wipers
- Driver's seat cushion vertical height adjuster
- Power windows with driver's auto-down and retained-power features

## **EXTRA VALUE PACKAGES**

# ALL MODELS

- Remote keyless entry, power driver's seat and carpeted floor mats4-cylinder models
- Remote keyless entry, power driver's seat, carpeted floor mats and Anti-lock Brake System (ABS)
- Remote keyless entry, power driver's seat, carpeted floor mats, Anti-lock Brake System (ABS) and Leather Trim Package (leather-trimmed seats, door trim, leatherwrapped steering wheel and shift knob, driver's lumbar support and front seatback pockets)

### **V6 MODELS**

 Leather Trim Package (leather-trimmed seats, door trim, leather-wrapped steering wheel and shift knob, driver's lumbar support and front seatback pockets), remote keyless entry and carpeted floor mats

- Power door locks with anti-lockout feature
- Defroster-linked CFC-free air conditioning
- · Cruise control
- Deluxe 3-in-1 AM/FM ETR/Cassette/CD with 6 speakers

#### V6 MODELS ADD:

 Anti-lock Brake System (ABS) — includes Daytime Running Lights (DRL) with auto on/off feature

## ADDITIONAL OPTIONS

# ALL MODELS

- 15" aluminum alloy wheels
- · Power tilt/slide moonroof with sliding sunshade and maplight
- Black front and rear mudguards
- Driver and front passenger seat-mounted side-impact air bag Supplemental Restraint System (SRS)1
- JBL Premium 3-in-1 AM/FM ETR/Cassette/CD with 6 speakers and FM diversity reception

### **V6 MODELS**

• Traction Control (TRAC)—automatic transmission models only

### XLE

• All CE and LE Standard Features Plus<sup>†</sup>:

### ALL MODELS

- Dual color-keyed heated power outside mirrors
- P205/65R15 tires on 15" aluminum alloy wheels
- Leather-wrapped steering wheel
- Multi-adjustable power driver's seat with lumbar support and power passenger seat
- Wood grain-style interior trim

# **EXTRA VALUE PACKAGES**

JBL Premium 3-in-1 AM/FM ETR/Cassette/CD with 6-disc in-dash changer, 6 speakers and FM diversity reception, Leather Trim Package (leather-trimmed power seats, door trim and shift knob), driver and front passenger seat-mounted side-impact air bag Supplemental Restraint System (SRS), 1 power tilt/slide moonroof with sliding sunshade and maplight, and carpeted floor and trunk mats

- Dual illuminated visor vanity mirrors
- CFC-free automatic climate control with soft-touch controls
- Anti-theft system with engine immobilizer
- Remote keyless entry system with panic feature
- JBL Premium AM/FM ETR/Cassette/CD with 6 speakers and FM diversity reception

### V6 MODELS ADD:

• P205/60R16 tires on 16" aluminum alloy wheels

# ADDITIONAL OPTIONS

### ALL MODELS

- Black front and rear mudguards
- Driver and front passenger seat-mounted side-impact air bag Supplemental Restraint System (SRS)<sup>1</sup>

### V6 MODELS

• Traction Control (TRAC)

<sup>&</sup>lt;sup>1</sup>See Specifications page for more information on Toyota's Supplemental Restraint Systems (SRS)

<sup>†</sup>In addition to or in place of

# **SPECIFICATIONS**

CE 4-CYL	LE 4-CYL		LE V6	XLE 4-CYL	XLE V6
2.2-liter DOHC 16-valve EFI 4-cylinder 136 hp @ 5,200 rpm <sup>2</sup> 150 lbft. @ 4,400 rpm <sup>3</sup> Electronic, with distributor	16-valve EFI 4 136 hp @ 5,2 150 lbft. @	4-cylinder 200 rpm <sup>2</sup> 4,400 rpm <sup>3</sup>	3.0-liter DOHC 24-valve EFI V6 194 hp @ 5,200 rpm <sup>4</sup> 209 lbft. @ 4,400 rpm <sup>5</sup> m (TDI)	2.2-liter DOHC 16-valve EFI 4-cylinder 136 hp @ 5,200 rpm <sup>2</sup> 150 lbft. @ 4,400 rpm <sup>3</sup>	3.0-liter DOHC 24-valve EFI V6 194 hp @ 5,200 rpm <sup>4</sup> 209 lbft. @ 4,400 rpm <sup>5</sup>
Standard	NA		Standard	NA	NA
Available	Standard		NA	Standard	NA
NA	NA		Available	NA	Standard
Unitized body with front an MacPherson strut front sus suspension with gas-filled	Front engine, front-wheel drive Unitized body with front and rear vibration-dampening sub-frames MacPherson strut front suspension with gas-filled shock absorbers and stabilizer bar; dual-link independent MacPherson strut rear suspension with gas-filled shock absorbers and stabilizer bar Variable-assist nower rack-and-pinion				
35.4	35.4		36.7	35.4	36.7
		rum (power-ass			
) Available NA	Available NA		Standard Available <sup>6</sup>	Standard NA	Standard Available
55.4 70.1	55.4 70.1		55.4 70.1	55.4 70.1	55.4 70.1
					188.5
					105.2
					5.1
					61.1/59.9 0.30
0.50	0.30		0.30	0.50	0.30
					38.6/37.6
					56.2/56.1
					54.0/54.1 43.5/35.5
					5
J			J	J	J
2 008/3 0/12	NA/3 120		2 175/2 2/11	NA/2 121	NA/3,252
96.9	96.9		96.9	96.9	96.9
14.1	14.1		14.1	14.1	14.1
18.5	18.5		18.5	18.5	18.5
P105/70P1//	P205/65P15		P205/65P15	P205/65P15	P205/60R16
			1 200/001110	1 200/001110	1 200/001110
Full-size	Full-size		Full-size	Full-size	Full-size
23/32	NA		21/28	NA	NA
23/30	23/30		20/28	23/30	20/28
passenger seat. The force of a deployin SRS may cause serious injury or death. your Owner's Manual for further instruc 2133 hp @ 5,200 rpm with California en 3148 lbtf. @ 4,400 rpm with California 4192 hp @ 5,200 rpm with California en	g air bag T Please see ti stions. Si a emissions. Si a emissions. a emissions. A a emissions.	Foyota. Final EPA in time of printing. Some vehicles are Seatbelts should the province specific available equipme foyota dealer. A vehicle with par available at the dealer.	mileage estimates not available a see your Toyota dealer for details. shown with available equipment be worn at all times. For details cations, standard features and ent in your area, contact your ticular equipment may not be ealership. Ask your Toyota dealer	without notice and pertains U.S.A. vehicles only (may di	nting, is subject to change specifically to mainland ffer in the state of Hawaii, Islands and in other
	2.2-liter DOHC 16-valve EFI 4-cylinder 136 hp @ 5,200 rpm² 150 lbft. @ 4,400 rpm³ Electronic, with distributor Standard  Available  NA Front engine, front-wheel of Unitized body with front and MacPherson struct front sussuspension with gas-filled Variable-assist power rack 35.4 Power-assisted ventilated Available NA  55.4 70.1 188.5 105.2 5.1 61.1/59.9 0.30  38.6/37.6 56.2/56.1 54.0/54.1 43.5/35.5 5  2,998/3,042 96.9  14.1 18.5  P195/70R14 All-Season steel-belted race Full-size  23/32 23/30  Do not use rearward-facing child seats passenger seat. The force of a deployin syour Owner's Manual for further instruction of the seaton steel-belted race full-size  23/32 23/30  Do not use rearward-facing child seats passenger seat. The force of a deployin syour Owner's Manual for further instruction of the seaton steel-belted race full-size  23/32 23/30  Do not use rearward-facing child seats passenger seat. The force of a deployin syour Owner's Manual for further instruction of the seaton steel-belted race full-size  23/32 23/30  Do not use rearward-facing child seats passenger seat. The force of a deployin syour Owner's Manual for further instruction of the seaton steel-belted race full-size  23/32 23/30  Do not use rearward-facing child seats passenger seat. The force of a deployin syour Owner's Manual for further instruction of the seaton steel-belted race full-size  23/32 23/30  Do not use rearward-facing child seats passenger seat. The force of a deployin syour Owner's Manual for further instruction in the seaton syour owner's Manual for further instruction in the seaton syour Owner's Manual for further instruction in the seaton syour Owner's Manual for further instruction in the seaton syour owner's Manual for further instruction in the seaton syour owner's Manual for further instruction in the seaton syour owner's Manual for further instruction in the seaton syour owner's Manual for further instruction in the seaton syour owner's Manual for further instruction syour owner's Manual for further instruction syour	2.2-liter DOHC  16-valve EFI 4-cylinder  136 hp @ 5,200 rpm²  136 hp @ 5,2150 lbft. @ 4,400 rpm³  150 lbft. @ 4,400 rpm³  150 lbft. @ 5,200 rpm²  150 lbft. @ 150	2.2-liter DOHC  16-valve EFI 4-cylinder  136 hp @ 5,200 rpm²  150 lbft. @ 4,400 rpm³  Electronic, with distributoriess Toyota Direct Ignition syste  Standard  NA  Available  Standard  NA  Available  Standard  NA  Front engine, front-wheel drive  Unitized body with front and rear vibration-dampening sul MacPherson strut front suspension with gas-filled shock a suspension with gas-filled shock absorbers and stabilizer Variable-assist power rack-and-pinion  35.4  Power-assisted ventilated front disc, rear drum (power-as Available  NA  NA  S5.4  Power-assisted ventilated front disc, rear drum (power-as Available  NA  NA  NA  S5.4  Power-assisted ventilated front disc, rear drum (power-as Available  NA  NA  S5.4  Power-assisted ventilated front disc, rear drum (power-as Available  NA  S6.4  70.1  70.1  188.5  188.5  105.2  105.2  105.2  5.1  61.1/59.9  0.30  38.6/37.6  56.2/56.1  54.0/54.1  43.5/35.5  5  2.998/3,042  NA/3,120  96.9  14.1  14.1  18.5  NA  P195/70R14  P205/65R15  All-Season steel-belted radial Full-size  23/32  NA  23/30  Do not use rearward-facing child seats in any front passenger seat. The force of a deploying air bag SRS may cause serious injury or death. Please see your Owner's Mount for further infortia centics.  23/38  P195/70R14  P205/65R15  All-Season steel-belted radial Full-size  23/32  NA  23/30  Do not use rearward-facing child seats in any front passenger seat. The force of a deploying air bag SRS may cause serious injury or death. Please see your Owner's Mount for further infortia centics.  23/39  NA  23/30  Do not use rearward-facing child seats in any front passenger seat. The force of a deploying air bag SRS may cause serious injury or death. Please see your Owner's Mount for further infortia centics.  23/39  NA  23/30  Do not use rearward-facing child seats in any front passenger seat. The force of a deploying air bag SRS may cause serious injury or death. Please see your Owner's Mount for further infortia centics.  23/30  NA  Some velicles are velicles with paravailable at the da	2.2-liter DOHC	2.2-liter DOHC