



Land Cruiser shown in Atlantis blue Mica.

2000 LAND CRUISER

THE LEGEND GROWS STRONGER, YEAR AFTER YEAR.

The dawn of a new era to some. Just another day in paradise to Land Cruiser. The year 2000 moves us into a new century that holds boundless possibilities. And while Toyota's progressive thinking continually paves the way to the future, you can rely on Land Cruiser to take you places where you've never been. Global traveling on your terms becomes much more than a dream as you slip behind the wheel and slip the bonds of mere driving. Now when you go exploring, you can go with the utmost confidence. The big, wide world is out there waiting. And Land Cruiser is how you reach it.

STANDARD FEATURES

- Aerodynamic multi-reflector halogen headlamps with Daytime Running Lights (DRL) and auto on/off feature
- Integrated fog lamps
- Color-coordinated front and rear bumpers
- P275/70R16 tires on 5-spoke aluminum alloy wheels
- Active TRAC electronic full-time 4WD system with locking center differential
- Vehicle Skid Control system (VSC) with Brake Assist
- Front and rear frame-mounted towing hooks
- Front and rear heavy-duty mudguards
- All-Weather Guard Package — heavy-duty battery, starter and windshield washer fluid tank; rear-seat heater ducts
- Color-coordinated body side molding
- Dual color-keyed power heated outside mirrors
- Privacy glass with UV reduction
- Tilt/slide power glass moonroof with sunshade and one-touch open/close operation with pinch protection
- Leather-wrapped steering wheel and shift lever
- Driver and front passenger dual sun visors with illuminated vanity mirrors
- Tilt steering column
- Driver and front passenger air bag Supplemental Restraint System (SRS)²
- Overhead console with storage compartments
- Dual maplights for front- and second-row seats
- Variable intermittent front and intermittent rear wipers
- Leather heated 10-way driver and 8-way front passenger power-adjustable seats with armrests
- Reclining leather 60/40 split fold-down second-row bench seat with center and outboard headrests and 3-point seatbelts
- Anti-theft system with engine immobilizer
- Key-integrated multi-function remote keyless entry system with panic feature
- Cruise control
- CFC-free automatic climate control with air filtration
- Front and rear door and front seatback storage pockets
- Rear-seat heater with separate controls
- Six cup holders
- Center console storage area
- Three auxiliary power outlets (center instrument cluster, console storage area, rear cargo area)
- Outside temperature display
- Speedometer, tachometer, coolant temperature, fuel level, oil pressure and voltmeter gauges
- Digital odometer and twin tripmeters
- Air bags, seatbelts, low fuel level, door-ajar and rear tailgate warning lights
- Premium 3-in-1 ETR/Cassette/CD with 6-disc in-dash changer, 7 speakers, 170 watts (maximum output), FM diversity reception and adjustable power antenna



Available 5-spoke aluminum alloy wheel

OPTIONS PACKAGE

- **Third Seat Package** — includes foldaway/removable leather-trimmed 50/50 split fold-down rear bench seat with outboard headrests and 3-point seatbelts, 2-point center lap belt, power rear quarter windows, 3 rear-seat cup holders, assist grips, child-protector rear hatch lock and independent automatic rear climate control system

COLORS



Thunder Cloud Metallic with Shadow Gray Interior



Natural White with Ivory or Shadow Gray Interior



CHampagne Pearl with Ivory or Shadow Gray Interior




Riverrock Green Mica with Ivory or Shadow Gray Interior



Mahogany Pearl with Ivory Interior



Imperial Jade Mica with Ivory or Shadow Gray Interior



Atlantis Blue Mica with Ivory or Shadow Gray Interior



Black with Ivory or Shadow Gray Interior

²The Toyota driver and front passenger air bags are a Supplemental Restraint System (SRS) designed to inflate in a severe frontal collision. In all other accidents, seatbelts offer primary protection, and the air bags will not inflate. Do not sit or place objects close to an air bag. To minimize the risk of severe injury or death in all types of crashes, seatbelts must be worn at all times by all vehicle occupants. Do not use a rearward-facing child seat in any front passenger seat. The force of a deploying air bag SRS may cause serious injury or death. For more information on air bags and instructions on child seat usage, see the Owner's Manual.

SPECIFICATIONS

Mechanical/Performance

| | |
|--|---|
| Engine | 4.7-liter DOHC 32-valve EFI V8 230 hp @ 4,800 rpm; 320 lb.-ft. @ 3,600 rpm |
| Ignition | Distributorless Toyota Direct Ignition system (TDI) |
| Transmission | 4-speed electronically controlled automatic overdrive with intelligence (ECT-i) and second-gear start mode |
| Body construction | Unitized steel body on 9-member ladder frame |
| Drivetrain | Active TRAC electronic full-time 4-wheel drive system with locking center differential |
| Suspension | Independent double-wishbone front suspension with torsion bar springs and stabilizer bar; 4-link rear suspension with coil springs, stabilizer bar and semi-floating axle |
| Steering | Engine speed-sensing power-assisted rack-and-pinion |
| Turning circle diameter — curb to curb (ft.) | 39.7 |
| Brakes | Power-assisted 4-piston front/2-piston rear, ventilated disc brakes with hydraulic brake booster |
| Anti-lock Brake System (ABS) | Standard, operates in high and low range |
| Vehicle Skid Control (VSC) with Brake Assist | Standard |

Exterior Dimensions (in.)

| | |
|--------------------------|-----------|
| Overall height | 73.2 |
| Overall width | 76.4 |
| Overall length | 192.5 |
| Wheelbase | 112.2 |
| Tread width (front/rear) | 63.8/63.6 |

Interior dimensions front/middle/rear (in.)

| | |
|---------------------------------------|----------------|
| Head room | 39.2/38.8/36.3 |
| Shoulder room | 62.4/61.2/61.2 |
| Hip room | 58.6/57.9/60.5 |
| Leg room | 42.3/34.3/27.3 |
| Seating capacity (standard/available) | 5/8 |

Off-Highway

| | |
|---|-----------------------------|
| Skid plates | Transfer case and fuel tank |
| Angle of approach/departure/breakover (degrees) | 34/26/25 |
| Minimum running ground clearance (in.) | 9.8 |
| Rear axle ratio | 4.30:1 |
| Transfer case ratios — 2-speed (high/low) | 1.0:1/2.488:1 |

Weights and Capacities

| | |
|---|----------------|
| Curb weight (lbs.) | 5,115 |
| Gross Vehicle Weight Rating — GVWR (lbs.) | 6,860 |
| Payload ³ (lbs.) | 1,745 |
| Cargo volume, (cu. ft.) behind front/middle/rear seats without available third seat | 90.8/59.7/NA |
| with available third seat | 90.8/39.2/20.8 |
| Towing capacity ⁴ (lbs.) | 6,500 |
| Fuel tank (gals.) | 25.4 |

Tires

| | |
|-------|--|
| Size | P275/70R16 |
| Type | Mud-and-Snow-rated steel-belted radial blackwall |
| Spare | Full-size with alloy wheel |

Mileage Estimates (MPG City/Highway)

| | |
|-----------------------------|-------|
| 4-speed automatic overdrive | 13/16 |
|-----------------------------|-------|

³Including weight of occupants, equipment and cargo.

⁴Not to exceed GCWR of 12,000 lbs. when equipped with appropriate hitch. Requires additional equipment. See your dealer for details.

Toyota Land Cruisers are designed to meet off-road driving requirements. Abusive use may result in bodily harm or damage. Toyota encourages responsible operation to protect you, your vehicle and the environment. Seatbelts should be worn at all times, and please do not allow passengers to ride in the cargo area. Towing hitch receivers/ball mount kits are not intended to provide crash protection. Some vehicles shown with available equipment. For details on vehicle specifications, standard features and available equipment in your area, contact your Toyota dealer. A vehicle with particular equipment may not be available at the dealership. Ask your Toyota dealer to help locate a specifically equipped vehicle. Specifications, standard features and available equipment are based upon information available at the time of printing and are subject to change without notice. Specifications, standard features and available equipment are for mainland U.S.A. vehicles only and may differ in the state of Hawaii and in other regions.