# **O1 4RUNNER**



SR5 shown in Imperial Jade Mica with available Sport Package and available roof rack.

Since its inception, 4Runner's rugged enthusiasm has helped its owners expand their boundaries and test their limits. Class-leading ground clearance and available sophisticated 4-wheel-drive technology means there are few places 4Runner can't go. This year's models feature a new integrated front grille, taillamps and new aluminum alloy wheels. Gritty. Capable. With a variety of talents, it's no wonder the adventurous put their trust in 4Runner.

# STANDARD FEATURES

#### SR5

- Aerodynamic multi-reflector halogen headlamps with Daytime Running Lights (DRL)
- Chrome front and rear bumpers and grille
- · Color-keyed heated power outside mirrors
- Variable intermittent windshield wipers with mist cycle
- Rear privacy glass with UV protection
- P225/75R15 tires on 6-spoke 15" styled steel wheels
- Front and rear mudguards
- Multi-Mode 4WD (4WD models)
- · Anti-lock Brake System (ABS) with Brake Assist
- Vehicle Skid Control (VSC)
- Traction Control (TRAC) 2WD models
- Active TRAC 4-wheel traction control 4WD models1
- Power rear window with intermittent wiper
- · Electric rear window defogger with timer
- Tilt steering wheel
- Cruise control
- Full cloth door trim with armrests

- Power door locks
- Cut-pile carpeting and fabric headliner
- Dual fabric sun visors with passenger vanity mirror
- Overhead console with garage door opener/sunglasses holder and maplights
- Driver and front passenger air bag Supplemental Restraint System (SRS)2
- · 4-way adjustable fabric front bucket seats
- 50/50 split/fold-down rear seat with adjustable outboard headrests
- Two front and one rear 12-volt auxiliary power outlets
- Center console storage box with front and rear dual cup holders
- Digital quartz clock
- Remote fuel door and hood release
- Speedometer, tachometer, coolant temperature and fuel level gauges; LCD odometer and twin tripmeters
- Air bag, seatbelt, low-fuel level, door-ajar, battery, check engine, oil pressure, brake, ABS and taillamp bulb failure warning lights
- Deluxe 3-in-1 AM/FM ETR/Cassette/CD with 4s peakers and spring-back antenna

## LIMITED

- All SR5 Standard Features Plus3:
- Projector-type fog lamps
- Color-coordinated front and rear bumpers, fender flares, door cladding and running boards
- P265/70R16 tires on 5-spoke 16" aluminum alloy wheels
- Oak leather-trimmed 6-way power-adjustable driver's sport seat and leatherwrapped steering wheel
- Dual visor vanity mirrors with passenger-side illumination
- HomeLink®4 universal remote
- · Wood-grain-style trim

- Remote keyless entry system with rear window operation
- Defroster-linked CFC-free automatic climate control with digital display Power windows with driver and front passenger auto up/down andpinch protection
- Carpeted floor mats
- Rear tonneau cover
- Anti-theft system with engine immobilizer
- Premium 3-in-1 AM/FM ETR/Cassette/CD with 6 speakers, FM diversity reception and power antenna

## COLORS



Millennium Silver Metallic with Gray<sup>5</sup> or Oak<sup>6</sup> Interior



Natural White<sup>7</sup> with Gray<sup>5</sup> or Oak<sup>6</sup> Interior



Dorado Gold Pearl<sup>7</sup> with Oak<sup>6</sup> Interior



Thunder Cloud Metallic<sup>7</sup> with Gray<sup>5</sup> or Oak<sup>6</sup> Interior



Sunfire Red Pearl<sup>7</sup> with Gray<sup>5</sup> or Oak<sup>6</sup> Interior



Imperial Jade Mica with Oak



Glacier Metallic<sup>3</sup> with Gray<sup>5</sup> or Oak<sup>6</sup> Interior



Stellar Blue Pearl<sup>7,8</sup> with Gray<sup>6</sup> Interior



Black with Gray<sup>2</sup> or Oak<sup>3</sup> Interior

© 2000 Toyota Motor Sales, U.S.A., Inc.

<sup>&</sup>lt;sup>1</sup>4-wheel Traction Control in 4WD only. Rear-wheel Traction Control in 2WD mode.

<sup>&</sup>lt;sup>2</sup>The Toyota driver and front passenger air bags are Supplemental Restraint Systems (SRS). The driver and front passenger air bags are Supplemental Restraint Systems (SRS). The driver and front passenger air bags are designed to inflate in a severe frontal collision. In all other accidents, the air bags will not inflate. To decrease the risk of injury from a deploying air bag, always wear seatbelts and sit upright in the middle of the seat as far back as possible from the air bag modules. Do not put objects in front of an air bag. Do not use rearward-facing child seats in any front passenger seat. The force of a deploying air bag SRS may cause serious injury or death. Please see your Owner's Manual for further instructions.

<sup>&</sup>lt;sup>3</sup>In addition to or in place of.

<sup>&</sup>lt;sup>4</sup>HomeLink® is a registered trademark of Johnson Controls.

<sup>&</sup>lt;sup>5</sup>Gray interior not available with Leather Trim Package.

<sup>&</sup>lt;sup>6</sup>Oak Leather Trimstandard on 4Runner Limited, available on SR5 with Leather Trim Package only. <sup>7</sup>Not available with Sport Package.

<sup>&</sup>lt;sup>8</sup>Not available on 4Runner Limited.

All information presented herein is based on data available at the time of printing, is subject to change without notice and pertains specifically to mainland U.S.A. vehicles only (may differ in the state of Hawaii, Puerto Rico, the U.S. Virgin Islands and in other regions).

1-800-G0-T0Y0TA

toyota.com



# **OPTIONS**

# **UPGRADE VALUE PACKAGES**

#### SR5

- Upgrade Value Package #1—defroster-linked CFC-free air conditioning, power windows, rear tonneau cover, Premium 3-in-1 AM/FM ETR/Cassette/CD with 6 speakers, FM diversity reception and power antenna, remote keyless entry system with remote rear window and carpeted floor mats
- Upgrade Value Package #2 (2WD models only)—includes equipment from Upgrade Value Package #1 plus cloth sport seats, leather-wrapped steering wheel and 3-spoke 15" aluminum alloy wheels
- Upgrade Value Package #3—includes equipment from Upgrade Value Package #1
  plus sport seats, leather-wrapped steering wheel, 4.10:1 rear differential ratio, 13"
  front brakes and P265/70R16 tires on 5-spoke 16" aluminum alloy wheels (requires chrome wheel arch moldings or color-coordinated fender flares)

## OPTION PACKAGES

## SR5

- Leather Trim Package leather-trimmed interior, sport seats, steering wheel and shift knob (manual)
- Sport Package color-keyed fender flares, bumpers and grille, integrated fog lamps, hood scoop, cloth sport seats, leather-wrapped steering wheel and manual shift knob, 4.10:1 rear differential ratio, P265/70R16 tires on 5-spoke 16" aluminum alloy wheels (available in Imperial Jade Mica, Black or Millennium Silver Metallic only)

## ADDITIONAL OPTIONS

# SR5

- P225/75R15 tires on 3-spoke 15" aluminum alloy wheels<sup>2</sup>
- P265/70R16 tires on 5-spoke 16" aluminum alloy wheels (requires chrome wheel arch moldings or color-coordinated fender flares<sup>2</sup>)
- Power tilt/slide moonroof with retained power and sunshade<sup>3</sup>
- Rear heater<sup>3</sup>
- Premium 3-in-1 AM/FM ETR/Cassette/CD with 6-disc in-dash changer, 6 speakers, FM diversity reception and power antenna<sup>4</sup>

 $<sup>^{1}</sup>$ 4WD models.

<sup>&</sup>lt;sup>2</sup>SR5 models.

<sup>&</sup>lt;sup>3</sup>SR5 and Limited models.

<sup>&</sup>lt;sup>4</sup>Limited models.

# **SPECIFICATIONS**

Mechanical/Performance Engine 3.4-liter DOHC 24-valve EFI V6 183 hp @ 4,800 rpm 217 lbft. @ 3,600 rpm Ignition Distributorless Toyota Direct Ignition system (TDI) Transmission 4-speed electronically controlled automatic overdrive (ECT) Suspension Front coil-spring independent double-wishbone with low-pressure gas-filled shock absorbers a stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer ba	nd
Engine 3.4-liter DOHC 24-valve EFI V6 183 hp @ 4,800 rpm 217 lbft. @ 3,600 rpm Ignition Distributorless Toyota Direct Ignition system (TDI) Transmission 4-speed electronically controlled automatic overdrive (ECT) Suspension Front coil-spring independent double-wishbone with low-pressure gas-filled shock absorbers a stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar.	nd
Transmission 4-speed electronically controlled automatic overdrive (ECT) Suspension Front coil-spring independent double-wishbone with low-pressure gas-filled shock absorbers a stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer Steering Engine speed-sensing power-assisted rack-and-pinion Turning circle diameter, curb to curb (ft.) 38.1	nd
Suspension Front coil-spring independent double-wishbone with low-pressure gas-filled shock absorbers a stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; the stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar.	nd
stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; the speed-sensing power-assisted rack-and-pinion  Turning circle diameter, curb to curb (ft.)  stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar; rear 4-link/coil spring with low-pressure gas-filled shock absorbers and stabilizer bar.	nd
Turning circle diameter, curb to curb (ft.) 38.1	
Brakes Ventilated front disc/rear drum 4-wheel Anti-lock Brake System (ABS) <sup>2</sup>	
Vehicle Skid Control (VSC)	
Traction Control (TRAC) Standard (2WD models)	
Active TRAC 4-wheel traction control Standard (4WD models) <sup>7</sup>	
Exterior Dimensions front/rear (in.)	
Overall height, unloaded(2WD/4WD) 67.5/67.5 67.5/67.5	
with available tires 68.5/69.3 NA	
Overall width 66.5 70.9	
with available tires 68.1 NA	
Overall length 183.3 183.3	
Wheelbase 105.3 105.3	
Tread width (front/rear)         59.3/58.9         59.3/58.9           with available tires         59.3/59.5         59.3/59.5	
Interior Dimensions front/rear (in.)	
Head room 39.3/38.7 39.3/38.7	
Shoulder room 53.6/53.3 53.6/53.3	
Hip room 49.8/51.3 49.8/51.3 Leg room 42.6/34.9 42.6/34.9	
Leg room       42.6/34.9       42.6/34.9         Seating capacity       5       5	
Off-Highway2WD4WD2WD4WDApproach/departure angle (degrees)32/2632/2635/2835/28	
Approactive arigin (degrees) 32/26 35/28 35/28 NA NA	
Ground clearance (in.)	
standard tires 9.8 9.8 10.2 11.0	
available tires 10.2 11.0 NA NA	
Skid plates On front suspension on all models; 4WD models also include fuel tank and transfer case skid p	lates
Weights and Capacities	
Curb weight (lbs.) (2WD/4WD) 3,600/3,930 3,710/3,975	
Gross Vehicle Weight Rating — GVWR (lbs.) 5,250 5,250	
Payload <sup>8</sup> (lbs.) (2WD/4WD) 1,650/1,360 1,540/1,275	
Towing capacity 5,000 5,000 5.000	
Cargo capacity (cu. ft.) rear seatbacks up/down 44.6/79.8 44.6/79.8	
Fuel tank (gals.)  18.5	
Tires	
Size — Standard P225/75R15 P225/75R16	
Available P265/70R16 NA	
Available P265/70R16 NA Type Mud-and-Snow-rated radial tires	
1	
Type Mud-and-Snow-rated radial tires Spare Full-size, mounted under body	
Type Mud-and-Snow-rated radial tires	

Some vehicles shown with available equipment. Toyota 4Runners are designed to meet off-road driving requirements. Abusive use may result in bodily harmor damage. Toyota encourages responsible operation to protect you, your vehicle and the environment. Seatbelts should be worn at all times. Please do not allow passengers to ride in the cargo area. Towing hitch receivers/ball mount kits are not intended to provide crash protection. Vehicle specifications, standard features and available equipment are based upon information available at the time of printing and are subject to change without notice. Specifications, standard features and available equipment are for mainland U.S.A. vehicles only and may differ in the state of Hawaii and in other regions.

 $<sup>^{7}</sup>_{\circ}$ 4-wheel traction control in 4WD only. Rear-wheel traction control in 2WD model.

<sup>&</sup>lt;sup>8</sup>Includes occupants, equipment and cargo.

<sup>9</sup>All figures reflect the weight of occupants, equipment and cargo. For each model, a Toyota Class III receiver hitch and sway control device are either required or recommended additional equipment. See your Toyota dealer for details.

<sup>&</sup>lt;sup>10</sup>Preliminary EPA mileage estimates determined by Toyota. Final EPA mileage estimates not available at time of printing. See your Toyota dealer for details. Some vehicles shown with available equipment.