

PreRunner Xtracab V6 shown in Impulse Red Pearl with available Color-Keyed SR5 Package and TRD Off-Road Package

DON'T THINK TACOMA'S TOUGH? WE'LL SETTLE THIS OUTDOORS.

You better know what you're getting into. The 202 Tacoma is one of the most unbreakable compact trucks this side of the Rockies. Other side, too. Built ona strapping ladder-frame chassis with one-piece frame rails, Tacoma's punch is delivered courtesy of a formidable lineup of engines, including a 2.7-liter double overhead cam 4-cylinder engine (the strongest in its class) and a powerful double overhead cam sequential multi-port fuel-injected V6. Tacoma's got plenty of moves too: Regular Cab, Xtracab, Double Cab, 4x2, 4x4, S-Runner—anytime anywhere. Think you've got what it takes? Tacoma's ready when you are. Count on it.

STANDARD FEATURES

4X2 MODELS

4X2 REGULAR CAB STANDARD FEATURES

- Aerodynamic multi-reflector halogen headlamps
- P205/75R15 All-Season radials on 15" steel wheels
- Mist-cycle windshield wipers
- Tinted windshield glass
- Dual black manual remote-controlled outside mirrors
- Double-walled bed
- Driver and front passenger air bags (SRS)1
- Front seatbelt pretensioners with force limiters
- Tilt-forward fabric bench seat with headrests
- Sculpted door trim with cloth insert
- Twin auxiliary power outlets
- Full carpeting
- Dual cup holder
- Orange-illuminated instrument panel with speedometer, coolant temperature/fuel-level meters and warning lights
- AM/FM Electronically Tuned Radio (ETR) with 4 speakers

4X2 XTRACAB STANDARD FEATURES

(In addition to/in place of 4x2 Regular Cab Standard Features)

- Tilt-out rear quarter windows
- Black rear bumper
- 60/40 split front bench seat with height-adjustable headrests
- Forward-facing rear jump seats with 3-point outboard seatbelts
- Rear Child Restraint System (CRS) fold-out table
- Deluxe AM/FM ETR/Cassette with 6 speakers

4X2 S-RUNNER STANDARD FEATURES

(In addition to/in place of 4x2 Xtracab Standard Features)

- Color-keyed grille, bumpers, valance, door handles, mirrors and fender flares
- P235/55R16 tires on 16" aluminum alloy wheels
- Performance-tuned suspension with gas-filled Tokico shock absorbers and rear stabilizer bar
- Tuned exhaust with chrome-tipped tailpipe
- Tilt steering wheel
- Washer-linked variable intermittent windshield wipers
- Orange-illuminated instrument panel with white-faced gauges (speedometer, tachometer with LCD twin tripmeters, and coolant temperature and fuel-level meters)
- Leather-wrapped tilt steering wheel and shift knob
- Fabric-trimmed sport seats with driver-seat power-adjustable lumbar support
- Sports Package2 sliding rear window with privacy glass, power windows and door locks, defroster-linked CFC-free air conditioning, digital clock and Deluxe AM/FM ETR/Cassette/CD with 6 speakers

PRERUNNER/4X4 MODELS

4X2 PRERUNNER/4X4 REGULAR CAB STANDARD FEATURES

- Aerodynamic multi-reflector halogen headlamps
- Front tow hook
- P225/75R15 All-Season radials on 15" styled steel wheels
- 4WDemand 4-wheel drive with automatic disconnecting differential (4x4 models)
- Mist-cycle windshield wipers
- Tinted windshield glass
- Dual black manual remote-controlled outside mirrors
- Engine/front suspension and fuel tank skid plates
- Front and rear mudguards
- Double-walled bed
- · Black rear bumper
- Driver and front passenger air bags (SRS)1
- Front seatbelt pretensioners with force limiters
- Tilt-forward fabric-trimmed bench seat with height-adjustable headrests
- Sculpted door trim with cloth insert
- Twin auxiliary power outlets
- Full carpeting
- Dual cup holder
- Orange-illuminated instrument panel with speedometer, coolant temperature/fuel-level meters and warning lights
- AM/FM Electronically Tuned Radio (ETR) with 4 speakers

4X2 PRERUNNER/4X4 XTRACAB STANDARD FEATURES

(In addition to/in place of 4x2 PreRunner/4x4 Regular Cab Standard Features)

- Tilt-out rear quarter windows
- Defroster-linked CFC-free air conditioning PreRunner V6 models only
- 60/40 split front bench seat with height-adjustable headrests
- Forward-facing rear jump seats with 3-point seatbelts
- Rear Child Restraint System (CRS) fold-out table
- Deluxe AM/FM ETR/Cassette with 6 speakers

4X2 PRERUNNER/4X4 DOUBLE CAB STANDARD FEATURES

(In addition to/in place of 4x2 PreRunner/4x4 Xtracab Standard Features)

- Black fender flares
- Washer-linked variable intermittent windshield wipers
- Tilt steering wheel
- Front maplights
- Bucket front seats with adjustable headrests
- Center console with dual covered storage and dual front cup holder and dual rear cup holders
- 60/40 split fold-down rear bench seat with height-adjustable headrests
- Rear-seat heater ducts

¹See Towing and Payload Specifications section for more information on Toyota's driver and front passenger air bag Supplemental Restraint System

1-800-G0-T0Y0TA

Have you logged 100,000, 200,000 or more miles on your Toyota with the original engine, transmission and drivetrain? If you have, give us a call at 1-800-G0-T0YOTA and tell us your story. toyota.com ©2002 Toyota Motor Sales, U.S.A., Inc.

Some vehicles are shown with available equipment.

Toyota Tacomas are designed to meet most off-road driving requirements. Abusive use may result in bodily harm or damage. Toyota encourages responsible operation to protect you, your vehicle and the environment.

Seatbelts should be worn at all times. Please do not allow passengers to ride in the cargo area. Towing receiver hitches/ball mount kits are not intended to provide crash protection.

For details on vehicle specifications, standard features and available equipment in your area, contact your Toyota dealer. A vehicle with particular equipment may not be available at the dealership. Ask your Toyota dealer to help locate a specifically equipped vehicle. Specifications, standard features and available equipment are based upon information available at the time of printing, are subject to change without notice, are for mainland U.S.A. vehicles only and may differ in the state of Hawaii and in other regions.



Super White 1,2,3 with Charcoal or Oak interior



Radiant Red⁴ with Charcoal or Oak interior



Lunar Mist Metallic⁶ with Charcoal interior



Imperial Jade Mica^{4,5,6} with Charcoal or Oak interior



Mystic Gold Metallic 1,2,3 with Charcoal or Oak interior



Black Sand Pear with Charcoal or Oak interior



Impulse Red Pearl¹ with Charcoal or Oak interior

4X2 MODELS



Available 15"styled steel wheel



Available 16" aluminum alloy wheel Standard on 4x2 S-Runner



Standard 15" styled steel wheel



Available 16" styled steel wheel



Available 16" chrome-clad Available 16" aluminum styled steel wheel alloy wheel



TOWING AND PAYLOAD SPECIFICATIONS (LBS.)

O	Regular Cab	Xtracab	S-Runner V6	Xtracab V6	Double Cab	Double Cab V6
Standard/Maximum trailer weight ⁴	3,500/NA	3,500/ N A	3,500/NA	3,500/5,000 ⁵	3,500/NA	3,500/5,000 ⁵
Standard/Maximum tongue load	350/NA	350/NA	350	350/500 ⁵	350/NA	350/500 ⁵
Gross Combined Weight Rating (GCWR)						
4x2	6,700	6,700	6,800	NA	NA	NA
PreRunner	7,400	7,400	NA	9,000	7,400	9,000
4x4	7,400	7,400	NA	9,000	7,400	9,000
Payload ⁶ (man./auto.)						
4x2	1,500/1,480	1,550/1,530	1,375	NA	NA	NA
PreRunner	NA/2,005	NA/1,830	NA	NA/1,745	NA/1,670	NA/1,625
4x4	1.810/1.780	1.630/1.600	NA	1.585/1.560	NA	NA/1.395

⁴Do not exceed the Gross Combined Weight Rating for your vehicle. For each model, a Class III or IV receiver hitch and sway control device are either required or recommended additional equipment. See your Toyota dealer for GCWR limits, additional required equipment and a copy of the Toyota Trailering Guide.

⁴Not available on S-Runner.

⁵Not available with Color-Keyed SR5 Package.

 $^{^6\}mbox{Not}$ available with Limited Package.

⁵Requires available 5,000-lb. Tow Package with Class III tow hitch.

⁶Includes weight of occupants, equipment and cargo.

GRADE PACKAGES

- SR5 Package includes chrome bumpers and grille surround, defroster-linked CFC-free air conditioning (standard on PreRunner Xtracab V6), dual-fabric sun visors with mirror and visor extensions, orange-illuminated white-faced gauges (speedometer, tachometer with LCD twin tripmeters, and coolant temperature and fuel-level meters), digital clock, tilt steering wheel, washer-linked variable intermittent windshield wipers, Deluxe AM/FM ETR/Cassette with 4 speakers (Regular Cab) and Deluxe 3-in-1 AM/FM ETR/Cassette/CD with 6 speakers (Xtracab
- Color-Keyed SR5 Package¹ includes all SR5 Package contents plus: color-keyed bumpers, grille surround and door handles (includes color-keyed mirrors on 4x2 models, available on PreRunner and 4x4)

OPTIONS PACKAGES

- TRD Off-Road Package includes off-road-tuned suspension with Bilstein®² high-pressure gas shocks and progressive-rate springs, P265/70R16 BFGoodrich tires on 16" 5-spoke aluminum alloy wheels, ³ locking rear differential, ⁴ black fender flares ³, 5 and TRD graphics
- Limited Package includes color-keyed front bumper and fender flares; chrome grille surround, door handles, power remote outside mirrors and chrome rear bumper; P265/70R16 tires on 16" aluminum alloy wheels; sliding rear window with privacy glass; dual-fabric sun visors with mirror and visor extensions; orange-illuminated white-faced gauges (speedometer, tachometer with LCD twin tripmeters, and coolant temperature and fuel-level meters); power windows and door locks; leather-trimmed tilt steering wheel; leather-trimmed shift knob (manual transmission only); washer-linked variable intermittent windshield wipers; cruise control; defroster-linked CFC-free air conditioning; fabric-trimmed sport seats with driver's power-adjustable lumbar support; and Deluxe 3-in-1 AM/FM ETR/Cassette/CD with 6 speakers
- Enhancement Package includes P205/75R15 tires on 15" styled steel wheels, 6 black painted rear bumper, ⁶ defroster-linked CFC-free air conditioning and Deluxe AM/FM ETR/Cassette with 4 speakers (bumper and audio standard on 4x2 Xtracab models)

	4x2	4x2	4x2	PreRunner	PreRunner	PreRunner	4x4	4x4	4x4
PACKAGE AVAILABILITY	4xZ S-Runner	4xz Regular Cab	4xz Xtracab	Double Cab	Regular Cab	Xtracab	Double Cab		
			Allacab		-				
SR5 Package	Α	A	_	Α	Α	A	A	Α	Α
SR5 Color-Keyed Package	Α	A	_	Α	Α	Α	A	Α	Α
Limited Package	_	_	_	_	_	A (V6)	_	A (V6)	Α
TRD Off-Road Package	_	_	_	_	Α	A	_	A7	Α
Enhancement Package	Α	A	_	Α	_	_	A	_	_
	4x2				PreRunner	PreRunner			
ADDITIONAL OPTIONS	S-Runner	Regular Cab	Xtracab	Double Cab	Regular Cab	Xtracab	Double Cab		
Roof rack	_		_	_	_	Α	_	_	Α
Daytime Running Lights (DRL)	A	A	A	Α	A	A	A	A	A
All-Weather Guard Package	_	S	S	S	S	S	A	S	S
P205/75R15 tires on 15" styled		3	•	J	· ·	J		v	
steel wheels	Α	Α	_	_	_	_	_	_	_
P265/70R16 tires on 16" styled									
steel wheels with black fender flares ⁵	_	_	_	Α	Α	Α	Α	Α	Α
P265/70R16 tires on 16" chrome-clad styled					.,			.,	
steel wheels with black fender flares ⁵	_	_	_	Α	Α	Α	Α	Α	Α
P235/55R16 tires on 16" aluminum					.,				
alloy wheels	Α	Α	S	_	_	_	_	_	_
P265/70R16 tires on 16" aluminum	**	••	•						
alloy wheels with black fender flares ⁵	_	_	_	Α	Α	Α	Α	Α	Α
Anti-lock Brake System (ABS) ⁸	A	A	A	A	A	A	A	A	A
One-Touch Hi-4 4WD selector switch ⁸				_	_		A	A	A
Locking rear differential	_	_	_	_	A (V6)	A (V6)	A ⁷	A7	A
Running boards	0	0	0	0	0	Α	0	0	A
Mudguards	A	A	_	S	S	S	S	S	S
Pop-up/removable moonroof with sunshade	_	A	Α	_	_	_	_	A	A
Sliding rear window ⁹	Α	A	S	Α	Α	Α	Α	A	A
Stepside bed ¹⁰	A	A	A	A	A	_	A	A	_
Black painted rear bumper	A	S	S	S	S	S	S	S	S
Tachometer	A	A	S	A	A	A	A	A	A
Defroster-linked CFC-free air conditioning	A	A	S		A/S (V6)	A	A	A	A
Cruise control	A	A	A	A	Α	A	A	A	A
Tilt steering wheel	A	A	S	A	A	S	A	A	S
Fabric-trimmed bucket seats with	**	.	-		**	=	•		-
center console	Α	Α	_	_	Α	S	Α	Α	S
Power Package — includes power	**				•	•		•	-
windows, door locks and mirrors ¹¹	Α	A	S	Α	Α	Α	Α	Α	Α
Rear seatback cargo net	_	_	_	_	_	A	_	_	A
Deluxe AM/FM ETR/Cassette with						-			
4 speakers	Α	_	_	Α	_	_	Α	_	_
Deluxe 3-in-1 AM/FM ETR/Cassette/CD	**								
with 6 speakers	Α	_	S	_	_	_	Α	_	_
A = Available — = Not available	S = Standard		-						
1						•			

 $^{^{}m 1}$ Available in Lunar Mist Metallic, Black Sand Pearl, Radiant Red and Impulse Red Pearl only.

²Tokico shocks on Double Cab models.

³Aluminum alloy wheels, color-keyed fender flares and tachometer included with

⁴ Limited Package.

Not available on 4-cylinder 4x4 and PreRunner models with automatic transmission.

 $_{c}^{5}$ Color-keyed fender flares with Color-Keyed SR5 Package.

⁶⁴x2 models. P225/75R15 tires and black bumper standard on PreRunner

⁷ and 4x4 models. 8 Not available on 4-cylinder automatic transmission models. 8 Requires Power Package.

With privacy glass on Xtracab and Double Cab.

Requires SR5 Package.

Without power mirrors on 4x2 models.

SPECIFICATIONS

31 2011	IOAIIONS	ノ							
	4x2	4x2	4x2	PreRunner	PreRunner	PreRunner	4x4	4x4	4x4
	S-Runner	Regular Cab	Xtracab	Double Cab	Regular Cab	Xtracab	Double Cab		
Mechanical/performance Engine									
2.4-liter DOHC EFI 4-cylinder 142 hp @ 5,000 rpm	S	S	_	_	_	_	_	_	_
160 lbft. @ 4,000 rpm 2.7-liter DOHC EFI 4-cylinder	_	_	_	S	S	S	S	S	_
150 hp @ 4,800 rpm 177 lbft. @ 4,000 rpm 3.4-liter DOHC EFI V6	_	_	S	_	A	A	_	A	S
190 hp @ 4,800 rpm 220 lbft. @ 3,600 rpm			·		,			,	v
Transmission 5-speed manual overdrive	S	S	S				S	S	
4-speed automatic overdrive	A	A		S	S	S	A	A	S
Body construction		**	lled hed: ladder fra		0	0	N.	A.	0
Suspension	Coil-spring do	Welded steel cab and double-walled bed; ladder frame Coil-spring double-wishbone independent front suspension with stabilizer bar and hydraulic shock absorbers 12; leaf spring rear suspension with staggered hydraulic shock absorbers 12							
Steering		d rack-and-pinion							
Turning circle diameter (ft.)	36.7	41.7	41.7	34.4	40.0	40.0	34.4	40.0	40.0
Brakes		d ventilated front (ock Brakes (ABS)	lisc/rear drum with Available on all i	ı tandem booster an	u rear load-sensing	proportioning valv	e (LSPV)		
Axle ratios	4-WIICEI AIILI-II	JUN DIANES (ADS)	Available oil all i	illoueis	(4 cyl.)/(V6)	(4 cyl.)/(V6)		(4 cyl.)/(V6)	
Manual	3.58:1	3.58:1	3.15:1	NA	NA/NA	NA/NA	3.91:1	3.91:1/3.91:1	NA
Automatic	3.73:1	3.73:1	NA	3.91:1	4.10:1/3.91:1	3.91:1/3.91:1	4.10:1	4.10:1/3.91:1	3.91:1
Exterior dimensions (in.)									
Overall height/with available tires	64.1/63.7	63.5/63.1	62.5/NA	67.7/68.8	67.5/68.9	67.5/68.7	67.7/68.8	67.5/68.9	67.5/68.7
Overall width	66.5	66.5	66.5	66.5	66.5	70.3	66.5	66.5	70.3
Overall length with rear bumper	184.4	202.9	202.9	184.4	202.9	202.9	184.4	202.9	202.9
Wheelbase	103.3	121.9	121.9	103.3	121.9	121.9	103.3	121.9	121.9
Track (front/rear)	57.1/57.3	57.1/57.3	57.1/57.3	57.5/57.3	57.5/57.3	57.5/57.3	57.5/57.3	57.5/57.3	57.5/57.3
with available tires	57.1/57.3	57.1/57.3	NA	59.1/58.9	59.1/58.9	59.1/58.9	59.1/58.9	59.1/58.9	59.1/58.9
Bed length/height	74.5/15.9	74.5/15.9	74.5/15.9	74.5/15.9	74.5/15.9	61.5/15.9	74.5/15.9	74.5/15.9	61.5/15.9
Bed width/between wheelwells	57.9/40.9	57.9/40.9	57.9/40.9	57.9/40.9	57.9/40.9	57.9/40.9	57.9/40.9	57.9/40.9	57.9/40.9
interior dimensions front/rear (in.)									
Head room	38.5/NA	38.7/34.8	38.7/34.8	38.5/NA	38.7/34.8	38.8/37.7	38.5/NA	38.7/34.8	38.8/37.7
Shoulder room	53.9/NA	53.9/52.3	53.9/52.3	53.9/NA	53.9/52.3	53.9/53.5	53.9/NA	53.9/52.3	53.9/53.5
Hip room	49.4/NA	49.6/48.8	49.6/48.8	49.4/NA	49.6/48.8	49.6/50.8	49.4/NA	49.6/48.8	49.6/50.8
Leg room	41.7/NA	42.8/27.2	42.8/27.2	41.7/NA	42.8/27.2	42.8/33.7	41.7/NA	42.8/27.2	42.8/33.7
Seating capacity	3	5	5	3	5	5	3	5	5
Off-highway									
Approach/departure angle	24°/28°	24°/26°	23°/19°	32°/24°	32°/24°	30°/23°	32°/24°	32°/24°	30°/23°
with available tires	23°/20°	23°/19°	_	35°/26°	35°/26°	33°/25°	35°/26°	35°/26°	33°/25°
Minimum running	0.5	0.5	7.0	11.0	10.0	10.0	11.0	10.0	10.0
ground clearance (in.)	8.5	8.5	7.6	11.0	10.8	10.0	11.0	10.8	10.0
with available tires (in.)	8.1	8.1	NA	12.0	12.0	11.2	12.0	12.0	11.2
4x4 transfer case ratios	1.00:1/2.57:1	(IIIgII/IUW)							
Weights and Capacities Curb weight (Ibs.) man./auto.									
4-cylinder	2,750/2,770	2,950/2,970	NA	NA/3,095	NA/3,270	NA/3,430	3,290/3,320	3,470/3,500	NA
V6	2,750/2,770 NA	2,930/2,970 NA	3,125/NA	NA/3,093	NA/3,355	NA/3,430 NA/3,475	3,290/3,320 NA	3,515/3,540	NA/3,705
Gross Vehicle Weight	147.	101	0,120/11/1	101	11110,000	1470,170	101	0,010/0,010	14100,700
Rating — GVWR (lbs.)	4,250	4,500	4,500	5,100	5,100	5,100	5,100	5,100	5,100
Payload 13 man./auto. (lbs.)	.,200	.,	.,	0,200	0,200	0,200	0,200	0,200	0,100
4-cylinder	1,500/1,480	1,550/1,530	NA	NA/2,005	NA/1,830	NA/1,670	1,810/1,780	1,630/1,600	NA
V6	NA	NA	1,375/NA	NA	NA/1,745	NA/1,625	NA	1,585/1,560	NA/1,395
Fuel tank (gals.)	15.8	15.8	15.8	18.5	18.5	18.5	18.5	18.5	18.5
Tires									
Size Type	P205/75R15 All-Season	P205/75R15 All-Season	P235/55R16 All-Season	P225/75R15 Mud-and- Snow-rated	P225/75R15 Mud-and- Snow-rated	P225/75R15 Mud-and- Snow-rated	P225/75R15 Mud-and- Snow-rated	P225/75R15 Mud-and- Snow-rated	P225/75R15 Mud-and- Snow-rated
Spare	Full-size	Full-size	Full-size	Full-size	Full-size	Full-size	Full-size	Full-size	Full-size
Mileage estimates (mpg city/highway)14 5-speed manual	AA 15 -								
4-cylinder	22/25	22/25	NA 10/00	NA	NA	NA	18/21	18/21	NA
V6	NA	NA	18/22	NA	NA	NA	NA	17/19	NA
4-speed automatic	00/05	00/05	NA	10/00	10/00	10/00	10/01	10/01	17/10
4-cylinder	22/25	22/25	NA	19/22	19/22	19/22	18/21	18/21	17/19
V6	NA	NA	NA	NA	17/19	17/19	NA	17/19	NA
12 Cas filled on ProPupper and 4v4 models									

¹² Gas-filled on PreRunner and 4x4 models.
13 includes weight of occupants, equipment and cargo.
14 Preliminary mileage estimates determined by Toyota. Final EPA mileage estimates not available at time of printing. See your Toyota dealer for details.