

SAY HELLO TO YOUR HARDEST WORKERS F-350/F-450/F-550 SUPER DUTY CHASSIS CABS

Think about it. What do you expect from your best workers? How is that any different than what you expect from your trucks? Or vice versa. Trucks are, in fact, employees. And we believe Ford F-Series Super Duty Chassis Cabs are some of the best in their field. Why? **Experience.** Ford has been making work trucks for longer than any of us can remember. They are doing duty daily in every type of work we know of, and we're talkin' hard, knuckle-breakin' work. **Abilities:** GVWRs up to 19,000 lbs., GCWRs up to 30,000 lbs., largest cabs across the line. Regular Cab, SuperCab and Crew Cab. **Versatility:** 42 different

model configurations, including six SRW models of work-loving variations, are ready to serve. **Strength:** Power like never before. The available Triton[™] V10 generates 310 hp and 425 lb.-ft. of torque. The optional Power Stroke[®] has done it all for years. And Power Stroke builds on its tough and dependable heritage with the all-new 32-valve, Best-in-Class Torque and Diesel Horsepower 6.0L Power Stroke V8 Turbo Diesel. And to transfer that raw power into work, there is a standard 6-speed manual transmission, or select the optional all-new purpose-built TorqShift[™] 5-speed automatic. Together they produce 325 hp and 560 lb.-ft. of barge-pulling torque. **Attitude:** Can do. **References:** Ask anyone. Got a job?

Co

2








WHAT YOU NEED TO GET THE JOB DONE

You can learn a lot about someone by looking in their toolbox. Ford F-Series Super Duty Chassis Cabs are packed with great component systems. The complete package – equipped with the tools you need to build a great worker. It all revolves around creating a vehicle for you to efficiently adapt to your specific needs. From heavy-duty flat frame rails to color-coded wiring, we start with business applications in mind. Lots of 'em. In fact, with chassis cabs ranging from F-250 box deletes to F-550 long wheelbases, we offer the configurations that work. Then we load them up with thoughtful features that help them prepare for work, and do it well. The F-550 Chassis Cab on the next page illustrates a few of the highlights. Your local Ford commercial truck sales consultant will gladly show you the whole toolbox in person. Go ask for a complete tour.



The table at the right illustrates just a fraction of the chassis cab configurations available on F-Series Super Duty trucks. Starting with the F-250 pickup box deletes – and maxing out with the F-550 – it's a complete line of chassis cab models.

	REGULAR CAB	SUPERCAB	CREW CAB
F-250 SRW Pickup Box Delete			
F-350 SRW Pickup Box Delete			
F-350 DRW Pickup Box Delete			
F-350 SRW Chassis Cab			
F-350 DRW Chassis Cab			
F-450 DRW Chassis Cab			
F-550 DRW Chassis Cab			



◄ MENU ►

TORQSHIFT


ALL-NEW 5-SPEED AUTOMATIC TRANSMISSION



The new 6.0L Power Stroke V8 Turbo Diesel comes with a 6-speed manual transmission or the all-new optional TorgShift 5-speed automatic. The new 6.0L generates so much power that an entirely new automatic transmission has been developed to handle the increased loads. Introducing the new TorgShift 5-speed automatic heavy-duty transmission. At its heart is an improved torque converter that maximizes low-speed torque capability while a larger pump provides increased lubrication and better cooling. Gearing and precision clutch material enhance its durability, and the externally mounted spin-on transmission oil filter allows easy serviceability. All electro-mechanical shifts are optimized with pure electronic shift controls for more responsiveness. When the convenient "tow/haul mode" is selected, unwanted gearsearch on steep grades is eliminated. Additionally, the TorqShift and Power Stroke work in unison to help control vehicle speed when descending hills. They're ready for work.

EXCEED EXPECTATIONS

When the demands of business are high, you need to be better than average. To succeed in a competitive environment, you need to go above and beyond what's expected. That's how we approach truck powertrain development. It's the philosophy behind the legendary Power Stroke® Diesel – it earned the Proven Diesel[™] moniker with literally millions and millions of miles of fully laden service. It's also why we introduced an all-new 32-valve 6.0L Power Stroke along with an all-new optional TorqShift[™] 5-speed automatic transmission. This all-new powertrain combination raises the bar on key functional criteria – horsepower, torque service and fuel economy. Each engine mates with an optimized transmission and a range of axle ratios that allow you to tailor its performance profile to your business usage cycle. Urban, mixed or highway use, on-road or off, Ford truck powertrains are exceeding expectations on an hourly basis.



HORSEPOWER AND TORQUE, WHERE AND WHEN YOU NEED IT.

6.0L POWER STROKE® V8 TURBO DIESEL

Improvements abound in this Best-in-Class Torque, Bestin-Class Diesel Horsepower heir to the Power Stroke throne. Key features include EVRT[™] for improved air flow and an integral oil cooler to help reduce the risk of damage and leaks.

5.4L TRITON™ V8

Standard power for the F-350 SRW Chassis Cab. When properly equipped it delivers GVWRs up to 11,200 lbs. and GCWRs up to 15,000 lbs.

6.8L TRITON™ V10

The biggest Triton engine increases capability up to 19,000 lbs. GVWRs and GCWRs up to 26,000 lbs. when properly equipped, for exceptional load carrying and trailer towing.



INDUSTRY STANDARD BEST-IN-CLASS ROOM, ALL CAB STYLES

The XL vinyl interior makes no excuses. It's a work truck first and foremost, and that's where it performs beautifully. The heavy-duty vinyl seats and floor covering wash down quickly and hold up under severe conditions. The standard equipment gets the important jobs done: front airbags,* auxiliary power point, coat hooks, full instrumentation, ride/assist handles, interval wipers and more. Seat configuration options include a new optional vinyl 40/20/40 front bench with manual lumbar support and a new cloth/vinyl weave trim that breathes like cloth but wears like iron.





EXCELLENT WORKING ENVIRONMENT

The Lariat interior leads the line with a standard leather-trimmed 40/20/40 split-bench front seat, leather-wrapped color-coordinated steering wheel, dual lighted sun visor mirrors, woodgrain door panel inserts, and an overhead console with trip/fuel computer, outside temperature display, compass and storage bins. Available in SuperCab or Crew Cab, the luxury leather-trimmed captain's chairs with center console at left are optional. What leader wouldn't work well in these digs?



The XLT interior adds amenities and comforts that make a great worker a great place to work. A cloth front 40/20/40 split bench with an integrated armrest/storage bin is standard. Luxury cloth captain's chairs are available along with a center console (shown at right) to file the necessities of work. Air conditioning is standard, along with power windows/locks/accessory delay, premium AM/FM stereo with CD/cassette/digital clock, and speed control/tilt steering. If comfort is essential, make XLT your standard.

F-350/F-450/F-550 SUPER DUTY CHASSIS CAB SPECIFICATIONS

					F-TorqShift™
POWERTRAINS		4x4 Transfer	6-Speed	4-Speed	5-Speed
Model Engine		Case Manual	Manual	Automatic	Automatic
F-350 ¹ 5.4L Triton [™] SEFI V8		2-speed			
F-350 ¹ 6.8L Triton SEFI V10 F-350 6.0L Power Stroke D		2-speed			
F-450 6.8L Triton SEFI V10		2-speed 2-speed			
F-450 6.0L Power Stroke D		2-speed		_	
F-550 6.8L Triton SEFI V10		2-speed ³	3/4		_
F-550 6.0L Power Stroke D	iesel V8	2-speed ³		_	
BRAKES					
Туре	4-wheel d	isc (standard);	4-wheel AB	S (standard)	
Front:					
Rotor diameter		-350); 14.53" (F)	
Lining area (sq. in.)	49.6 (F-3	50); 55.6 (F-450	/F-550)		
Rear:	10.00# /5	050) 45 55W /5		`	
Rotor diameter		-350); 15.55" (F)	
Lining area (sq. in.)	34.7 (F-3	50); 55.6 (F-450	/F-550)		
FUEL CAPACITY					
		ar axle/40-gallor			
-		19-gallon (option			
		not available on	188.8 /200	J.Z wheelbas	e with gas
_	engines) Midshin/	19-gallon (option	hibbe ni len	tion to 10-gal	lon tank on
-	DRW	i z-ganon (optio		1011 to 40-gai	
		ith diesel engin	e: total 59-	gallon capac	itv)
STEERING		J	.,	J	
Type	Haltonhor	ger linkage (4x2) cross_tip	linkano (AvA)
Assist	Power	усі шікаўс (422), 01033-00	IIIIkaye (484)
Overall ratio		350 4x2; 20.3:1	F-450/F-55	0 4x2 all 4x4	s
Turning circle curb-to-curb		RW 4x2 140.8"			
(ft.)		x4 201" wheelb			
SUSPENSION – FRONT					
Type	Twin-I-Be	am (F-350 4x2);			
.)po		obeam axle (F-4		x2, all 4x4s)	
Axle (rating @ ground)		(F-350 4x2)		, ,	
		(F-350 4x4)			
		(F-450/F-550)			
Springs		0 4x2); leaf (F-4	150/F-550 4	4x2, all 4x4s)	
Shock absorbers	1 3/8" ga	s type			
Stabilizer bar	Standard				
SUSPENSION – REAR					
Туре	Solid axle				
Axle (rating @ ground)		(F-350 SRW)			
		(F-350 DRW)			
	13,500 lb	s. (F-450) s. (F-550)			
Springs	Leaf	3. (1-330)			
Shock absorbers	1 3/8" ga	s type			
Stabilizer bar	Standard	·			
WHEELS					
Type	Steel (sta	ndard); aluminu	m (ontiona	n	
Size		0); 19.5" (F-450		7	
Studs	8	o), 17.5 (1.450	,1 000)		
Bolt circle diameter	-	50); 8.85" (F-450)/F-550)		
■ Standard □ Optional — Not A			,		

'6.8L V10 engine standard with DRW chassis cabs. 5.4L V8 optional with DRW regular cab. See your dealer for powertrain availability in California. 'Limited to models produced before 11/4/2002. 'Not available with 19,000-lb. GVWR. 'Late availability – Spring 2003.

F-350/F-450/F-550 SUPER DUTY CHASSIS CAB POWERTRAIN SPECIFICATIONS

	5.4L Triton™ V8			
Туре	SOHC	V10 SOHC		
Fuel injection	Sequential Electronic	Sequential Electronic		
Engine control system	EEC-V	EEC-V		
Induction system	Specially tuned	Specially tuned		
Battery	12 volt;	12 volt;		
,	750 cca/78 amp	750 cca/78 amp		
Alternator	130 amp	130 amp		
Cooling system	Pressurized series flow	Pressurized series flow		
Cylinders	8	10		
Cylinder head material	Aluminum	Aluminum		
Block material	Cast iron	Cast iron		
Valve operation	Hydraulic roller	Hydraulic roller		
Camshaft drive	Silent chain	Silent chain		
Bore	3.55"	3.55"		
Stroke	4.16"	4.16"		
Compression ratio	9.0:1	9.0:1		
Horsepower	260 @ 4500	310 @ 4250		
(hp @ rpm)				
Torque (lbft. @ rpm)	350 @ 2500	425 @ 3250		
Recommended fuel	Unleaded	Unleaded		

Туре	6.0L Power Stroke* V8 Turbo Diesel OHV (32 Valve)
Fuel injection	Electro-hydraulic w/
	Generation 2 fuel injection
Engine control system	Electronic
Induction system	Electronic Variable Response
	Turbocharger (EVRT™), intercooler
Battery	Dual 12 volt; 750 cca/78 amp
Alternator	130 amp (Dual 130 amp opt.)
Cooling system	Pressurized series flow
Cylinders	8
Cylinder head material	Cast iron
Block material	Cast iron
Valve operation	Push rod/rocker arms
Camshaft drive	Gear
Bore	3.74"
Stroke	4.13"
Compression ratio	18.0:1
Horsepower	325 @ 3300 (hp @ rpm)
Torque (lbft. @ rpm)	560 @ 2000
Recommended fuel	Diesel

*Limited to models produced before 11/4/2002.

F-350/F-450/F-550 SUPER DUTY CHASSIS CAB STANDARD FEATURES

SAFETY/SECURITY
4-wheel anti-lock braking system (ABS)
Airbags' – Driver and right-front passenger
Alert chimes – Headlamps-on, key-in-ignition and door ajar
Belt-Minder [™] safety belt reminder
Brake/shift interlock (with automatic transmission)
Child safety seat top tether anchors
Fuel pump inertia shutoff switch
Height-adjustable safety belts – Front (Regular Cab, XL SuperCab, Crew Cab)
Passenger airbag deactivation switch (Regular Cab, SuperCab)
Safety belt energy management retractors – Front outboard positions
Safety belt pretensioners – Front outboard positions
Side intrusion door beams
MECHANICAL
Manual 4-wheel-drive system with manual locking hubs
(4x4 models only)
5.4L SOHC 16-valve Triton [™] V8 engine (F-350 SRW)
6.8L SOHC 20-valve Triton [™] V10 engine (F-350 DRW/F-450/F-550)
6-speed manual overdrive transmission (F-350/F-450)
4-speed automatic overdrive transmission (F-550)
100,000-mile tune-up interval ² (gas engines)
Battery saver
Fail-safe engine cooling system (gas engines)
Fuel tank – 40-gallon capacity (includes auxiliary fuel tap)
Power 4-wheel-disc brakes with ABS
Power steering
Stabilizer bar – Front and rear
Stainless steel exhaust system
INTERIOR
Assist and ride handles
Coat hooks – 2 in rear of cab
Cupholders – 2 on instrument panel (2 in rear with SuperCab)
Dome light (front and rear with Crew Cab)
Flip-open rear quarter windows (SuperCab)
Instrumentation - Tachometer, trip odometer, voltmeter (man. trans.),
oil pressure, coolant temperature, transmission temperature gauge
(auto. trans.), air filter minder (diesel only), fuel gauge and indicator
lights
Power points – 2 on instrument panel (including lighter)
Steering wheel – Black vinyl
EXTERIOR
Bumper – Front
Roof clearance lights
Solar tinted glass
Tow hooks – Front

Trailer tow – Front Trailer tow – 7-wire harness (blunt cut) Windshield wipers – Interval

¹Always wear your safety belt and always deactivate the passenger airbag when using a rear-facing child safety seat with Regular Cab and SuperCab models. Always wear your safety belt and always secure children in the rear seat with Crew Cab models. Passenger airbag may be deleted. ²Under normal driving conditions with regular fluid and filter changes.

Competitive comparisons based on publicly available information and Ford certification data at time of printing. Some features discussed may be optional. Vehicles shown may contain optional equipment. Features shown may be offered only in combination with other options or subject to additional ordering requirements or limitations. Following publication of the catalog, certain changes in standard equipment, options and the like, or product delays, may have occurred which would not be included in these pages. Your Ford Dealer is the best source for up-to-date information. Ford Division reserves the right to change product specifications at any time without incurring obligations.



F-350/F-450/F-550 SUPER DUTY CHASSIS CAB FEATURES & OPTIONS

FEATURES & OPTIONS			
SAFETY/SECURITY	XL	XLT	LARIAT
Advanced Security Group – Includes autolock, autolamp,	_		
illuminated entry system and remote keyless entry system			-
with 2 key fobs			
MECHANICAL			
5.4L SOHC 16-valve Triton [™] V8 engine			
(optional on F-350 DRW Crew Cab)			
6.8L SOHC 20-valve Triton™ V10 engine (optional on F-350 SRW)			
6.0L OHV 32-valve Power Stroke® V8 Turbo Diesel engine			
6-speed manual overdrive transmission (optional on F-550)			
4-speed automatic overdrive transmission (optional of 1-550)			
(optional on F-350/F-450)			
TorgShift [™] 5-speed automatic overdrive transmission			
(6.0L diesel)			-
Electric shift-on-the-fly 4-wheel-drive system with			
auto/manual locking hubs (F-350 4x4 models only)			-
16" argent steel wheels (F-350 SRW)			
16" argent steel wheels (F-350 DRW)	-		_
16" steel wheels with full sport wheelcovers (F-350 SRW) ⁴			_
16" deluxe aluminum wheels (F-350 SRW)			_
16" premium aluminum wheels (F-350 SRW)	_	_	
16" polished aluminum wheels – 4 (F-350 DRW)	_		-
19.5" steel wheels (F-450/F-550)			
19.5" polished aluminum wheels (F-450/F-550)	_		
LT265/75R16 all-season BSW tires (F-350 SRW)			
LT265/75R16 all-terrain BSW tires (F-350 SRW)			_
LT265/75R16 all-season OWL tires (F-350 SRW)	_		
LT265/75R16 all-terrain OWL tires (F-350 SRW)	_		
LT235/85R16 all-season BSW tires (F-350 DRW)			
LT235/85R16 all-terrain BSW tires (F-350 DRW)			
LT235/85R16 all-season OWL tires - 4 (F-350 DRW)	_		
LT235/85R16 all-terrain OWL tires - 4 (F-350 DRW)	_		
225/70R19.5F all-season BSW tires (F-450/F-550)			
225/70R19.5F traction BSW tires - 4 rear only (F-450/F-550)			
225/70R19.5F max traction BSW tires - 6 (F-450/F-550)			
Ambulance Prep Package not required			
Auxiliary idle control kit (diesel engine only) – Includes battery			
charge protection, high idle control, LCD rpm/voltage readout			
(shipped as a kit for later installation)			
Dual alternators (diesel engine only)			
Engine block heater (gas engines)			
Fuel tank – 19-gallon midship in place of standard			
Fuel tank – 59-gallon capacity dual tank combination:			
40-gallon standard plus 19-gallon midship (DRW models			
with diesel engine only)			
Higher-ratio rear axle			
Limited-slip rear axle			
Payload Package #2 (F-550) - 19,000 lbs. GVWR			
Power takeoff provision – Automatic transmission			
Skid plate – Transfer case (SuperCab and Crew Cab 4x4			
models only)			
Spare tire and wheel			

F-350/F-450/F-550 SUPER DUTY CHASSIS CAB FEATURES & OPTIONS (cont.)

		XLT	LARIAT
Front bench seat – HD vinyl (not available with Crew Cab)		_	_
Front bench seat – HD cloth/vinyl weave (standard with Crew Cab)		-	-
Front bench seat – HD cloth		—	_
Front bench seat – 40/20/40 with armrest, cupholders and			
storage bin (XL – HD vinyl, XLT – cloth, Lariat – leather trim)			
Front bucket seats – HD vinyl			-
Front bucket seats – HD cloth/vinyl weave			_
Front bucket seats – HD cloth		_	_
Front captain's chairs with console	—		
(XLT – cloth, Lariat – leather trim)			
Rear fold-up bench seat (SuperCab)			
Rear bench with folding seat back (Crew Cab)		_	_
Rear flight bench with armrest and cupholders (Crew Cab)	_		
Rear seat delete (SuperCab)			_
Heated seats - Driver and front-passenger	_		
umbar support - Driver and front-passenger	_		-
Power 6-way driver and passenger seats (passenger seat	_		
with Crew Cab only)			
NTERIOR			
Accessory delay for power features	_		
Air conditioning			
AM/FM stereo with digital clock			_
AM/FM stereo with cassette and digital clock			_
AM/FM stereo with single CD/cassette and digital clock	_		
AM/FM stereo with 6-disc in-dash CD player and digital clock	_		
Floor covering – Black vinyl			_
Floor covering - Carpet			
loor mats – Color-coordinated	_		
Overhead console – Includes trip computer with compass,	_		
putside air temperature indicator, distance-to-empty, sunglasses			_
storage and garage door opener storage			
Power adjustable accelerator and brake pedals (with automatic	_		
ransmission only)			
Power door locks	_		
Power windows with one-touch-down driver's-side feature			
Speed control/tilt steering wheel			
Steering wheel – Color-coordinated leather-wrapped	_	_	
Storage tray – Behind seat (Regular Cab, Crew Cab XLT and Lariat)			
/isors with passenger mirror	-		-
/isors with illuminated driver and passenger mirrors		-	-
nsors with manimated unver and passenger minors	_	_	

EXTERIOR			
Bumper – Argent painted		_	_
Bumper – Chrome ⁴			
Cab steps – Black molded			
Cab steps – Black tubular (Regular Cab only)		_	_
Daytime running lamps (Fleet only)			
Fog lamps	_	_	
Grille – Argent painted		—	—
Grille – Argent insert with chrome surround	_		
Headlamps – Sealed-beam halogen		_	—
Headlamps – Single-beam jewel-effect ⁴			
Light – Underhood	_		
Mirrors – Manual glass, manual telescoping trailer tow with		_	_
2-way fold			
Mirrors – Power glass, manual telescoping trailer tow with	_		
2-way fold (also heated glass, integrated turn signals and			
clearance lights)			
Privacy glass (rear door windows and rear window)	_		
Sliding rear window			

F-350/F-450/F-550 SUPER DUTY CHASSIS CAB EQUIPMENT PACKAGES

	XL	XLT	LARIA
Ambulance Prep Package ¹ (requires diesel engine):			
Includes limited-function auxiliary idle control kit, air			
conditioning, dual 130-amp alternators and wide-track 4.10LS axle (F-350 DRW only)			
Auxiliary Idle Control Kit (full-function – requires diesel engine):			
Includes auxiliary idle control module, mounting bracket/hardware,			
wiring harness and instruction booklet. APC module functions			
include battery charge protection, high idle control and LCD			
rpm/voltage readout			
Convenience Package:	Π	_	_
Includes speed control/tilt steering wheel, air conditioning and	_		
AM/FM stereo with cassette/digital clock			
Heavy-Service Suspension Package (F-350 only):			
Includes heavy-service front springs and steering damper.			
Note: 200-lb. upgrade above the spring computer-selected			
as a consequence of options chosen, not included if maximum			
springs have been computer-selected as standard equipment			
High-Capacity Trailer Tow Package (F-550 4x2 176.2"			
WB Crew Cab – requires diesel engine and automatic			
transmission):			
Includes synthetic rear axle lubricant and provides			
30,000 lbs. GCWR and increases maximum frontal			
area to 90 sq. ft. Low-Deflection Package (F-550 except 140.8" WB):			
Includes two 2" rear spring spacer blocks/hardware,			
recommended for rear-biased loading, such as			
wrecker/retriever applications			
Maximum Front GAWR Package ¹ :			
Includes highest GAWR/front springs and steering			
damper (F-350)			
Snow Plow Package ¹ (4x4 only):			
Includes highest GAWR/front springs and steering			
damper (F-350)			
Trailer Tow Package:			
Includes trailer brake wiring kit (in-cab, no controller)			
XL Décor Group:		_	_
Includes chrome front bumper, single-beam jewel-effect			
headlamps, and steel wheels with full sport wheelcovers			
(F-350 SRW)			
■ Standard 🛛 Select Availability 🗆 Optional — Not Available			
,			

■ Standard Z Select Availability □ Optional — Not Available 'Restrictions and special instructions apply. See your dealer for information.

F-350/F-450/F-550 SUPER DUTY CHASSIS CAB INTERIOR DIMENSIONS

	REGULAR CAB	SUPERCAB	CREW CAB
Head room – Front	41.3"	41.4"	41.4"
Leg room – Front	40.7"	40.7"	40.7"
Shoulder room – Front	68.0"	68.0"	68.0"
Hip room – Front	67.4"	67.4"	67.4"
Front volume (cu. ft.)	66.1	66.3	66.3
Head room – Rear	_	38.5"	41.0"
Leg room – Rear	_	32.4"	41.3"
Shoulder room – Rear	_	68.0"	68.0"
Hip room – Rear	_	67.3"	67.3"
Rear volume (cu. ft.)	_	49.1	66.6
Total volume (cu. ft.)	66.1	115.4	132.9

F-350/F-450/F-550 SUPER DUTY CHASSIS CAB MAXIMUM LOADED TRAILER WEIGHT (LBS.)

AUTOMATIC TRANSMISSI REGULAR CAB CHASSIS Engine 5.4L Triton™	Axle Ratio 3.73	GCWR (lbs.) 13,500	F-350 4x2 SRW 7300	F-350 4x4 SRW 6800	F-350 4x2 DRW 7000	F-350 4x4 DRW 6500	MANUAL TRANSMISSION REGULAR CAB CHASSIS Engine 5.4L Triton	Axle Ratio 3.73	GCWR (lbs.) 13,500	F-350 4x2 SRW 7200	F-350 4x4 SRW 6800	F-350 4x2 DRW 6900	F-350 4x4 DRW 6400
V8	4.10	15,000	8800	8300	8500	8000	V8	4.10	15,000	8700	8300	8400	7900
6.8L Triton	3.73	17,000	10,600	10,200	10,300	9800	6.8L Triton	3.73	16,500	10,100	9700	9700	9200
V10	4.30	20,000			13,300	12,800	V10	4.30	20,000			13,200	12,700
6.0L Power Stroke	3.73	20,000	13,100	12,700	12,700	12,200	6.0L Power Stroke	3.73	20,000	13,100	12,700	12,700	12,200
V8 Turbo Diesel	4.10	20,000	_	_	12,700	12,200	V8 Turbo Diesel	4.10	20,000	_	_	12,700	12,200
	Axle	GCWR	F-450	F-450	F-550	F-550		Axle	GCWR	F-450	F-450	F-550	F-550
Engine	Ratio	(lbs.)	4x2 DRW ¹	4x4 DRW ¹	4x2 DRW ¹	4x4 DRW ¹	Engine	Ratio	(lbs.)	4x2 DRW ¹	4x4 DRW ¹	4x2 DRW ¹	
6.8L Triton	4.88	24,000	16,600	16,300	16,500	16,200	6.8L Triton	4.88	22,000	14,500	14,200	14,500	14,100
V10	5.38	26,000	18,600	18,300	18,500	18,200	V10	5.38	22,000	14,500	14,200	14,500	14,100
6.0L Power Stroke	4.30	26,000	18,100	17,800	_		6.0L Power Stroke	4.30	26,000	18,000	17,700	_	_
V8 Turbo Diesel	4.88	26,000	18,100	17,800	18,000	17,600	V8 Turbo Diesel	4.88	26,000	18,000	17,700	18,000	17,700
SUPERCAB CHASSIS Engine	Axle Ratio	GCWR (Ibs.)	F-350 4x2 SRW	F-350 4x4 SRW	F-350 4x2 DRW	F-350 4x4 DRW	SUPERCAB CHASSIS Engine	Axle Ratio	GCWR (lbs.)	F-350 4x2 SRW	F-350 4x4 SRW	F-350 4x2 DRW	F-350 4x4 DRW
5.4L Triton	3.73	13,500	6900	6500			5.4L Triton	3.73	13,500	6900	6400		
V8	4.10	15,000	8400	8000	_	_	V8	4.10	15,000	8400	7900	_	_
6.8L Triton	3.73	17,000	10,300	9800	9900	9500	6.8L Triton	3.73	16,500	9700	9300	9400	9000
V10	4.30	20,000			12,900	12,500	V10	4.30	20,000			12,900	12,500
6.0L Power Stroke	3.73	20,000	12,800	12,300	12,500	12,100	6.0L Power Stroke	3.73	20,000	12,700	12,300	12,400	12,000
V8 Turbo Diesel	4.10	20,000			12,500	12,100	V8 Turbo Diesel	4.10	20,000			12,400	12,000
	Axle	GCWR	F-450	F-450	F-550	F-550		Axle	GCWR	F-450	F-450	F-550	F-550
Engine	Ratio	(lbs.)	4x2 DRW ¹	4x4 DRW ¹	4x2 DRW ¹	4x4 DRW ¹	Engine	Ratio	(lbs.)	4x2 DRW ¹	4x4 DRW ¹	4x2 DRW ¹	4x4 DRW
6.8L Triton	4.88	24,000	16,200	15,800	16,200	15,700	6.8L Triton	4.88	22,000	14,200	13,800	14,100	13,700
V10	5.38	26,000	18,200	17,800	18,200	17,700	V10	5.38	22,000	14,200	13,800	14,100	13,700
6.0L Power Stroke	4.30	26,000	17,700	17,300		_	6.0L Power Stroke	4.30	26,000	17,700	17,300	_	_
V8 Turbo Diesel	4.88	26,000	17,700	17,300	17,700	17,200	V8 Turbo Diesel	4.88	26,000	17,700	17,300	17,600	17,200
CREW CAB CHASSIS Engine	Axle Ratio	GCWR (lbs.)	F-350 4x2 SRW	F-350 4x4 SRW	F-350 4x2 DRW	F-350 4x4 DRW	CREW CAB CHASSIS Engine	Axle Ratio	GCWR (lbs.)	F-350 4x2 SRW	F-350 4x4 SRW	F-350 4x2 DRW	F-350 4x4 DRW
5.4L Triton	3.73	13,500	6700	6300	4AZ DRW	4A4 DIW	5.4L Triton	3.73	13,500	6700	6200	472 DKW	4A4 DRW
V8	3.73 4.10	15,000	8200	7800	_	_	V8	3.73 4.10	15,000	8200	7700	_	_
6.8L Triton	3.73	17,000	10,000	9600	9700	9300	6.8L Triton	3.73	16,500	9500	9100	9200	8700
V10	3.73 4.30	20,000	10,000	9000	9700 12,700	12,300	V10	3.73 4.30	20,000	9500	9100	9200 12,700	12,200
6.0L Power Stroke	3.73	20,000	12,600	12,200	12,700	12,300	6.0L Power Stroke	3.73	20,000	12,500	12,100	12,700	12,200
V8 Turbo Diesel	3.73 4.10	20,000	12,600	12,200	12,300	11,800	V8 Turbo Diesel	3.73 4.10	20,000	12,500	12,100	12,200	11,700
	Axle	GCWR	F-450	F-450	F-550	F-550		Axle	GCWR	F-450	F-450	F-550	F-550
Engine	Ratio	(lbs.)	4x2 DRW ¹	4x4 DRW ¹	4x2 DRW ¹	4x4 DRW ¹	Engine	Ratio	(lbs.)	4x2 DRW ¹	4x4 DRW ¹	4x2 DRW ¹	4x4 DRW
6.8L Triton	4.88	24,000	16,000	15,700	15,900	15,600	6.8L Triton	4.88	22,000	14,000	13,700	13,900	13,600
V10	5.38	26,000	18,000	17,700	17,900	17,600	V10	5.38	22,000	14,000	13,700	13,900	13,600
6.0L Power Stroke V8 Turbo Diesel	4.30 4.88	26,000 26,000	17,500 17,500	17,200 17,200	 17,400	17,100	6.0L Power Stroke V8 Turbo Diesel	4.30 4.88	26,000 26,000	17,500 17,500	17,200 17,200	 17,400	 17,000

'F-450/F-550 weights shown are for 141" wheelbase Regular Cab or 176" wheelbase Crew Cab models. For 165," 189," 200" and 201" wheelbase models, weights may be somewhat less (usually not more than 400 lbs.)

²Available with High-Capacity Trailer Tow Package only.

Note: Trailer weights shown assume 1000 lbs. second-unit body weight. Be sure combined weight of vehicle and trailer does not exceed listed GCWR. Trailer king pin weight should be 15-25% of total loaded trailer weight. Make sure that the vehicle payload (reduced by option weight) will accommodate trailer king pin weight and the weight of passengers and cargo added to the towing vehicle. The addition of trailer king pin weight, and the weight of passengers and cargo cannot cause vehicle weights to exceed the rear GAWR (Gross Akle Weight Rating) or GWWR (Gross Vehicle Weight Rating). These ratings can be found on the vehicle's Safety Compliance Certification Label.

F-350/F-450/	/F-550	SUPE	R DUTY	CHASS	SIS CAI	B WEIG	HTS &	DIME	VSIONS		
REGULAR CAB	F-350 SRW	F-350 DRW	F-350 DRW	F-450 DRW	F-450 DRW	F-450 DRW	F-450 DRW	F-550 DRW	F-550 DRW	F-550 DRW	F-550 DRW
Wheelbase (in.)	140.8	140.8	164.8	140.8	164.8	188.8	200.8	140.8	164.8	188.8	200.8
Cab-to-axle (in.)	60	60	84	60	84	108	120	60	84	108	120
Max. GVWR (lbs.) 4x2	9900	12.500 ¹	12,500 ¹	15,000	15,000	15,000	15,000	17,500	19.000	17,500	19.000
4x4	9900	12,500 ¹	12,500 ¹	15,000	15,000	15,000	15,000	17,500		17,500	17,500
Max. payload (lbs.)	1020	4505	6400	0745	0440	0570	0220	11 100	12 400	11 01E	12 100
4x2	4820	6525 (6485)	(6360)	8745	8640	8570	8330	11,190	12,600	11,015	12,180
4x4	4385	6050 (6010)	5930 (5895)	8435	8325	8240	7990	10,865		10,670	10,450
Overall length (in.)	225.7	225.7	249.7	225.7	249.7	273.7	285.7	225.7	249.7	273.7	285.7
Max. width (in.) 4x2	79.0	90.7	90.7	93.6	93.6	93.6	93.6	93.6	93.6	93.6	93.6
4x4	79.0	91.7	91.7	93.6	93.6	93.6	93.6	93.6	93.6	93.6	93.6
Top of cab to ground			75.5	00 (00 F	00 F	00.0	01 7	01.4	01.4	01.1
4x2 4x4	75.7 79.8	75.5 80.0	75.5 80.0	80.6 80.7	80.5 80.5	80.5 80.0	80.2 80.0	81.7 81.7	81.4 81.2	81.4 81.1	81.1 80.7
Top of frame to grou			00.0	00.7	00.5	00.0	00.0	01.7	01.2	01.1	00.7
4x2	31.4	32.2	31.8	32.3	32.3	32.2	32.2	32.2	32.2	32.2	32.2
4x4 Width between fram	33.1	33.2	32.9	32.4	32.4	32.3	32.3	32.3	32.3	32.3	32.3
Axle clearance (in.)	34.1	34.1	34.1	34.2	34.2	34.2	34.2	34.2	34.2	34.2	34.2
4x2	8.3	7.8	7.8	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0
4x4	8.1	7.8	7.8	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0
Front tread (in.) 4x2	68.7	68.7	68.7	68.7	68.7	68.7	68.7	68.7	68.7	68.7	68.7
4x2 4x4	68.7	68.7	68.7	68.7	68.7	68.7	68.7	68.7	68.7	68.7	68.7
Rear tread (in.)	68.1	74.0	74.0	74.0	74.0	74.0	74.0	74.0	74.0	74.0	74.0
SUPERCAB Wheelbase (in.)			F-350 SR 161.8	N	F-350 161			5 0 DRW 61.8		0 DRW 51.8	
Cab-to-axle (in.)			60		60		1	60		60	
Max. GVWR (lbs.) Max. payload (lbs.)	1v2/1v1		9900 4465/403	0 613	12,5	00' 5735 (5695		5,000 15/7990		,500)/10,420	
Overall length (in.)	482/484		246.7	0 013	246			246.7		16.7	
Max. width 4x2/4x4			79.0		90.7/9	91.7		93.6	9	3.6	
Top of cab to ground	d – Empt	y (in.)	75.0		74	n		00 E	0	1 5	
4x2 4x4			75.9 79.9		76. 79.			80.5 80.5		1.5 1.3	
Top of frame to grou 4x2	ınd – Em	pty (in.)	31.1		31.			32.3		2.3	
4x4			32.9		33.			32.3		2.3	
Axle clearance (in.) Front tread (in.)	4x2/4x4		<u>8.1</u> 68.7		7.8			8.1 68.7		3.1 8.7	
Rear tread (in.)			68.1		74.			74.0		4.0	
CREW CAB Wheelbase (in.)		F-350 S 176.2	RW	F-350 D 176.2	RW	F-450 DR 176.2	2W F-4	50 DRW	F-550 DRW 176.2		0 DRW 00.2
Cab-to-axle (in.)		60	-	60	-	60	2	84	60		84
Max. GVWR (lbs.)		9900		12,500		15,000		5,000	17,500	17	,500
Max. payload (lbs.)	ayload (lbs.) 4x2/4x4 4265/3815 595			(5915)/55		8175/78			10,610/10,28		5/10,215
Overall length (in.) Max. width 4x2/4x4	(in)	<u>261.1</u> 79.0		<u>261.1</u> 90.7/91		<u>261.1</u> 93.6		285.1 93.6	<u>261.1</u> 93.6		85.1 93.6
Top of cab to ground		y (in.)									
4x2		75.9		76.6		80.8		80.8	81.4		31.4
4x4 Top of frame to grou	ind _ Em	79.8 ntv (in)		80.2		80.9		80.9	81.3	6	31.3
4x2		30.9		31.4		32.2		32.1	32.2	3	32.1
4x4		32.6		32.7		32.3		32.2	32.2	3	32.2
Axle clearance (in.)	4x2/4x4	8.1		7.8		8.0		8.0	8.0		8.0
Front tread (in.) Rear tread (in.)		68.7 68.1		68.7 74.0		68.7 74.0		68.7 74.0	68.7 74.0		68.7 74.0
		00.1		7 1.0		7 1.0			7 1.0		

12,500 lbs. with 6.0L Power Stroke® V8 Turbo Diesel. Maximum 11,200 lbs. with gas engines.

Note: Load rating represents maximum allowable weight of people, cargo and body equipment and is reduced by the weight of optional equipment. See next page for weight definitions.

F-350/F-450/F-550 SUPER DUTY CHASSIS CAB COLOR & TRIM

	XL/XLT/LARIAT Oxford White	Medium Parchment	Medium Flint
Oxford White	Arizona Beige Metallic		
	Red		
	Toreador Red Metallic		
	Dark Highland Green Metallic		
	Sonic Blue Metallic*		
	True Blue Metallic		
	Silver Metallic		
	Dark Shadow Grey Metallic		
Beige Metallic	Black		

Ford uses clearcoat paint for beauty and protection. Colors shown are representative only. See your dealer for actual paint/trim options.

Arizona Beige Metallic





*New for 2003.

Toreador Red Metallic Dark Highland Green Metallic



Sonic Blue Metallic*

True Blue Metallic



Silver Metallic



Dark Shadow Grey Metallic



◄ MENU ►

WEIGHT DEFINITIONS

Payload is the combined, maximum allowable weight of cargo and passengers that the truck is designed to carry. It is the Gross Vehicle Weight Rating minus the Base Curb Weight (the weight of the vehicle including a full tank of fuel and all standard equipment). Special note for upfit applications: To calculate effective payload, the total weight of all added equipment and accessories also needs to be deducted from the GVWR of the chassis.

Gross Vehicle Weight (GVW) is the Base Curb Weight, plus actual Cargo Weight, plus passengers. It is important to remember that GVW is not a limit or specification... it is the actual weight that is obtained when the fully loaded vehicle is driven onto a scale.

Gross Vehicle Weight Rating (GWWR) is the maximum allowable weight (in pounds) of the fully loaded vehicle. Everything that contributes to the weight of the vehicle is included in this rating. It includes the weight of the vehicle, driver, passengers, fuel, payload, tongue load of trailer, weight of hitch and all optional equipment. This number – along with other weight limits, as well as tire size, rim size and inflation pressure data – are shown on the vehicle's Safety Compliance Certification Label located on the left-front door-lock facing or the door-latch post pillar.

Gross Axle Weight (GAW) is the total weight placed on each axle (front and rear). To determine the Gross Axle Weights for your vehicle and trailer combination, take your loaded vehicle and trailer to a scale. With the trailer attached, place the front wheels of the vehicle on the scale to get the front GAW. For rear GAW, weigh the towing vehicle with the trailer attached, but with just the four wheels of the vehicle on the scale. You obtain the rear GAW by subtracting the front GAW from that amount.

Gross Axle Weight Rating (GAWR) is the maximum weight to be carried by a single axle, front or rear. The total load on each axle must never exceed its GAWR. These numbers are shown on the Safety Compliance Certification Label.

Gross Combination Weight (GCW) is the weight of the loaded vehicle (GVW), plus the weight of the fully loaded trailer. It is the actual weight obtained when the vehicle and trailer are weighed together on a scale.

Gross Combination Weight Rating (GCWR) is the maximum allowable weight of the towing vehicle and the loaded trailer – including all cargo and passengers – that the vehicle can handle without risking costly damage. The measured GCW must never exceed the GCWR.

Base Curb Weight is the weight of the vehicle including a full tank of fuel and all standard equipment. It does not include passengers, cargo or any optional equipment.

Cargo Weight includes all additional weight added to the Base Curb Weight, including passengers, cargo and optional equipment (consult your Ford Dealer). When towing, trailer tongue or king pin weight is also part of the Cargo Weight.

Maximum Loaded Trailer Weight is the highest possible weight of a fully loaded trailer that the vehicle can tow, based on a minimum towing vehicle GVW.

Tongue/King Pin Weight is another critical measurement that must be made before towing. It refers to the amount of the trailer's weight that presses down on the trailer hitch. Too much tongue weight can cause suspension/drivetrain damage, and can press the vehicle down in back causing the front wheels to lift to the point where traction, steering response and braking are severely decreased. Too little tongue/king pin weight can reduce rear-wheel traction and cause instability which may result in tail wagging or jackknifing.

Federal Regulations such as those issued by the National Highway Traffic Safety Administration, the Environmental Protection Agency or the Federal Highway Administration, or issued pursuant to the Occupational Safety and Health Administration (OSHA) and/or state and local laws and regulations, may require additional equipment for the particular use you intend for your vehicle. It is the buyer's responsibility to determine the applicability of such laws and regulations to the buyer's intended use for the vehicle and to arrange for the installation of required equipment. Your dealer has information about the availability of many items of equipment that can be ordered for the vehicle.

About Aftermarket Products Many items shown on vehicles in this publication are available through retail organizations and establishments not connected with Ford Motor Company. Availability, price, quality and durability of these items rest solely with the respective manufacturers and their sales organizations; Ford assumes no responsibility for their use.

BUSINESS SERVICES

Business Preferred Network

Committed to your business. There is no business like your business. Your vehicles play a vital part in your business, so they need to be on the job every day, just like you. We know that, and are constantly seeking ways to help strengthen your business.

To meet your needs, Ford has established the Business Preferred Network (BPN) of select Ford, Lincoln, Mercury and Ford Truck dealerships. Each has made a strong commitment to provide priority service, commercial-oriented products, as well as special financing and billing arrangements to businesses that rely on Ford products.

Priority Service As a Business Preferred Network customer, your business vehicles are a priority at a BPN dealership, with the guarantee of getting your vehicle back on the road. Your BPN dealer can also suggest Ford Extended Service Plans (ESP), QualityCare Maintenance Protection Plans (QCMPP) and other Ford QualityCare plans tailored for your business vehicle use, and centralized billing plans to help manage business and business vehicle expenses.

Products From Built Ford Tough F-Series trucks and E-Series Cargo Vans to the convenient Windstar, your Ford Business Preferred Network dealer has a vehicle that's just right for the business you do. Your BPN dealer will bring a vehicle to you for a test drive and assist you with the paperwork.

Fleet Customers As a BPN customer, you and your business are eligible for a number of unique benefits, including unique pricing and incentives, CommerciaLease and finance terms and priority vehicle service at your BPN dealership. For companies purchasing/leasing five (5) or more vehicles per year or having fifteen (15) or more vehicles in operation, you may also be eligible for incentives as a Ford Fleet customer.

For more information on BPN Advantages or to find a BPN dealer near you, visit our website at: www.bpn.ford.com

Quality Care The people who know your vehicle best. The parts designed for it. A service department that understands your needs and respects your time. That's what Quality Care is all about.



Roadside Assistance Every new Ford vehicle includes the assurance of a 24-hour emergency Roadside Assistance Program provided during the duration of the vehicle's limited warranty period. Ask your Ford Dealer for complete details on this program which includes such services as jump start, or even help when you're locked out of your vehicle.

New Vehicle Limited Warranty Under this warranty, you receive bumper-to-bumper coverage for 3 years/36,000 miles (2 years/unlimited miles with F-650/F-750 Super Duty only) with no deductible. You also receive corrosion perforation coverage for 5 years (3 years with F-650/F-750 Super Duty only) with unlimited mileage and no deductible. Ask your Ford Dealer for a copy of the warranty.

FINANCIAL SERVICES

Hardworking, versatile and customized to your needs: whether you buy or lease, Ford Credit can provide financial "vehicles" that work just as hard for you as the Ford Trucks you select. Our commercial purchase plans offer attractive rates, negotiable terms and business-friendly options like the seasonal purchase plan that lets you schedule payments to match your cash flow.

On the leasing side, CommerciaLease[™] and CommerciaLeasePlus[™] offer a variety of package options to meet your need for flexible vehicle financing. They also provide competitive rates and simplified billing.

You'll find that Ford Credit's staff of highly trained commercial lending professionals really speak your language, and they'll help you make the most of the choices we offer. Contact us at the closest location shown below, or at 1-877-234-FMCC (3622). You may also visit our website, www.fordcredit.com/comlend. Or simply consult your local Ford Dealer for Ford Credit Commercial Lending Services information.

Commercial Lending Services locations: Atlanta (1-800-777-3392); Charlotte (1-800-529-1617); Chicago (1-800-777-3407); Dallas (1-800-777-3429); Detroit (1-800-777-3971); Orange, CA (1-800-272-3451); Philadelphia (1-800-777-3023); San Francisco (1-800-777-3493).

Visit our websites at: www.fordvehicles.com www.commtruck.ford.com www.fleet.ford.com www.fordcredit.com

