


ENGINE	
Type	90° V8, aluminum block and heads, certified Ultra-Low Emission Vehicle (U-LEV)
Displacement	4.3 liters (262 cubic inches)
Valvetrain	Four cam, four valves per cylinder, with continuously Variable Valve Timing with intelligence (VVT-i)
Compression Ratio	10.5:1
Horsepower at RPM	300 hp @ 5,600
Torque at RPM	325 lb-ft @ 3,400

DRIVETRAIN	
Transmission	Five-speed automatic Electronically Controlled Transmission with intelligence (ECT-i). Overdrive fifth gear, auto-select shift program, engine/transmission networking, flex-lockup torque converter.
Drive Wheels	Rear, with standard Traction Control (TRAC).
Final Drive Ratio	3.27:1

BODY, DIMENSIONS	
Type	Four-passenger retractable hardtop convertible
Construction	Welded-steel unibody
Overall Length	177.8 in
Width	72.0 in
Height	53.1 in
Wheelbase	103.1 in
Ground Clearance	5.6 in
Curb Weight	3,840 lb
Fuel-tank Capacity	19.8 gallons
Trunk Capacity	8.8 cubic feet 9.4 cubic feet (when equipped with available run-flat tires)
Headroom	37.2/33.9 in (front/rear)
Legroom	43.6/27.1 in (front/rear)
Shoulder Room	53.8/46.6 in (front/rear)



CHASSIS

Vehicle Stability Control (VSC)	Integrates Anti-lock Braking System (ABS), Brake Assist and Traction Control (TRAC).
Suspension	<p>Front: Independent, double-wishbone with high-mount upper arm, coil springs, gas-pressurized shock absorbers with internal rebound springs, stabilizer bar.</p> <p>Rear: Independent, double-wishbone with aluminum upper arm and toe-control arm, coil springs, gas-pressurized shock absorbers, stabilizer bar.</p>
Steering	Vehicle-speed-sensing, progressive power-assisted rack-and-pinion. 3.3 turns, lock to lock.
Brakes	Four-wheel power-assisted discs, with four-sensor, four-channel Anti-lock Braking System (ABS) with Electronic Brakeforce Distribution (EBD) and Brake Assist. 11.7-in vented front discs, 12.1-in solid rear discs.
Wheels	18 x 8.0-in alloy wheels
Original Equipment Tires¹	<p>Summer Conventional Dunlop SP Sport 2030 P245/40ZR18 (Code: 0398-50). Optional: Run-flat Bridgestone Potenza RE040 RFT P245/40ZR18 (Code: 149940) or Run-flat Dunlop DSST SP5000 CTT P245/40ZR18 (Code: 0211-04).</p> <p>Temporary Spare Tire: Bridgestone Tracomp TRR2 T145/70R17 106M (Code: 023965) on steel wheel. Vehicles equipped with optional runflat tires are not equipped with a spare.</p>

PERFORMANCE

0-60 MPH Acceleration	5.9 seconds ²
1/4-Mile Acceleration	14.4 seconds ²
Top Track Speed	156 mph (electronically limited) ²
Estimated Fuel Consumption	18/23 mpg city/highway ³
Aerodynamic Drag Coefficient	0.31 (0.30 with optional rear spoiler)
Turning Circle (curb-to-curb)	35.4 ft

TOTAL UNITS PRODUCED

Total	10,755
--------------	--------

DISCLAIMERS

¹18 in. tires are expected to experience greater wear than conventional tires. Tire life may be substantially less than 15,000 miles, depending on driving conditions.

²Performance capacity figures are for comparison only and were obtained with prototype vehicles by professional drivers using special safety equipment and procedures. Do not attempt.

³Actual mileage will vary with options, driving conditions, driving habits and vehicle's condition. Results reported to EPA indicate that the majority of vehicles with these estimates will achieve between 15 and 21 mpg in the city and between 19 and 27 mpg on the highway. (See www.fueleconomy.gov.)

PRICING	<u>Code</u>	<u>Description</u>	<u>Manufacturer's Suggested Retail Price (MSRP)⁴</u>
		9270	SC 430 Retractable Hardtop Convertible
		Options	
	FL	Run Flat Tires	400
	RF	Rear Spoiler	440

⁴The vehicle MSRP at launch included Delivery, Processing, and Handling fee. The Delivery, Processing, and Handling Fee was based on the value of the processing, handling and delivery services provided by Lexus and Lexus' overall pricing strategy. Federal, state, and local taxes, and advertising fees, if any, were additional. Prices included pre-delivery services. Suggested prices: These guidelines were provided by Lexus. The dealer was free to establish its own selling price, margin, or profit level.

EXTERIOR COLORS



ABSOLUTELY RED
3P0




EGYPTIAN SAND PEARL
4Q8



TWILIGHT AMETHYST PEARL
3P6



INDIGO INK PEARL
8P4



MILLENNIUM SILVER METALLIC
1C0



MIDNIGHT PINE PEARL
6S6



BLACK ONYX
202



WHITE GOLD CRYSTAL
065