
2004 LEXUS ${\rm SC}$ Specifications

ENGINE	Туре	90° V8, aluminum block and heads, certified	BODY, DIMENSIONS			
DRIVETRAIN		Ultra-Low Emission Vehicle (U-LEV)		Туре	Four-passenger retractable hardtop	
	Displacement	Displacement 4.3 liters (262 cubic inches)			convertible	
	Valvetrain	Four cam, four valves per cylinder, with continuously Variable Valve Timing with intelligence (VVT-i)		Construction	Welded-steel unibody	
				Overall Length	177.8 in	
	Compression Ratio		• • •		72.0 in	
	Compression Ratio10.5:1Horsepower at RPM300 hp @ 5,600			Height	53.1 in	
				Wheelbase	103.1 in	
	Torque at RPM	325 lb-ft @ 3,400		Ground Clearance	5.6 in	
	Transmission			Curb Weight	3,840 lb	
		Five-speed automatic Electronically Controlled		Fuel-tank Capacity	19.8 gallons	
		Transmission with intelligence (ECT-i). Overdrive fifth gear, auto-select shift program, engine/trans- mission networking, flex-lockup torque converter.		Trunk Capacity	8.8 cubic feet 9.4 cubic feet (when equipped with available run-flat tires)	
	Drive Wheels	Rear, with standard Traction Control (TRAC).		Headroom	37.2/33.9 in (front/rear)	
	Final Drive Ratio	3.27:1		Legroom	43.6/27.1 in (front/rear)	
				Shoulder Room	53.8/46.6 in (front/rear)	



CHASSIS

Vehicle Stability Control (VSC)	Integrates Anti-lock Braking System (ABS), Brake Assist and Traction Control (TRAC).
Suspension	Front: Independent, double-wishbone with high-mount upper arm, coil springs, gas-pressurized shock absorbers with internal rebound springs, stabilizer bar.
	Rear: Independent, double-wishbone with aluminum upper arm and toe-control arm, coil springs, gas- pressurized shock absorbers, stabilizer bar.
Steering	Vehicle-speed-sensing, progressive power-assisted rack-and-pinion. 3.3 turns, lock to lock.
Brakes	Four-wheel power-assisted discs, with four-sensor, four- channel Anti-lock Braking System (ABS) with Electronic Brakeforce Distribution (EBD) and Brake Assist 11.7-in vented front discs, 12.1-in solid rear discs.
Wheels	18 x 8.0-in alloy wheels
Original Equipment Tires ¹	Summer Conventional Dunlop SP Sport 2030 P245/40ZR18 93Y(Code: 0398-50). Optional: Run- flat Bridgestone Potenza RE040 RFT P245/40ZR18 (Code: 149940) or Run-flat Dunlop DSST SP5000 CTT P245/40ZR18 (Code: 0211-04). Temporary Spare Tire: Bridgestone Tracompa TRR2 T145/70R17 106M (Code: 023965) on steel wheel. Vehicles equipped with optional runflat tires are not equipped with a spare.

2004 LEXUS **SC** Specifications (Continued)

PERFORMANCE				
	0-60 MPH Acceleration	5.9 seconds²		
	1/4-Mile Acceleration	14.4 seconds²		
	Top Track Speed	156 mph (electronically limited)²		
	Estimated Fuel Consumption	18/23 mpg city/highway³		
	Aerodynamic Drag Coefficient	0.31 (0.30 with optional rear spoiler)		
	Turning Circle (curb-to-curb)	35.4 ft		
TOTAL UNITS PRODUCED	Total	9,848		
DISCLAIMERS	 ¹18 in. tires are expected to experience greater wear than conventional tires. Tire life may be substantially less than 15,000 miles, depending on driving conditions. ²Performance capacity figures are for comparison only and were obtained with prototype vehicles by professional drivers using special safety equipment and procedures. Do not attempt. ³Actual mileage will vary with options, driving conditions, driving habits and vehicle's condition. Results reported to EPA indicate that the majority of vehicles with these estimates will achieve between 15 and 21 mpg in the city and between 19 and 27 mpg on the highway. (See www.fueleconomy.gov.) 			


2004 LEXUS **SC** Original Pricing and Options

PRICING	<u>Code</u>	ode Description		<u>Manufacturer's Suggested</u> <u>Retail Price (MSRP</u>) ⁴	
	9270	SC 430 Retractable Hardtop Convertible	\$	63,200	
		Options			
	FL	Run Flat Tires		400	
	RF	Rear Spoiler		440	
	SE	Pebble Beach® Special Edition, includes Run Flat Tires, Rear Spoiler, Azure Metallic Paint, Azure Painted Wheels,			
		Lighted Blue Scuff Plates, Black Bird's-Eye Maple Wood Trim, Special Emblems, Special Floor Mats, and Pebble Beach Golf Bag		2,000	

⁴The vehicle MSRP at launch included Delivery, Processing, and Handling fee. The Delivery, Processing, and Handling Fee was based on the value of the processing, handling and delivery services provided by Lexus and Lexus' overall pricing strategy. Federal, state, and local taxes, and advertising fees, if any, were additional. Prices included predelivery services. Suggested prices: These guidelines were provided by Lexus. The dealer was free to establish its own selling price, margin, or profit level.

2004 LEXUS SC Colors

EXTERIOR COLORS





3P0

EGYPTIAN SAND PEARL TWILIGHT AMETHYST PEARL 4Q8

3P6



8P4 1C0 6S6



Color information courtesy of BASF Corporation.