



Matrix XR

ALL KINDS OF POSSIBILITIES. AND PERSONALITIES.

The only thing better than one Matrix loaded with potential is three. Start with the standard Matrix, with its available full-time 4WD and great value. Or try Matrix XR, which flaunts a 5-speed manual transmission, side rocker panels, available front and rear spoilers and integrated fog lamps. And if you want to blast through the gears of a 6-speed manual transmission, there's only one Matrix: the XRS with its 180-hp VVTL-i engine and available 17" alloy wheels. The 2004 Toyota Matrix: personality to spare.

You may not know what today holds, but you know there's plenty of room for it. Like 53 cu. ft. of cargo space1 and versatile seating combinations that split, fold and, yes, seat up to five friends comfortably. Thanks to its tall doors and generous head room, squeezing in and out is a thing of the past. So check out the Optitron meters, dial in your choice of settings on the available 6-disc in-dash CD changer and grab the wheel. You've got one thing off your list already: "Get a great car that can hold all my stuff."

MODEL GRADE FEATURES

Aerodynamic multi-reflector halogen headlamps with Daytime Running Lights (DRL) S S S Cycle Integrated fog lamps Black door handles and remote outside mirrors S All-Weather Guard Package with intermittent rear window wiper Color-keyed front and rear underbody spoilers — P S Intermittent windshield wipers with mist cycle S All-Weather Guard Package with intermittent rear window wiper Color-keyed front and rear underbody spoilers — P S Intermittent windshield wipers with mist cycle S 16" aluminum alloy wheels with P205/55R16 tires — P S Intermittent windshield wipers with mist cycle INTERIOR MAIRIX XR XRS MAIRIX XR XRS A-way adjustable front seats with fold-flat passenger seat S S G (ABS warning light on ABS-equipped models) Fabric seat and front door trim with integrated armrests and dual front map pockets S S Deluxe AM/FM CD with four speakers S S Deluxe AM/FM CD with four speakers S S Premium AM/FM Cassettle/CD with four speakers Driver's seat vertical height adjuster — S S Premium 3-in-1 AM/FM Cassettle/CD with four speakers Driver's seat vertical height adjuster — S C Premium 3-in-1 AM/FM Cassettle/CD with six speakers — O S Driver's seat vertical height adjuster — S C Cut-pile carpeting with driver-side footrest S S C Cargo nets (one side, one rear) S S Cut-pile carpeting with driver-side footrest S S S Daylinght rearview mirror S S S S S S S S S S S S S S S S S S S	EXTERIOR	MATRIX	XR	XRS		MATRIX	XR	XRS
4-way adjustable front seats with fold-flat passenger seat S S Delive AMFM CD with four speakers S S S Delive AMFM CD with four speakers S S S Delive AMFM CD with four speakers S S S Delive AMFM CD with four speakers S S S Delive AMFM CD with four speakers S S S Delive AMFM Cassette/CD with four speakers O — — 60/40 split fold-down rear seat S S S Delive 3-in-1 AMFM Cassette/CD with four speakers O — — 60/40 split fold-down rear seat S S S Delive 3-in-1 AMFM Cassette/CD with four speakers O — — 60/40 split fold-down rear seat S S S Dremium 3-in-1 AMFM Cassette/CD with four speakers O O S Driver's seat vertical height adjuster S S S DVD navigation system 3 with Premium AMFM with 6-disc CD Two 12V auxiliary power outlets S S S DVD navigation system 3 with Premium AMFM with 6-disc CD Cup holders (two front and two rear) S S S Cut-pile carpeting with driver-side footrest S S S Cut-pile carpeting with driver-side footrest S S S S DVD navigation system 3 with driver-side footrest S S S S DVD navigation system 3 with driver-side footrest S S S S S S S S S S S S S S S S S S S	Running Lights (DRL) Integrated fog lamps Black door handles and remote outside mirrors Color-keyed door handles, side rocker panels and power outside mirrors	- S -	P -	S -	cycle Intermittent rear window wiper All-Weather Guard Package with intermittent rear window wiper Color-keyed front and rear underbody spoilers 16" steel wheels with full wheel covers with P205/55R16 tires 16" aluminum alloy wheels with P205/55R16 tires	0 ¹ - S -	S 0 ¹ P S 0	S 0 S - S
Fabric seat and front door trim with integrated armrests and dual front map pockets S S S Deluxe AM/FM CD with four speakers S S Deluxe 3-in-1 AM/FM Cassette/CD with four speakers O	INTERIOR			XRS				XRS
	Fabric seat and front door trim with integrated armrests and dua front map pockets Fabric rear door trim 60/40 split fold-down rear seat Driver's seat vertical height adjuster Two 12V auxiliary power outlets 115V auxiliary power outlet Cup holders (two front and two rear) Cruise control Power door locks Power windows with driver's auto-down and retained-power features Heavy-duty rear window defogger Multi-function remote keyless entry system with lock, unlock and rear window release features 3-spoke sport steering wheel Red projector Optitron meters with speedometer, tachometer with LCD odometer, twin tripmeters and outside temperature gauge, coolant temperature and fuel level gauges Airbag, seatbelt, low-fuel level, door-ajar, battery, check engine,	S - S - S - S - S - S - S - S - S - S -	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	Defroster-linked CFC-free air conditioning with air filter Deluxe AM/FM CD with four speakers Deluxe 3-in-1 AM/FM Cassette/CD with four speakers Premium 3-in-1 AM/FM Cassette/CD with six speakers Premium AM/FM 6-disc in-dash CD changer with six speakers DVD navigation system3 with Premium AM/FM with 6-disc CD changer and six speakers Cut-pile carpeting with driver-side footrest Tilt steering wheel Illuminated entry Day/night rearview mirror Interior mirror-mounted maplights ⁴ Rear cargo track system with eight adjustable tie-down hooks and under-deck storage compartment Cargo nets (one side, one rear) Tonneau cover Driver and front passenger 3-point seatbelts with adjustable	S S S S S S S S S S S S S S S S S S S	\$ 5	S S 0 0 S S S S S S S S S S S S S S
To Standard To Space.	S = Standard $0 = Optional$ $- = Not Available$:	P = F	Feature av	ailable only as part of an option package.			

COLORS



Super White with Charcoal or



Radiant Red with Charcoal or Stone interior



Lunar Mist Metallic with Charcoal or Stone interior



Cosmic Blue Metallic with Charcoal or Stone interior



Phantom Gray Pearl with Char- Solar Yellow with Charcoal coal or Stone interior





interior



Indigo Ink Pearl with Charcoal or Black Sand Pearl with Charcoal Stone interior or Stone interior

1Standard on 4WD models.

2Available with summer or All-Season tires. 2WD models only, requires ABS.

3The Toyota DVD navigation system is designed to assist in locating an address or point of interest. Discrepancies may be encountered between the system and your actual location. Changes in street names, road closures,

traffic flow or other road system changes may affect the accuracy of the mapping software. Rely upon your common sense to decide whether or not to follow a specified route. Detailed coverage not available in every city. Optional periodic geographic updates available at an additional cost. See your Navigation System Owner's Manual and your Toyota dealer for further details. 40n models equipped with a sunroof, maplights are located in the overhead console.

All information presented herein is based on data available at the time of printing, is subject to change without notice and pertains specifically to mainland U.S.A. vehicles only (may differ in the state of Hawaii, Puerto Rico, the U.S. Virgin Islands and in other regions).

1-800-G0-T0Y0TA

Have you logged 100,000, 200,000 or more miles on your Toyota with the original engine, transmission $% \left(1\right) =\left(1\right) \left(1\right)$ and drivetrain? If you have, give us a call at 1-800-GO-TOYOTA and tell us your story.

AVAILABLE PACKAGES AND OPTIONS

MATRIX PACKAGE

Power Package — includes power windows and door locks, and remote keyless entry

All-Weather Guard Package — intermittent rear window wiper, windshield molding, heavy-duty heater and rear-seat heater ducts⁷

MATRIX XR PACKAGE

Sport Package — includes 16" aluminum alloy wheels with P205/55R16 tires and power tilt/slide moonroof

Extra Value Package #1 — includes cruise control, color-keyed front and rear underbody spoilers and integrated fog lamps

Extra Value Package #2 — includes 16" aluminum alloy wheels with P205/55R16 tires, power tilt/slide moonroof with sunshade, cruise control, fog lamps, and color-keyed front and rear underbody spoilers

All-Weather Guard Package — windshield molding, heavy-duty heater and rear-seat heater ducts

MATRIX XRS PACKAGE

All-Weather Guard Package — windshield molding, heavy-duty heater and rear-seat heater ducts

MATRIX OPTIONS

- 16" aluminum alloy wheels with P205/55R16 tires
- 4-wheel Anti-lock Brake System (ABS) with Electronic Brake-force Distribution
- Front seat-mounted side airbags⁶
- Deluxe 3-in-1 AM/FM Cassette/CD with four speakers
- Cruise control
- Intermittent rear window wiper⁷

MATRIX XR OPTIONS

- 16" aluminum alloy wheels with P205/55R16 tires
- 4-wheel Anti-lock Brake System (ABS) with Electronic Brake-force Distribution
- Front seat-mounted side airbags⁶
- Deluxe 3-in-1 AM/FM Cassette/CD with four speakers
- Cruise control
- Intermittent rear window wiper⁷

MATRIX XRS OPTIONS

• P215/50R17 tires on 17" aluminum alloy wheels

XR standard 16" steel wheel with full wheel cover XR available 16" aluminum alloy wheel XR available 17" aluminum alloy wheel*

- Power tilt/slide moonroof with sunshade
- Front seat-mounted side airbags6
- Premium AM/FM CD with 6-disc in-dash changer and six speakers
- DVD navigation system³ with Premium AM/FM with 6-disc CD changer and six speakers

MATRIX





Matrix standard 16" steel wheel with full wheel cover Matrix available 16" aluminum alloy wheel

MATRIX XR











6The Toyota driver, front passenger and front seat-mounted side airbags are Supplemental Restraint Systems (SRS). The driver and front passenger airbags are designed to deploy in severe (usually frontal) collisions where the magnitude and duration of the forward deceleration of the vehicle exceeds the design threshold level. The side airbags are designed to inflate in severe side-impact collisions. In all other accidents, the airbags will not inflate. To decrease the risk of injury from a deploying airbag, always wear seatbelts, sit upright in the middle of the seat as far back as possible from the airbag modules and do not lean against the door. Do not put objects in front of an airbag or around the seatback. Do not use rearward-facing child seats in any front passenger seat. The force of a deploying SRS airbag may cause serious injury or death. Please see your Owner's Manual for further instructions 7Standard on 4WD models, available on 2WD models.

toyota.com @2003 Toyota Motor Sales, U.S.A., Inc.



^{*} Available with summer or All-Season tires. 2WD models only, requires ABS.



SPECIFICATIONS

Markity Name Mark				
Engine		MATRIX	MATRIX XR	MATRIX XRS
Engine	Manhaniaal/Dayfaymanaa			
15 valve VVT-1		4 - 111		
	Engine			
180 hp @ 5,000 rpm ¹ 125 h.t. @ 4,200 r		16-valve VVT-i	16-valve VVT-i	16-valve VVTL-i
Transmission		4-cylinder		4-cylinder
Transmission		130 hp @ 6.000 rpm ¹	130 hp @ 6.000 rpm ¹	180 hp @ 7.600 rpm
Transmission Sapade manual Na				
S-speed manual Standard Slandard NA 4-speed automatic vaniable, standard with 4WD Available, standard with 4WD MA 4-speed automatic Unitized body Unitized body Unitized body Drivettain Froat engine, front or engine,	Transmission	120 101 101 0 1,200 1,511	120 131 111 0 1,200 1,5111	100 151 111 0 0,000 15
6-speed anomale NA NA NA Analahis, standard with AUO Availabis, standard with AUO Availabis, standard with AUO Availabis, standard with AUO MA Availabis construction Unitized body Unitized body Tood regine, front or professor, and professor, with front and professor, and professor, and professor, with front and professor, and professor, and professor, and professor, with front and professor,		Standard	Standard	NΛ
4-speed automatic Available, standard with 4V0 Unitized body With Control of Font engine, front or Font engine, front or Font engine, front or Font-wheel drive (4W0 available) Font engine, front or Font engine, front or Font engine, front or Font-to-sion beam rear suspension, with front and rear stabilizer bars independent MacPherson strut front, double-without near suspension, with front and rear stabilizer bars independent MacPherson strut front, double-without near suspension, with front and rear stabilizer bars independent MacPherson strut front, double-without near suspension, with front and rear stabilizer bars independent MacPherson strut front, double-without near suspension, with front and rear stabilizer bars independent MacPherson strut front, double-without near suspension, with front and rear stabilizer bars independent MacPherson strut front, double-without near suspension, with front and rear stabilizer bars independent MacPherson strut front, double-without near suspension, with front and rear stabilizer bars independent MacPherson strut front, double-without near suspension, with front and rear stabilizer bars independent MacPherson strut front, double-without near suspension, with front and rear stabilizer bars independent MacPherson strut front, double-without near suspension, with front and rear stabilizer bars independent MacPherson strut front, double-without near suspension, with front and rear stabilizer bars independent MacPherson strut front, double-without near suspension, with front and rear stabilizer bars independent MacPherson strut front, double-without near suspension, with front and rear stabilizer bars i				
Body construction Unitized body Independent machine, front on tengine, front on the engine, front, vision beam rear suspension, with front, borsion beam rear suspension, with front and rear stabilizer bars Independent Machines on strut Independent Machines on strut </td <td></td> <td></td> <td></td> <td></td>				
Divotation Found engine, front or Found engine, front				
Support Supp				•
	Drivetrain			
Independent MacPheson strut		4-wheel drive (4WD available)	4-wheel drive (4WD available)	front-wheel drive
### Parameter suspension, with front and rear stabilizer bars with	Suspension			
### A Provision beam rear suspension, with front and rear stabilizer bars with front and rear stabiliz	2WD	Independent MacPherson strut	Independent MacPherson strut	Independent MacPherson strut
AVD with front and rear stabilizer bars independent MacPhesons truit front, oblide wishbone rear suspension, with front and rear stabilizer bars with and stabilizer bars		•	•	•
4VD Independent MacPherson strut front, or with front and rear stabilizer bars in proper sassisted front and power-assisted front and power-assiste		· · · · · · · · · · · · · · · · · · ·		
	AWD			
Sciencing With front and rear stabilizer bars Engine speed-sensing Engine speed-sensing Propries speed speed Propries speed Pr	4110	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	1975
Steering Engine speed-sensing power-assisted rack-and-pinion power-assisted rack-and-pinion power-assisted rack-and-pinion 36.7 Engine speed-sensing power-assisted rack-and-pinion power-assisted rack-and-pinion 36.7 Engine speed-sensing power-assisted rack-and-pinion power-assisted rack-and-pinion 36.7 Engine speed-sensing power-assisted rack-and-pinion 36.7 Engine speed sensing power-assisted rack-and-pinion 36.7 Engine speed sensing power-assisted rack-and-pinion 36.7 Act The speed sensing power-assisted rack and-pinion 36.7 Act The speed sensing power assisted rack and-pinion 36.7 Act The speed sensing power assisted rack and-pinion 36.7 Act The speed sensity of the speed and power assisted rack and power assist				
Power-assisted rack-and-pinion Power-assisted rack-and-pinion Power-assisted rack-and-pinion Power-assisted front Power-assiste				
Turning circle diameter, curb to curb (ft.) 36.7 36.7 4-wheel disc Brakes Power-assisted front ventilated disc/rear drum vent	Steering	0 .		
Brakes Power-assisted front veriliated disc/rear drum v				
4-wheel Anti-lock Brake System (ABS) ventilated disc/rear drum ventilated disc/rear drum valiable (standard on 4WD) Standard on 4WD Exterior Dimensions (in.) For Cistandard on 4WD) Standard on 4WD) Exterior Dimensions (in.) For Cistandard on 4WD) For Cistandard on 4WD) Exterior Dimensions (in.) For Cistandard on 4WD) Cistandard on 4WD) Exterior Dimensions (in.) For Cistandard on 4WD) Go. 60.6 (61.0) ² 60.9 60.9 60.9 60.9 60.9 60.9 60.9 60.9 60.9 60.9 60.9 60.9 60.9 60.9 60.9 60.9 60.9 60.9 60.9 60.9 60.9 60.9 60.9 60.9 60.9 60.9 60.9 60.9 60.9 60.9 60.9 60.9 60.9 <td>Turning circle diameter, curb to curb (ft.)</td> <td>36.7</td> <td>36.7</td> <td>36.7</td>	Turning circle diameter, curb to curb (ft.)	36.7	36.7	36.7
4-wheel Anti-lock Brake System (ABS) Ayaiable (standard on 4WD) Available (standard on 4WD) Standard on 4WD All candard on 4WD Contandard on 4WD Contandard on 4WD All candard on 4WD All candard on 4WD Contandard on 4WD	Brakes	Power-assisted front	Power-assisted front	4-wheel disc
4-wheel Anti-lock Brake System (ABS) Ayaiable (standard on 4WD) Available (standard on 4WD) Standard on 4WD All candard on 4WD Contandard on 4WD Contandard on 4WD All candard on 4WD All candard on 4WD Contandard on 4WD		ventilated disc/rear drum	ventilated disc/rear drum	
Exterior Dimensions (in.) Section Dimensions (in.) Section Dimensions (in.) Section Dimensions (in.) Section (in.)	4-wheel Anti-lock Brake System (ABS)			Standard
Part	· moorrma room brane oyetem (120)			otania. a
Overall height 60.6 66.00² 69.9 69.9 Overall width 69.9 69.9 69.9 Overall length 171.3 171.3 171.3 Wheelbase 102.4 102.4 102.4 Ground clearance 5.9 5.9 5.9 Track (front/rear) 59.6/58.9 59.6/58.9 (59.3/58.5)2 59.6/58.9 (59.3/58.5)2 Interior Dimensions front/rear (in.) Head room 40.6/39.8 40.6/39.8 (38.9/39.3)3 40.6/39.8 (38.9/39.3)3 40.6/39.8 (38.9/39.3)3 40.6/39.8 (38.9/39.3)3 40.6/39.8 (38.9/39.3)3 40.6/39.8 (38.9/39.3)3 40.6/39.8 (38.9/39.3)3 40.6/39.8 (38.9/39.3)3 40.6/39.8 (38.9/39.3)3 40.6/39.8 (38.9/39.3)3 40.6/39.8 (38.9/39.3)3 40.6/39.8 (38.9/39.3)3 40.6/39.8 (38.9/39.3)3 40.6/39.8 (38.9/39.3)3 40.6/39.8 (38.9/39.3)3 40.6/39.8 (38.9/39.3)3 40.6/39.8 (38.9/39.3)3 40.6/39.8 (38.9/39.3)3 40.6/39.8 (38.9/39.3)3 40.6/39.8 (38.9/39.3)3 40.6/39.8 (38.9/39.3)3 40.6/39.8 (38.9/39.3)3 40.6/39.8 (38.9/39.3)3 40.6/39.8 (38.9/39.3)3 40.6/39.8 (38.9/39.3)3 40.6/39.8 (38.9/39.3)3 40.6/39.8 (38.9/39.3)3 40.6/39.8 (38.9/39.3)3		(otaliaara on 1112)	(otandara on 1115)	
Overall width 69.9 69.9 69.9 69.9 0verall length 171.3 171.3 171.3 171.3 171.3 171.3 171.3 171.3 171.3 171.3 171.3 171.3 171.3 171.3 171.3 171.3 171.3 171.3 171.3 171.3 171.3 171.3 171.3 171.3 171.3 171.3 171.3 171.3 171.3 171.3 171.3 171.3 171.4 171.4 171.4 171.4 171.4 171.4 171.4 171.4 171.4 171.4 171.4 171.4 171.4 171.4 171.4 171.4 171.4 171.4 171.4 171.4 171.4 171.4 171.4 171.4 171.4 171.4 171.4 171.4 171.4 171.4 171.4 171.4 171.4 171.4 171.4 171.4 171.4 171.4 171.4 171.4 171.4 171.4 171.4 171.4 171.4 171.4 171.4 171.4 171.4 171.4 <td></td> <td></td> <td></td> <td></td>				
Overall length 171.3 171.3 171.3 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4 102.4	Overall height	60.6	60.6 (61.0) ²	60.6 (61.0) ²
Wheelbase 102.4 102.4 102.4 Ground clearance 5.9 5.9 5.9 Track (front/rear) 5.96/58.9 5.96/58.9 (59.3/58.5)2 5.9 Interior Dimensions front/rear (in.) Head room 40.6/39.8 40.6/39.8 (38.9/39.3)³ 40.6/39.8 (38.9/39.3)³ Shoulder room 53.2/52.6 52.2/52.6 53.2/52.6 53.2/52.6 Hip room 41.8/36.3 51.7/47.8 51.7/47.8 11.7/47.8 Leg room 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 Sating capacity 5 5 5 5 Weights and Capacities 5 5 5 5 Curb weight (lbs.) 5 7 701 NA 5 5 8 6 5 6 6 9 6 2 800 6 2800 4 4 9 6 2 80 6 2 80 6 2 6 2 80 6 2 <	Overall width	69.9	69.9	69.9
Wheelbase 102.4 102.4 102.4 Ground clearance 5.9 5.9 5.9 Track (front/rear) 5.96/58.9 5.96/58.9 (59.3/58.5)2 5.9 Interior Dimensions front/rear (in.) Head room 40.6/39.8 40.6/39.8 (38.9/39.3)³ 40.6/39.8 (38.9/39.3)³ Shoulder room 53.2/52.6 52.2/52.6 53.2/52.6 53.2/52.6 Hip room 41.8/36.3 51.7/47.8 51.7/47.8 11.7/47.8 Leg room 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 Sating capacity 5 5 5 5 Weights and Capacities 5 5 5 5 Curb weight (lbs.) 5 7 701 NA 5 5 8 6 5 6 6 9 6 2 800 6 2800 4 4 9 6 2 80 6 2 80 6 2 6 2 80 6 2 <	Overall length	171.3	171.3	171.3
Ground clearance Track (front/rear) 5.9 5.9 5.9 5.9 5.9 5.9 5.9 5.9 5.9 5.9 5.9 5.9 5.9 5.9 5.9 5.9 5.9 5.9 5.9 5.9 5.9 5.9 5.9 5.9 5.9 5.9 5.9 5.9 5.9 5.9 5.9 5.9 5.9 5.9 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0				
Track (front/rear) 59.6/58.9 59.6/58.9 (59.3/58.5)2 59.6/58.9 (59.3/58.5)2 Interior Dimensions front/rear (in.) V Head froom 40.6/39.8 40.6/39.8 40.6/39.8 (38.9/39.3)³ 60.6/39.8 (38.9/39.3)³ Shoulder room 53.2/52.6 53.2/52.6 53.2/52.6 11.747.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 52.7 52.0 52.0 52.0 52.0 52.0 52.0 52.0 52.0 52.0 52.0 52.0 52.0 52.0 52.0 52.0 52.0 52.0 52.0 52.0 52.0 52.0 52.0 52.0 52.0 52.0 52.0 52.0 52.0 5				
Naterior Dimensions front/rear (in.)				
Head room 40.6/39.8 40.6/39.8 (38.9/39.3)³ 40.6/39.8 (38.9/39.3)³ Shoulder room 53.2/52.6 53.2/52.6 53.2/52.6 Hip room 51.7/47.8 51.7/47.8 51.7/47.8 Leg room 41.8/36.3 41.8/36.3 41.8/36.3 Seating capacity 5 5 5 Weights and Capacities Curb weight (lbs.) 5-speed manual 2,679 2,701 NA 4-speed automatic 2WD/4WD 2,756/2,943 2,778/2,965 2,877/NA 4-speed automatic 2WD/4WD 2,566/2,943 2,778/2,965 2,877/NA EPA passenger volume (cu. ft.) ^{4,5} 96.2 96.2 96.2 Luggage capacity, rear seats up/down (cu. ft.) ⁴ 21.8/53.2 21.8/53.2 21.8/53.2 21.8/53.2 Fuel tank 2WD/4WD (gal.) 13.2/11.0 13.2/11.0 13.2/NA 13.2/NA Tires Size P205/55R16 P205/55R16 P205/55R16 Type All-Season All-Season All-Season Spare Tempor	ilack (ilolioleal)	33.0/30.3	33.0/30.3 (33.3/30.3/2	33.0/36.3 (33.3/36.3/2
Shoulder room 53.2/52.6 53.2/52.6 53.2/52.6 53.2/52.6 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8	Interior Dimensions front/rear (in.)			
Shoulder room 53.2/52.6 53.2/52.6 53.2/52.6 53.2/52.6 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8 51.7/47.8	Head room	40.6/39.8	40.6/39.8 (38.9/39.3) ³	40.6/39.8 (38.9/39.3) ³
Hip room 51.7/47.8 51.7/47.8 51.7/47.8 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3	Shoulder room	53 2/52 6		
Lèg room 41.8/36.3 41.8/36.3 41.8/36.3 41.8/36.3 Seating capacity 5 5 5 Weights and Capacities Curb weight (lbs.) 5 5 701 NA 5-speed manual 2,679 2,701 NA 6 800 4 4.89eed antomatic 2WD/4WD 2,800 2,877/NA 2,800 4 4.89eed automatic 2WD/4WD 2,756/2,943 2,778/2,965 2,877/NA 2,877/NA 2,872 2,877/NA 4 2,872 2,872 2,872 2,872 2,873 2 2,873/NA 4 2,873 2 2,873/NA 2 2,				
Seating capacity 5 5 Weights and Capacities Curb weight (lbs.) 5-speed manual 2,679 2,701 NA 6-speed manual NA NA 2,800 4-speed automatic 2WD/4WD 2,756/2,943 2,778/2,965 2,877/NA EPA passenger volume (cu. ft.) ^{4,5} 96.2 96.2 96.2 Luggage capacity, rear seats up/down (cu. ft.) ⁴ 13.2/11.0 13.2/11.0 13.2/11.0 Tires Tires P 205/55R16 P 205	·			
Weights and Capacities Curb weight (lbs.) 2,679 2,701 NA 6-speed manual NA NA 2,800 4-speed automatic 2WD/4WD 2,756/2,943 2,778/2,965 2,877/NA EPA passenger volume (cu. ft.) ^{4,5} 96.2 96.2 96.2 Luggage capacity, rear seats up/down (cu. ft.) ⁴ 21.8/53.2 21.8/53.2 21.8/53.2 Fuel tank 2WD/4WD (gal.) 13.2/11.0 13.2/11.0 13.2/NA Tires Size P205/55R16 P205/55R16 P205/55R16 Type All-Season All-Season All-Season Spare Temporary Temporary Temporary Mileage Estimates (estimated mpg city/highway) ⁶ 2WD manual 29/36 29/36 25/30 2WD automatic 28/33 28/33 26/30	-			
Curb weight (lbs.) 5-speed manual 2,679 2,701 NA 6-speed manual NA NA 2,800 4-speed automatic 2WD/4WD 2,756/2,943 2,778/2,965 2,877/NA EPA passenger volume (cu. ft.) ^{4,5} 96.2 96.2 96.2 Luggage capacity, rear seats up/down (cu. ft.) ⁴ 21.8/53.2 21.8/53.2 21.8/53.2 Fuel tank 2WD/4WD (gal.) 13.2/11.0 13.2/11.0 13.2/NA Tires Size P205/55R16 P205/55R16 P205/55R16 P205/55R16 Type All-Season All-Season All-Season All-Season Spare Temporary Temporary Temporary Temporary WD manual 29/36 29/36 25/30 2WD automatic 28/33 28/33 26/30	Seating capacity			
Curb weight (lbs.) 5-speed manual 2,679 2,701 NA 6-speed manual NA NA 2,800 4-speed automatic 2WD/4WD 2,756/2,943 2,778/2,965 2,877/NA EPA passenger volume (cu. ft.) ^{4,5} 96.2 96.2 96.2 Luggage capacity, rear seats up/down (cu. ft.) ⁴ 21.8/53.2 21.8/53.2 21.8/53.2 Fuel tank 2WD/4WD (gal.) 13.2/11.0 13.2/11.0 13.2/NA Tires Size P205/55R16 P205/55R16 P205/55R16 P205/55R16 Type All-Season All-Season All-Season All-Season Spare Temporary Temporary Temporary Temporary WD manual 29/36 29/36 25/30 2WD automatic 28/33 28/33 26/30	Weights and Capacities			
5-speed manual 2,679 2,701 NA 6-speed manual NA NA 2,800 4-speed automatic 2WD/4WD 2,756/2,943 2,778/2,965 2,877/NA EPA passenger volume (cu. ft.) ^{4,5} 96.2 96.2 96.2 Luggage capacity, rear seats up/down (cu. ft.) ⁴ 21.8/53.2 21.8/53.2 21.8/53.2 Fuel tank 2WD/4WD (gal.) 13.2/11.0 13.2/11.0 13.2/NA Tires Size P205/55R16 P205/55R16 P205/55R16 Type All-Season All-Season All-Season Spare Temporary Temporary Temporary Mileage Estimates (estimated mpg city/highway) ⁶ 2WD manual 29/36 29/36 25/30 2WD automatic 28/33 28/33 26/30				
6-speed manual NA NA 2,800 4-speed automatic 2WD/4WD 2,756/2,943 2,778/2,965 2,877/NA EPA passenger volume (cu. ft.) ^{4,5} 96.2 96.2 96.2 Luggage capacity, rear seats up/down (cu. ft.) ⁴ 21.8/53.2 21.8/53.2 21.8/53.2 Fuel tank 2WD/4WD (gal.) 13.2/11.0 13.2/11.0 13.2/NA Tires Size P205/55R16 P205/55R16 P205/55R16 Type All-Season All-Season All-Season Spare Temporary Temporary Temporary Mileage Estimates (estimated mpg city/highway) ⁶ 2WD manual 29/36 29/36 25/30 2WD automatic 28/33 28/33 26/30		2 679	2 701	NA
4-speed automatic 2WD/4WD 2,756/2,943 2,778/2,965 2,877/NA EPA passenger volume (cu. ft.) ^{4,5} 96.2 96.2 96.2 Luggage capacity, rear seats up/down (cu. ft.) ⁴ 21.8/53.2 21.8/53.2 21.8/53.2 Fuel tank 2WD/4WD (gal.) 13.2/11.0 13.2/11.0 13.2/NA Tires Size P205/55R16 P205/55R16 P205/55R16 Type All-Season All-Season All-Season Spare Temporary Temporary Temporary Mileage Estimates (estimated mpg city/highway) ⁶ 2WD manual 29/36 29/36 25/30 2WD automatic 28/33 28/33 26/30				
EPA passenger volume (cu. ft.) ^{4,5} 96.2 96.2 96.2 Luggage capacity, rear seats up/down (cu. ft.) ⁴ 21.8/53.2 21.8/53.2 21.8/53.2 Fuel tank 2WD/4WD (gal.) 13.2/11.0 13.2/11.0 13.2/NA Tires Size P205/55R16 P205/55R16 P205/55R16 Type All-Season All-Season All-Season Spare Temporary Temporary Temporary Mileage Estimates (estimated mpg city/highway) ⁶ 2WD manual 29/36 29/36 25/30 2WD automatic 28/33 28/33 26/30				
Luggage capacity, rear seats up/down (cu. ft.) ⁴ 21.8/53.2 21.8/53.2 13.2/11.0 13.2/11.0 13.2/NA Tires Size P205/55R16 P205/55R16 P205/55R16 P205/55R16 P205/55R16 P205/55R16 All-Season All-Season All-Season All-Season All-Season Temporary Temporary Temporary Temporary Temporary Temporary 29/36 29/36 25/30 20/30 20/30 20/30 20/30 20/30 20/30 20/30 20/30 20/30 20/30 20/30 20/30 20/30 20/30 20/30 20/30 20/30 20/30 20/30 20/30 20/30 20/30 20/30 20/30 20/30 20/30 20/30 20/30 20/30 20/30 20/30 20/30 20/30 20/30 20/30 20/30 20/30 20/30 20/30 20/30 20/30 20/30 20/30 20/30 20/30 20/30 20/30 20/30 20/30 20/30 20/30 20/30 20/30 20/30 20/30 20/30 20/30 20/30 20/30 <t< td=""><td>EDA passanger valuma (ou. # \4.5</td><td></td><td></td><td>,</td></t<>	EDA passanger valuma (ou. # \4.5			,
Fuel tank 2WD/4WD (gal.) 13.2/11.0 13.2/11.0 13.2/NA Tires Size P205/55R16 P205/55R16 P205/55R16 Type All-Season All-Season All-Season Spare Temporary Temporary Temporary Mileage Estimates (estimated mpg city/highway) ⁶ 2WD manual 29/36 29/36 25/30 2WD automatic 28/33 28/33 26/30				
Tires Size P205/55R16 P205/55R16 P205/55R16 Type All-Season All-Season All-Season Spare Temporary Temporary Temporary Mileage Estimates (estimated mpg city/highway) ⁶ 2WD manual 29/36 29/36 25/30 2WD automatic 28/33 28/33 26/30				
Size P205/55R16 P205/55R16 P205/55R16 Type All-Season All-Season All-Season Spare Temporary Temporary Temporary Mileage Estimates (estimated mpg city/highway) ⁶ 2WD manual 29/36 29/36 25/30 2WD automatic 28/33 28/33 26/30	Fuel tank 2WD/4WD (gal.)	13.2/11.0	13.2/11.0	13.2/NA
Size P205/55R16 P205/55R16 P205/55R16 Type All-Season All-Season All-Season Spare Temporary Temporary Temporary Mileage Estimates (estimated mpg city/highway) ⁶ 2WD manual 29/36 29/36 25/30 2WD automatic 28/33 28/33 26/30	Tires			
Type Spare All-Season Temporary All-Season Temporary All-Season Temporary All-Season Temporary Temporary Mileage Estimates (estimated mpg city/highway) ⁶ 2WD manual 29/36 29/36 25/30 2WD automatic 28/33 28/33 26/30		P205/55R16	P205/55R16	P205/55R16
SpareTemporaryTemporaryTemporaryMileage Estimates (estimated mpg city/highway) ⁶ 2WD manual29/3629/3625/302WD automatic28/3326/30				
Mileage Estimates (estimated mpg city/highway) ⁶ 29/36 29/36 25/30 2WD manual 28/33 28/33 26/30				
2WD manual 29/36 29/36 25/30 2WD automatic 28/33 26/30	ораге	тетпрогату	тептрогату	тетпрогату
2WD manual 29/36 29/36 25/30 2WD automatic 28/33 28/33 26/30	Mileage Estimates (estimated mpg city/highway) ⁶			
2WD automatic 28/33 28/33 26/30		29/36	29/36	25/30
THE distribute 20/31 20/31 NA				
	THE GULUMBULO	70/01	20/31	11/1

 $^{^{1}}$ 123 hp @ 6,000 rpm and 119 lb.-ft. @ 4,200 rpm on 4WD models. 2 With available 17" aluminum alloy wheels.

³ With available power moonroof.

Based on manufacturers' data for small wagon classification.

⁵ Cargo and load capacity limited by weight and distribution.
⁶ 2004 preliminary mileage estimates determined by Toyota. Final EPA mileage estimates not available at time of printing. Actual mileage may vary. .