



RAV4 shown in Titanium Metallic with available L PACKAGE, 16" aluminum alloy wheels, roof rack and optional equipment

YOU DON'T SPEND YOUR FRIDAY NIGHTS JUST ANYWHERE. IT HAS TO BE AT LEAST AN HOUR'S DRIVE AWAY.

04 MODEL GRADES

Sport Package

- Unique hood scoop and sport seat fabric
- Tubular-style roof rack with polished stainless steel finish
- RAV4 S badging
- Color-keyed door handles and power heated outside mirrors
- Gray-painted overfenders
- Available anti-theft engine immobilizer

L Package

- Integrated fog lamps
- Color-keyed door handles, power heated outside mirrors, front and rear bumpers, body side moldings and full hard-shell outside spare tire cover
- Leather-wrapped steering wheel and shift lever
- Privacy glass
- Tonneau cover
- RAV4 L badging
- Available leather-trimmed seats
- Available power tilt/slide moonroof with sunshade
- Available color-keyed rear spoiler



MODEL GRADE FEATURES

EXTERIOR	RAV4		RAV4
Gray-painted bumpers and body side moldings ¹	S	Dual power outside mirrors	S
Color-keyed back door handle	S	Dual power color-keyed heated outside mirrors ²	0
Aerodynamic multi-reflector halogen headlamps	S	Rear privacy glass	0
16" styled steel wheels with P215/70R16 tires	S	Rear window defogger	S
16" 5-spoke aluminum alloy wheels with P215/70R16 tires	0	Intermittent rear window wiper	S
16" 5-spoke aluminum alloy wheels with P235/60R16 tires and color-keyed		Roof rack	0
fender flares (4WD models only; requires L Package)	0	Full-size spare tire with combination hard/soft full cover	S
16" 5-spoke aluminum alloy wheels with P235/60R16 tires and gray-painted		Color-keyed rear spoiler (requires Sport or L Package)	0
fender flares (4WD models only) ¹	0	Mudguards	0
16" 5-spoke aluminum alloy wheels with P235/60R16 tires (4WD models only;		Wide mudguards (requires 5-spoke aluminum alloy wheels with P235/60R16 tires	
requires Sport Package)	0	and fender flares or Sport Package)	0
Washer-linked variable intermittent windshield wipers	S		
High Solar Energy-Absorbing (HSEA) glass	S		
INTERIOR	RAV4		RAV4
			IVIV
Tilt steering wheel	S	Fabric-trimmed multi-adjustable front seats with driver's seat height adjustment	
Cruise control	S	and seatback pockets	S
Deluxe 3-in-1 AM/FM Cassette/CD with six speakers	S	Fabric-trimmed 50/50 split rear bench seat with slide/tumble/recline/remove	
JBL 3-in-1 AM/FM Cassette/CD with eight speakers in six locations		functions	S
(requires Sport or L Package)	0	Leather-trimmed seats (requires L Package)	0
JBL 3-in-1 AM/FM Cassette/6-disc in-dash CD changer with eight speakers in		Heated front seats with adjustable temperature control (requires L Package and	
six locations (requires Sport or L Package)	0	leather-trimmed seats)	0
Digital quartz clock	S	Multi-function center console with adjustable front and rear dual cup holders,	
Dual sun visors with vanity mirrors and sliding extensions	S	12V auxiliary power outlet, storage pocket and covered armrest storage compartment	
Dual sliding sun visors with illuminated vanity mirrors (requires front seat-mounted		Urethane steering wheel with audio controls	S
side and front and rear side curtain airbags ³)	0	Leather-wrapped steering wheel with audio control and shift lever (requires	
Overhead console with garage door opener storage	S	Sport Package, standard in L Package)	0
Front maplight	S	Orange-illuminated analog instrument cluster with white speedometer, tachometer	
Auto-dimming electrochromic rearview mirror (requires Sport or L Package)	0	and fuel gauge meters; LCD odometer with twin tripmeters; and seatbelt disconnect,	
HomeLink® ⁴ universal transceiver (requires Sport or L Package)	0	airbag, door-ajar, battery, oil pressure, brake, VSC, TRAC, ABS, low tire pressure,	
Battery-saver feature	S	check engine, scheduled maintenance indicator and low-fuel level warning lights	S
Illuminated ignition key ring	S	Power tilt/slide moonroof with sunshade	0
Defroster-linked CFC-free air conditioning with air filtration	S	Remote hood and fuel-filler door releases	S
Cruise control	S	Remote keyless entry system	0
Power windows and door locks	S	Cargo area 12V auxiliary power outlet	S
Fabric-trimmed doors with integrated speakers and map pockets	S	Six cargo area grocery bag hooks	S
		Tananana	^

S = Standard0 = Optional















Standard 16" 5-spoke styled steel wheel $\label{eq:available 16} \mbox{Available 16" 5-spoke aluminum alloy wheel}^2$ Available unique 16" 5-spoke aluminum alloy wheel $^{\rm 3}$





0

Standard 16" 5-spoke aluminum alloy wheel² Available unique 16" 5-spoke aluminum alloy wheel 3

 $[\]frac{1}{2}$ Titanium Metallic-painted on Super White and Savannah Metallic.

²Included in Sport and L Packages.

³The Toyota driver, front passenger, front seat-mounted side airbags and side curtain airbags are Supplemental Restraint Systems (SRS). The driver and front passenger airbags are designed to deploy in severe (usually frontal) collisions where the magnitude and duration of the forward deceleration of the vehicle exceeds the design threshold level. The side airbags and side curtain airbags are designed to inflate in severe side-impact collisions. In all other accidents, the airbags will not inflate. To decrease the risk of injury from a deploying airbag, always wear seatbelts, sit upright in the middle of the seat as far back as possible from the airbag modules and do not lean against the door. Do not put objects in front of an airbag or around the seatback. Do not use rearward-facing child seats in any front passenger seat. The force of a deploying SRS airbag may cause serious injury or death. Please see your Owner's Manual for further instructions.

4HomeLink® is a registered trademark of Johnson Controls, Inc.

²Required with L Package.

³Available on 4-wheel-drive models.

AVAILABLE PACKAGES AND OPTIONS

PACKAGES

Sport Package — includes unique sport seat fabric, hood scoop, tubular-style roof rack with polished stainless steel finish, gray-painted fender flares, RAV4 S badging, color-keyed door handles and power heated outside mirrors

L Package⁸ — includes color-keyed door handles, power heated outside mirrors, front and rear bumpers, body side moldings and full hard-shell outside spare tire cover; RAV4 L badging; leather-wrapped steering wheel with audio controls and leather-wrapped shift lever; integrated fog lamps; rear privacy glass; and tonneau cover

OPTIONS

- Front seat-mounted side airbags and front and rear side curtain airbags³
- Heated front seats with adjustable temperature control (requires L Package and leather-trimmed seats)
- JBL 3-in-1 AM/FM Cassette/CD with eight speakers in six locations (requires Sport or L Package)
- JBL 3-in-1 AM/FM Cassette/6-disc in-dash CD changer and eight speakers in six locations (requires Sport or L Package)
- 16" 5-spoke aluminum alloy wheels with P215/70R16 tires
- 16" 5-spoke aluminum alloy wheels with P235/60R16 tires and color-keyed fender flares (4WD models only; requires L Package)
- 16" 5-spoke aluminum alloy wheels with P235/60R16 tires and gray-painted fender flares (4WD models only)¹
- 16" 5-spoke aluminum alloy wheels with P235/60R16 tires (4WD models only; requires Sport Package)
- · Power tilt/slide moonroof with sunshade

- · Anti-theft engine immobilizer and remote keyless entry
- Remote keyless entry
- Auto-dimming electrochromic rearview mirror (requires Sport or L Package)
- Leather-trimmed seats (requires L Package)
- Leather-wrapped steering wheel and shift lever (requires Sport Package)
- Daytime Running Lights (DRL)
- Rear privacy glass
- · Roof rack
- Color-keyed rear spoiler (requires Sport or L Package)
- Mudguards
- Wide mudguards (requires 16" 5-spoke aluminum alloy wheels with P235/60R16 tires and fender flares or Sport Package)
- Tonneau cover
- HomeLink®⁴ universal transceiver (requires Sport or L Package)

¹Titanium Metallic-painted on Super White and Savannah Metallic.

³The Toyota driver, front passenger, front seat-mounted side airbags and side curtain airbags are Supplemental Restraint Systems (SRS). The driver and front passenger airbags are designed to deploy in severe (usually frontal) collisions where the magnitude and duration of the forward deceleration of the vehicle exceeds the design threshold level. The side airbags and side curtain airbags are designed to inflate in severe side-impact collisions. In all other accidents, the airbags will not inflate. To decrease the risk of injury from a deploying airbag, always wear seatbelts, sit upright in the middle of the seat as far back as possible from the airbag modules and do not lean against the door. Do not put objects in front of an airbag or around the seatback. Do not use rearward-facing child seats in any front passenger seat. The force of a deploying SRS airbag may cause serious injury or death. Please see your Owner's Manual for further instructions.

⁴HomeLink® is a registered trademark of Johnson Controls, Inc.

COLORS



Frosted White Pearl5 with Dark Charcoal or Taupe interior



Super White6,7 with Dark Charcoal or Taupe interior



Titanium Metallic with Dark Charcoal interior



Flint Mica8 with Dark Charcoal interior



Savannah Metallic6,7 with Taupe interior



Salsa Red Pearl6 with Dark Charcoal or Taupe7 interior



Everglade Metallic7 with Dark Charcoal or Taupe interior



Spectra Blue Mica with Dark Charcoal or Taupe7 interior



Black with Dark Charcoal or Taupe7 interior

Toyota RAV4s are designed to meet most off-road driving requirements. Abusive use may result in bodily harm or damage. Toyota encourages responsible operation to protect you, your vehicle and the environment.

Some vehicles are shown with available equipment. Seatbelts should be worn at all times. Please do not allow passengers to ride in the cargo area. Towing hitch receivers/ball mount kits are not intended to provide crash protection.

For details on vehicle specifications, standard features and available equipment in your area, contact your Toyota dealer. A

vehicle with particular equipment may not be available at the dealership. Ask your Toyota dealer to help locate a specifically equipped vehicle.

All information presented herein is based on data available at the time of printing, is subject to change without notice and

pertains specifically to mainland U.S.A. vehicles only (may differ in the state of Hawaii, Puerto Rico, the U.S. Virgin Islands and in other regions).



Requires either 16" 5-spoke aluminum alloy wheels with P215/70R16 tires or 16" 5-spoke aluminum alloy wheels with P235/60R16 tires and color-keyed fender flares (4WD models only).

²Required with L Package.

³Available on 4-wheel-drive models.

⁴Requires L Package.

⁵Available with L Package only. ⁶Not available with L Package.

⁷Not available with Sport Package. ⁸Available with Sport Package only.



SPECIFICATIONS

·	OWN	AMB		
	2WD	4WD		
Mechanical/Performance Engine 161 hp @ 5,700 rpm	2.4-liter DOHC 16-valve EFI 4-cylinder with Variable Valve Timing with intelligence (VVT-i)			
165 lbft. @ 4,000 rpm Ignition Transmission	Electronic, with Toyota Direct Ignition (TDI)			
5-speed manual 4-speed electronically controlled automatic	Standard	Standard		
with intelligence (ECT-i) Body construction	Available Unitized body	Available		
Drivetrain Suspension	Front engine, front-wheel drive Independent MacPherson strut front suspension with stabilizer bar a sion with stabilizer bar and hydraulic shock absorbers	Full-time 4-wheel drive and hydraulic shock absorbers; double-wishbone coil-spring rear suspen		
Steering Turning circle diameter, curb to curb (ft.) Brakes	Power-assisted rack-and-pinion 35.4 Power-assisted ventilated front disc and solid rear disc			
4-wheel Anti-lock Brake System (ABS)	Includes Electronic Brake-force Distribution (EBD) and Brake Assist ¹			
Exterior Dimensions (IN.) Overall height, unloaded	65.7	66.1 (65.7 with P235/60R16 tires)		
Overall width	68.3 (70.3 with Sport Package)	68.3 (70.3 with P235/60R16 tires)		
Overall length Wheelbase	166.6 (167.5 with L Package) 98.0	166.6 (167.5 with L Package) 98.0		
Track (front/rear)	59.3/59.1	59.3/58.9 (60.0/59.8 with P235/60R16 tires)		
Interior Dimensions front/rear (IN.)				
Head room with moonroof	41.3/38.3 39.6/38.3	41.3/38.3 39.6/38.3		
Shoulder room	54.1/53.7	54.1/53.7		
Hip room	53.4/46.5	53.4/46.5		
Leg room Seating capacity	42.4/32.6 5	42.4/32.6 5		
Seating Capacity	J	3		
Off-Highway Approach/departure angle (degrees)	27/28	28/29 (27/28 with P235/60R16 tires)		
Minimum running ground clearance (in.)	6.3	6.7 (6.3 with P235/60R16 tires)		
Viscous coupling type center differential	NA	Standard		
Weights and Capacities				
Curb weight, manual/automatic (lbs.) Gross Vehicle Weight Rating — GVWR (lbs.)	2,897/2,965	3,119/3,186		
Payload ² — manual/automatic (lbs.)	4,041 1,144/1,076	4,087 968/901		
Towing capacity ³ (lbs.)	1,500	1,500		
Cargo volume, rear seats in/out (cu. ft.) ⁴	29.2/68.3	29.2/68.3		
Fuel tank (gal.)	14.8	14.8		
Tires	2015/72210	2015/20214		
Size Type	P215/70R16 All-Season steel-belted radial blackwalls	P215/70R16 All-Season steel-belted radial blackwalls		
Spare	Full-size	Full-size		
Mileage Estimates (MPG CITY/HIGHWAY) ⁵				
Manual	24/30	21/26		
Automatic	24/28	22/27		

¹See Available Packages and Options section footnote 5 for more information on Toyota's Brake Assist.

Have you logged 100,000, 200,000 or more miles on your Toyota with the original engine, transmission and drivetrain? If you have, give us a call at 1-800-G0-T0YOTA and tell us your story.

©2002 Toyota Motor Sales, U.S.A., Inc. PT3-017 (8/02) 00617-03RAV

²Includes the weight of occupants, available equipment and cargo; limited by weight distribution.

³Before towing, confirm your vehicle and trailer are compatible, hooked up properly and you have all necessary additional equipment. Do not exceed any Weight Ratings and review all instructions and cautions from your trailer hitch manufacturer and Toyota

vehicle Owner's Manual. Note that the maximum amount you can tow depends on the total weight of any cargo, occupants and available equipment in the vehicle

available equipment in the vehicle.

Cargo and load capacity limited by weight and distribution.

2004 preliminary mileage estimates determined by Toyota. EPA mileage estimates not available at time of printing. Actual mileage may vary.

¹⁻⁸⁰⁰⁻G0-T0Y0TA